

<b>Document Title</b>	Specification of Vehicle-2-X Facilities
<b>Document Owner</b>	AUTOSAR
<b>Document Responsibility</b>	AUTOSAR
<b>Document Identification No</b>	795

<b>Document Status</b>	Final
<b>Part of AUTOSAR Standard</b>	Classic Platform
<b>Part of Standard Release</b>	4.4.0

<b>Document Change History</b>			
<b>Date</b>	<b>Release</b>	<b>Changed by</b>	<b>Change Description</b>
2018-10-31	4.4.0	AUTOSAR Release Management	<ul style="list-style-type: none"> <li>• Added IVIM support</li> <li>• Added SPATEM support</li> <li>• Added MAPEM support</li> </ul>
2017-12-08	4.3.1	AUTOSAR Release Management	<ul style="list-style-type: none"> <li>• Editorial Changes</li> </ul>
2016-11-30	4.3.0	AUTOSAR Release Management	<ul style="list-style-type: none"> <li>• Initial Release</li> </ul>

## Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

## Table of Contents

1	Introduction and functional overview .....	6
1.1	Architectural overview .....	6
1.2	Functional overview .....	7
1.2.1	Cooperative Awareness (CA).....	7
1.2.2	Decentralized Environmental Notification (DEN).....	7
1.2.3	Vehicle Data Provider (VDP).....	8
1.2.4	Local Dynamic Map (LDM) .....	8
1.2.5	Infrastructure to Vehicle Information (IVI) .....	9
1.2.6	Road and Lane Topology (RLT) service .....	9
1.2.7	Traffic Light Maneuver (TLM) service .....	9
2	Acronyms and abbreviations .....	11
3	Related documentation.....	12
3.1	Input documents.....	12
3.2	Related standards and norms .....	12
3.3	Related specification .....	13
4	Constraints and assumptions .....	14
4.1	Limitations .....	14
4.2	Applicability to car domains.....	14
5	Dependencies to other modules.....	15
5.3	V2x Vehicle Data Provider.....	15
5.4	V2x Proxy .....	15
5.5	V2x Applications.....	15
5.6	AUTOSAR V2xBtp.....	16
6	Requirements traceability .....	17
7	Functional specification .....	18
7.1	Startup behavior .....	18
7.2	General Format Specification .....	19
7.3	CA Functional Specification.....	19
7.3.1	CA Initialization, Activation and Deactivation .....	19
7.3.2	CAM Generation, Sending and Receiving, Frequency Management....	20
7.3.3	CAM Generation Frequency Management for RSU ITS-Ss.....	21
7.3.4	CAM Time Requirement .....	21
7.3.5	CAM Format Specification .....	21
7.4	DEN Functional Specification .....	22
7.4.1	DEN Initialization.....	23
7.4.2	DENM Transmission Management .....	23
7.4.3	DENM Reception Management .....	23
7.4.4	DENM Repetition .....	23
7.4.5	DENM Keep Alive Forwarding (KAF) .....	23
7.4.6	DENM Format Specification.....	23
7.5	IVI Functional Specification .....	26
7.5.1	IVIM Reception Management.....	26

7.5.2	IVIM Format Specification .....	26
7.6	RLT Functional Specification .....	26
7.6.1	MAPEM Reception Management .....	26
7.6.2	MAPEM Format Specification .....	26
7.7	TLM Functional Specification .....	27
7.7.1	SPATEM Reception Management .....	27
7.7.2	SPATEM Format Specification .....	27
7.8	Path History .....	27
7.9	Error classification .....	27
7.9.1	Development Errors .....	27
7.9.2	Runtime Errors .....	28
7.9.3	Transient Faults .....	28
7.9.4	Production Errors .....	28
7.9.5	Extended Production Errors .....	28
8	API specification .....	29
8.1	Imported types .....	29
8.2	Type definitions .....	29
8.2.1	V2xFac_RxParamsType .....	29
8.3	Function definitions .....	30
8.3.1	V2xFac_Init .....	30
8.3.2	V2xFac_GetVersionInfo .....	31
8.3.3	V2xFac_V2xM_PreparePseudonymChange .....	31
8.3.4	V2xFac_V2xM_CommitPseudonymChange .....	32
8.3.5	V2xFac_V2xM_AbortPseudonymChange .....	32
8.3.6	V2xFac_V2xM_SetTGenCamDcc .....	33
8.3.7	V2xFac_V2xM_SetCaBsOperation .....	34
8.4	Call-back notifications .....	34
8.4.1	V2xFac_TxConfirmation .....	34
8.4.2	V2xFac_RxIndication .....	35
8.5	Scheduled functions .....	36
8.5.1	V2xFac_CaBs_MainFunction .....	36
8.5.2	V2xFac_DenBs_MainFunction .....	36
8.5.3	V2xFac_lviS_MainFunction .....	36
8.5.4	V2xFac_RltS_MainFunction .....	37
8.5.5	V2xFac_TImS_MainFunction .....	37
8.6	Expected Interfaces .....	37
8.6.1	Mandatory Interfaces .....	37
8.6.2	Optional Interfaces .....	38
8.7	Service Interfaces .....	38
8.7.1	Sender-Receiver-Interfaces .....	38
8.7.2	Client-Server-Interfaces .....	41
8.7.3	Implementation Data Types .....	45
8.7.4	Ports .....	272
9	Sequence diagrams .....	274
9.1	CAM Generation and Transmission .....	274
9.2	CAM Reception .....	274
9.3	DENM Generation and Transmission .....	275
9.4	DENM Reception .....	276
9.5	IVIM Reception .....	276

9.6	MAPEM Reception .....	276
9.7	SPATEM Reception.....	277
10	Configuration specification.....	278
10.1	Containers and configuration parameters .....	278
10.1.1	Variants.....	278
10.1.2	V2xFac.....	278
10.1.3	V2xFacGeneral.....	278
11	Not applicable requirements .....	282

# 1 Introduction and functional overview


This document specifies the functionality, API and the configuration of the AUTOSAR Basic Software module Vehicle-2-X Facilities (V2xFac). The Vehicle-2-X Facilities layer together with the Vehicle-2-X Basic Transport (V2xBtp), the Vehicle-2-X GeoNetworking (V2xGn), Vehicle-2-X Management (V2xM) and the communication driver layer forms the V2X stack within the AUTOSAR architecture.

The V2xFac module is designed to be hardware independent.

The V2xFac module is dependent on services of V2X entities in the application layer and on lower V2xBtp module.

## 1.1 Architectural overview

Positioning of the V2xFac module within the AUTOSAR BSW and the Layered Software architecture is shown in below.



**Figure 1 – AUTOSAR BSW software architecture - V2xFac scope**

The V2xFac module supports common message management for data exchange between V2X applications.

It provides the basic services (BS) Cooperative Awareness (CA) and Decentralized Environmental Notification (DEN).

## 1.2 Functional overview

The V2xFac module implements the basic services CA and DEN.

### 1.2.1 Cooperative Awareness (CA)

#### 1.2.1.1 CA basic service in the AUTOSAR architecture

The CA basic service is a facilities layer entity that operates the CAM protocol. It provides two services: sending and receiving of CAMs.

The CA basic service generates and sends CAMs to other ITS-Ss or it receives CAMs from ITS-Ss and provides them to the V2x-Applications in the application layer (see [10] chapter 4).

The CA basic service uses the services provided by the protocol entities of the lower layers of the V2X stack to disseminate the CAM.

Upon receiving a CAM, the CA basic service makes the content of the CAM available to the V2X Applications.

Received CAMs are given to the upper Application layer via their standardized AUTOSAR service interface V2xApplRxIndicationCam.

It may interface with the AUTOSAR application layer in order to collect relevant information for CAM generation (Vehicle Data Provider - VDP) and to forward the received CAM content for further processing (V2x Receiver).

#### 1.2.1.2 CA basic service functional architecture

“The CA basic service is part of the Application Support domain of the Facilities Layer according to ETSI TS 102 894-1 [12] shows the functional block diagram with the functional blocks of the CA basic service and interfaces to other facilities and layers.”

For sending and receiving CAMs, the CA basic service part of the V2xFac shall provide the following sub-functions

- Encode CAM
- Decode CAM
- CAM transmission management
- CAM reception management

For details see [10] chapter 5.2.

### 1.2.2 Decentralized Environmental Notification (DEN)

#### 1.2.2.1 DEN basic service in the AUTOSAR architecture

The DEN basic service is a facilities layer entity that operates the DENM protocol. It provides services to entities at the AUTOSAR application layer. (refer to [11] chapter 4.2)

The DEN basic service generates and sends DENMs to other ITS-Ss or it receives DENMs from other ITS-Ss and provides them to the V2x-Applications in the application layer (see [11] chapter 5 and 6).

Upon receiving a DENM, the DEN basic service makes the content of the DENM available to the V2X Applications.

### **1.2.2.2 DEN basic service functional architecture**

For sending and receiving DENMs, the DEN basic service shall provide the following sub-functions

- Encode DEN
- Decode DEN
- DEN transmission management
- DEN reception management
- Keep-Alive forwarding

For Details see [11] chapter 5.3. Position and Time management (POTI)

The POTI, as specified in ETSI TS 102 890-3 [14], provides the position of the ITS-S and time information.

Within the AUTOSAR architecture POTI service is a V2X Application within the Application layer and is not part of V2xFac.

For details See [11] chapter 5.1.

### **1.2.3 Vehicle Data Provider (VDP)**

“The VDP is connected with the vehicle network and provides the vehicle status information.”

Within the AUTOSAR architecture VDP service is a V2X Application within the Application layer and is not part of V2xFac.

The VDP provides an interface to the lower layer (V2X Services).

The facilities basic services CA and DEN get vehicle relevant data from this interface. The V2xM gets e.g. position and time information from this interface.

### **1.2.4 Local Dynamic Map (LDM)**

The LDM as outlined in [15] is a database in the ITS-S, which may be updated with received CAM or DENM data.

V2x applications may retrieve information from the LDM for further processing. Within the AUTOSAR architecture LDM service is a V2X Application within the Application layer and is not part of the V2xFac module.

For details see [15] chapter 5.1.



## 1.2.5 Infrastructure to Vehicle Information (IVI)

### 1.2.5.1 IVI service in the AUTOSAR architecture

The IVI service is a facilities layer entity that provides receiving of IVIMs. The IVI service receives IVIMs from Infrastructure ITS-Ss and provides them to the V2x-Applications in the application layer (see [20] chapter 7). Upon receiving an IVIM, the IVI service makes the content of the IVIM available to the V2X Applications. Received IVIMs are given to the upper Application layer via their standardized AUTOSAR service interface V2xAppIRxIndicationIvim.

### 1.2.5.2 IVI service functional architecture

The IVI service is part of the Application Support domain of the Facilities Layer according to ETSI TS 103 301 [20] which shows the functional block diagram with the functional blocks of the IVI service and interfaces to other facilities and layers.

For receiving IVIMs, the IVI service part of the V2xFac shall provide the following sub-functions

- Decode IVIM
- IVIM reception management

## 1.2.6 Road and Lane Topology (RLT) service

The RLT service is a facilities layer entity that provides receiving of MAPEMs. The RLT service receives MAPEMs from Infrastructure ITS-Ss and provides them to the V2x-Applications in the application layer (see [20] chapter 6). Upon receiving a MAPEM, the RLT service makes the content of the MAPEM available to the V2X Applications. Received MAPEMs are given to the upper Application layer via their standardized AUTOSAR service interface V2xAppIRxIndicationMapem.

### 1.2.6.1 RLT service functional architecture

The RLT service is part of the Application Support domain of the Facilities Layer according to ETSI TS 103 301 [20] shows the functional block diagram with the functional blocks of the RLT services and interfaces to other facilities and layers.

For receiving MAPEMs, the RLT service part of the V2xFac shall provide the following sub-functions

- Decode MAPEM
- MAPEM reception management

## 1.2.7 Traffic Light Maneuver (TLM) service

### 1.2.7.1 TLM service in the AUTOSAR architecture

The TLM service is a facilities layer entity that provides receiving of SPATEMs.

The TLM service receives SPATEMs from Infrastructure ITS-Ss and provides them to the V2x-Applications in the application layer (see [20] chapter 5).

Upon receiving a SPATEM, the TLM service makes the content of the SPATEM available to the V2X Applications.

Received SPATEMs are given to the application layer via their standardized AUTOSAR service interface V2xApplRxIndicationSpatem.

### **1.2.7.2 TLM service functional architecture**

The TLM service is part of the Application Support domain of the Facilities Layer according to ETSI TS 103 301 [20] which shows the functional blocks of the TLM services and interfaces to other facilities and layers.

For receiving SPATEMs, the TLM service part of the V2xFac shall provide the following sub-functions

- Decode SPATEM
- SPATEM reception management

## 2 Acronyms and abbreviations

<b>Abbreviation / Acronym:</b>	<b>Description:</b>
DEM	Diagnostic Event Manager
DET	Default Error Tracer
API	Application Programming Interface
BS	Basic Service
BSW	Basic Software
BTP	Basic Transport Protocol
CA	Cooperative Awareness
CAM	Cooperative Awareness Message
DCC	Decentralized Congestion Control
DE	Data Element
DEN	Decentralized Environmental Notification
DENM	Decentralized Environmental Notification Messages
DF	Data Frame
EcuM	Electronic Control Unit Manager
ETSI	European Telecommunications Standards Institute
IF	Interface
ITS	Intelligent Transport System
ITS-S	ITS-Station
KAF	DENM Keep Alive Forwarding
LDM	Local Dynamic Map
POTI	Position and Time management
RSU	Road Side Unit
VDP	Vehicle Data Provider
VOD	Verification on Demand
V2X	Either vehicle to vehicle (V2V), or vehicle to infrastructure (V2I) and/or infrastructure to vehicle (I2V)
V2xM	Vehicle-2-X Management
V2xFac	Vehicle-2-X Facilities
V2xBtp	Vehicle-2-X Basic Transport
V2xGn	Vehicle-2-X Geo Networking
IVI	Infrastructure to Vehicle Information
IVIM	Infrastructure to Vehicle Information Message
RLT	Road and Lane Topology
MAPEM	MAP Extended Message
TLM	Traffic Light Maneuver
SPATEM	Signal Phase And Timing Extended Message

### 3 Related documentation

#### 3.1 Input documents

- [1] AUTOSAR Layered Software Architecture  
AUTOSAR\_EXP\_LayeredSoftwareArchitecture.pdf
- [2] AUTOSAR General Requirements on Basic Software Modules  
AUTOSAR\_SRS\_BSWGeneral.pdf
- [3] AUTOSAR General Specification for Basic Software Modules  
AUTOSAR\_SWS\_BSWGeneral.pdf
- [4] Specification of Default Error Tracer  
AUTOSAR\_SWS\_DefaultErrorTracer.pdf
- [5] Specification of ECU State Manager  
AUTOSAR\_SWS\_ECUSTateManager.pdf
- [6] Specification of V2XBasicTransport  
AUTOSAR\_SWS\_Vehicle-2-X BasicTransport.pdf
- [7] Specification of Module V2X Communication Stack Types  
AUTOSAR\_SWS\_V2XComStackTypes.pdf

#### 3.2 Related standards and norms

- [8] IEC 7498-1 The Basic Model, IEC Norm, 1994
- [9] Intelligent Transport Systems (ITS); Communications Architecture  
ETSI EN 302 665 V1.1.1 (2010-09)
- [10] Intelligent Transport Systems (ITS); Vehicular Communications;  
Basic Set of Applications;  
Part 2: Specification of Cooperative Awareness Basic Service  
ETSI EN 302 637-2 V1.3.2 (2014-11)
- [11] Intelligent Transport Systems (ITS); Vehicular Communications;  
Basic Set of Applications;  
Part 3: Specifications of Decentralized Environmental Notification Basic  
Service  
ETSI EN 302 637-3 V1.2.2 (2014-11)
- [12] Intelligent Transport Systems (ITS); Users and applications requirements;  
Part 1: Facility layer structure, functional requirements and specifications  
ETSI TS 102 894-1 V1.1.1 (2013-08)
- [13] Intelligent Transport Systems (ITS); Users and applications requirements;  
Part 2: Applications and facilities layer common data dictionary  
ETSI TS 102 894-2 V1.2.1 (2014-09)

- [14] Intelligent Transport System (ITS); Facilities layer function;  
Part 3: Position and time facility specification"  
ETSI TS 102 890-3
- [15] Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Local Dynamic Map (LDM)  
ETSI EN 302 895 (V1.1.1) (2014-09)
- [16] Intelligent Transport Systems (ITS); OSI cross-layer topics;  
Part 11: Interface between networking and transport layer and facilities layer  
ETSI TS 102 723-11 V1.1.1 (2013-11)
- [17] Intelligent Transport Systems (ITS); Vehicular Communications;  
GeoNetworking;  
Part 5: Transport Protocols;  
Sub-part 1: Basic Transport Protocol  
ETSI EN 302 636-5-1 V1.2.1 (2014-08)
- [18] Intelligent Transport Systems (ITS); Vehicular Communications;  
GeoNetworking Part 4: Geographical addressing and forwarding for point-to-point and point-to-multipoint communications; Sub-part 1: Media-Independent Functionality  
ETSI EN 302 636-4-1 V1.2.1 (2014-07)
- [19] C2C-CC BSP Requirement  
C2CCC\_RS\_2037\_BSP\_Requirements.docx
- [20] Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Facilities layer protocols and communication requirements for infrastructure services  
ETSI TS 103 301 V1.1.1(2016-11)
- [21] ISO/TS 19321 (2015): Intelligent transport systems -- Cooperative ITS --  
Dictionary of in-vehicle information (IVI) data structures
- [22] ISO/TS 19091 (2017): Intelligent transport systems -- Cooperative ITS -- Using V2I and I2V communications for applications related to signalized intersections

### **3.3 Related specification**

AUTOSAR provides a General Specification on Basic Software (SWS BSW General) [3] which is also valid for V2xFac.

Thus, the specification SWS BSW General [3] shall be considered as additional and required specification for V2xFac.

## 4 Constraints and assumptions

### 4.1 Limitations

- The V2X modules follow the guidance regarding the Day-1 scenarios defined by Car-2-Car-Consortium and C-Roads platform.
- Extensions to US, Japan, China regions are planned for the future releases.

### 4.2 Applicability to car domains

This specification is applicable to all car domains.

## 5 Dependencies to other modules

This section describes the relations of the V2xFac module to other modules within the AUTOSAR basic software architecture. It outlines the modules that are required or optional for the realization of the V2xFac module and the V2xFac services that these modules use.

### 5.1 AUTOSAR DET (Default Error Tracer)

In development mode, the V2xFac module reports errors through the `Det_ReportError` function of the DET Module [4].

### 5.2 AUTOSAR EcuM (Ecu State Manager)

The EcuM [5] initializes the V2xFac module by calling `V2xFac_Init` specified in 8.3.1.

### 5.3 V2x Vehicle Data Provider

The V2xFac module retrieves vehicle relevant data from the VDP application by using the Sender-Receiver-Interface `V2xFacVdp` (see [SWS\_V2xFac\_00094]).

### 5.4 V2x Proxy

The V2x Proxy is an Application that listens to every CAM and DENM via the Sender-Receiver-Interfaces `V2xApplRxIndicationCam` and `V2xApplRxIndicationDenm` and transmits it to one or more ECU's via in-vehicle networks. The transmission via the in-vehicle network is implementation specific.

### 5.5 V2x Applications

The V2xFac module delivers received DENM data to the V2x Applications by using the Sender-Receiver-Interface `V2xApplRxIndicationDenm` (see [SWS\_V2xFac\_00100]).

The V2xFac module delivers received CAM data to the V2x Applications by using the Sender-Receiver-Interface `V2xApplRxIndicationCam` (see [SWS\_V2xFac\_00100]).

The V2xFac module provides the Client-Server-Interface `V2xFacDenBs` for using the DEN basic service. The operations `TriggerEvent`, `UpdateEvent` or `TerminateEvent` are provided.

The V2xFac module delivers received IVIM data to the V2x Applications by using the Sender-Receiver-Interface `V2xApplRxIndicationIvim` (see [SWS\_V2xFac\_00254]).

The V2xFac module delivers received MAPEM data to the V2x Applications by using the Sender-Receiver-Interface V2xAppIRxIndicationMapem (see **[SWS\_V2xFac\_00260]**).

The V2xFac module delivers received SPATEM data to the V2x Applications by using the Sender-Receiver-Interface V2xAppIRxIndicationSpatem (see **[SWS\_V2xFac\_00268]**).

## 5.6 AUTOSAR V2xBtp

The V2xFac module assumes a transmit request primitive (V2xBtp\_Transmit [6], see **[SWS\_V2xFac\_00092]**) to be provided by the V2xBtp module.

## 5.7 AUTOSAR V2xM

The V2xFac module assumes a request primitive (see **[SWS\_V2xFac\_00092]**) to be provided by the Vehicle-2-X Management (V2xM) module.



## 6 Requirements traceability

Requirement	Description	Satisfied by
SRS_BSW_00345	BSW Modules shall support pre-compile configuration	SWS_V2xFac_00238
SRS_V2X_00010	The implementation of the V2X system shall follow additional guidance given by C2C-CC requirements	SWS_V2xFac_20168, SWS_V2xFac_20185, SWS_V2xFac_20215, SWS_V2xFac_20256, SWS_V2xFac_20257, SWS_V2xFac_20313
SRS_V2X_00214	The V2X system shall allow applications to deactivate transmission of CAMs	SWS_V2xFac_00006
SRS_V2X_00259	The V2X system shall manage the life time of all DENM packets	SWS_V2xFac_20259
SRS_V2X_00291	The V2X system shall only send messages with valid position and time	SWS_V2xFac_20215, SWS_V2xFac_20291
SRS_V2X_00301	The V2X system's Facility Layer shall handle DENM repetition	SWS_V2xFac_00029
SRS_V2X_00318	The V2X system's Facility Layer shall generate traces and path histories	SWS_V2xFac_20318
SRS_V2X_00693	The V2X system shall provide functionality for generating traces and path histories	SWS_V2xFac_20285, SWS_V2xFac_20286, SWS_V2xFac_20287, SWS_V2xFac_20288, SWS_V2xFac_20289, SWS_V2xFac_20302, SWS_V2xFac_20303, SWS_V2xFac_20304, SWS_V2xFac_20305, SWS_V2xFac_20306, SWS_V2xFac_20307, SWS_V2xFac_20308
SRS_V2X_00711	The V2X system's CA basic service shall be compliant to ETSI Specification of Cooperative Awareness Basic Service	SWS_V2xFac_00231, SWS_V2xFac_20292, SWS_V2xFac_20294, SWS_V2xFac_20295, SWS_V2xFac_20296, SWS_V2xFac_20297
SRS_V2X_00741	The V2X system's DEN basic service shall be compliant to ETSI Specifications of Decentralized Environmental Notification Basic Service	SWS_V2xFac_00232
SRS_V2X_10001	The V2X system's Facility layer shall support receiving IVI messages	SWS_V2xFac_00246, SWS_V2xFac_00247, SWS_V2xFac_00254, SWS_V2xFac_91603, SWS_V2xFac_91604
SRS_V2X_10002	The implementation of the V2X system shall follow additional guidance given by C-Roads requirements	SWS_V2xFac_00248, SWS_V2xFac_00257, SWS_V2xFac_00265
SRS_V2X_10003	The V2X system's Facility layer shall support receiving MAPEM messages	SWS_V2xFac_00247, SWS_V2xFac_00256, SWS_V2xFac_00260, SWS_V2xFac_91600, SWS_V2xFac_91601
SRS_V2X_10004	The V2X system's Facility layer shall support receiving SPAT extended messages	SWS_V2xFac_00247, SWS_V2xFac_00264, SWS_V2xFac_00268, SWS_V2xFac_91606, SWS_V2xFac_91607

## 7 Functional specification

The V2xFac module operates the basic services Cooperative Awareness (CA) and Decentralized Environmental Notification (DEN).

**[SWS\_V2xFac\_00231]** [ The V2xFac module shall implement the CA Basic Service as specified in [10] unless specified otherwise in this document ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_00232]** [ The V2xFac module shall implement the DEN Basic Service as specified in [11] unless specified otherwise in this document ] (SRS\_V2X\_00741)

**[SWS\_V2xFac\_00246]** [ The V2xFac module shall implement the IVI Service as specified in [20] unless specified otherwise in this document ] (SRS\_V2X\_10001)

**[SWS\_V2xFac\_00247]** [ The V2xFac module shall use the following BTP ports:

BTP port number	Service
2001	CA
2002	DEN
2003	RLT
2004	TLM
2006	IVI

] (SRS\_V2X\_10001, SRS\_V2X\_10003, SRS\_V2X\_10004)

**[SWS\_V2xFac\_00256]** [ The V2xFac module shall implement the RLT Service as specified in [20] unless specified otherwise in this document ] (SRS\_V2X\_10003)

### **[SWS\_V2xFac\_00264]**

The V2xFac module shall implement the TLM Service as specified in [20] unless specified otherwise in this document (SRS\_V2X\_10004)

## 7.1 Startup behavior

### **[SWS\_V2xFac\_00001]**□

The function V2xFac\_Init (refer to chapter 8.3.2) of the V2xFac shall initialize the internal states of the V2xFac module.

□()

Note: The function V2xFac\_Init shall not be called before the Vehicle-2-X Management (V2xM) is initialized by the Electronic Control Unit Manager (EcuM).

### **[SWS\_V2xFac\_00004]** [

The function V2xFac\_Init shall initialize the basic services CA and DEN and the IVI, RLT and TLM services.] ( )

## 7.2 General Format Specification

### [SWS\_V2xFac\_20313]

The data elements which constitute the content of the CAM and DENM shall be compliant to [13] ] (SRS\_V2X\_00010)

### [SWS\_V2xFac\_00248] [

The data elements which constitute the content of the IVIM shall be compliant to [21] ] (SRS\_V2X\_10002)

### [SWS\_V2xFac\_00257]

The data elements which constitute the content of the MAPEM shall be compliant to [22] ( SRS\_V2X\_10002)

### [SWS\_V2xFac\_00265]

The data elements which constitute the content of the SPATEM shall be compliant to [22] ( SRS\_V2X\_10002)

## 7.3 CA Functional Specification

For details see [10] chapter 6.1.

### 7.3.1 CA Initialization, Activation and Deactivation

#### [SWS\_V2xFac\_00116] [

The path history shall be cleared when the sending functionality is enabled via the V2xFac\_V2xM\_SetCaBsOperation API.] ( )

#### [SWS\_V2xFac\_00006] [

CA basic service initialization shall enable the transmission of CAM messages] (SRS\_V2X\_00214)

#### [SWS\_V2xFac\_00008] [

The function V2xFac\_Init shall initialize the parameter T\_GenCam\_DCC [10] needed for the frequency management for CAMs according to T\_GenCamMax [10].

For details see[10] chapter 5.3.5

] ( )

#### [SWS\_V2xFac\_00009] [

The function V2xFac\_Init shall initialize the parameter T\_GenCam [10] to the default value T\_GenCamMax.

For details see [10] chapter 6.1.3

J ()

**[SWS\_V2xFac\_00010]** [

The function V2xFac\_Init shall initialize the parameter N\_GenCam [10] to the default value 0.

J ()

**[SWS\_V2xFac\_00011]** [

The function V2xFac\_Init shall initialize the parameter T\_CheckCamGen [10] to the default value equal to the configuration parameter T\_GenCamMin [10].

For details see [10] chapter 6.1.3

J ()

**7.3.2 CAM Generation, Sending and Receiving, Frequency Management****[SWS\_V2xFac\_00014]** [

The CA basic service shall periodically generate CAMs controlled by a CAM frequency management (For details see [10] chapter 6.1.3.)

J ()

**[SWS\_V2xFac\_00015]** [

The generated CAMs shall be transmitted by the V2xBtp using the API function V2xBtp\_Transmit (see chapter 8.6.1).

J ()

**[SWS\_V2xFac\_00016]** [

The CA basic service shall receive CAMs via the callback function V2xFac\_RxIndication (see chapter 8.4).

J ()

**[SWS\_V2xFac\_20294]**[

The MAX\_DANGLE [19] representing the delta angle (in degrees) between two generation rules checks shall use a value of 4°. J (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20295]**[

The MAX\_DDISTANCE [19] representing the delta distance (in meters) between two generation rules checks shall use a value of 4 meters. J (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20296]**

The MAX\_DSPEED [19] representing the delta speed between two generation rules checks shall use a value of 0,5 m/s. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20297]**

The adjustable N\_GenCam parameter (see [10]) specified in the CAM Generation Frequency Management shall be set to 0 for the V2xFac module. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20291]**

The V2xFac module shall transmit CAM messages as long as position and time information are available. ] (SRS\_V2X\_00291)

### 7.3.3 CAM Generation Frequency Management for RSU ITS-Ss

Generation of CA messages for road side units (RSU-ITS) is currently not supported by AUTOSAR.

### 7.3.4 CAM Time Requirement

**[SWS\_V2xFac\_00019]** [

The CAM generation shall follow time requirements according to [10] chapter 6.1.5. ] ( )

**[SWS\_V2xFac\_20168]** [

The V2xFac module shall check the timestamp in the security envelope compared to the reception time and accept only CAMs in the last time of 2 seconds and other messages within the last time of 10 minutes. ] (SRS\_V2X\_00010)

### 7.3.5 CAM Format Specification

For details about CAM data format refer to the following ETSI documents:

See [10] chapter 7

See [10] Annex A: ASN.1 specification of CAM

See [10] Annex B: Description for data elements and data frames

See [13] Annex A, Annex B

**[SWS\_V2xFac\_20285]** [

The path history field inside the CAM low frequency (LF) container shall contain a PathHistory data element covering a distance of at least 200 m (K\_PHDISTANCE\_M parameter [19]).

An exception to the minimum covered distance by PathHistory shall be only made if either of the following conditions is fulfilled:

- the vehicle has not yet physically covered the distance with its current pseudonym (e.g., after vehicle startup or right after pseudonym change when driving)
- the maximum number of PathPoints is used while the overall length covered by the PathHistory still does not reach 200m.

Only in the above two cases the vehicle may send PathHistory information covering a distance below the 200 m lower limit.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20286] [**

The PathHistory in CAMs shall cover at most 500 m.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20287] [**

The V2xFac module shall send PathDeltaTime in every PathPoint of the PathHistory. Therefore, the PathHistory shall describe a time-ordered list of actually travelled geographical locations leading to the current vehicle position.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20288] [**

In cases where the vehicle does not move, i.e. PathPoint position information does not change, the PathDeltaTime of the first PathPoint shall still be updated with every CAM.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20289] [**

When the V2xFac module is stationary for a duration longer than the maximum value of PathDeltaTime (specified in [13]) the PathDeltaTime of the first PathPoint in the CAM shall be fixed to the maximum value..

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20292][**

The traffic class value for CAM messages shall be set to 2. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20256][**

The V2xFac module shall use a Single Hop Broadcasting (SHB) header on all CAM packets it sends. Therefore, the value of the transportType parameter shall be set to 0x50 ] (SRS\_V2X\_00010)

## 7.4 DEN Functional Specification

As defined in ETSI documents (See [11] chapter 5.2) the DEN basic service is a facilities layer entity that implements the DEN protocol. It interfaces with ITS-S applications in order to receive the application request for DENM transmission and to provide the received DENM content to the ITS-S applications.

#### 7.4.1 DEN Initialization

##### [SWS\_V2xFac\_00025]

The function V2xFac\_Init shall initialize an empty originating ITS-S message table.

For details see [11] chapter 8.2.1.6

] ( )

#### 7.4.2 DENM Transmission Management

##### [SWS\_V2xFac\_00027]

The DEN basic service is triggered by the V2x-Application via its service operations TriggerEvent, UpdateEvent or TerminateEvent from the service interface V2xFacDenBs (see chapter 8.7.2.1).

The function parameter “EventID” given by the above mentioned operations shall be mapped by the DEN basic service to the actionID generated for DENMs.

For details see [11] chapter 5.3 and 8.2

] ( )

#### 7.4.3 DENM Reception Management

##### [SWS\_V2xFac\_00028]

Upon receiving a DENM, the DEN basic service makes the content of the DENM available to the V2X Applications.

Received DENMs shall be sent to the upper application layer via their standardized AUTOSAR service interface V2xAppIRxIndicationDenm.

For Details see [11] chapter 5.3 and 8.4

] ( )

#### 7.4.4 DENM Repetition

##### [SWS\_V2xFac\_00029]

In between two consequent DENM updates, a DENM may be repeated by the DEN basic service.

For details see [11] chapter 6.1.2.3

] (SRS\_V2X\_00301)

#### 7.4.5 DENM Keep Alive Forwarding (KAF)

KAF functionality for the DEN basic service as defined by ETSI is not supported.

See [11] chapter 5.3 and 8.3

#### 7.4.6 DENM Format Specification

For details about DENM data format refer to to the following ETSI documents:

See [11] chapter 7,

See [11] Annex A: ASN.1 specification of DENM

See [11] Annex B: Description for data elements and data frames  
See [13] Annex A, Annex B

**[SWS\_V2xFac\_20302] [**

The path history field inside the DEN messages shall contain Trace data elements covering a distance of at least 600 m (K\_PHDISTANCE\_M parameter).  
An exception to the minimum covered distance by Traces shall be only made if either of the following conditions is fulfilled:

- the vehicle has not yet physically covered the distance with its current pseudonym (e.g., after vehicle startup or right after pseudonym change when driving)
- the maximum number of PathPoints is used while the overall length covered by the PathHistory still does not reach 200m.

Only in the above two cases the vehicle may send Traces information covering a distance below the 600 m lower limit.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20303] [**

The Traces in the DENMs shall cover at most 1000 m.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20304] [**

The V2xFac module shall use the DENM traces as follow: The PathDeltaTime shall be sent in every PathPoint in the first DENM traces element. Therefore, the first element of the traces shall describe a time-ordered list of actually travelled geographical locations leading to the event position. In its simplest form this is the same as the PathHistory at that time instant, which is recommended to be used.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20305] [**

The PathDeltaTime data elements of the PathPoints in the first DENM traces element shall only be updated if the DENM is updated. Furthermore, the cases in which DENM Updates are triggered shall be specified on a case-by-case basis in the corresponding Triggering Conditions [17].

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20306] [**

In cases where the event detecting vehicle does not move, i.e. PathPoint position information does not change, the PathDeltaTime of the first PathPoint of the first DENM traces element shall still be updated with every DEN\_Update.

] (SRS\_V2X\_00693)

NOTE: This is only the case for stationary events where the detecting vehicle is identical to the event, e.g. a stationary vehicle warning. For dynamic events, e.g. dangerous situations, or events, where the event is not identical to the vehicle, e.g. adverse weather warning, this is not the case.

**[SWS\_V2xFac\_20307] [**



When standing for a long time, the PathDeltaTime of the first PathPoint of the first DENM traces element shall be fixed to the maximum value specified in [8]. Therefore, PathPoints do not “fall out” of the first DENM traces element when standing for a long time.  
] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20308]** [

Additional PathHistory elements may be present in the DENM traces. However, unlike the first element, these shall describe alternative routes to the event location. These routes may or may not be available at the time of detecting the event. In the alternative routes, the PathPoints shall be position-ordered (i.e. shortest-path routes) and they shall not include the PathDeltaTime.  
] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20318]** [

The traces and path histories used by the V2xFac module shall be generated using the Design Method One as specified in the VSC-A Final Report [18]: Appendix B-2. The V2xFac module shall use the generation method with the following settings:

- $K\_PHALLOWABLEERROR\_M = 0,47\text{ m}$ , where  
 $PH\_ActualError < K\_PHALLOWABLEERROR\_M$
- Maximum distance between concise path points,  
 $K\_PH\_CHORDLENGTHTHRESHOLD = 22,5\text{ m}$
- $K\_PH\_MAXESTIMATEDRADIUS = REarthMeridian$
- $K\_PHSMALLDELTA\Phi\_R = 1\text{ degree}$
- $REarthMeridian = 6378.137\text{ km}$  (according to IUGG - International Union of Geodesy and Geophysics), used for great-circle or orthodromic distance calculation:

$$PH\_ActualChordLength = REarthMeridian * \cos^{-1}[\cos(lat1)\cos(lat1)\cos(long1 - long2) + \sin(lat1)\sin(lat2)]$$

] (SRS\_V2X\_00318)

**[SWS\_V2xFac\_20257]**[

The V2xFac module shall use GeoBroadcast (GBC) headers on all DENM packets it sends. Therefore, the value of the transportType parameter shall be set to 0x40 ] (SRS\_V2X\_00010)

**[SWS\_V2xFac\_20259]**[

The V2xFac module shall set the maxPacketLifetime parameter of the packets transport parameters TxParams of all GBC packets to the minimum of ValidityDuration and RepetitionInterval (LifeTime=min(ValidityDuration, RepetitionInterval)), where ValidityDuration and RepetitionInterval are defined inside C2C-CC White Paper Information quality/event detection ] (SRS\_V2X\_00259)

## 7.5 IVI Functional Specification

As defined in ETSI documents (See [20] chapter 7) the IVI service is a facilities layer entity that implements the IVIM reception. It interfaces with ITS-S applications in order to provide them the received IVIM content.

### 7.5.1 IVIM Reception Management

#### [SWS\_V2xFac\_00249] [

Upon receiving a IVIM, the IVI service makes the content of the IVIM available to the V2X Applications.

Received IVIMs shall be sent to the upper application layer via their standardized AUTOSAR service interface V2xApplRxIndicationIvim.

For Details see [20] chapter 7

] ( )

### 7.5.2 IVIM Format Specification

For details about IVIM data format refer to the following ETSI and ISO documents:

See [20] Chapter 7

See [20] Annex C: ASN.1 specification of IVIM

See [21] Description for data elements

## 7.6 RLT Functional Specification

As defined in ETSI documents (See [20] chapter 6) the RLT service is a facilities layer entity that implements the MAPEM message reception. It interfaces with ITS-S applications in order to provide the received MAPEM content to the ITS-S applications.

### 7.6.1 MAPEM Reception Management

#### [SWS\_V2xFac\_00258]

Upon receiving a MAPEM, the RLT service makes the content of the MAPEM available to the V2X Applications.

Received MAPEMs shall be sent to the upper application layer via their standardized AUTOSAR service interface V2xApplRxIndicationMapem.

For Details see [20] chapter 6 ( )

### 7.6.2 MAPEM Format Specification

For details about MAPEM data format refer to the following ETSI and ISO documents:

See [20] chapter 6,

See [20] Annex B: ASN.1 specification of MAPEM  
See [22] Description for data elements

## 7.7 TLM Functional Specification

As defined in ETSI documents (See [20] chapter 5) the TLM service is a facilities layer entity that implements the SPAT extended message reception. It interfaces with ITS-S applications in order to provide the received SPATEM content to the ITS-S applications.

### 7.7.1 SPATEM Reception Management

#### [SWS\_V2xFac\_00266]

Upon receiving a SPATEM, the TLM service makes the content of the SPATEM available to the V2X Applications.

Received SPATEMs shall be sent to the application layer via their standardized AUTOSAR service interface V2xAppIRxIndicationSpatem.

For details see [20] chapter 5 ()

### 7.7.2 SPATEM Format Specification

For details about SPATEM data format refer to the following ETSI and ISO documents:

See [20] chapter 5,

See [20] Annex A: ASN.1 specification of SPATEM

See [22] Description for data elements

## 7.8 Path History

#### [SWS\_V2xFac\_20185] [

Facilities layer shall clear the own station's path history cache (used to fill into new messages) when the security entity changes its pseudonym identity.

] (SRS\_V2X\_00010)

#### [SWS\_V2xFac\_20215] [

Traces and path history data shall only be generated when position confidence and ITS time information are available] (SRS\_V2X\_00010,SRS\_V2X\_00291)

## 7.9 Error classification

### 7.9.1 Development Errors

#### [SWS\_V2xFac\_00031]

[

<i>Type of error</i>	<i>Related error code</i>	<i>Value [hex]</i>
API service called with wrong parameter	V2XFAC_E_PARAM	0x01
API service called with invalid pointer	V2XFAC_E_PARAM_POINTER	0x02
V2xFac initialization failed	V2XFAC_E_INIT_FAILED	0x03
API function called before the V2xFac module has been fully initialized	V2XFAC_E_UNINIT	0x04

]()

### 7.9.2 Runtime Errors

There are no runtime errors.

### 7.9.3 Transient Faults

There are no transient faults.

### 7.9.4 Production Errors

There are no production errors.

### 7.9.5 Extended Production Errors

There are no extended production errors.

## 8 API specification

### 8.1 Imported types

In this chapter all types included from the following modules are listed:

#### [SWS\_V2xFac\_00032] [

Module	Header File	Imported Type
Std_Types	StandardTypes.h	Std_ReturnType
	StandardTypes.h	Std_VersionInfoType
UNDEFINED TYPES		V2xFac_DDD
		V2xFac_LaneAttributes
		V2xFac_Node
		V2xFac_Offset
		V2xFac_Scale
	V2xFac_month	
V2xBtp	V2xBtp.h	V2xBtp_TxParamsType
V2x_GeneralTypes	Rte_V2xM_Type.h	V2xM_PositionAndTimeType
	Rte_V2xM_Type.h	V2xM_SecReportType
	V2x_GeneralTypes.h	V2x_GnAddressType
	V2x_GeneralTypes.h	V2x_GnDestinationAreaType
	V2x_GeneralTypes.h	V2x_GnDestinationType
	V2x_GeneralTypes.h	V2x_GnLongPositionVectorType
	V2x_GeneralTypes.h	V2x_PseudonymType
V2x_GeneralTypes.h	V2x_TrafficClassIdType	

] ()

### 8.2 Type definitions

#### 8.2.1 V2xFac\_RxParamsType

#### [SWS\_V2xFac\_00034] [

<b>Name:</b>	V2xFac_RxParamsType		
<b>Type:</b>	Structure		
<b>Element:</b>	uint16	destinationPort	Identifies the protocol entity at the ITS facilities layer at the destination of a BTP packet.
	V2x_GnAddressType	destinationAddress	Destination address for GeoUnicast packet
	V2x_GnDestinationAreaType	destinationArea	Destination area for GeoBroadcast/GeoAnycast packet.
	V2x_GnDestinationType	destinationType	Select which destination type (destinationAddress or destinationArea is used for this packet).
	V2x_GnLongPositionVectorType	sourcePositionVector	Geographical position for the source of the received GeoNetworking packet.

	V2x_SecReportType	securityReport	Result information from the security operations for decryption and verification. This parameter is supplied by the V2xM module and forwarded up to the ITS Facilities layer passing through the GeoNetworking and BTP layers.
	uint64	certificateId	Identification of source certificate, for example the certificate hash. This parameter is supplied by the V2xM and forwarded up to the ITS Facilities layer passing through the GeoNetworking and BTP layers.
	uint8[4]	SspBits	Sender permissions
	uint8	SspLength	Sender permissions length
	V2x_TrafficClassIdType	trafficClass	Traffic class, with which the GeoNetworking packet was generated by the source.
	uint16	remPacketLifetime	Remaining lifetime of the packet in [s].
<b>Description:</b>	Wraps GeoNetworking parameters from V2xBtp		
<b>Available via:</b>	V2xFac.h		

] ()

## 8.3 Function definitions

### 8.3.1 V2xFac\_Init

[SWS\_V2xFac\_00082] [

<b>Service name:</b>	V2xFac_Init	
<b>Syntax:</b>	<pre>void V2xFac_Init(     void* CfgPtr )</pre>	
<b>Service ID[hex]:</b>	0x01	
<b>Sync/Async:</b>	Synchronous	
<b>Reentrancy:</b>	Non Reentrant	
<b>Parameters (in):</b>	CfgPtr	Points to a null pointer.
<b>Parameters (inout):</b>	None	
<b>Parameters (out):</b>	None	
<b>Return value:</b>	None	
<b>Description:</b>	Initializes the V2xFac module.	
<b>Available via:</b>	V2xFac.h	

] ()

### 8.3.2 V2xFac\_GetVersionInfo

#### [SWS\_V2xFac\_00084] [

<b>Service name:</b>	V2xFac_GetVersionInfo
<b>Syntax:</b>	void V2xFac_GetVersionInfo( Std_VersionInfoType* VersionInfoPtr )
<b>Service ID[hex]:</b>	0x02
<b>Sync/Async:</b>	Synchronous
<b>Reentrancy:</b>	Reentrant
<b>Parameters (in):</b>	None
<b>Parameters (inout):</b>	None
<b>Parameters (out):</b>	VersionInfoPtr   Pointer to where to store the version information of this module.
<b>Return value:</b>	None
<b>Description:</b>	Returns the version information of this module.
<b>Available via:</b>	V2xFac.h

] ()

#### [SWS\_V2xFac\_00085] [

If V2xFacDevErrorDetect is enabled: If the VersionInfoPtr pointer parameter is invalid (e.g. NULL), the error-code V2XFAC\_E\_PARAM\_POINTER shall be reported to the DET module. ] ()

### 8.3.3 V2xFac\_V2xM\_PreparePseudonymChange

#### [SWS\_V2xFac\_00086] [

<b>Service name:</b>	V2xFac_V2xM_PreparePseudonymChange
<b>Syntax:</b>	Std_ReturnType V2xFac_V2xM_PreparePseudonymChange( const V2x_PseudonymType* PseudonymPtr )
<b>Service ID[hex]:</b>	0x03
<b>Sync/Async:</b>	Synchronous
<b>Reentrancy:</b>	Non Reentrant
<b>Parameters (in):</b>	PseudonymPtr   The Pseudonym provided by V2xM
<b>Parameters (inout):</b>	None
<b>Parameters (out):</b>	None
<b>Return value:</b>	Std_ReturnType   E_OK: operation successful   E_NOT_OK: pseudonym change rejected
<b>Description:</b>	By this API primitive the V2xFac module gets an indication that the given Pseudonym and hereby the StationId is about to be changed
<b>Available via:</b>	V2xFac_V2xM.h

] ()

#### [SWS\_V2xFac\_00136] [

The function V2xFac\_V2xM\_PreparePseudonymChange shall prepare the setting of the pseudonym specific part of the StationId being used for packet transmission. ] ()

#### [SWS\_V2xFac\_00137] [

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the

development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

**[SWS\_V2xFac\_00138]** [

If development error detection is enabled: the function shall check the parameter PseudonymPtr for being valid. If the check fails, the function shall raise the development error V2XFAC\_E\_PARAM\_POINTER otherwise (if DET is disabled) return E\_NOT\_OK. ]()

**8.3.4 V2xFac\_V2xM\_CommitPseudonymChange**

**[SWS\_V2xFac\_00140]** [

<b>Service name:</b>	V2xFac_V2xM_CommitPseudonymChange	
<b>Syntax:</b>	Std_ReturnType V2xFac_V2xM_CommitPseudonymChange( void )	
<b>Service ID[hex]:</b>	0x04	
<b>Sync/Async:</b>	Synchronous	
<b>Reentrancy:</b>	Non Reentrant	
<b>Parameters (in):</b>	None	
<b>Parameters (inout):</b>	None	
<b>Parameters (out):</b>	None	
<b>Return value:</b>	Std_ReturnType	E_OK: operation successful E_NOT_OK: operation failed
<b>Description:</b>	This function is called by the V2xM when all modules are OK with the pseudonym change and the change is to be committed.	
<b>Available via:</b>	V2xFac_V2xM.h	

]()

**[SWS\_V2xFac\_00141]** [

The function V2xFac\_V2xM\_CommitPseudonymChange shall set the pseudonym specific part of the GeoNetworking Address being used for packet transmission and clean the path history. V2xFac shall store the access of the GeoNetworking Address for subsequent API calls. ]()

**[SWS\_V2xFac\_00142]** [

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

Note: The function requires previous preparation of the pseudonym via an API call to V2xFac\_V2xM\_PreparePseudonymChange.

**8.3.5 V2xFac\_V2xM\_AbortPseudonymChange**

**[SWS\_V2xFac\_00144]** [

<b>Service name:</b>	V2xFac_V2xM_AbortPseudonymChange	
<b>Syntax:</b>	Std_ReturnType V2xFac_V2xM_AbortPseudonymChange( void )	



	void	
	)	
<b>Service ID[hex]:</b>	0x05	
<b>Sync/Async:</b>	Synchronous	
<b>Reentrancy:</b>	Non Reentrant	
<b>Parameters (in):</b>	None	
<b>Parameters (inout):</b>	None	
<b>Parameters (out):</b>	None	
<b>Return value:</b>	Std_ReturnType	E_OK: operation successful E_NOT_OK: operation failed
<b>Description:</b>	This function is called by the V2xM when not all modules are OK with the pseudonym change and the change is to be rolled back.	
<b>Available via:</b>	V2xFac_V2xM.h	

] ()

**[SWS\_V2xFac\_00145] [**

The function V2xFac\_V2xM\_AbortPseudonymChange shall roll back the prepared pseudonym change. ]()

**[SWS\_V2xFac\_00146] [**

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

Note: The function requires previous preparation of the pseudonym via an API call to V2xFac\_V2xM\_PreparePseudonymChange.

### 8.3.6 V2xFac\_V2xM\_SetTGenCamDcc

**[SWS\_V2xFac\_00148] [**

<b>Service name:</b>	V2xFac_V2xM_SetTGenCamDcc	
<b>Syntax:</b>	void V2xFac_V2xM_SetTGenCamDcc( uint16 TGenCamDcc )	
<b>Service ID[hex]:</b>	0x06	
<b>Sync/Async:</b>	Synchronous	
<b>Reentrancy:</b>	Non Reentrant	
<b>Parameters (in):</b>	TGenCamDcc	The TGenCamDcc in [ms], provided by V2xM
<b>Parameters (inout):</b>	None	
<b>Parameters (out):</b>	None	
<b>Return value:</b>	None	
<b>Description:</b>	By this API primitive the V2xFac module gets an indication of the current TGenCamDcc value.	
<b>Available via:</b>	V2xFac_V2xM.h	

] ()

**[SWS\_V2xFac\_00149] [**

The function V2xFac\_V2xM\_SetTGenCamDcc shall set the TGenCamDcc for subsequent API calls. ]()

**[SWS\_V2xFac\_00150]** [

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

**8.3.7 V2xFac\_V2xM\_SetCaBsOperation**

**[SWS\_V2xFac\_00152]** [

<b>Service name:</b>	V2xFac_V2xM_SetCaBsOperation	
<b>Syntax:</b>	void V2xFac_V2xM_SetCaBsOperation( boolean OperationState )	
<b>Service ID[hex]:</b>	0x07	
<b>Sync/Async:</b>	Synchronous	
<b>Reentrancy:</b>	Non Reentrant	
<b>Parameters (in):</b>	OperationState	FALSE: CaBs disabled TRUE: CaBs enabled
<b>Parameters (inout):</b>	None	
<b>Parameters (out):</b>	None	
<b>Return value:</b>	None	
<b>Description:</b>	By this API primitive the V2xFac module gets an indication of the current operation state of the CA Basic Service.	
<b>Available via:</b>	V2xFac_V2xM.h	

]()

**[SWS\_V2xFac\_00153]** [

The function V2xFac\_V2xM\_SetCaBsOperation shall enable or disable the CA Basic Service. ]()

**[SWS\_V2xFac\_00154]** [

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

**8.4 Call-back notifications**

This is a list of functions provided for other modules.

**8.4.1 V2xFac\_TxConfirmation**

**[SWS\_V2xFac\_00087]** [

<b>Service name:</b>	V2xFac_TxConfirmation	
<b>Syntax:</b>	void V2xFac_TxConfirmation( uint16 TransactionId16 )	

<b>Service ID[hex]:</b>	0x08
<b>Sync/Async:</b>	Synchronous
<b>Reentrancy:</b>	Reentrant
<b>Parameters (in):</b>	TransactionId16      TransactionId of the packet that has been transmitted
<b>Parameters (inout):</b>	None
<b>Parameters (out):</b>	None
<b>Return value:</b>	None
<b>Description:</b>	By this API primitive the V2xFac module gets a confirmation that the V2X message with a certain ID was send successfully.
<b>Available via:</b>	V2xFac.h

] ()

**[SWS\_V2xFac\_00156] [**

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT. ]()

**8.4.2 V2xFac\_RxIndication**

**[SWS\_V2xFac\_00088] [**

<b>Service name:</b>	V2xFac_RxIndication	
<b>Syntax:</b>	<pre>void V2xFac_RxIndication(     uint32 TransactionId32,     const V2xFac_RxParamsType* ReceiveParams,     uint16 Length,     const uint8* DataPtr )</pre>	
<b>Service ID[hex]:</b>	0x09	
<b>Sync/Async:</b>	Synchronous	
<b>Reentrancy:</b>	Non Reentrant	
<b>Parameters (in):</b>	TransactionId32	ID of the received packet. This ID is created in the V2xGn module and handed up in the protocol stack to be used for verification on demand.
	ReceiveParams	Wraps RxIndication parameters
	Length	Length of the data pointed by DataPtr.
	DataPtr	Payload of the received BTP packet.
<b>Parameters (inout):</b>	None	
<b>Parameters (out):</b>	None	
<b>Return value:</b>	None	
<b>Description:</b>	This API primitive is called by the V2xBtp module providing the data and the GeoNetworking parameters of a received BTP packet to V2xFac module.	
<b>Available via:</b>	V2xFac.h	

] ()

**[SWS\_V2xFac\_00158] [**

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT. ]()

**[SWS\_V2xFac\_00159] [**

If development error detection is enabled: the function shall check the parameter ReceiveParams for being valid. If the check fails, the function shall raise the development error V2XFAC\_E\_PARAM\_POINTER. ]()

**[SWS\_V2xFac\_00160]** [

If development error detection is enabled: the function shall check the parameter DataPtr for being valid. If the check fails, the function shall raise the development error V2XFAC\_E\_PARAM\_POINTER. ]()

## 8.5 Scheduled functions

### 8.5.1 V2xFac\_CaBs\_MainFunction

**[SWS\_V2xFac\_00090]** [

<b>Service name:</b>	V2xFac_CaBs_MainFunction
<b>Syntax:</b>	void V2xFac_CaBs_MainFunction( void )
<b>Service ID[hex]:</b>	0x0a
<b>Description:</b>	This is the main processing function of the CA basic service
<b>Available via:</b>	V2xFac_SchM.h

]()

### 8.5.2 V2xFac\_DenBs\_MainFunction

**[SWS\_V2xFac\_00091]** [

<b>Service name:</b>	V2xFac_DenBs_MainFunction
<b>Syntax:</b>	void V2xFac_DenBs_MainFunction( void )
<b>Service ID[hex]:</b>	0x0b
<b>Description:</b>	This is the main processing function of the DEN basic service.
<b>Available via:</b>	V2xFac_SchM.h

]()

### 8.5.3 V2xFac\_IviS\_MainFunction

**[SWS\_V2xFac\_91603]** [

<b>Service name:</b>	V2xFac_IviS_MainFunction
<b>Syntax:</b>	void V2xFac_IviS_MainFunction( void )
<b>Service ID[hex]:</b>	0x0c
<b>Description:</b>	This is the main processing function of the IVI service.
<b>Available via:</b>	SchM_V2xFac.h

] (SRS\_V2X\_10001)

**[SWS\_V2xFac\_00251]**

The function shall process the received IVI service as described in chapter 7.5. ()

### 8.5.4 V2xFac\_RltS\_MainFunction

#### [SWS\_V2xFac\_91600] [

<b>Service name:</b>	V2xFac_RltS_MainFunction
<b>Syntax:</b>	void V2xFac_RltS_MainFunction( void )
<b>Service ID[hex]:</b>	0x0d
<b>Description:</b>	This is the main processing function of the RLT service.
<b>Available via:</b>	SchM_V2xFac.h

] (SRS\_V2X\_10003)

#### [SWS\_V2xFac\_00271]

The function shall process the received RLT service as described in chapter 7.6. ()

### 8.5.5 V2xFac\_TlmS\_MainFunction

#### [SWS\_V2xFac\_91606] [

<b>Service name:</b>	V2xFac_TlmS_MainFunction
<b>Syntax:</b>	void V2xFac_TlmS_MainFunction( void )
<b>Service ID[hex]:</b>	0x0e
<b>Description:</b>	This is the main processing function of the TLM service.
<b>Available via:</b>	--

] (SRS\_V2X\_10004)

#### [SWS\_V2xFac\_00272]

The function shall process the received TLM service as described in chapter 7.7. ()

## 8.6 Expected Interfaces

In this chapter all external interfaces required from other modules are listed.

### 8.6.1 Mandatory Interfaces

This chapter defines all external interfaces which are required to fulfill the core functionality of the module.

#### [SWS\_V2xFac\_00092] [

API function	Header File	Description
V2xBtp_Transmit	V2xBtp.h	This API is called by the V2xFac module to request sending a BTP-PDU to the peer BTP entity.
V2xM_CalcDistance	V2xM.h	Calculates the distance between two geographical points on earth with the assumption that they are on elevation 0.
V2xM_CalcHeadingInTolerance	V2xM.h	Calculates if difference of heading values are within a tolerance value
V2xM_GetPositionAndTime	V2xM.h	Provides the instantaneous position information.
V2xM_GetRefTimePtr	V2xM.h	Provides a pointer to the time reference of the V2X-Stack.

V2xM_SetTollingZoneInformation	V2xM.h	Set available tolling zone information. This is done from V2xFac that receives this information via CAM messages.
--------------------------------	--------	---

] ()

## 8.6.2 Optional Interfaces

This chapter defines all external interfaces which are required to fulfill an optional functionality of the module.

[SWS\_V2xFac\_00093] [

API function	Header File	Description
Det_ReportError	Det.h	Service to report development errors.

] ()

## 8.7 Service Interfaces

### 8.7.1 Sender-Receiver-Interfaces

#### 8.7.1.1 V2xFacVdp

[SWS\_V2xFac\_00094] □

The V2xFac requires an interface V2xFacVdp as defined below to get data from the VDP application.

□()

[SWS\_V2xFac\_00095] [

Name	V2xFacVdp	
Comment	Interface to receive data from VDP application	
IsService	false	
Variation	--	
	vdpData	
Data Elements	Type	V2xFac_CoopAwarenessType
	Variation	--

] ()

#### 8.7.1.2 V2xAppIRxIndicationCam

[SWS\_V2xFac\_00100] □

For the V2X\_Facilities an interface V2xAppIRxIndicationCam shall be provided as defined below to provide the capability of delivering received CAMs to applications.

□()

[SWS\_V2xFac\_00101] [

Name	V2xApplRxIndicationCam	
Comment	Deliver received CAMs Applications	
IsService	true	
Variation	--	
Data Elements	CamData	
	Type	V2xFac_CamMessageRootType
	Variation	--

]()

### 8.7.1.3 V2xApplRxIndicationDenm

**[SWS\_V2xFac\_00234]** □

For the V2X\_Facilities an interface V2xApplRxIndicationDenm shall be provided as defined below to provide the capability of delivering received DENMs to applications.

□()

**[SWS\_V2xFac\_00235]** [

Name	V2xApplRxIndicationDenm	
Comment	Deliver received DENMs to Applications	
IsService	true	
Variation	--	
Data Elements	DenmData	
	Type	V2xFac_DenmMessageRootType
	Variation	--

]()

### 8.7.1.4 V2xApplRxIndicationIvim

**[SWS\_V2xFac\_00254]**

For the V2X\_Facilities an interface V2xApplRxIndicationIvim shall be provided as defined below to provide the capability of delivering received IVIMs to applications.

(SRS\_V2X\_10001)

**[SWS\_V2xFac\_91604]** [

Name	V2xApplRxIndicationIvim	
Comment	Deliver received IVIMs to Applications	
IsService	true	
Variation	--	

Data Elements	IvimData	
	Type	V2xFac_IvimDataType
	Variation	--

] (SRS\_V2X\_10001)

### 8.7.1.5 V2xApplRxIndicationMapem

#### [SWS\_V2xFac\_00260]

For the V2X\_Facilities an interface V2xApplRxIndicationMapem shall be provided as defined below to provide the capability of delivering received MAPEMs to applications. ( SRS\_V2X\_10003)

#### [SWS\_V2xFac\_91601] [

Name	V2xApplRxIndicationMapem	
Comment	Deliver received MAPEMs to Applications	
IsService	true	
Variation	--	
Data Elements	MapemData	
	Type	V2xFac_MapemDataType
	Variation	--

] (SRS\_V2X\_10003)

### 8.7.1.6 V2xApplRxIndicationSpatem

#### [SWS\_V2xFac\_00268]

For the V2X\_Facilities an interface V2xApplRxIndicationSpatem shall be provided as defined below to provide the capability of delivering received SPATEMs to applications. ( SRS\_V2X\_10004)

#### [SWS\_V2xFac\_91607] [

Name	V2xApplRxIndicationSpatem	
Comment	Deliver received SPATEMs to Applications	
IsService	true	
Variation	--	
Data Elements	SpatemData	
	Type	V2xFac_SpatemDataType
	Variation	--



	Variation	--
--	-----------	----

] (SRS\_V2X\_10004)

## 8.7.2 Client-Server-Interfaces

### 8.7.2.1 V2xFacDenBs

The V2xFac module provides the Client-Server service Interface V2xFacDenBs to the application layer. The service Interface V2xFacDenBs shall implement the following operations.

- TriggerEvent
- UpdateEvent
- TerminateEvent

#### [SWS\_V2xFac\_00098] □

The V2X\_Facilities shall provide an interface V2xFacDenBs as defined below to provide the capability of event handling (triggering, updating and terminating DENMs).

□()

#### [SWS\_V2xFac\_00099] [

Name	V2xFacDenBs	
Comment	Service of V2xFac module basic service DEN	
IsService	true	
Variation	--	
Possible Errors	0	E_OK
	1	E_NOT_OK
	2	E_ACTION_ID_NONEXISTENT
	3	E_DENM_UNCONSTRUCTABLE
	4	E_DENM_TIME_OUT

### Operations

TerminateEvent			
Comments	Requests termination of an existing DENM ( see [11] chapter 4 and 5.4.1.4 )		
Variation	--		
Parameters	EventData	Comment	Pre-filled DENM message structure, including the ActionID from TriggerEvent

		Type	V2xFac_DenMsgType	
		Variation	--	
		Direction	IN	
	RepetitionDuration	Comment	Duration of the DENM repetition in units of milliseconds	
		Type	uint32	
		Variation	--	
		Direction	IN	
	RepetitionInterval	Comment	Interval of DENM repetition in units of milliseconds	
		Type	uint16	
		Variation	--	
		Direction	IN	
	DestinationArea	Comment	Destination area for DENM dissemination as specified in ETSI EN 302 931.	
		Type	V2xFac_GnDestinationAreaType	
		Variation	--	
		Direction	IN	
	TrafficClass	Comment	GN traffic class of the DENM as defined in ETSI EN 302 636-4-1	
		Type	V2xFac_TrafficClassIdType	
		Variation	--	
		Direction	IN	
	ActionID	Comment	The DEN basic service returns the actionID or other applicable identifier created by the DEN basic service to the requesting ITS-S application	
Type		V2xFac_ActionIdType		
Variation		--		
Direction		OUT		
Possible Errors	E_OK	Operation successful		
	E_NOT_OK	--		
	E_ACTION_ID_NONEXISTENT	ActionID provided for Update/Termination does not exist		
	E_DENM_UNCONSTRUCTABLE	DENM couldn't be constructed		

	E_DENM_TIME_OUT	DENM hasn't been sent before timeout of DENM has been reached	
TriggerEvent			
Comments	Requests creation of a new DENM ( see [11] chapter 4 and 5.4.1.2 )		
Variation	--		
Parameters	EventData	Comment	Pre-filled DENM message structure
		Type	V2xFac_DenMsgType
		Variation	--
		Direction	IN
	RepetitionDuration	Comment	Duration of the DENM repetition in units of milliseconds
		Type	uint32
		Variation	--
		Direction	IN
	RepetitionInterval	Comment	Interval of DENM repetition in units of milliseconds
		Type	uint16
		Variation	--
		Direction	IN
	DestinationArea	Comment	Destination area for DENM dissemination as specified in ETSI EN 302 931.
		Type	V2xFac_GnDestinationAreaType
		Variation	--
		Direction	IN
	TrafficClass	Comment	GN traffic class of the DENM as defined in ETSI EN 302 636-4-1
		Type	V2xFac_TrafficClassIdType
		Variation	--
		Direction	IN
ActionID	Comment	The DEN basic service returns the actionID or other applicable identifier created by the DEN basic service to the requesting ITS-S application	
	Type	V2xFac_ActionIdType	

		Variation	--
		Direction	OUT
Possible Errors	E_OK	Operation successful	
	E_NOT_OK	--	
	E_DENM_UNCONSTRUCTABLE	DENM couldn't be constructed	
	E_DENM_TIME_OUT	DENM hasn't been sent before timeout of DENM has been reached	
UpdateEvent			
Comments	Requests update of an existing DENM ( see [11] chapter 4 and 5.4.1.3 )		
Variation	--		
Parameters	EventData	Comment	Pre-filled DENM message structure, including the ActionID from TriggerEvent
		Type	V2xFac_DenMsgType
		Variation	--
		Direction	IN
	RepetitionDuration	Comment	Duration of the DENM repetition in units of milliseconds
		Type	uint32
		Variation	--
		Direction	IN
	RepetitionInterval	Comment	Interval of DENM repetition in units of milliseconds
		Type	uint16
		Variation	--
		Direction	IN
	DestinationArea	Comment	Destination area for DENM dissemination as specified in ETSI EN 302 931.
		Type	V2xFac_GnDestinationAreaType
		Variation	--
		Direction	IN
TrafficClass	Comment	GN traffic class of the DENM as defined in ETSI EN 302 636-4-1	

		Type	V2xFac_TrafficClassIdType
		Variation	--
		Direction	IN
	ActionID	Comment	The DEN basic service returns the actionID or other applicable identifier created by the DEN basic service to the requesting ITS-S application
		Type	V2xFac_ActionIdType
		Variation	--
		Direction	OUT
Possible Errors	E_OK	Operation successful	
	E_NOT_OK	--	
	E_ACTION_ID_NONEXISTENT	ActionID provided for Update/Termination does not exist	
	E_DENM_UNCONSTRUCTABLE	DENM couldn't be constructed	
	E_DENM_TIME_OUT	DENM hasn't been sent before timeout of DENM has been reached	

] ()

### 8.7.3 Implementation Data Types

#### 8.7.3.1 V2xFac specific Implementation DataTypes

##### [SWS\_V2xFac\_00162] [

Name	V2xFac_TrafficClassIdType		
Kind	Type		
Derived from	uint8		
Description	Traffic class for sending DENMs		
Variation	--		

] ()

##### [SWS\_V2xFac\_00163] [

Name	V2xFac_GnDestinationAreaType		
Kind	Structure		
Elements	latitude	sint32	Latitude [1/10 microdegree]
	longitude	sint32	Longitude [1/10 microdegree]
	distanceA	uint16	Distance a of the geometric shape [meters]

	distanceB	uint16	Distance b of the geometric shape [meters]
	angle	uint16	Angle of the geometric shape [degrees from North]
	shape	V2xFac_GnAreaShapeType	Shape type of the geometric area
Description	Destination area for DENM dissemination as specified in ETSI EN 302 931.		
Variation	--		

] ()

**[SWS\_V2xFac\_00164] [**

Name	V2xFac_GnAreaShapeType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of a GeoNetworking Area Shape		
Range	V2XFAC_GNAREASHAPE_CIRCLE	0x00	Circle
	V2XFAC_GNAREASHAPE_RECT	0x01	Rectangle
	V2XFAC_GNAREASHAPE_ELLIPSE	0x02	Ellipsis
Variation	--		

] ()

**8.7.3.2 CAM/DENM/IVIM/MAPEM/SPATEM common Implementation DataTypes**

**[SWS\_V2xFac\_00036] [**

Name	V2xFac_ItsPduHeaderType		
Kind	Structure		
Elements	protocolVersion	uint8	Version of ITS message and/or communication protocol
	messageId	uint8	Type of the ITS message.
	stationId	uint32	Identifier of originating ITS-S
Description	DF_ItsPduHeader as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00224] [**

Name	V2xFac_DeltaReferencePositionType		
Kind	Structure		
Elements	deltaLatitude	sint32	Defines offset latitude with regards to a referred latitude

			value.
	deltaLongitude	sint32	Defines an offset longitude with regards to a referred longitude value.
	deltaAltitude	sint16	Defines an offset altitude with regards to a referred altitude value.
Description	DF_DeltaReferencePosition as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00037] [**

Name	V2xFac_AltitudeType		
Kind	Structure		
Elements	altitudeValue	sint32	Altitude in a WGS84 coordinate system
	altitudeConfidence	V2xFac_AltitudeConfidenceType	Absolute accuracy of a reported altitude value
Description	DF_Altitude as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00165] [**

Name	V2xFac_AltitudeConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_AltitudeConfidence as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_ALTITUDECONFIDENCE_ALT_000_01	0x00	the altitude accuracy is equal to or less than 0.01 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_02	0x01	the altitude accuracy is equal to or less than 0.02 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_05	0x02	the altitude accuracy is equal to or less than 0.05 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_10	0x03	the altitude accuracy is equal

			to or less than 0.1 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_20	0x04	the altitude accuracy is equal to or less than 0.2 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_50	0x05	the altitude accuracy is equal to or less than 0.5 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_001_00	0x06	the altitude accuracy is equal to or less than 1 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_002_00	0x07	the altitude accuracy is equal to or less than 2 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_005_00	0x08	the altitude accuracy is equal to or less than 5 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_010_00	0x09	the altitude accuracy is equal to or less than 10 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_020_00	0x0a	the altitude accuracy is equal to or less than 20 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_050_00	0x0b	the altitude accuracy is equal to or less than 50 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_100_00	0x0c	the altitude accuracy is equal to or less than 100 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_200_00	0x0d	the altitude accuracy is equal to or less than 200 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_OUTOFRANGE	0x0e	the altitude accuracy is out of range, i.e. greater than 200 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_UNAVAILABLE	0x0f	the altitude accuracy information is



			unavailable
Variation	--		

] ()

**[SWS\_V2xFac\_00038] [**

Name	V2xFac_PosConfidenceEllipseType		
Kind	Structure		
Elements	semiMajorConfidence	uint16	Half of length of the major axis
	semiMinorConfidence	uint16	Half of length of the minor axis
	semiMajorOrientation	V2xFac_HeadingType	Orientation direction of the ellipse major axis
Description	DF_PosConfidenceEllipse as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00039] [**

Name	V2xFac_HeadingType		
Kind	Structure		
Elements	headingValue	uint16	Altitude in a WGS84 co-ordinate system
	headingConfidence	uint8	Absolute accuracy of a reported heading value
Description	DF_Heading as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00040] [**

Name	V2xFac_SpeedType		
Kind	Structure		
Elements	speedValue	uint16	Speed value
	speedConfidence	uint8	The absolute accuracy of a speed value
Description	DF_Speed as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00047] [**

Name	V2xFac_ReferencePositionType		
Kind	Structure		
Elements	latitude	sint32	Latitude of the geographical point
	longitude	sint32	Longitude of the geographical point
	posConfidenceEllipse	V2xFac_PosConfidenceEllipseType	Accuracy of the geographical position
	altitude	V2xFac_AltitudeType	Altitude and altitude accuracy of the geographical point
Description	DF_ReferencePosition as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00225] [**

Name	V2xFac_ActionIdType		
Kind	Structure		
Elements	originatingStationID	uint32	Identifier for an ITS-S
	sequenceNumber	uint16	sequenceNumber
Description	DF_ActionID as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00059] [**

Name	V2xFac_PathHistoryType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of V2xFac_PathPointType	--
		Size	23
Description	DF_PathHistory as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 23 as defined in ETSI EN 302 637-2 V1.3.2.		
Variation	--		

] ()

**[SWS\_V2xFac\_00226] [**

Name	V2xFac_ClosedLanesType		
------	------------------------	--	--

Kind	Structure		
Elements	presence	V2xFac_ClosedLanesPresenceType	Mark optional children present or not
	hardShoulderStatus	V2xFac_HardShoulderStatusType	Indicates the open/closing status of hard shoulder lanes
	drivingLaneStatus	V2xFac_DrivingLaneStatusType	Indicates whether a driving lane is open to traffic
Description	DF_ClosedLanes as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00166] [**

Name	V2xFac_ClosedLanesPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	hardShoulderStatus	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_ClosedLanesTypet			

] ()

**[SWS\_V2xFac\_00167] [**

Name	V2xFac_HardShoulderStatusType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_HardShoulderStatus as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_HARDSHOULDERSTATUS_AVAILABLE_FOR_STOPPING	0x00	Hard shoulder lane available for stopping
	V2XFAC_HARDSHOULDERSTATUS_CLOSED	0x01	Hard shoulder lane closed
	V2XFAC_HARDSHOULDERSTATUS_AVAILABLE_FOR_DRIVING	0x02	Hard shoulder lane

			available for driving
Variation	--		

] ()

**[SWS\_V2xFac\_00168]** [

Name	V2xFac_DrivingLaneStatusType			
Kind	Bitfield			
Derived from	uint16			
Elements	Kind	Name	Mask	Description
	bit	outermostLaneClosed	0x2000	Bit 13: Outermost lane is closed
	bit	secondLaneFromOutsideClosed	0x1000	Bit 12: Second lane from the outside is closed
	bit	thirdLaneFromOutsideClosed	0x800	Bit 11: Third lane from the outside is closed
	bit	fourthLaneFromOutsideClosed	0x400	Bit 10: Fourth lane from the outside is closed
	bit	fifthLaneFromOutsideClosed	0x200	Bit 9: Fifth lane from the outside is closed
	bit	sixthLaneFromOutsideClosed	0x100	Bit 8: Sixth lane from the outside is closed
	bit	seventhLaneFromOutsideClosed	0x80	Bit 7: Seventh lane from the outside is closed
	bit	eighthLaneFromOutsideClosed	0x40	Bit 6: Eighth lane from the outside is closed
	bit	ninthLaneFromOutsideClosed	0x20	Bit 5: Ninth lane from the outside is closed
	bit	tenthLaneFromOutsideClosed	0x10	Bit 4: Tenth lane from the outside is closed
	bit	eleventhLaneFromOutsideClosed	0x08	Bit 3: Eleventh lane from the outside is closed
	bit	twelfthLaneFromOutsideClosed	0x04	Bit 2: Twelfth lane from the outside is closed
	bit	thirteenthLaneFromOutsideClosed	0x02	Bit 1: Thirteenth lane from the outside is closed
bit	fourteenthLaneFromOutsideClosed	0x01	Bit 0 (LSB): Fourteenth lane from the outside is closed	
Description	BitString DE_DrivingLaneStatus as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00074]** [

Name	V2xFac_CauseCodeType		
Kind	Structure		
Elements	causeCode	uint8	Encoded value of a traffic event type
	subCauseCode	uint8	Type of sub cause of a detected event
Description	DF_CauseCode as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_91035]** [

Name	V2xFac_StationIDType		
Kind	Type		
Derived from	uint32		
Description	Namespace: ITS-Container		
Range	0..4294967295		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91036]** [

Name	V2xFac_LongitudeType		
Kind	Type		
Derived from	sint32		
Description	Namespace: ITS-Container		
Range	_1800000000..1800000001		--
	oneMicrodegreeWest	-10	--
	oneMicrodegreeEast	10	--
	unavailable	1800000001	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91037]** [

Name	V2xFac_LatitudeType		
Kind	Type		
Derived from	sint32		
Description	Namespace: ITS-Container		
Range	_900000000..900000001		--
	oneMicrodegreeSouth	-10	--
	oneMicrodegreeNorth	10	--
	unavailable	900000001	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91038]** [

Name	V2xFac_AltitudeValueType		
Kind	Type		
Derived from	sint32		
Description	Namespace: ITS-Container		
Range	_100000..800001		--
	referenceEllipsoidSurface	0	--
	oneCentimeter	1	--
	unavailable	800001	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91039]** [

Name	V2xFac_DeltaLongitudeType		
Kind	Type		
Derived from	sint32		
Description	Namespace: ITS-Container		
Range	_131071..131072		--
	oneMicrodegreeWest	-10	--
	oneMicrodegreeEast	10	--

	unavailable	131072	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91040]** [

Name	V2xFac_DeltaLatitudeType		
Kind	Type		
Derived from	sint32		
Description	Namespace: ITS-Container		
Range	_131071..131072		--
	oneMicrodegreeSouth	-10	--
	oneMicrodegreeNorth	10	--
	unavailable	131072	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91041]** [

Name	V2xFac_DeltaAltitudeType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		
Range	_12700..12800		--
	oneCentimeterDown	-1	--
	oneCentimeterUp	1	--
	unavailable	12800	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91042]** [

Name	V2xFac_PathDeltaTimeType		
Kind	Type		

Derived from	uint16		
Description	Namespace: ITS-Container		
Range	1..65535		--
	tenMillisecondsInPast	1	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91043]** [

Name	V2xFac_PtActivationTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	undefinedCodingType	0	--
	r09_16CodingType	1	--
	vdv_50149CodingType	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91044]** [

Name	V2xFac_SemiAxisLengthType		
Kind	Type		
Derived from	uint16		
Description	Namespace: ITS-Container		
Range	0..4095		--
	oneCentimeter	1	--
	outOfRange	4094	--
	unavailable	4095	--
Variation	--		
Available via	V2xFac.h		

] ()



[SWS\_V2xFac\_91045] [

Name	V2xFac_CauseCodeTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	reserved	0	--
	trafficCondition	1	--
	accident	2	--
	roadworks	3	--
	adverseWeatherCondition_Adhesion	6	--
	hazardousLocation_SurfaceCondition	9	--
	hazardousLocation_ObstacleOnTheRoad	10	--
	hazardousLocation_AnimalOnTheRoad	11	--
	humanPresenceOnTheRoad	12	--
	wrongWayDriving	14	--
	rescueAndRecoveryWorkInProgress	15	--
	adverseWeatherCondition_ExtremeWeatherCondition	17	--
	adverseWeatherCondition_Visibility	18	--
	adverseWeatherCondition_Precipitation	19	--
	slowVehicle	26	--
	dangerousEndOfQueue	27	--
	vehicleBreakdown	91	--
	postCrash	92	--
	humanProblem	93	--
	stationaryVehicle	94	--
	emergencyVehicleApproaching	95	--
	hazardousLocation_DangerousCurve	96	--
collisionRisk	97	--	
signalViolation	98	--	
dangerousSituation	99	--	

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91046]** [

Name	V2xFac_SubCauseCodeTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91047]** [

Name	V2xFac_TrafficConditionSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	increasedVolumeOfTraffic	1	--
	trafficJamSlowlyIncreasing	2	--
	trafficJamIncreasing	3	--
	trafficJamStronglyIncreasing	4	--
	trafficStationary	5	--
	trafficJamSlightlyDecreasing	6	--
	trafficJamDecreasing	7	--
	trafficJamStronglyDecreasing	8	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91048]** [

Name	V2xFac_AccidentSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	multiVehicleAccident	1	--
	heavyAccident	2	--
	accidentInvolvingLorry	3	--
	accidentInvolvingBus	4	--
	accidentInvolvingHazardousMaterials	5	--
	accidentOnOppositeLane	6	--
	unsecuredAccident	7	--
	assistanceRequested	8	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91049]** [

Name	V2xFac_RoadworksSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	majorRoadworks	1	--
	roadMarkingWork	2	--
	slowMovingRoadMaintenance	3	--
	shortTermStationaryRoadworks	4	--
	streetCleaning	5	--
	winterService	6	--
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91050]** [

Name	V2xFac_HumanPresenceOnTheRoadSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	childrenOnRoadway	1	--
	cyclistOnRoadway	2	--
	motorcyclistOnRoadway	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91051]** [

Name	V2xFac_WrongWayDrivingSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	wrongLane	1	--
	wrongDirection	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91052]** [

Name	V2xFac_AdverseWeatherCondition_ExtremeWeatherConditionSubCauseCodeType		
Kind	Type		
Derived from	uint8		

Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	strongWinds	1	--
	damagingHail	2	--
	hurricane	3	--
	thunderstorm	4	--
	tornado	5	--
	blizzard	6	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91053]** [

Name	V2xFac_AdverseWeatherCondition_AdhesionSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	heavyFrostOnRoad	1	--
	fuelOnRoad	2	--
	mudOnRoad	3	--
	snowOnRoad	4	--
	iceOnRoad	5	--
	blackIceOnRoad	6	--
	oilOnRoad	7	--
	looseChippings	8	--
	instantBlackIce	9	--
	roadsSalted	10	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91054]** [

Name	V2xFac_AdverseWeatherCondition_VisibilitySubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	fog	1	--
	smoke	2	--
	heavySnowfall	3	--
	heavyRain	4	--
	heavyHail	5	--
	lowSunGlare	6	--
	sandstorms	7	--
	swarmsOfInsects	8	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91055]** [

Name	V2xFac_AdverseWeatherCondition_PrecipitationSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	heavyRain	1	--
	heavySnowfall	2	--
	softHail	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91056]** [

Name	V2xFac_SlowVehicleSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	maintenanceVehicle	1	--
	vehiclesSlowingToLookAtAccident	2	--
	abnormalLoad	3	--
	abnormalWideLoad	4	--
	convoy	5	--
	snowplough	6	--
	deicing	7	--
	saltingVehicles	8	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91057]** [

Name	V2xFac_StationaryVehicleSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	humanProblem	1	--
	vehicleBreakdown	2	--
	postCrash	3	--
	publicTransportStop	4	--
	carryingDangerousGoods	5	--

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91058]** [

Name	V2xFac_HumanProblemSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	glycemiaProblem	1	--
	heartProblem	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91059]** [

Name	V2xFac_EmergencyVehicleApproachingSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	emergencyVehicleApproaching	1	--
	prioritizedVehicleApproaching	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91060]** [

Name	V2xFac_HazardousLocation_DangerousCurveSubCauseCodeType		
Kind	Type		
Derived from	uint8		



Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	dangerousLeftTurnCurve	1	--
	dangerousRightTurnCurve	2	--
	multipleCurvesStartingWithUnknownTurningDirection	3	--
	multipleCurvesStartingWithLeftTurn	4	--
	multipleCurvesStartingWithRightTurn	5	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91061]** [

Name	V2xFac_HazardousLocation_SurfaceConditionSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	rockfalls	1	--
	earthquakeDamage	2	--
	sewerCollapse	3	--
	subsidence	4	--
	snowDrifts	5	--
	stormDamage	6	--
	burstPipe	7	--
	volcanoEruption	8	--
	fallingIce	9	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91062]** [

Name	V2xFac_HazardousLocation_ObstacleOnTheRoadSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	shedLoad	1	--
	partsOfVehicles	2	--
	partsOfTyres	3	--
	bigObjects	4	--
	fallenTrees	5	--
	hubCaps	6	--
	waitingVehicles	7	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91063] [**

Name	V2xFac_HazardousLocation_AnimalOnTheRoadSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	wildAnimals	1	--
	herdOfAnimals	2	--
	smallAnimals	3	--
	largeAnimals	4	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91064] [**

Name	V2xFac_CollisionRiskSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	longitudinalCollisionRisk	1	--
	crossingCollisionRisk	2	--
	lateralCollisionRisk	3	--
	vulnerableRoadUser	4	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91065]** [

Name	V2xFac_SignalViolationSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	stopSignViolation	1	--
	trafficLightViolation	2	--
	turningRegulationViolation	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91066]** [

Name	V2xFac_RescueAndRecoveryWorkInProgressSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		

Range	0..255		--
	unavailable	0	--
	emergencyVehicles	1	--
	rescueHelicopterLanding	2	--
	policeActivityOngoing	3	--
	medicalEmergencyOngoing	4	--
	childAbductionInProgress	5	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91067]** [

Name	V2xFac_DangerousEndOfQueueSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	suddenEndOfQueue	1	--
	queueOverHill	2	--
	queueAroundBend	3	--
	queueInTunnel	4	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91068]** [

Name	V2xFac_DangerousSituationSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--

	emergencyElectronicBrakeEngaged	1	--
	preCrashSystemEngaged	2	--
	espEngaged	3	--
	absEngaged	4	--
	aebEngaged	5	--
	brakeWarningEngaged	6	--
	collisionRiskWarningEngaged	7	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91069]** [

Name	V2xFac_VehicleBreakdownSubCauseCodeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	lackOfFuel	1	--
	lackOfBatteryPower	2	--
	engineProblem	3	--
	transmissionProblem	4	--
	engineCoolingProblem	5	--
	brakingSystemProblem	6	--
	steeringProblem	7	--
	tyrePuncture	8	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91070]** [

Name	V2xFac_PostCrashSubCauseCodeType		
Kind	Type		

Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unavailable	0	--
	accidentWithoutECallTriggered	1	--
	accidentWithECallManuallyTriggered	2	--
	accidentWithECallAutomaticallyTriggered	3	--
	accidentWithECallTriggeredWithoutAccessToCellularNetwork	4	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91071]** [

Name	V2xFac_CurvatureValueType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		
Range	_30000..30001		--
	reciprocalOf1MeterRadiusToRight	-30000	--
	straight	0	--
	reciprocalOf1MeterRadiusToLeft	30000	--
	unavailable	30001	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91072]** [

Name	V2xFac_CurvatureConfidenceType		
Kind	Enumeration		
Range	onePerMeter_0_00002	0	--
	onePerMeter_0_0001	1	--
	onePerMeter_0_0005	2	--
	onePerMeter_0_002	3	--

	onePerMeter_0_01	4	--
	onePerMeter_0_1	5	--
	outOfRange	6	--
	unavailable	7	--
Description	Namespace: ITS-Container		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91073]** [

Name	V2xFac_HeadingValueType		
Kind	Type		
Derived from	uint16		
Description	Namespace: ITS-Container		
Range	0..3601		--
	wgs84North	0	--
	wgs84East	900	--
	wgs84South	1800	--
	wgs84West	2700	--
	unavailable	3601	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91074]** [

Name	V2xFac_HeadingConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..127		--
	equalOrWithinZeroPointOneDegree	1	--
	equalOrWithinOneDegree	10	--
	outOfRange	126	--

	unavailable	127	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91075]** [

Name	V2xFac_LanePositionType		
Kind	Type		
Derived from	sint8		
Description	Namespace: ITS-Container		
Range	_1..14		--
	offTheRoad	-1	--
	hardShoulder	0	--
	outermostDrivingLane	1	--
	secondLaneFromOutside	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91076]** [

Name	V2xFac_PerformanceClassType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..7		--
	unavailable	0	--
	performanceClassA	1	--
	performanceClassB	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91077]** [

Name	V2xFac_SpeedValueType		
------	-----------------------	--	--



Kind	Type		
Derived from	uint16		
Description	Namespace: ITS-Container		
Range	0..16383		--
	standstill	0	--
	oneCentimeterPerSec	1	--
	unavailable	16383	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91078]** [

Name	V2xFac_SpeedConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..127		--
	equalOrWithinOneCentimeterPerSec	1	--
	equalOrWithinOneMeterPerSec	100	--
	outOfRange	126	--
	unavailable	127	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91079]** [

Name	V2xFac_EmbarkationStatusType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	value	0x00	false if 0, true otherwise
Description	Namespace: ITS-Container			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91080]** [

Name	V2xFac_LongitudinalAccelerationValueType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		
Range	_160..161		--
	pointOneMeterPerSecSquaredBackward	-1	--
	pointOneMeterPerSecSquaredForward	1	--
	unavailable	161	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91081]** [

Name	V2xFac_AccelerationConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..102		--
	pointOneMeterPerSecSquared	1	--
	outOfRange	101	--
	unavailable	102	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91082]** [

Name	V2xFac_LateralAccelerationValueType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		
Range	_160..161		--

	pointOneMeterPerSecSquaredToRight	-1	--
	pointOneMeterPerSecSquaredToLeft	1	--
	unavailable	161	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91083]** [

Name	V2xFac_VerticalAccelerationValueType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		
Range	_160..161		--
	pointOneMeterPerSecSquaredDown	-1	--
	pointOneMeterPerSecSquaredUp	1	--
	unavailable	161	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91084]** [

Name	V2xFac_StationTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..255		--
	unknown	0	--
	pedestrian	1	--
	cyclist	2	--
	moped	3	--
	motorcycle	4	--
	passengerCar	5	--
	bus	6	--

	lightTruck	7	--
	heavyTruck	8	--
	trailer	9	--
	specialVehicles	10	--
	tram	11	--
	roadSideUnit	15	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91085]** [

Name	V2xFac_HeightLonCarrType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..100		--
	oneCentimeter	1	--
	unavailable	100	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91086]** [

Name	V2xFac_PosLonCarrType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..127		--
	oneCentimeter	1	--
	unavailable	127	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91087]** [

Name	V2xFac_PosPillarType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..30		--
	tenCentimeters	1	--
	unavailable	30	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91088]** [

Name	V2xFac_PosCentMassType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..63		--
	tenCentimeters	1	--
	unavailable	63	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91089]** [

Name	V2xFac_SpeedLimitType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..255		--
	oneKmPerHour	1	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91090]** [

Name	V2xFac_TemperatureType		
Kind	Type		
Derived from	sint8		
Description	Namespace: ITS-Container		
Range	_60..67		--
	equalOrSmallerThanMinus60Deg	-60	--
	oneDegreeCelsius	1	--
	equalOrGreaterThan67Deg	67	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91091]** [

Name	V2xFac_WheelBaseVehicleType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..127		--
	tenCentimeters	1	--
	unavailable	127	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91092]** [

Name	V2xFac_TurningRadiusType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..255		--
	point4Meters	1	--

	unavailable	255	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91093]** [

Name	V2xFac_PosFrontAxType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..20		--
	tenCentimeters	1	--
	unavailable	20	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91094]** [

Name	V2xFac_WMInumberType		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: ITS-Container		
Range	1..3		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91095]** [

Name	V2xFac_VDSType		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: ITS-Container		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91096]** [

Name	V2xFac_EnergyStorageTypeType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	hydrogenStorage	0x01	--
	bit	electricEnergyStorage	0x02	--
	bit	liquidPropaneGas	0x04	--
	bit	compressedNaturalGas	0x08	--
	bit	diesel	0x10	--
	bit	gasoline	0x20	--
	bit	ammonia	0x40	--
Description	Namespace: ITS-Container			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91097]** [

Name	V2xFac_VehicleLengthValueType		
Kind	Type		
Derived from	uint16		
Description	Namespace: ITS-Container		
Range	1..1023		--
	tenCentimeters	1	--
	outOfRange	1022	--
	unavailable	1023	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91098]** [

Name	V2xFac_VehicleWidthType
Kind	Type



Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..62		--
	tenCentimeters	1	--
	outOfRange	61	--
	unavailable	62	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91099]** [

Name	V2xFac_InformationQualityType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..7		--
	unavailable	0	--
	lowest	1	--
	highest	7	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91100]** [

Name	V2xFac_SteeringWheelAngleValueType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		
Range	_511..512		--
	onePointFiveDegreesToRight	-1	--
	straight	0	--
	onePointFiveDegreesToLeft	1	--
	unavailable	512	--

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91101]** [

Name	V2xFac_SteeringWheelAngleConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..127		--
	equalOrWithinOnePointFiveDegree	1	--
	outOfRange	126	--
	unavailable	127	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91102]** [

Name	V2xFac_TimestampItsType		
Kind	Type		
Derived from	uint64		
Description	Namespace: ITS-Container		
Range	0..4398046511103		--
	utcStartOf2004	0	--
	oneMillisecAfterUTCStartOf2004	1	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91103]** [

Name	V2xFac_YawRateValueType		
Kind	Type		
Derived from	sint16		
Description	Namespace: ITS-Container		

Range	_32766..32767		--
	degSec_000_01ToRight	-1	--
	straight	0	--
	degSec_000_01ToLeft	1	--
	unavailable	32767	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91104]** [

Name	V2xFac_TransmissionIntervalType		
Kind	Type		
Derived from	uint16		
Description	Namespace: ITS-Container		
Range	1..10000		--
	oneMilliSecond	1	--
	tenSeconds	10000	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91105]** [

Name	V2xFac_ValidityDurationType		
Kind	Type		
Derived from	uint32		
Description	Namespace: ITS-Container		
Range	0..86400		--
	timeOfDetection	0	--
	oneSecondAfterDetection	1	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91106]** [

Name	V2xFac_ActionIDType		
Kind	Structure		
Elements	originatingStationID	V2xFac_StationIDType	--
	sequenceNumber	V2xFac_SequenceNumberType	--
Description	Namespace: ITS-Container		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91107]** [

Name	V2xFac_NumberOfOccupantsType		
Kind	Type		
Derived from	uint8		
Description	Namespace: ITS-Container		
Range	0..127		--
	oneOccupant	1	--
	unavailable	127	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91108]** [

Name	V2xFac_SequenceNumberType		
Kind	Type		
Derived from	uint16		
Description	Namespace: ITS-Container		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91109]** [

Name	V2xFac_ProtectedZoneRadiusType		
Kind	Type		

Derived from	uint8		
Description	Namespace: ITS-Container		
Range	1..255		--
	oneMeter	1	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91110]** [

Name	V2xFac_ProtectedZoneIDType		
Kind	Type		
Derived from	uint32		
Description	Namespace: ITS-Container		
Range	0..134217727		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91111]** [

Name	V2xFac_CenDsrcTollingZoneIDType		
Kind	Type		
Derived from	V2xFac_ProtectedZoneIDType		
Description	Namespace: ITS-Container		
Variation	--		
Available via	V2xFac.h		

] ()

### 8.7.3.3 CAM specific Implementation DataTypes

**[SWS\_V2xFac\_00041]** [

Name	V2xFac_CamMessageRootType		
Kind	Structure		
Elements	itsPduHeader	V2xFac_ItsPduHeaderType	Structure of the ItsPduHeader
	coopAwareness	V2xFac_CoopAwarenessType	Structure of the

			CoopAwareness data
	transactionId	uint32	TransactionId for received CAM
Description	CAM root message as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00042] [**

Name	V2xFac_CoopAwarenessType		
Kind	Structure		
Elements	generationDeltaTime	uint16	Time corresponding to the time of the reference position in the CAM
	camParameters	V2xFac_CamParametersType	Structure of V2X CAM-Parameters
Description	CoopAwareness as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00045] [**

Name	V2xFac_CamParametersType		
Kind	Structure		
Elements	presence	V2xFac_CamParametersPresenceType	Mark optional childs present or not
	basicContainer	V2xFac_BasicContainerType	Basic container of CAM
	highFrequencyContainer	V2xFac_HighFrequencyContainerType	High frequency container of CAM
	lowFrequencyContainer	V2xFac_LowFrequencyContainerType	Low frequency container of CAM
	specialVehicleContainer	V2xFac_SpecialVehicleContainerType	Special container of the CAM
Description	CamParameters as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00169]** [

Name	V2xFac_CamParametersPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	lowFrequencyContainer	0x02	Bit 1: Optional child present
	bit	specialVehicleContainer	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_CamParametersType			

] ()

**[SWS\_V2xFac\_00170]** [

Name	V2xFac_SpecialVehicleContainerType		
Kind	Structure		
Elements	choice	V2xFac_SpecialVehicleContainerChoiceType	Marks which element is filled
	publicTransportContainer	V2xFac_PublicTransportContainerType	--
	specialTransportContainer	V2xFac_SpecialTransportContainerType	--
	dangerousGoodsContainer	V2xFac_DangerousGoodsContainerType	--
	roadWorksContainerBasic	V2xFac_RoadWorksContainerBasicType	--
	rescueContainer	V2xFac_RescueContainerType	--
	emergencyContainer	V2xFac_EmergencyContainerType	--
	safetyCarContainer	V2xFac_SafetyCarContainerType	--
Description	SpecialVehicleContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00171]** [

Name	V2xFac_SpecialVehicleContainerChoiceType
Kind	Type
Derived from	uint8
Description	Enumeration for Choice V2xFac_SpecialVehicleContainerType

Range	V2XFAC_SPECIALVEHICLECONTAINER_PUBLIC_TRANSPORT_CONTAINER	0x01	Public transport container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_DANGEROUS_GOODS_CONTAINER	0x02	Dangerous goods container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_ROAD_WORKS_CONTAINER_BASIC	0x03	Road works container basic chosen
	V2XFAC_SPECIALVEHICLECONTAINER_RESCUE_CONTAINER	0x04	Rescue container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_EMERGENCY_CONTAINER	0x05	Emergency container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_SAFETY_CAR_CONTAINER	0x06	Safety car container chosen
Variation	--		

] ()

**[SWS\_V2xFac\_00046]** [

Name	V2xFac_BasicContainerType		
Kind	Structure		
Elements	stationType	uint8	Station type of the originating ITS-S
	referencePosition	V2xFac_ReferencePositionType	Position and position accuracy measured at the reference point of the originating ITS-S
Description	BasicContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00048]** [

Name	V2xFac_HighFrequencyContainerType		
Kind	Structure		
Elements	choice	V2xFac_HighFrequencyContainerChoiceType	Mark which element



			nt is filled
	basicVehicleContainerHighFrequency	V2xFac_BasicVehicleContainerHighFrequencyType	--
	rsuContainerHighFrequency	V2xFac_RSUContainerHighFrequencyType	--
Description	HighFrequencyContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00172] [**

Name	V2xFac_HighFrequencyContainerChoiceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration for Choice V2xFac_HighFrequencyContainerType		
Range	V2XFAC_HIGHFREQCONTAINER_BASICVEHICLECONTAINER	0x01	High Frequency basic vehicle container chosen
	V2XFAC_HIGHFREQCONTAINER_RSUCONTAINERHIGHFREQ	0x02	High frequency RSU container high freq chosen
Variation	--		

] ()

**[SWS\_V2xFac\_00173] [**

Name	V2xFac_BasicVehicleContainerHighFrequencyType		
Kind	Structure		
Elements	presence	V2xFac_BasicVehicleContainerHighFrequencyPresenceType	Mark optional childs present or not
	heading	V2xFac_HeadingType	Heading and heading accuracy of the vehicle movement

	speed	V2xFac_SpeedType	Driving speed and speed accuracy of the originating ITS-S
	driveDirection	V2xFac_DriveDirectionType	Vehicle drive direction
	vehicleLength	V2xFac_VehicleLengthType	Vehicle length and accuracy of the vehicle that originates the CAM
	vehicleWidth	uint8	Width of a vehicle, including side mirrors
	longitudinalAcceleration	V2xFac_LongitudinalAccelerationType	Vehicle longitudinal acceleration and accuracy
	curvature	V2xFac_CurvatureType	Actual trajectory curvature and accuracy
	curvatureCalculationMode	V2xFac_CurvatureCalculationModeType	Flag indicating whether vehicle yaw-rate is used
	yawRate	V2xFac_YawRateType	YawRate and accuracy
	accelerationControl	V2xFac_AccelerationControlType	Current status of the vehicle mechanisms controlling the longitudinal movement
	lanePosition	sint8	Lane

			position of the vehicle
	steeringWheelAngle	V2xFac_SteeringWheelAngleType	Steering wheel angle and accuracy
	lateralAcceleration	V2xFac_LateralAccelerationType	Vehicle lateral acceleration and accuracy
	verticalAcceleration	V2xFac_VerticalAccelerationType	Vertical Acceleration of the originating ITS-S
	performanceClass	uint8	Characterizes the maximum age of the CAM data elements
	cenDsrcTollingZone	V2xFac_CenDsrcTollingZoneType	Information about the position of a CEN DSRC Tolling Station
Description	BasicVehicleContainerHighFrequency as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00174]** [

Name	V2xFac_BasicVehicleContainerHighFrequencyPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	accelerationControl	0x40	Bit 6: Optional child present
	bit	lanePosition	0x20	Bit 5: Optional child present
	bit	steeringWheelAngle	0x10	Bit 4: Optional child present
	bit	lateralAcceleration	0x08	Bit 3: Optional child present
	bit	verticalAcceleration	0x04	Bit 2: Optional child present

	bit	performanceClass	0x02	Bit 1: Optional child present
	bit	cenDsrcTollingZone	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_BasicVehicleContainerHighFrequencyType			

] ()

**[SWS\_V2xFac\_00175] [**

Name	V2xFac_DriveDirectionType			
Kind	Type			
Derived from	uint8			
Description	Enumeration of DE_DrivingDirection as defined in ETSI TS 102 894-2 V1.2.1.			
Range	V2XFAC_DRIVINGDIRECTION_FORWARD	0x00	Driving direction forward	
	V2XFAC_DRIVINGDIRECTION_BACKWARD	0x01	Driving direction backward	
	V2XFAC_DRIVINGDIRECTION_UNAVAILABLE	0x02	Driving direction unavailable	
Variation	--			

] ()

**[SWS\_V2xFac\_00176] [**

Name	V2xFac_CurvatureCalculationModeType			
Kind	Type			
Derived from	uint8			
Description	Enumeration of DE_CurvatureCalculationMode as defined in ETSI TS 102 894-2 V1.2.1.			
Range	V2XFAC_CURVATURECALCMODE_YAWRATE_USED	0x00	Calc mode Yawrate used	
	V2XFAC_CURVATURECALCMODE_YAWRATE_NOT_USED	0x01	Calc mode Yawrate not used	
	V2XFAC_CURVATURECALCMODE_UNAVAILABLE	0x02	Calc mode unavailable	
Variation	--			

] ()

**[SWS\_V2xFac\_00177] [**

Name	V2xFac_AccelerationControlType			
Kind	Bitfield			
Derived from	uint8			

Elements	Kind	Name	Mask	Description
	bit	brakePedalEngaged	0x40	Bit 6: Driver is stepping on the brake pedal
	bit	gasPedalEngaged	0x20	Bit 5: Driver is stepping on the gas pedal
	bit	emergencyBrakeEngaged	0x10	Bit 4: Emergency brake system is engaged
	bit	collisionWarningEngaged	0x08	Bit 3: Collision warning system is engaged
	bit	accEngaged	0x04	Bit 2: ACC is engaged
	bit	cruiseControlEngaged	0x02	Bit 1: Cruise control is engaged
	bit	speedLimiterEngaged	0x01	Bit 0 (LSB): Speed limiter is engaged
Description	BitString DE_AccelerationControl as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00178]** [

Name	V2xFac_RSUContainerHighFrequencyType		
Kind	Structure		
Elements	presence	V2xFac_RSUContainerHighFrequencyPresenceType	Mark optional childs present or not
	protectedCommunicationZonesRSU	V2xFac_ProtectedCommunicationZonesRSUType	Describes a list of protected communication zones by a road side ITS-S (Road Side Unit RSU)
Description	DF_VehicleLength as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00179]** [

Name	V2xFac_RSUContainerHighFrequencyPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	protectedCommunicationZonesRSU	0x01	Bit 0 (LSB): Optional child present

Description	Presence flags for V2xFac_RSUContainerHighFrequencyType
-------------	---

] ()

**[SWS\_V2xFac\_00180]** [

Name	V2xFac_ProtectedCommunicationZonesRSUType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of V2xFac_ProtectedCommunicationZoneType	--
		Size	16
Description	DF_ProtectedCommunicationZonesRSU as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 16.		
Variation	--		

] ()

**[SWS\_V2xFac\_00181]** [

Name	V2xFac_ProtectedCommunicationZoneType		
Kind	Structure		
Elements	presence	V2xFac_ProtectedCommunicationZonePresenceType	Mark optional children present or not
	protectedZoneType	V2xFac_ProtectedZoneTypeType	type of the protected zone
	expiryTime	uint64	time at which the validity of the protected communication zone will expire
	protectedZoneLatitude	sint16	latitude of the center point of the protected communication zone.
	protectedZoneLongitude	sint16	longitude of the center point of the protected communication zone

	protectedZoneRadius	uint8	Radius of a protected communication zone in meters
	protectedZoneID	uint32	ID of a protected communication zone
Description	DF_VehicleLength as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00182]** [

Name	V2xFac_ProtectedCommunicationZonePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	expiryTime	0x04	Bit 2: Optional child present
	bit	protectedZoneRadius	0x02	Bit 1: Optional child present
	bit	protectedZoneID	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_ProtectedCommunicationZoneType			

] ()

**[SWS\_V2xFac\_00183]** [

Name	V2xFac_ProtectedZoneTypeType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_ProtectedZoneType as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_PROTECTEDZONETYPE_CEN_DSRC_TOLLING	0x00	CenDscrTollingZone
Variation	--		

] ()

**[SWS\_V2xFac\_00050]** [

Name	V2xFac_VehicleLengthType		
Kind	Structure		
Elements	vehicleLengthValue	uint16	Length

			of a vehicle
	vehicleLengthConfidenceIndication	V2xFac_VehicleLengthConfidenceIndicationType	Indication of whether trailer is detected to be present and whether the length of the trailer is known.
Description	DF_VehicleLength as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00239] [**

Name	V2xFac_VehicleLengthConfidenceIndicationType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_VehicleLengthConfidenceIndication as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_NOTRILERPRESENT	0x00	no trailer present
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_TRAILERPRESENTWITHKNOWNLENGTH	0x01	trailer present with known length
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_TRAILERPRESENTWITHUNKNOWNLENGTH	0x02	trailer present with unknown length
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_TRAILERPRESENCEISUNKNOWN	0x03	trailer presence is unknown
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_UNAVAILABLE	0x	informa



		04	tion is not known
Variation	--		

] ()

**[SWS\_V2xFac\_00051] [**

Name	V2xFac_LongitudinalAccelerationType		
Kind	Structure		
Elements	longitudinalAccelerationValue	sint16	Vehicle acceleration at longitudinal direction
	longitudinalAccelerationConfidence	uint8	The absolute accuracy of a reported vehicle acceleration
Description	DF_LongitudinalAcceleration as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00052] [**

Name	V2xFac_CurvatureType		
Kind	Structure		
Elements	curvatureValue	sint16	Describes the inverse of a detected vehicle turning curve radius
	curvatureConfidence	V2xFac_CurvatureConfidenceType	Describes the absolute accuracy range of a reported curvature value
Description	DF_Curvature as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00184] [**

Name	V2xFac_CurvatureConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_CurvatureConfidence as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_00002	0x00	The accuracy

			is less than or equal to 0,00002 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_0001	0x01	The accuracy is less than or equal to 0,0001 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_0005	0x02	The accuracy is less than or equal to 0,0005 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_002	0x03	The accuracy is less than or equal to 0,002 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_01	0x04	The accuracy is less than or equal to 0,01 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_1	0x05	The accuracy is less than or equal to 0,1 m-1
	V2XFAC_CURVATURECONFIDENCE_OUT_OF_RANGE	0x06	The accuracy is out of range, i.e. greater than 0,1 m-1
	V2XFAC_CURVATURECONFIDENCE_UNAVAILABLE	0x07	The information is not available
Variation	--		

] ()

[SWS\_V2xFac\_00053] [

Name	V2xFac_YawRateType		
Kind	Structure		
Elements	yawRateValue	sint16	Vehicle rotation around z-axis
	yawRateConfidence	V2xFac_YawRateConfidenceType	Absolute accuracy range for reported yaw rate value
Description	DF_YawRate as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00245]** [

Name	V2xFac_YawRateConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_YawRateConfidence as defined in ETSI TS 102 894-2 V1.2.1.		
Range	YAWRATECONFIDENCE_DEGSEC_000_01	0x00	0 if the accuracy is equal to or less than 0,01 degree/second
	YAWRATECONFIDENCE_DEGSEC_000_05	0x01	1 if the accuracy is equal to or less than 0,05 degrees/second
	YAWRATECONFIDENCE_DEGSEC_000_10	0x02	2 if the accuracy is equal to or less than 0,1 degree/second
	YAWRATECONFIDENCE_DEGSEC_001_00	0x03	3 if the accuracy is equal to or less than 1 degree/second
	YAWRATECONFIDENCE_DEGSEC_005_00	0x04	4 if the accuracy is equal to or less than 5 degrees/second
	YAWRATECONFIDENCE_DEGSEC_010_00	0x05	5 if the accuracy is equal to or less than 10 degrees/second
	YAWRATECONFIDENCE_DEGSEC_100_00	0x06	6 if the accuracy is equal to or less than 100 degrees/second
	YAWRATECONFIDENCE_OUTOFRANGE	0x07	7 if the accuracy is out of range, i.e. greater than 100 degrees/second
	YAWRATECONFIDENCE_UNAVAILABLE	0x08	8 if the accuracy information is unavailable
Variation	--		

] ()

**[SWS\_V2xFac\_00054]** [

Name	V2xFac_SteeringWheelAngleType		
Kind	Structure		
Elements	steeringWheelAngleValue	uint16	Steering wheel angle of the vehicle at certain point in time.
	steeringWheelAngleConfidence	uint8	Absolute accuracy for a reported steering wheel angle value.
Description	DF_SteeringWheelAngle as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00055] [**

Name	V2xFac_LateralAccelerationType		
Kind	Structure		
Elements	lateralAccelerationValue	sint16	Vehicle acceleration at lateral direction
	lateralAccelerationConfidence	uint8	The absolute accuracy of a reported vehicle acceleration
Description	DF_LateralAcceleration as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00056] [**

Name	V2xFac_VerticalAccelerationType		
Kind	Structure		
Elements	verticalAccelerationValue	sint16	Vehicle acceleration at vertical direction
	verticalAccelerationConfidence	uint8	The absolute accuracy of a reported vehicle acceleration
Description	DF_VerticalAcceleration as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00057] [**

Name	V2xFac_CenDsrcTollingZoneType		
Kind	Structure		
Elements	presence	V2xFac_CenDsrcTollingZonePresenceType	Marks optional children

			present or not
	protectedZoneLatitude	sint32	The latitude of the CEN DSRC road side equipment
	protectedZoneLongitude	sint32	The longitude of the CEN DSRC road side equipment
	cenDsrcTollingZoneID	sint32	The ID of the CEN DSRC road side equipment
Description	DF_CenDsrcTollingZone as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00185]** [

Name	V2xFac_CenDsrcTollingZonePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	cenDsrcTollingZoneID	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_CenDsrcTollingZoneType			

] ()

**[SWS\_V2xFac\_00058]** [

Name	V2xFac_LowFrequencyContainerType		
Kind	Structure		
Elements	choice	V2xFac_LowFrequencyContainerChoiceType	Mark which element is filled
	basicVehicleContainerLowFrequency	V2xFac_BasicVehicleContainerLowFrequencyType	--
Description	LowFrequencyContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00186]** [

Name	V2xFac_LowFrequencyContainerChoiceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of Choice V2xFac_LowFrequencyContainerType		
Range	V2XFAC_LOWFREQCONTAINER_BASIC_VEHICLE_CONTAINER_LOW_FREQ	0x01	Element choice n
Variation	--		

] ()

**[SWS\_V2xFac\_00187]** [

Name	V2xFac_BasicVehicleContainerLowFrequencyType		
Kind	Structure		
Elements	vehicleRole	V2xFac_VehicleRoleType	Vehicle role
	exteriorLights	V2xFac_ExteriorLightsType	Exterior Lights
	pathHistory	V2xFac_PathHistoryType	Path History
Description	BasicVehicleLowFrequencyContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00188]** [

Name	V2xFac_VehicleRoleType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_VehicleRole as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_VEHICLEROLE_DEFAULT	0x00	default vehicle role as indicated by the vehicle type
	V2XFAC_VEHICLEROLE_PUBLIC_TRANSPORT	0x01	vehicle is used to operate public transport service
	V2XFAC_VEHICLEROLE_SPECIAL_TRANSPORT	0x02	vehicle is used for special transport purpose, e.g. oversized trucks

	V2XFAC_VEHICLEROLE_DANGEROUS_GOODS	0x03	vehicle is used for dangerous goods transportation
	V2XFAC_VEHICLEROLE_ROAD_WORK	0x04	vehicle is used to realize roadwork or road maintenance mission
	V2XFAC_VEHICLEROLE_RESCUE	0x05	vehicle is used for rescue purpose in case of an accident, e.g. as a towing service
	V2XFAC_VEHICLEROLE_EMERGENCY	0x06	vehicle is used for emergency mission, e.g. ambulance, fire brigade
	V2XFAC_VEHICLEROLE_SAFETY_CAR	0x07	vehicle is used for public safety, e.g. patrol
	V2XFAC_VEHICLEROLE_AGRICULTURAL	0x08	vehicle is used for agriculture, e.g. farm tractor
	V2XFAC_VEHICLEROLE_COMMERCIAL	0x09	vehicle is used for transportation of commercial goods
	V2XFAC_VEHICLEROLE_MILITARY	0x0a	vehicle is used for military purpose
	V2XFAC_VEHICLEROLE_ROAD_OPERATOR	0x0b	vehicle is used in road operator missions
	V2XFAC_VEHICLEROLE_TAXI	0x0c	vehicle is used to provide an authorized taxi service
	V2XFAC_VEHICLEROLE_RESERVED_1	0x0d	reserved for future usage
	V2XFAC_VEHICLEROLE_RESERVED_2	0x0e	reserved for future usage
	V2XFAC_VEHICLEROLE_RESERVED_3	0x0f	reserved for future usage
Variation	--		

] ()

**[SWS\_V2xFac\_00189]** [

Name	V2xFac_ExteriorLightsType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	lowBeamHeadlightsOn	0x80	Bit 7: low beam headlights on
	bit	highBeamHeadlightsOn	0x40	Bit 6: high beam headlights on
	bit	leftTurnSignalOn	0x20	Bit 5: left turn signal on

	bit	rightTurnSignalOn	0x10	Bit 4: right turn signal on
	bit	daytimeRunningLightsOn	0x08	Bit 3: daytime running lights on
	bit	reverseLightOn	0x04	Bit 2: reverse light on
	bit	fogLightOn	0x02	Bit 1: fog light on
	bit	parkingLightsOn	0x01	Bit 0: parking lights on
Description	BitString DE_ExteriorLights as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00060]** [

Name	V2xFac_PathPointType		
Kind	Structure		
Elements	presence	V2xFac_PathPointPresenceType	Mark optional children present or not
	pathPosition	V2xFac_DeltaReferencePositionType	Defines a geographical point position as offset position to a reference geographical point.
	pathDeltaTime	uint16	Presents the time difference when two consecutive PathPoint values are measured.
Description	DF_PathPoint as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00190]** [

Name	V2xFac_PathPointPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	pathDeltaTime	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_PathPointType			

] ()

**[SWS\_V2xFac\_00061]** [

Name	V2xFac_PublicTransportContainerType		
Kind	Structure		
Elements	presence	V2xFac_PublicTransportContainerPresenceType	Mark optional childs present



			or not
	embarkationStatus	boolean	Indicates whether the passenger embarkation is currently ongoing
	ptActivation	V2xFac_PtActivationType	Used by public transport vehicles for controlling traffic lights, barriers, bollards, etc.
Description	PublicTransportContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00191]** [

Name	V2xFac_PublicTransportContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	ptActivation	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_PublicTransportContainerType			

] ()

**[SWS\_V2xFac\_00229]** [

Name	V2xFac_PtActivationType		
Kind	Structure		
Elements	ptActivationType	uint8	Indicates a certain coding type of the PtActivationData
	ptActivationData	V2xFac_PtActivationDataType	Controlling traffic signal systems to prioritize and speed up public transportation
Description	DF_PtActivation as defined in ETSI TS 102 894-2 V1.2.1.		
Variation	--		

] ()

**[SWS\_V2xFac\_00237]** [

Name	V2xFac_PtActivationDataType
------	-----------------------------

Kind	Structure		
	count	uint8	Number of valid elements within array.
Elements	values	Array of uint8	--
		Size	20
Description	DF_PtActivationData as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00062] [**

Name	V2xFac_SpecialTransportContainerType		
Kind	Structure		
Elements	specialTransportType	V2xFac_SpecialTransportTypeType	Indicates whether the originating ITS-S is mounted on a special transport vehicle
	lightBarSirenInUse	V2xFac_LightBarSirenInUseType	Indicates whether light-bar or a siren is in use
Description	SpecialTransportContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00192] [**

Name	V2xFac_SpecialTransportTypeType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	heavyLoad	0x08	Bit 3: heavy load
	bit	excessWidth	0x04	Bit 2: excess width
	bit	excessLength	0x02	Bit 1: excess length
	bit	excessHeight	0x01	Bit 0 (LSB): excess height
Description	BitString DE_SpecialTransportType as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00193] [**

Name	V2xFac_LightBarSirenInUseType
Kind	Bitfield

Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	lightBarActivated	0x02	Bit 1: light bar activated
	bit	sirenActivated	0x01	Bit 0 (LSB): siren activated
Description	BitString DE_LightBarSirenInUse as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00064]** [

Name	V2xFac_DangerousGoodsContainerType		
Kind	Structure		
Elements	dangerousGoodsBasic	V2xFac_DangerousGoodsBasicType	Identifies the type of the dangerous goods transported
Description	DangerousGoodsContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00194]** [

Name	V2xFac_DangerousGoodsBasicType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_DangerousGoodsBasic as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_1	0x00	explosives 1
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_2	0x01	explosives 2
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_3	0x02	explosives 3
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_4	0x03	explosives 4
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_5	0x04	explosives 5
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_6	0x05	explosives 6
	V2XFAC_DANGEROUSGOODSBASIC_FLAMMABLE_GASES	0x06	flammable gases

V2XFAC_DANGEROUSGOODSBASIC_NON_FLAMMABLE_GASES	0x07	non flammable gases
V2XFAC_DANGEROUSGOODSBASIC_TOXIC_GASES	0x08	toxic gases
V2XFAC_DANGEROUSGOODSBASIC_FLAMMABLE_LIQUIDS	0x09	flammable liquids
V2XFAC_DANGEROUSGOODSBASIC_FLAMMABLE_SOLIDS	0x0a	flammable solids
V2XFAC_DANGEROUSGOODSBASIC_SUBSTANCES_LIBLE_TO_SPONTANEOUS_COMBUSTION	0x0b	substances liable to spontaneous combustion
V2XFAC_DANGEROUSGOODSBASIC_SUBSTANCES_EMITTING_FLAMMABLE_GASES_UPON_CONTACT_WITH_WATER	0x0c	substances emitting flammable gases upon contact with water
V2XFAC_DANGEROUSGOODSBASIC_OXIDIZING_SUBSTANCES	0x0d	oxidizing substances
V2XFAC_DANGEROUSGOODSBASIC_ORGANIC_PEROXIDES	0x0e	organic peroxides
V2XFAC_DANGEROUSGOODSBASIC_TOXIC_SUBSTANCES	0x0f	toxic substances
V2XFAC_DANGEROUSGOODSBASIC_INFECTIOUS_SUBSTANCES	0x10	infectious substances
V2XFAC_DANGEROUSGOODSBASIC_RADIOACTIVE_MATERIAL	0x11	radioactive material
V2XFAC_DANGEROUSGOODSBASIC_CORROSIVE_SUBSTANCES	0x12	corrosive substances

	V2XFAC_DANGEROUSGOODSBASIC_MISCELLANEOUS_DANGEROUS_SUBSTANCES	0x13	miscellaneous dangerous substances
Variation	--		

] ()

**[SWS\_V2xFac\_00065]** [

Name	V2xFac_RoadWorksContainerBasicType		
Kind	Structure		
Elements	presence	V2xFac_RoadWorksContainerBasicPresenceType	Mark optional childs present or not
	roadworksSubCauseCode	uint8	Information on the type of roadwork
	lightBarSirenInUse	V2xFac_LightBarSirenInUseType	Indicates whether light-bar or a siren is in use
	closedLanes	V2xFac_ClosedLanesType	Information about the opening/closure status of the lanes ahead
Description	RoadWorksContainerBasic as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00195]** [

Name	V2xFac_RoadWorksContainerBasicPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	roadworksSubCauseCode	0x02	Bit 1: Optional child present
	bit	closedLanes	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_RoadWorksContainerBasicType			

] ()

**[SWS\_V2xFac\_00066] [**

Name	V2xFac_RescueContainerType		
Kind	Structure		
Elements	lightBarSirenInUse	V2xFac_LightBarSirenInUseType	Indicates whether light-bar or a siren is in use
Description	RescueContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00067] [**

Name	V2xFac_EmergencyContainerType		
Kind	Structure		
Elements	presence	V2xFac_EmergencyContainerPresenceType	Mark optional childs present or not
	lightBarSirenInUse	V2xFac_LightBarSirenInUseType	Indicates whether light-bar or a siren is in use
	incidentIndication	V2xFac_CauseCodeType	Describes the event type of the emergency or safety mission
	emergencyPriority	V2xFac_EmergencyPriorityType	Right of way indicator of the vehicle
Description	EmergencyContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00196] [**

Name	V2xFac_EmergencyPriorityType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	requestForRightOfWay	0x02	Bit 1: request for right of way
	bit	requestForFreeCrossingAtAATrafficLight	0x01	Bit 0 (LSB): request for free

				crossing at a traffic light
Description	BitString DE_EmergencyPriority as defined in ETSI TS 102 894-2			

] ()

**[SWS\_V2xFac\_00197]** [

Name	V2xFac_EmergencyContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	incidentIndication	0x02	Bit 1: Optional child present
	bit	emergencyPriority	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_EmergencyContainerType			

] ()

**[SWS\_V2xFac\_00068]** [

Name	V2xFac_SafetyCarContainerType		
Kind	Structure		
Elements	presence	V2xFac_SafetyCarContainerPresenceType	Mark optional childs present or not
	lightBarSirenInUse	V2xFac_LightBarSirenInUseType	Indicates whether light-bar or a siren is in use
	incidentIndication	V2xFac_CauseCodeType	Describes the event type of the emergency or safety mission
	trafficRule	V2xFac_TrafficRuleType	Indicates whether vehicles are allowed to overtake a safety car
	speedLimit	uint8	Indicates whether a speed limit is applied to vehicles following the safety car
Description	SafetyCarContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00198]** [

Name	V2xFac_SafetyCarContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	incidentIndication	0x04	Bit 2: Optional child present
	bit	trafficRule	0x02	Bit 1: Optional child present
	bit	speedLimit	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_SafetyCarContainerType			

] ()

### 8.7.3.4 DENM specific Implementation DataTypes

#### [SWS\_V2xFac\_00069] [

Name	V2xFac_DenmMessageRootType		
Kind	Structure		
Elements	itsPduHeader	V2xFac_ItsPduHeaderType	Structure of the ItsPduHeader
	denm	V2xFac_DenMsgType	Structure of the DEN data
	transactionId	uint32	TransactionId for received DENM
Description	DENM root message as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

#### [SWS\_V2xFac\_00070] [

Name	V2xFac_DenMsgType		
Kind	Structure		
Elements	presence	V2xFac_DenMsgPresenceType	Mark optional childs present or not
	management	V2xFac_ManagementContainerType	management container
	situation	V2xFac_SituationContainerType	situation container
	location	V2xFac_LocationContainerType	location container
	alacarte	V2xFac_AlacarteContainerType	alacarte container
	Description	DecentralizedEnvironmentalNotificationMessage as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.	



Variation	--
-----------	----

] ()

**[SWS\_V2xFac\_00199]** [

Name	V2xFac_DenMsgPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	situation	0x04	Bit 2: Optional child present
	bit	location	0x02	Bit 1: Optional child present
	bit	alacarte	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_DenMsgType			

] ()

**[SWS\_V2xFac\_00071]** [

Name	V2xFac_ManagementContainerType		
Kind	Structure		
Elements	presence	V2xFac_ManagementContainerPresenceType	Mark optional childs present or not
	actionId	V2xFac_ActionIdType	Action identifier
	detectionTime	uint64	Time at which the event is detected
	referenceTime	uint64	Refers to the time at which a new DENM, an update DENM or a cancellation DENM is generated
	termination	V2xFac_TerminationType	Indicates if the type of generated DENM is a cancellation DENM or a negation DENM.

	eventPosition	V2xFac_ReferencePositionType	Geographical position of the detected event
	relevanceDistance	V2xFac_RelevanceDistanceType	The distance in which event information is relevant for the receiving ITS-S
	relevanceTrafficDirection	V2xFac_RelevanceTrafficDirectionType	Traffic direction that is relevant to information indicated in a message
	validityDuration	uint32	estimation of how long the event may persist
	transmissionInterval	uint16	Time interval between two consecutive message transmissions
	stationType	uint8	Station type information of the originating ITS-S
Description	ManagementContainer as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00240]** [

Name	V2xFac_TerminationType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of Termination as defined in ETSI EN 302 637-3 V1.2.2.		
Range	V2XFAC_TERMINATION_ISCANCELLATION	0x00	Cancellation
	V2XFAC_TERMINATION_ISNEGATION	0x01	--
Variation	--		

] ()

**[SWS\_V2xFac\_00200]** [

Name	V2xFac_RelevanceDistanceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_RelevanceDistance as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_50_M	0x00	less than 50 m
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_100_M	0x01	less than 100 m
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_200_M	0x02	less than 200 m
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_500_M	0x03	less than 500 m
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_1000_M	0x04	less than 1000 m
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_5_KM	0x05	less than 5 km
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_10_KM	0x06	less than 10 km
	V2XFAC_RELEVANCEDISTANCE_OVER_10_KM	0x07	over 10 km
Variation	--		

] ()

**[SWS\_V2xFac\_00201]** [

Name	V2xFac_RelevanceTrafficDirectionType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_RelevanceTrafficDirection as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_RELEVANCETRAFFICDIRECTION_ALL_TRAFFIC_DIRECTIONS	0x00	all traffic directions
	V2XFAC_RELEVANCETRAFFICDIRECTION_UPSTREAM_TRAFFIC	0x01	upstream traffic
	V2XFAC_RELEVANCETRAFFICDIRECTION_DOWNSTREAM_TRAFFIC	0x02	downstream traffic
	V2XFAC_RELEVANCETRAFFICDIRECTION_OPPOSITE_TRAFFIC	0x03	opposite traffic
Variation	--		

] ()

**[SWS\_V2xFac\_00202]** [

Name	V2xFac_ManagementContainerPresenceType
------	--

Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	termination	0x08	Bit 3: Optional child present
	bit	relevanceDistance	0x04	Bit 2: Optional child present
	bit	relevanceTrafficDirection	0x02	Bit 1: Optional child present
	bit	transmissionInterval	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_ManagementContainerType			

] ()

**[SWS\_V2xFac\_00073]** [

Name	V2xFac_SituationContainerType		
Kind	Structure		
Elements	presence	V2xFac_SituationContainerPresenceType	Mark optional childs present or not
	informationQuality	uint8	Quality level of the information provided by the ITS-S application
	eventType	V2xFac_CauseCodeType	Encoded value of a traffic event type
	linkedCause	V2xFac_CauseCodeType	Encoded value of a traffic event type
	eventHistory	V2xFac_EventHistoryType	EventHistory
	Description	SituationContainer as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.	
Variation	--		

] ()

**[SWS\_V2xFac\_00203]** [

Name	V2xFac_SituationContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	linkedCause	0x02	Bit 1: Optional child present
	bit	eventHistory	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_SituationContainerType			

] ()

**[SWS\_V2xFac\_00075] [**

Name	V2xFac_EventHistoryType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of V2xFac_EventPointType	--
		Size	23
Description	DF_EventHistory as defined in ETSI TS 102 894-2 V1.2.1.		
Variation	--		

] ()

**[SWS\_V2xFac\_00076] [**

Name	V2xFac_EventPointType		
Kind	Structure		
Elements	presence	V2xFac_EventPointPresenceType	Mark optional childs present or not
	eventPosition	V2xFac_DeltaReferencePositionType	Offset position of a detected event point.
	eventDeltaTime	uint16	Time travelled by the detecting ITS-S since the previous detected event point.
	informationQuality	uint8	Information quality of the detection for this event point.
Description	DF_EventPoint as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00204] [**

Name	V2xFac_EventPointPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	eventDeltaTime	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_EventPointType			

] ()

**[SWS\_V2xFac\_00077]** [

Name	V2xFac_LocationContainerType		
Kind	Structure		
	presence	V2xFac_LocationContainerPresenceType	Mark optional childs present or not
	eventSpeed	V2xFac_SpeedType	Moving speed of a detected event
	eventPositionHeading	V2xFac_HeadingType	The heading direction of the event
	traces	V2xFac_TracesType	One or more paths
	roadType	V2xFac_RoadTypeType	Type of a road segment.
Description	LocationContainer as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00241]** [

Name	V2xFac_RoadTypeType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_RoadType as defined in ETSI TS 102 894-2 V1.2.1.		
	V2XFAC_ROADTYPE_URBAN_NOSTRUCTURALSEPARATIONTOOPPOSITELANES	0x00	Urban road without structural separation to opposite lanes.
	V2XFAC_ROADTYPE_URBAN_WITHSTRUCTURALSEPARATIONTOOPPOSITELANES	0x01	Urban road with structural separation to
Range			

			opposite lanes.
	V2XFAC_ROADTYPE_NONURBAN_NOSTRUCTURALSEPARATIONTOOPOSITELANES	0x02	Non-urban road without structural separation to opposite lanes.
	V2XFAC_ROADTYPE_ONURBAN_WITHSTRUCTURALSEPARATIONTOOPOSITELANES	0x03	Non-urban road with structural separation to opposite lanes.
Variation	--		

] ()

**[SWS\_V2xFac\_00205]** [

Name	V2xFac_TracesType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of V2xFac_PathHistoryType	--
		Size	7
Description	DF_Traces as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 7.		
Variation	--		

] ()

**[SWS\_V2xFac\_00206]** [

Name	V2xFac_LocationContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	eventSpeed	0x04	Bit 2: Optional child present
	bit	eventPositionHeading	0x02	Bit 1: Optional child present

	bit	roadType	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_LocationContainerType			

] ()

**[SWS\_V2xFac\_00078]** [

Name	V2xFac_AlacarteContainerType			
Kind	Structure			
Elements	presence	V2xFac_AlacarteContainerPresenceType	Mark optional childs present or not	
	lanePosition	sint8	The lane position of the event position	
	impactReduction	V2xFac_ImpactReductionContainerType	--	
	externalTemperature	sint8	Indicates the ambient temperature at the event position	
	roadWorks	V2xFac_RoadWorksContainerExtendedType	--	
	positioningSolution	V2xFac_PositioningSolutionTypeType	Indicates the positioning technology being used to estimate a geographical position	
	stationaryVehicle	V2xFac_StationaryVehicleContainerType	--	
Description	AlacarteContainer as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.			
Variation	--			

] ()

**[SWS\_V2xFac\_00207]** [

Name	V2xFac_PositioningSolutionTypeType			
Kind	Type			
Derived from	uint8			
Description	Enumeration of DE_PositioningSolutionType as defined in ETSI TS 102 894-2 V1.2.1.			
Range	V2XFAC_POSITIONINGSOLUTIONTYPE_NO_POSITIONING_SOLUTION	0x00	No GNSS	
	V2XFAC_POSITIONINGSOLUTIONTYPE_SGNSS	0x0	Global	



		1	Navigation Satellite System
	V2XFAC_POSITIONINGSOLUTIONTYPE_DGNSS	0x02	Differential GNSS
	V2XFAC_POSITIONINGSOLUTIONTYPE_SGNSSPLUSDR	0x03	GNSS and dead reckoning
	V2XFAC_POSITIONINGSOLUTIONTYPE_DGNSSPLUSDR	0x04	Differential GNSS and dead reckoning
	V2XFAC_POSITIONINGSOLUTIONTYPE_DR	0x05	dead reckoning
Variation	--		

] ()

**[SWS\_V2xFac\_00208]** [

Name	V2xFac_AlacarteContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	lanePosition	0x20	Bit 5: Optional child present
	bit	impactReduction	0x10	Bit 4: Optional child present
	bit	externalTemperature	0x08	Bit 3: Optional child present
	bit	roadWorks	0x04	Bit 2: Optional child present
	bit	positioningSolution	0x02	Bit 1: Optional child present
	bit	stationaryVehicle	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_AlacarteContainerType			

] ()

**[SWS\_V2xFac\_00079]** [

Name	V2xFac_ImpactReductionContainerType		
Kind	Structure		
Elements	heightLonCarrLeft	uint8	Height of left longitudinal carrier of the vehicle from base to top
	heightLonCarrRight	uint8	Height of right

			longitudinal carrier of the vehicle from base to top
	posLonCarrLeft	uint8	Distance from the centre of vehicle front bumper to the front of the left longitudinal carrier of vehicle
	posLonCarrRight	uint8	Distance from the centre of vehicle front bumper to the front of the right longitudinal carrier of vehicle
	positionOfPillars	V2xFac_PositionOfPillarsType	Indicates the perpendicular inter-distance of neighbouring pillar
	posCentMass	uint8	Indicates the perpendicular distance from the centre of mass of an empty load vehicle
	wheelBaseVehicle	uint8	Perpendicular distance between front and rear axle of the wheel base of vehicle
	turningRadius	uint8	The smallest circular turn (i.e. U-turn) that the vehicle is capable of making
	posFrontAx	uint8	Perpendicular distance between the vehicle front line of the bounding box and the front wheel axle in 10 centimetres

	positionOfOccupants	V2xFac_PositionOfOccupantsType	indicates whether a in vehicle seat is occupied at the moment when the impactReduction is generated
	vehicleMass	uint16	Mass of an empty loaded vehicle in multiple of 100 kg
	requestResponseIndication	V2xFac_RequestResponseIndicationType	This DE includes whether an ITS message is transmitted as request from ITS-S or a response transmitted from ITS-S after receiving request from other ITS-Ss
Description	ImpactReductionContainer as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00209]** [

Name	V2xFac_PositionOfPillarsType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of uint8	--
		Size	3
Description	DF_PositionOfPillars as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 3.		
Variation	--		

] ()

**[SWS\_V2xFac\_00210]** [

Name	V2xFac_PositionOfOccupantsType
Kind	Bitfield
Derived from	uint32

	Kind	Name	Mask	Description
Elements	bit	row1LeftOccupied	0x80000	Bit 19: row 1 left occupied
	bit	row1RightOccupied	0x40000	Bit 18: row 1 right occupied
	bit	row1MidOccupied	0x20000	Bit 17: row 1 mid occupied
	bit	row1NotDetectable	0x10000	Bit 16: row 1 not detectable
	bit	row1NotPresent	0x8000	Bit 15: row 1 not present
	bit	row2LeftOccupied	0x4000	Bit 14: row 2 left occupied
	bit	row2RightOccupied	0x2000	Bit 13: row 2 right occupied
	bit	row2MidOccupied	0x1000	Bit 12: row 2 mid occupied
	bit	row2NotDetectable	0x800	Bit 11: row 2 not detectable
	bit	row2NotPresent	0x400	Bit 10: row 2 not present
	bit	row3LeftOccupied	0x200	Bit 9: row 3 left occupied
	bit	row3RightOccupied	0x100	Bit 8: row 3 right occupied
	bit	row3MidOccupied	0x80	Bit 7: row 3 mid occupied
	bit	row3NotDetectable	0x40	Bit 6: row 3 not detectable
	bit	row3NotPresent	0x20	Bit 5: row 3 not present
	bit	row4LeftOccupied	0x10	Bit 4: row 4 left occupied
	bit	row4RightOccupied	0x08	Bit 3: row 4 right occupied
	bit	row4MidOccupied	0x04	Bit 2: row 4 mid occupied
	bit	row4NotDetectable	0x02	Bit 1: row 4 not detectable
bit	row4NotPresent	0x01	Bit 0 (LSB): row 4 not present	
Description	BitString DE_PositionOfOccupants as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00242]** [

Name	V2xFac_RequestResponseIndicationType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_RequestResponseIndication as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_REQUESTRESPONSEINDICATION_REQUEST	0x00	Request
	V2XFAC_REQUESTRESPONSEINDICATION_RESPONSE	0x01	Response
Variation	--		

] ()

[SWS\_V2xFac\_00080] [

Name	V2xFac_RoadWorksContainerExtendedType		
Kind	Structure		
	presence	V2xFac_RoadWorksContainerExtendedPresenceType	Mark optional childs present or not
Elements	lightBarSirenInUse	V2xFac_LightBarSirenInUseType	Indicates whether light-bar or a siren is in use
	closedLanes	V2xFac_ClosedLanesType	Indicates the opening/closure status of a lane or a set of lanes
	restriction	V2xFac_RestrictedTypesType	List of ITS-S types to which a certain traffic restriction e.g. the speed limit, applies
	speedLimit	uint8	Speed limitation applied to a geographical position, a road section or a geographical region
	incidentIndication	V2xFac_CauseCodeType	Describes the event type of the emergency or safety mission
	recommendedPath	V2xFac_ItineraryPathType	--
	startingPointSpeedLimit	V2xFac_DeltaReferencePositionType	--
	trafficFlowRule	V2xFac_TrafficRuleType	Indicates traffic rules that apply to vehicles at a certain position
	referenceDenms	V2xFac_ReferenceDenmsType	Indicates a sequence of

			actionIDs for different DENMs that describe the same event
Description	RoadWorksContainerExtended as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00211] [**

Name	V2xFac_RestrictedTypesType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array
	values	Array of uint8	--
		Size	3
Description	DF_RestrictedTypes as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 3.		
Variation	--		

] ()

**[SWS\_V2xFac\_00212] [**

Name	V2xFac_ItineraryPathType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of V2xFac_ReferencePositionType	--
		Size	40
Description	DF_ItineraryPath as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 40.		
Variation	--		

] ()

**[SWS\_V2xFac\_00213] [**

Name	V2xFac_TrafficRuleType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_TrafficRule as defined in ETSI TS 102 894-2 V1.2.1.		
Range	V2XFAC_TRAFFICRULE_NO_PASSING	0x00	Overtaking is

			prohibited for all vehicles
	V2XFAC_TRAFFICRULE_NO_PASSING_FOR_TRUCKS	0x01	Overtaking is prohibited for trucks
	V2XFAC_TRAFFICRULE_PASS_TO_RIGHT	0x02	Vehicles should pass to the right lane
	V2XFAC_TRAFFICRULE_PASS_TO_LEFT	0x03	Vehicles should pass to the left lane
Variation	--		

] ()

**[SWS\_V2xFac\_00214]** [

Name	V2xFac_ReferenceDenmsType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of V2xFac_ActionIdType	--
		Size	8
Description	ReferenceDenms as defined in ETSI EN 302 637-3 V1.2.2. Size of the Array shall be 8.		
Variation	--		

] ()

**[SWS\_V2xFac\_00215]** [

Name	V2xFac_RoadWorksContainerExtendedPresenceType			
Kind	Bitfield			
Derived from	uint16			
Elements	Kind	Name	Mask	Description
	bit	lightBarSirenInUse	0x100	Bit 8: Optional child present
	bit	closedLanes	0x80	Bit 7: Optional child present
	bit	restriction	0x40	Bit 6: Optional child present
	bit	speedLimit	0x20	Bit 5: Optional child present
	bit	incidentIndication	0x10	Bit 4: Optional child present
	bit	recommendedPath	0x08	Bit 3: Optional child present
	bit	startingPointSpeedLimit	0x04	Bit 2: Optional child present
	bit	trafficFlowRule	0x02	Bit 1: Optional child present
	bit	referenceDenms	0x01	Bit 0 (LSB): Optional child present

Description	Presence flags for V2xFac_RoadWorksContainerExtendedType
-------------	--

] ()

**[SWS\_V2xFac\_00081]** [

Name	V2xFac_StationaryVehicleContainerType		
Kind	Structure		
Elements	presence	V2xFac_StationaryVehicleContainerPresenceType	Mark optional childs present or not
	stationarySince	V2xFac_StationarySinceType	Duration in minutes of a vehicle being stationary
	stationaryCause	V2xFac_CauseCodeType	Additional information to describe causes of the stationary vehicle
	carryingDangerousGoods	V2xFac_DangerousGoodsExtendedType	In case the stationary vehicle is carrying dangerous goods
	numberOfOccupants	uint8	Number of occupants in a vehicle
	vehicleIdentification	V2xFac_VehicleIdentificationType	Provides information related to the identification of a vehicle
	energyStorageType	V2xFac_EnergyStorageType	Type of energy being used and stored
Description	StationaryVehicleContainer as defined in ETSI EN 302 637-3 V1.2.2. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()



**[SWS\_V2xFac\_00216] [**

Name	V2xFac_StationarySinceType		
Kind	Type		
Derived from	uint8		
Description	Enumeration of DE_StationarySince as defined in ETSI TS 102 894-2 V1.2.1.		
	V2XFAC_STATIONARYSINCE_LESS_THAN_1_MINUTE	0x00	less than 1 minute
	V2XFAC_STATIONARYSINCE_LESS_THAN_2_MINUTES	0x01	less than 2 minutes
	V2XFAC_STATIONARYSINCE_LESS_THAN_15_MINUTES	0x02	less than 15 minutes
	V2XFAC_STATIONARYSINCE_EQUAL_OR_GREATER_15_MINUTES	0x03	equal or greater 15 minutes
Variation	--		

] ()

**[SWS\_V2xFac\_00217] [**

Name	V2xFac_EnergyStorageType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	hydrogenStorage	0x40	Bit 6: hydrogen storage
	bit	electricEnergyStorage	0x20	Bit 5: electric energy storage
	bit	liquidPropaneGas	0x10	Bit 4: liquid propane gas
	bit	compressedNaturalGas	0x08	Bit 3: compressed natural gas
	bit	diesel	0x04	Bit 2: diesel
	bit	gasoline	0x02	Bit 1: gasoline
	bit	ammonia	0x01	Bit 0 (LSB): ammonia
Description	BitString DE_EnergyStorage as defined in ETSI TS 102 894-2 V1.2.1.			

] ()

**[SWS\_V2xFac\_00218]** [

Name	V2xFac_StationaryVehicleContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	stationarySince	0x20	Bit 5: Optional child present
	bit	stationaryCause	0x10	Bit 4: Optional child present
	bit	carryingDangerousGoods	0x08	Bit 3: Optional child present
	bit	numberOfOccupants	0x04	Bit 2: Optional child present
	bit	vehicleIdentification	0x02	Bit 1: Optional child present
	bit	energyStorageType	0x01	Bit 0 (LSB): Optional child present
	Description	Presence flags for V2xFac_StationaryVehicleContainerType		

] ()

**[SWS\_V2xFac\_00236]** [

Name	V2xFac_DangerousGoodsExtendedType		
Kind	Structure		
Elements	presence	V2xFac_DangerousGoodsExtendedPresenceType	Mark optional childs present or not
	dangerousGoodsType	V2xFac_DangerousGoodsBasicType	Type of dangerous goods
	unNumber	uint16	4-digit number that identifies the substance of the dangerous goods
	elevatedTemperature	boolean	Whether the carried dangerous goods are transported at high temperature
	tunnelsRestricted	boolean	whether the heavy

			vehicle carrying dangerous goods is restricted to enter tunnels
	limitedQuantity	boolean	whether the carried dangerous goods are packed with limited quantity
	emergencyActionCode	V2xFac_EmergencyActionCodeType	Physical signage placard at the vehicle
	phoneNumber	V2xFac_PhoneNumberType	Contact phone number of assistance service in case of incident or accident
	companyName	V2xFac_CompanyNameType	Name of company that manages the transportation of the dangerous goods
Description	DF_DangerousGoodsExtended as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00219]** [

Name	V2xFac_EmergencyActionCodeType		
Kind	Structure		
	count	uint8	Number of valid elements within array.
Elements	values	Array of uint8	--
		Size	24
Description	emergencyActionCode as defined in DangerousGoodsExtended in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 24.		
Variation	--		

] ()

**[SWS\_V2xFac\_00220] [**

Name	V2xFac_PhoneNumberType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of uint8	--
		Size	24
Description	phoneNumber as defined in DangerousGoodsExtended in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 24.		
Variation	--		

] ()

**[SWS\_V2xFac\_00221] [**

Name	V2xFac_CompanyNameType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of uint8	--
		Size	24
Description	companyName as defined in DangerousGoodsExtended in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 24.		
Variation	--		

] ()

**[SWS\_V2xFac\_00222] [**

Name	V2xFac_DangerousGoodsExtendedPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	emergencyActionCode	0x04	Bit 2: Optional child present
	bit	phoneNumber	0x02	Bit 1: Optional child present
	bit	companyName	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_DangerousGoodsExtendedType			

] ()

**[SWS\_V2xFac\_00230] [**

Name	V2xFac_VehicleIdentificationType
------	----------------------------------

Kind	Structure		
Elements	presence	V2xFac_VehicleIdentificationPresenceType	Mark optional childs present or not
	wmiNumber	V2xFac_WmiNumberType	World Manufacturer Identifier (WMI)
	vds	V2xFac_VdsType	Vehicle Descriptor Section (VDS)
Description	DF_VehicleIdentification as defined in ETSI TS 102 894-2 V1.2.1. Values for data elements within this structure shall be used according that document.		
Variation	--		

] ()

**[SWS\_V2xFac\_00223]** [

Name	V2xFac_VehicleIdentificationPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	wmiNumber	0x02	Bit 1: Optional child present
	bit	vds	0x01	Bit 0 (LSB): Optional child present
Description	Presence flags for V2xFac_VehicleIdentificationType			

] ()

**[SWS\_V2xFac\_00243]** [

Name	V2xFac_WmiNumberType		
Kind	Structure		
Elements	count	uint8	Number of valid elements within array.
	values	Array of uint8	--
		Size	3
Description	DE_WMInumber as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 3.		
Variation	--		
Available via	Rte_V2xFac_Type.h		

] ()

**[SWS\_V2xFac\_00244]** [

Name	V2xFac_VdsType
Kind	Structure

Elements	count	uint8	Number of valid elements within array.
	values	Array of uint8	--
		Size	6
Description	DE_VDS as defined in ETSI TS 102 894-2 V1.2.1. Size of the Array shall be 6.		
Variation	--		
Available via	Rte_V2xFac_Type.h		

] ()

### 8.7.3.5 IVIM/MAPEM/SPATEM Common Implementation DataTypes

#### [SWS\_V2xFac\_91027] [

Name	V2xFac_EuVehicleCategoryCodeType		
Kind	Structure		
Elements	euVehicleCategoryL	V2xFac_EuVehicleCategoryLType	--
	euVehicleCategoryM	V2xFac_EuVehicleCategoryMType	--
	euVehicleCategoryN	V2xFac_EuVehicleCategoryNType	--
	euVehicleCategoryO	V2xFac_EuVehicleCategoryOType	--
	euVehicleCategoryT	V2xFac_NULLType	--
	euVehicleCategoryG	V2xFac_NULLType	--
	choice	V2xFac_EuVehicleCategoryCodeChoiceType	--
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

#### [SWS\_V2xFac\_91028] [

Name	V2xFac_NULLType		
Kind	Type		
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

#### [SWS\_V2xFac\_91029] [

Name	V2xFac_EuVehicleCategoryCodeChoiceType		
------	--	--	--

Kind	Enumeration		
Range	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_L	0x01	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_M	0x02	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_N	0x03	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_O	0x04	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHIC_IE_CATEGORY_T	0x05	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHIC_IE_CATEGORY_G	0x06	--
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91030]** [

Name	V2xFac_EuVehicleCategoryLType		
Kind	Enumeration		
Range	l1		--
	l2		--
	l3		--
	l4		--
	l5		--
	l6		--
	l7		--
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91031]** [

Name	V2xFac_EuVehicleCategoryMType		
Kind	Enumeration		
Range	m1		--
	m2		--
	m3		--

Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91032]** [

Name	V2xFac_EuVehicleCategoryNType		
Kind	Enumeration		
Range	n1		--
	n2		--
	n3		--
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91033]** [

Name	V2xFac_EuVehicleCategoryOType		
Kind	Enumeration		
Range	o1		--
	o2		--
	o3		--
	o4		--
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91034]** [

Name	V2xFac_Iso3833VehicleTypeType		
Kind	Enumeration		
Range	passengerCar		--
	saloon		--
	convertibleSaloon		--



	pullmanSaloon		--
	stationWagon		--
	truckStationWagon		--
	coupe		--
	convertible		--
	multipurposePassengerCar		--
	forwardConrolPassengerCar		--
	specialPassengerCar		--
	bus		--
	minibus		--
	urbanBus		--
	interurbanCoach		--
	longDistanceCoach		--
	articulatedBus		--
	trolleyBus		--
	specialBus		--
	commercialVehicle		--
	speciaiCommercialVehicle		--
	specialVehicle		--
	trailingTowingVehicle		--
	semiTrailerTowingVehicle		--
	trailer		--
	busTrailer		--
	generalPurposeTrailer		--
	caravan		--
	specialTrailer		--
	semiTrailer		--
	busSemiTrailer		--
	generalPurposesSemiTrailer		--
	specialSemiTrailer		--
	roadTrain		--

	passengerRoadTrain		--
	articulatedRoadTrain		--
	doubleRoadTrain		--
	compositeRoadTrain		--
	specialRoadTrain		--
	moped		--
	motorCycle		--
Description	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91413]** [

Name	V2xFac_GenericLocationsType		
Kind	Enumeration		
Range	on_bridges	7937	--
	in_tunnels	7938	--
	entering_or_leaving_tunnels	7939	--
	on_ramps	7940	--
	in_road_construction_area	7941	--
	around_a_curve	7942	--
	on_minor_roads	7943	--
	in_the_opposing_lanes	7944	--
	adjacent_to_roadway	7945	--
	on_bend	7946	--
	entire_intersection	7947	--
	in_the_median	7948	--
	moved_to_side_of_road	7949	--
	moved_to_shoulder	7950	--
on_the_roadway	7951	--	
in_shaded_areas	7952	--	

	in_low_lying_areas	7953	--
	in_the_downtown_area	7954	--
	in_the_inner_city_area	7955	--
	in_parts	7956	--
	in_some_places	7957	--
	in_the_ditch	7958	--
	in_the_valley	7959	--
	on_hill_top	7960	--
	near_the_foothills	7961	--
	at_high_altitudes	7962	--
	near_the_lake	7963	--
	near_the_shore	7964	--
	over_the_crest_of_a_hill	7965	--
	other_than_on_the_roadway	7966	--
	near_the_beach	7967	--
	near_beach_access_point	7968	--
	lower_level	7969	--
	upper_level	7970	--
	airport	7971	--
	concourse	7972	--
	gate	7973	--
	baggage_claim	7974	--
	customs_point	7975	--
	station	7976	--
	platform	7977	--
	dock	7978	--
	depot	7979	--
	ev_charging_point	7980	--
	information_welcome_point	7981	--
	at_rest_area	7982	--
	at_service_area	7983	--

	at_weigh_station	7984	--
	picnic_areas	7985	--
	rest_area	7986	--
	service_stations	7987	--
	toilets	7988	--
	on_the_right	7989	--
	on_the_left	7990	--
	in_the_center	7991	--
	in_the_opposite_direction	7992	--
	cross_traffic	7993	--
	northbound_traffic	7994	--
	eastbound_traffic	7995	--
	southbound_traffic	7996	--
	westbound_traffic	7997	--
	north	7998	--
	south	7999	--
	east	8000	--
	west	8001	--
	northeast	8002	--
	northwest	8003	--
	southeast	8004	--
	southwest	8005	--
	mountain_pass	8006	--
	reservation_center	8007	--
	nearby_basin	8008	--
	on_tracks	8009	--
	dip	8010	--
	traffic_circle	8011	--
	park_and_ride_lot	8012	--
	to	8014	--
	by	8015	--

	through	8016	--
	area_of	8017	--
	under	8018	--
	over	8019	--
	from	8020	--
	approaching	8021	--
	entering_at	8022	--
	exiting_at	8023	--
	across_tracks	8024	--
	in_street	8025	--
	on_curve	8026	--
	shoulder	8027	--
	crossover	8028	--
	cross_road	8029	--
	side_road	8030	--
bus_stop	8031	--	
intersection	8032	--	
roadside_park	8033	--	
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91414]** [

Name	V2xFac_IncidentResponseEquipmentType		
Kind	Enumeration		
Range	ground_fire_suppression	9985	--
	heavy_ground_equipment	9986	--
	aircraft	9988	--
	marine_equipment	9989	--
	support_equipment	9990	--
	medical_rescue_unit	9991	--

	other	9993	--
	ground_fire_suppression_other	9994	--
	engine	9995	--
	truck_or_aerial	9996	--
	quint	9997	--
	tanker_pumper_combination	9998	--
	brush_truck	10000	--
	aircraft_rescue_firefighting	10001	--
	heavy_ground_equipment_other	10004	--
	dozer_or_plow	10005	--
	tractor	10006	--
	tanker_or_tender	10008	--
	aircraft_other	10024	--
	aircraft_fixed_wing_tanker	10025	--
	helitanker	10026	--
	helicopter	10027	--
	marine_equipment_other	10034	--
	fire_boat_with_pump	10035	--
	boat_no_pump	10036	--
	support_apparatus_other	10044	--
	breathing_apparatus_support	10045	--
	light_and_air_unit	10046	--
	medical_rescue_unit_other	10054	--
	rescue_unit	10055	--
	urban_search_rescue_unit	10056	--
	high_angle_rescue	10057	--
	crash_fire_rescue	10058	--
	bLS_unit	10059	--
	aLS_unit	10060	--
	mobile_command_post	10075	--
	chief_officer_car	10076	--

	hAZMAT_unit	10077	--
	type_i_hand_crew	10078	--
	type_ii_hand_crew	10079	--
	privately_owned_vehicle	10083	--
	other_apparatus_resource	10084	--
	ambulance	10085	--
	bomb_squad_van	10086	--
	combine_harvester	10087	--
	construction_vehicle	10088	--
	farm_tractor	10089	--
	grass_cutting_machines	10090	--
	hAZMAT_containment_tow	10091	--
	heavy_tow	10092	--
	hedge_cutting_machines	10093	--
	light_tow	10094	--
	mobile_crane	10095	--
	refuse_collection_vehicle	10096	--
	resurfacing_vehicle	10097	--
	road_sweeper	10098	--
	roadside_litter_collection_crews	10099	--
	salvage_vehicle	10100	--
	sand_truck	10101	--
	snowplow	10102	--
	steam_roller	10103	--
	swat_team_van	10104	--
	track_laying_vehicle	10105	--
	unknown_vehicle	10106	--
	white_lining_vehicle	10107	--
	dump_truck	10108	--
	supervisor_vehicle	10109	--
	snow_blower	10110	--

	rotary_snow_blower	10111	--
	road_grader	10112	--
	steam_truck	10113	--
	flatbed_tow	10114	--
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91415]** [

Name	V2xFac_ITIS textType		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: ITIS		
Range	1..500		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91416]** [

Name	V2xFac_ResponderGroupAffectedType		
Kind	Enumeration		
Range	emergency_vehicle_units	9729	--
	federal_law_enforcement_units	9730	--
	state_police_units	9731	--
	county_police_units	9732	--
	local_police_units	9733	--
	ambulance_units	9734	--
	rescue_units	9735	--
	fire_units	9736	--
	hAZMAT_units	9737	--
	light_tow_unit	9738	--
	heavy_tow_unit	9739	--



	freeway_service_patrols	9740	--
	transportation_response_units	9741	--
	private_contractor_response_units	9742	--
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91417]** [

Name	V2xFac_VehicleGroupAffectedType		
Kind	Enumeration		
Range	all_vehicles	9217	--
	bicycles	9218	--
	motorcycles	9219	--
	cars	9220	--
	light_vehicles	9221	--
	cars_and_light_vehicles	9222	--
	cars_with_trailers	9223	--
	cars_with_recreational_trailers	9224	--
	vehicles_with_trailers	9225	--
	heavy_vehicles	9226	--
	trucks	9227	--
	buses	9228	--
	articulated_buses	9229	--
	school_buses	9230	--
	vehicles_with_semi_trailers	9231	--
	vehicles_with_double_trailers	9232	--
	high_profile_vehicles	9233	--
	wide_vehicles	9234	--
	long_vehicles	9235	--
hazardous_loads	9236	--	
exceptional_loads	9237	--	

	abnormal_loads	9238	--
	convoys	9239	--
	maintenance_vehicles	9240	--
	delivery_vehicles	9241	--
	vehicles_with_even_numbered_license_plates	9242	--
	vehicles_with_odd_numbered_license_plates	9243	--
	vehicles_with_parking_permits	9244	--
	vehicles_with_catalytic_converters	9245	--
	vehicles_without_catalytic_converters	9246	--
	gas_powered_vehicles	9247	--
	diesel_powered_vehicles	9248	--
	IPG_vehicles	9249	--
	military_convoys	9250	--
	military_vehicles	9251	--
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91418]** [

Name	V2xFac_ITIScodesType		
Kind	Type		
Derived from	uint16		
Description	Namespace: ITIS		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91419]** [

Name	V2xFac_ITIScodesAndTextType		
Kind	Structure		
Elements	count	uint8	--

	values	Array of V2xFac_ITIScodesAndText113Type	--
		Size	100
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91420]** [

Name	V2xFac_ITIScodesAndText113Type		
Kind	Structure		
Elements	item	V2xFac_item114Type	--
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91421]** [

Name	V2xFac_item114Type		
Kind	Structure		
Elements	itis	V2xFac_ITIScodesType	--
	text	V2xFac_ITISextType	--
	choice	V2xFac_item114ChoiceType	--
Description	Namespace: ITIS		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91422]** [

Name	V2xFac_item114ChoiceType		
Kind	Enumeration		
Range	V2XFAC_ITEM114_ITIS	0x01	--
	V2XFAC_ITEM114_TEXT	0x02	--
Description	Namespace: ITIS		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

### 8.7.3.6 IVIM specific Implementation DataTypes

#### [SWS\_V2xFac\_91000] [

Name	V2xFac_AxleWeightLimitsType		
Kind	Structure		
Elements	maxLadenweightOnAxle1	V2xFac_Int2Type	--
	maxLadenweightOnAxle2	V2xFac_Int2Type	--
	maxLadenweightOnAxle3	V2xFac_Int2Type	--
	maxLadenweightOnAxle4	V2xFac_Int2Type	--
	maxLadenweightOnAxle5	V2xFac_Int2Type	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

#### [SWS\_V2xFac\_91001] [

Name	V2xFac_DieselEmissionValuesType		
Kind	Structure		
Elements	particulate	V2xFac_particulate0Type	--
	absorbtionCoeff	V2xFac_Int2Type	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

#### [SWS\_V2xFac\_91002] [

Name	V2xFac_particulate0Type		
Kind	Structure		
Elements	unitType	V2xFac_UnitTypeType	--
	value	uint16	--
Description	Namespace: EfcModule		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91003]** [

Name	V2xFac_ExhaustEmissionValuesType		
Kind	Structure		
Elements	unitType	V2xFac_UnitTypeType	--
	emissionCO	uint16	--
	emissionHC	V2xFac_Int2Type	--
	emissionNOX	V2xFac_Int2Type	--
	emissionHCNOX	V2xFac_Int2Type	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91004]** [

Name	V2xFac_EngineCharacteristicsType		
Kind	Type		
Derived from	uint8		
Description	Namespace: EfcModule		
Range	0..255		--
	noEntry	0	--
	noEngine	1	--
	petrolUnleaded	2	--
	petrolLeaded	3	--
	diesel	4	--
	IPG	5	--
	battery	6	--
	solar	7	--
	hybrid	8	--
	hydrogen	9	--
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91005]** [

Name	V2xFac_EnvironmentalCharacteristicsType		
Kind	Structure		
Elements	euroValue	V2xFac_EuroValueType	--
	copValue	V2xFac_CopValueType	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91006]** [

Name	V2xFac_EuroValueType		
Kind	Enumeration		
Range	noEntry	0	--
	euro_1	1	--
	euro_2	2	--
	euro_3	3	--
	euro_4	4	--
	euro_5	5	--
	euro_6	6	--
	reservedForUse1	7	--
	reservedForUse2	8	--
	reservedForUse3	9	--
	reservedForUse4	10	--
	reservedForUse5	11	--
	reservedForUse6	12	--
	reservedForUse7	13	--
	reservedForUse8	14	--
eev	15	--	
Description	Namespace: EfcModule		

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91007]** [

Name	V2xFac_CopValueType		
Kind	Enumeration		
Range	noEntry	0	--
	co2class1	1	--
	co2class2	2	--
	co2class3	3	--
	co2class4	4	--
	co2class5	5	--
	co2class6	6	--
	co2class7	7	--
	reservedforUse	8	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91008]** [

Name	V2xFac_Int1Type		
Kind	Type		
Derived from	uint8		
Description	Namespace: EfcModule		
Range	0..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91009]** [

Name	V2xFac_Int2Type		
Kind	Type		

Derived from	uint16		
Description	Namespace: EfcModule		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91010]** [

Name	V2xFac_PassengerCapacityType		
Kind	Structure		
Elements	numberOfSeats	V2xFac_Int1Type	--
	numberOfStandingPlaces	V2xFac_Int1Type	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91011]** [

Name	V2xFac_ProviderType		
Kind	Structure		
Elements	countryCode	V2xFac_CountryCodeType	--
	providerIdentifier	V2xFac_IssuerIdentifierType	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91012]** [

Name	V2xFac_SoundLevelType		
Kind	Structure		
Elements	soundstationary	V2xFac_Int1Type	--
	sounddriveby	V2xFac_Int1Type	--
Description	Namespace: EfcModule		
Variation	--		



Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91013]** [

Name	V2xFac_UnitTypeType		
Kind	Enumeration		
Range	mg_km	0	--
	mg_kWh	1	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91014]** [

Name	V2xFac_VehicleDimensionsType		
Kind	Structure		
Elements	vehicleLengthOverall	V2xFac_Int1Type	--
	vehicleHeigthOverall	V2xFac_Int1Type	--
	vehicleWidthOverall	V2xFac_Int1Type	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91015]** [

Name	V2xFac_VehicleWeightLimitsType		
Kind	Structure		
Elements	vehicleMaxLadenWeight	V2xFac_Int2Type	--
	vehicleTrainMaximumWeight	V2xFac_Int2Type	--
	vehicleWeightUnladen	V2xFac_Int2Type	--
Description	Namespace: EfcModule		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91016]** [

Name	V2xFac_CS5Type
Kind	Type
Derived from	V2xFac_StringType
Description	Namespace: AVIAEINumberingAndDataStructures
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91017]** [

Name	V2xFac_StringType
Kind	Type
Description	Namespace: AVIAEINumberingAndDataStructures
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91018]** [

Name	V2xFac_CountryCodeType
Kind	Bitfield
Derived from	uint8
Description	Namespace: AVIAEINumberingAndDataStructures
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91019]** [

Name	V2xFac_IssuerIdentifierType		
Kind	Type		
Derived from	uint16		
Description	Namespace: AVIAEINumberingAndDataStructures		
Range	0..16383		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91020]** [

Name	V2xFac_VarLengthNumberType		
Kind	Structure		
Elements	content		--
	extension		--
	choice	V2xFac_VarLengthNumberChoiceType	--
Description	Namespace: CITSapplMgmtIDs		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91021]** [

Name	V2xFac_VarLengthNumberChoiceType		
Kind	Enumeration		
Range	V2XFAC_VARLENGTHNUMBER_CONTENT	0x01	--
	V2XFAC_VARLENGTHNUMBER_EXTENSION	0x02	--
Description	Namespace: CITSapplMgmtIDs		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91022]** [

Name	V2xFac_Ext1Type		
Kind	Structure		
Elements	content		--
	extension		--
	choice	V2xFac_Ext1ChoiceType	--
Description	Namespace: CITSapplMgmtIDs		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91023]** [

Name	V2xFac_Ext1ChoiceType		
Kind	Enumeration		
Range	V2XFAC_EXT1_CONTENT	0x01	--
	V2XFAC_EXT1_EXTENSION	0x02	--
Description	Namespace: CITSapplMgmtIDs		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91024]** [

Name	V2xFac_Ext2Type		
Kind	Structure		
Elements	content		--
	extension		--
	choice	V2xFac_Ext2ChoiceType	--
Description	Namespace: CITSapplMgmtIDs		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91025]** [

Name	V2xFac_Ext2ChoiceType		
Kind	Enumeration		
Range	V2XFAC_EXT2_CONTENT	0x01	--
	V2XFAC_EXT2_EXTENSION	0x02	--
Description	Namespace: CITSapplMgmtIDs		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91026]** [

Name	V2xFac_Ext3Type		
Kind	Type		
Derived from	uint32		

Description	Namespace: CITSapplMgmtIDs		
Range	2113663..270549119		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91112]** [

Name	V2xFac_IvimDataType		
Kind	Structure		
Elements	management	V2xFac_ManagementContainerType	--
	glc	V2xFac_GeographicLocationContainerType	--
	gic	V2xFac_GeneralIviContainerType	--
	rcc	V2xFac_RoadConfigurationContainerType	--
	tc	V2xFac_TextContainerType	--
	lac	V2xFac_LayoutContainerType	--
	transactionId	uint32	--
	presence	V2xFac_IvimDataPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91113]** [

Name	V2xFac_IvimDataPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	glc	0x01	Bit 0 (LSB): Optional child present
	bit	gic	0x02	Bit 1: Optional child present
	bit	rcc	0x04	Bit 2: Optional child present
	bit	tc	0x08	Bit 3: Optional child present
	bit	lac	0x10	Bit 4: Optional child present
Description	Namespace: IVI			

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91114]** [

Name	V2xFac_IviStructureType		
Kind	Structure		
Elements	mandatory	V2xFac_ManagementContainerType	--
	optional	V2xFac_optional4Type	--
	presence	V2xFac_IviStructurePresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91115]** [

Name	V2xFac_optional4Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_IviContainerType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91116]** [

Name	V2xFac_IviStructurePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	optional	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91117] [**

Name	V2xFac_IviContainerType		
Kind	Structure		
Elements	glc	V2xFac_GeographicLocationContainerType	--
	gic	V2xFac_GenerallviContainerType	--
	rcc	V2xFac_RoadConfigurationContainerType	--
	tc	V2xFac_TextContainerType	--
	lac	V2xFac_LayoutContainerType	--
	choice	V2xFac_IviContainerChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91118] [**

Name	V2xFac_IviContainerChoiceType		
Kind	Enumeration		
Range	V2XFAC_IVICONTAINER_GLC	0x01	--
	V2XFAC_IVICONTAINER_GIC	0x02	--
	V2XFAC_IVICONTAINER_RCC	0x03	--
	V2XFAC_IVICONTAINER_TC	0x04	--
	V2XFAC_IVICONTAINER_LAC	0x05	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91119] [**

Name	V2xFac_GeographicLocationContainerType		
Kind	Structure		
Elements	referencePosition	V2xFac_ReferencePositionType	--
	referencePositionTime	V2xFac_TimestampItsType	--
	refereneePositionHeading	V2xFac_HeadingType	--

	refereneePositionSpeed	V2xFac_SpeedType	--
	parts	V2xFac_parts5Type	--
	presence	V2xFac_GeographicLocationContainerPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91120]** [

Name	V2xFac_parts5Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_GlcPartType	--
		Size	16
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91121]** [

Name	V2xFac_GeographicLocationContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	referencePositionTime	0x01	Bit 0 (LSB): Optional child present
	bit	refereneePositionHeading	0x02	Bit 1: Optional child present
	bit	refereneePositionSpeed	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91122]** [

Name	V2xFac_GlcPartType
Kind	Structure



Elements	zoneId	V2xFac_ZidType	--
	laneNumber	V2xFac_LanePositionType	--
	zoneExtension	uint8	--
	zoneHeading	V2xFac_HeadingValueType	--
	zone	V2xFac_ZoneType	--
	presence	V2xFac_GlcPartPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91123]** [

Name	V2xFac_GlcPartPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	laneNumber	0x01	Bit 0 (LSB): Optional child present
	bit	zoneExtension	0x02	Bit 1: Optional child present
	bit	zoneHeading	0x04	Bit 2: Optional child present
	bit	zone	0x08	Bit 3: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91124]** [

Name	V2xFac_GenerallviContainerType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_GlcPartType	--
		Size	16
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91125]** [

Name	V2xFac_GicPartType		
Kind	Structure		
Elements	detectionZonelds	V2xFac_detectionZonelds7Type	--
	its_Rrid	V2xFac_VarLengthNumberType	--
	relevanceZonelds	V2xFac_relevanceZonelds8Type	--
	direction	V2xFac_DirectionType	--
	driverAwarenessZonelds	V2xFac_driverAwarenessZonelds9Type	--
	minimumAwarenessTime	uint8	--
	applicableLanes	V2xFac_applicableLanes11Type	--
	iviType	V2xFac_iviTypeType	--
	iviPurpose	V2xFac_iviPurposeType	--
	laneStatus	V2xFac_LaneStatusType	--
	vehicleCharacteristics	V2xFac_CompleteVehicleCharacteristicsType	--
	driverCharacteristics	V2xFac_DriverCharacteristicsType	--
	layoutId	uint8	--
	preStoredLayoutId	uint8	--
	roadSignCodes	V2xFac_roadSignCodes14Type	--
extraText	V2xFac_extraText15Type	--	
presence	V2xFac_GicPartPresenceType	--	
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91126]** [

Name	V2xFac_detectionZonelds7Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8

Description	Namespace: IVI
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91127]** [

Name	V2xFac_relevanceZonelds8Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91128]** [

Name	V2xFac_driverAwarenessZonelds9Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91129]** [

Name	V2xFac_applicableLanes11Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LanePositionType	--
		Size	8
Description	Namespace: IVI		

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91130]** [

Name	V2xFac_roadSignCodes14Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_RSCodeType	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91131]** [

Name	V2xFac_extraText15Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_TextCopy63Type	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91132]** [

Name	V2xFac_GicPartPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	detectionZonelds	0x01	Bit 0 (LSB): Optional child present
	bit	its_Rrid	0x02	Bit 1: Optional child present
	bit	relevanceZonelds	0x04	Bit 2: Optional child present

	bit	direction	0x08	Bit 3: Optional child present
	bit	driverAwarenessZonelds	0x10	Bit 4: Optional child present
	bit	minimumAwarenessTime	0x20	Bit 5: Optional child present
	bit	applicableLanes	0x40	Bit 6: Optional child present
	bit	iviPurpose	0x80	Bit 7: Optional child present
	bit	laneStatus	0x100	Bit 8: Optional child present
	bit	vehicleCharacteristics	0x200	Bit 9: Optional child present
	bit	driverCharacteristics	0x400	Bit 10: Optional child present
	bit	layoutId	0x800	Bit 11: Optional child present
	bit	preStoredLayoutId	0x1000	Bit 12: Optional child present
	bit	extraText	0x2000	Bit 13: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91133]** [

Name	V2xFac_RoadConfigurationContainerType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_RccPartType	--
		Size	16
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91134]** [

Name	V2xFac_RccPartType		
Kind	Structure		
Elements	zonelds	V2xFac_zonelds16Type	--
	roadType	V2xFac_RoadTypeType	--
	laneConfiguration	V2xFac_laneConfiguration17Type	--
Description	Namespace: IVI		

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91135] [**

Name	V2xFac_zonelds16Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91136] [**

Name	V2xFac_laneConfiguration17Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LaneInformationType	--
		Size	16
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91137] [**

Name	V2xFac_TextContainerType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_TcPartType	--
		Size	16
Description	Namespace: IVI		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91138]** [

Name	V2xFac_TcPartType		
Kind	Structure		
Elements	detectionZonelds	V2xFac_detectionZonelds18Type	--
	relevanceZonelds	V2xFac_relevanceZonelds19Type	--
	direction	V2xFac_DirectionType	--
	driverAwarenessZonelds	V2xFac_driverAwarenessZonelds20Type	--
	minimumAwarenessTime	uint8	--
	applicableLanes	V2xFac_applicableLanes22Type	--
	layoutId	uint8	--
	preStoredLayoutId	uint8	--
	text	V2xFac_text25Type	--
	data	V2xFac_data26Type	--
	presence	V2xFac_TcPartPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91139]** [

Name	V2xFac_detectionZonelds18Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91140]** [

Name	V2xFac_relevanceZonelds19Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91141] [**

Name	V2xFac_driverAwarenessZonelds20Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ZidType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91142] [**

Name	V2xFac_applicableLanes22Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LanePositionType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91143] [**

Name	V2xFac_text25Type		
------	-------------------	--	--



Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_TextType	--
		Size	
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91144]** [

Name	V2xFac_data26Type
Kind	Array
Description	Namespace: IVI
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91145]** [

Name	V2xFac_TcPartPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	detectionZonelds	0x01	Bit 0 (LSB): Optional child present
	bit	driverAwarenessZonelds	0x02	Bit 1: Optional child present
	bit	minimumAwarenessTime	0x04	Bit 2: Optional child present
	bit	applicableLanes	0x08	Bit 3: Optional child present
	bit	layoutId	0x10	Bit 4: Optional child present
	bit	preStoredLayoutId	0x20	Bit 5: Optional child present
	bit	text	0x40	Bit 6: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91146]** [

Name	V2xFac_LayoutContainerType		
Kind	Structure		
Elements	layoutId	uint8	--
	height	uint8	--
	width	uint16	--
	layoutComponents	V2xFac_layoutComponents30Type	--
	presence	V2xFac_LayoutContainerPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91147]** [

Name	V2xFac_layoutComponents30Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LayoutComponentType	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91148]** [

Name	V2xFac_LayoutContainerPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	height	0x01	Bit 0 (LSB): Optional child present
	bit	width	0x02	Bit 1: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91149]** [

Name	V2xFac_AbsolutePositionType		
Kind	Structure		
Elements	latitude	V2xFac_LatitudeType	--
	longitude	V2xFac_LongitudeType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91150]** [

Name	V2xFac_AbsolutePositionWAltitudeType		
Kind	Structure		
Elements	latitude	V2xFac_LatitudeType	--
	longitude	V2xFac_LongitudeType	--
	altitude	V2xFac_AltitudeType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91151]** [

Name	V2xFac_AnyCatalogueType		
Kind	Structure		
Elements	owner	V2xFac_ProviderType	--
	version	uint8	--
	pictogramCode	uint16	--
	value	uint16	--
	unit	V2xFac_RSCUnitType	--
	attributes	V2xFac_ISO14823AttributesType	--
	presence	V2xFac_AnyCataloguePresenceType	--
Description	Namespace: IVI		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91152]** [

Name	V2xFac_AnyCataloguePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	value	0x01	Bit 0 (LSB): Optional child present
	bit	unit	0x02	Bit 1: Optional child present
	bit	attributes	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91153]** [

Name	V2xFac_ComparisonOperatorType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..3		--
	greaterThan	0	--
	greaterThanOrEqualTo	1	--
	lessThan	2	--
	lessThanOrEqualTo	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91154]** [

Name	V2xFac_CompleteVehicleCharacteristicsType		
Kind	Structure		
Elements	tractor	V2xFac_TractorCharacteristicsType	--
	trailer	V2xFac_trailer34Type	--

	train	V2xFac_TrainCharacteristicsType	--
	presence	V2xFac_CompleteVehicleCharacteristicsPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91155]** [

Name	V2xFac_trailer34Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_TrailerCharacteristicsType	--
		Size	3
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91156]** [

Name	V2xFac_CompleteVehicleCharacteristicsPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	tractor	0x01	Bit 0 (LSB): Optional child present
	bit	trailer	0x02	Bit 1: Optional child present
	bit	train	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91157]** [

Name	V2xFac_ComputedSegmentType		
Kind	Structure		
Elements	zoneld	V2xFac_ZidType	--

	laneNumber	V2xFac_LanePositionType	--
	laneWidth	V2xFac_LaneWidthType	--
	offsetDistance	sint16	--
	offsetPosition	V2xFac_DeltaReferencePositionType	--
	presence	V2xFac_ComputedSegmentPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91158]** [

Name	V2xFac_ComputedSegmentPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	offsetDistance	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91159]** [

Name	V2xFac_DeltaPositionType		
Kind	Structure		
Elements	deltaLatitude	V2xFac_DeltaLatitudeType	--
	deltaLongitude	V2xFac_DeltaLongitudeType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91160]** [

Name	V2xFac_DirectionType
Kind	Type
Derived from	uint8

Description	Namespace: IVI		
Range	0..3		--
	sameDirection	0	--
	oppositeDirection	1	--
	bothDirections	2	--
	valueNotUsed	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91161]** [

Name	V2xFac_DistanceType		
Kind	Structure		
Elements	value	uint16	--
	unit	V2xFac_RSCUnitType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91162]** [

Name	V2xFac_DistanceOrDurationType		
Kind	Structure		
Elements	value	uint16	--
	unit	V2xFac_RSCUnitType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91163]** [

Name	V2xFac_DriverCharacteristicsType		
Kind	Type		
Derived from	uint8		

Description	Namespace: IVI		
Range	0..3		--
	unexperiencedDrivers	0	--
	experiencedDrivers	1	--
	rfu1	2	--
	rfu2	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91164]** [

Name	V2xFac_GoodsTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..15		--
	ammunition	0	--
	chemicals	1	--
	empty	2	--
	fuel	3	--
	glass	4	--
	dangerous	5	--
	liquid	6	--
	livestock	7	--
	dangerousForPeople	8	--
	dangerousForTheEnvironment	9	--
	dangerousForWater	10	--
	perishableProducts	11	--
	pharmaceutical	12	--
vehicles	13	--	
Variation	--		
Available via	V2xFac.h		



] ()

**[SWS\_V2xFac\_91165]** [

Name	V2xFac_ISO14823AttributesType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ISO14823Attributes38Type	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91166]** [

Name	V2xFac_ISO14823Attributes38Type		
Kind	Structure		
Elements	dtm	V2xFac_DTMTType	--
	edt	V2xFac_EDTType	--
	illl	V2xFac_DFLType	--
	ved	V2xFac_VEDType	--
	spe	V2xFac_SPEType	--
	roi	V2xFac_ROIType	--
	dbv	V2xFac_DBVType	--
	ddd	V2xFac_DDDType	--
	choice	V2xFac_ISO14823Attributes38ChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91167]** [

Name	V2xFac_ISO14823Attributes38ChoiceType		
Kind	Enumeration		
Range	V2XFAC_ISO14823ATTRIBUTES38_DTM	0x01	--

	V2XFAC_ISO14823ATTRIBUTES38_EDT	0x02	--
	V2XFAC_ISO14823ATTRIBUTES38_ILLL	0x03	--
	V2XFAC_ISO14823ATTRIBUTES38_VED	0x04	--
	V2XFAC_ISO14823ATTRIBUTES38_SPE	0x05	--
	V2XFAC_ISO14823ATTRIBUTES38_ROI	0x06	--
	V2XFAC_ISO14823ATTRIBUTES38_DBV	0x07	--
	V2XFAC_ISO14823ATTRIBUTES38_DDD	0x08	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91168]** [

Name	V2xFac_ISO14823CodeType		
Kind	Structure		
Elements	pictogramCode	V2xFac_pictogramCode39Type	--
	attributes	V2xFac_ISO14823AttributesType	--
	presence	V2xFac_ISO14823CodePresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91169]** [

Name	V2xFac_pictogramCode39Type		
Kind	Structure		
Elements	countryCode	V2xFac_countryCode40Type	--
	serviceCategoryCode	V2xFac_serviceCategoryCode41Type	--
	pictogramCategoryCode	V2xFac_pictogramCategoryCode45Type	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91170]** [

Name	V2xFac_countryCode40Type		
Kind	Array	Element type	uint8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91171]** [

Name	V2xFac_serviceCategoryCode41Type		
Kind	Structure		
Elements	trafficSignPictogram	V2xFac_trafficSignPictogram42Type	- -
	publicFacilitiesPictogram	V2xFac_publicFacilitiesPictogram43Type	- -
	ambientOrRoadConditionPictogram	V2xFac_ambientOrRoadConditionPictogram44Type	- -
	choice	V2xFac_serviceCategoryCode41ChoiceType	- -
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91172]** [

Name	V2xFac_trafficSignPictogram42Type		
Kind	Enumeration		
Range	dangerWarning		--
	regulatory		--
	informative		--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91173] [**

Name	V2xFac_publicFacilitiesPictogram43Type		
Kind	Enumeration		
Range	publicFacilities		--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91174] [**

Name	V2xFac_ambientOrRoadConditionPictogram44Type		
Kind	Enumeration		
Range	ambientCondition		--
	roadCondition		--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91175] [**

Name	V2xFac_serviceCategoryCode41ChoiceType		
Kind	Enumeration		
Range	V2XFAC_SERVICECATEGORYCODE41_TRAFFIC_SIGN_PICTOGRAM	0x01	- -
	V2XFAC_SERVICECATEGORYCODE41_PUBLIC_FACILITIES_PICTOGRAM	0x02	- -
	V2XFAC_SERVICECATEGORYCODE41_AMBIENT_OR_ROAD_CONDITION_PICTOGRAM	0x03	- -
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91176] [**

Name	V2xFac_pictogramCategoryCode45Type		
------	------------------------------------	--	--

Kind	Structure		
Elements	nature	uint8	--
	serialNumber	uint8	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91177]** [

Name	V2xFac_ISO14823CodePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	attributes	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91178]** [

Name	V2xFac_IvIdentificationNumberType		
Kind	Type		
Derived from	uint16		
Description	Namespace: IVI		
Range	1..32767		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91179]** [

Name	V2xFac_IvIPurposeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..3		--

	safety	0	--
	environmental	1	--
	trafficOptimisation	2	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91180]** [

Name	V2xFac_IviStatusType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..7		--
	new	0	--
	update	1	--
	cancellation	2	--
	negation	3	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91181]** [

Name	V2xFac_IviTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..7		--
	immediateDangerWarningMessages	0	--
	regulatoryMessages	1	--
	trafficRelatedInformationMessages	2	--
	pollutionMessages	3	--
	notTrafficRelatedInformationMessages	4	--
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91182]** [

Name	V2xFac_LaneInformationType		
Kind	Structure		
Elements	laneNumber	V2xFac_LanePositionType	--
	direction	V2xFac_DirectionType	--
	validity	V2xFac_DTMTType	--
	laneType	V2xFac_LaneTypeType	--
	laneTypeQualifier	V2xFac_CompleteVehicleCharacteristicsType	--
	laneStatus	V2xFac_LaneStatusType	--
	laneWidth	V2xFac_LaneWidthType	--
	presence	V2xFac_LaneInformationPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91183]** [

Name	V2xFac_LaneInformationPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	validity	0x01	Bit 0 (LSB): Optional child present
	bit	laneTypeQualifier	0x02	Bit 1: Optional child present
	bit	laneWidth	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91184]** [

Name	V2xFac_LaneStatusType
Kind	Type

Derived from	uint8		
Description	Namespace: IVI		
Range	0..7		--
	open	0	--
	closed	1	--
	mergeR	2	--
	mergeL	3	--
	mergeLR	4	--
	provisionallyOpen	5	--
	diverging	6	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91185]** [

Name	V2xFac_LaneTypeType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..31		--
	traffic	0	--
	through	1	--
	reversible	2	--
	acceleration	3	--
	deceleration	4	--
	leftHandTurning	5	--
	rightHandTurning	6	--
	dedicatedVehicle	7	--
	bus	8	--
	taxi	9	--
	hov	10	--
hot	11	--	



	pedestrian	12	--
	bikeLane	13	--
	median	14	--
	striping	15	--
	trackedVehicle	16	--
	parking	17	--
	emergency	18	--
	verge	19	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91186]** [

Name	V2xFac_LaneWidthType		
Kind	Type		
Derived from	uint16		
Description	Namespace: IVI		
Range	0..1023		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91187]** [

Name	V2xFac_LayoutComponentType		
Kind	Structure		
Elements	layoutComponentId	uint8	--
	height	uint8	--
	width	uint16	--
	x	uint16	--
	y	uint8	--
	textScripting	V2xFac_textScripting53Type	
Description	Namespace: IVI		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91188]** [

Name	V2xFac_textScripting53Type		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..1		--
	horizontal	0	--
	vertical	1	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91189]** [

Name	V2xFac_LoadTypeType		
Kind	Structure		
Elements	goodsType	V2xFac_GoodsTypeType	--
	dangerousGoodsType	V2xFac_DangerousGoodsBasicType	--
	specialTransportType	V2xFac_SpecialTransportTypeType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91190]** [

Name	V2xFac_PolygonalLineType		
Kind	Structure		
Elements	deltaPositions	V2xFac_deltaPositions54Type	--
	deltaPositionsWithAltitude	V2xFac_deltaPositionsWithAltitude55Type	--
	absolutePositions	V2xFac_absolutePositions56Type	--
	absolutePositionsWithAltitude	V2xFac_absolutePositionsWithAltitude57Type	--
	choice	V2xFac_PolygonalLineChoiceType	--

Description	Namespace: IVI
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91191]** [

Name	V2xFac_deltaPositions54Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_DeltaPositionType	--
		Size	32
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91192]** [

Name	V2xFac_deltaPositionsWithAltitude55Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_DeltaReferencePositionType	--
		Size	32
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91193]** [

Name	V2xFac_absolutePositions56Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_AbsolutePositionType	--
		Size	8
Description	Namespace: IVI		

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91194]** [

Name	V2xFac_absolutePositionsWithAltitude57Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_AbsolutePositionWAltitudeType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91195]** [

Name	V2xFac_PolygonalLineChoiceType		
Kind	Enumeration		
Range	V2XFAC_POLYGONALLINE_DELTA_POSITIONS	0x01	--
	V2XFAC_POLYGONALLINE_DELTA_POSITIONS_WITH_ALTITUDE	0x02	--
	V2XFAC_POLYGONALLINE_ABSOLUTE_POSITIONS	0x03	--
	V2XFAC_POLYGONALLINE_ABSOLUTE_POSITIONS_WITH_ALTITUDE	0x04	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91196]** [

Name	V2xFac_RSCodeType		
Kind	Structure		
Elements	layoutComponentId	uint8	--
	code	V2xFac_code59Type	--
Description	Namespace: IVI		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91197]** [

Name	V2xFac_code59Type		
Kind	Structure		
Elements	viennaConvention	V2xFac_VcCodeType	--
	iso14823	V2xFac_ISO14823CodeType	--
	itisCodes	uint16	--
	anyCatalogue	V2xFac_AnyCatalogueType	--
	choice	V2xFac_code59ChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91198]** [

Name	V2xFac_code59ChoiceType		
Kind	Enumeration		
Range	V2XFAC_CODE59_VIENNA_CONVENTION	0x01	--
	V2XFAC_CODE59_ISO14823	0x02	--
	V2XFAC_CODE59_ITIS_CODES	0x03	--
	V2XFAC_CODE59_ANY_CATALOGUE	0x04	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91199]** [

Name	V2xFac_RSCUnitType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..15		--

	kmperh	0	--
	milesperh	1	--
	kilometre	2	--
	meter	3	--
	decimetre	4	--
	centimetre	5	--
	mile	6	--
	yard	7	--
	foot	8	--
	minutesOfTime	9	--
	tonnes	10	--
	hundredkg	11	--
	pound	12	--
	rateOfIncline	13	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91200]** [

Name	V2xFac_SegmentType		
Kind	Structure		
Elements	line	V2xFac_PolygonalLineType	--
	laneWidth	V2xFac_LaneWidthType	--
	presence	V2xFac_SegmentPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91201]** [

Name	V2xFac_SegmentPresenceType
Kind	Bitfield
Derived from	uint8

Elements	Kind	Name	Mask	Description
	bit	laneWidth	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91202]** [

Name	V2xFac_TextType		
Kind	Structure		
Elements	layoutComponentId	uint8	--
	language	V2xFac_language62Type	--
	textContent	V2xFac_StringType	--
	presence	V2xFac_TextPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91203]** [

Name	V2xFac_language62Type
Kind	Bitfield
Derived from	uint8
Description	Namespace: IVI
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91204]** [

Name	V2xFac_TextPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	layoutComponentId	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91205] [**

Name	V2xFac_TextCopy63Type		
Kind	Structure		
Elements	layoutComponentId	uint8	--
	language	V2xFac_language62Type	--
	textContent	uint8	--
	layoutComponentId	uint8	--
	language	V2xFac_language62Type	--
	textContent	V2xFac_StringType	--
	presence	V2xFac_TextPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91206] [**

Name	V2xFac_TractorCharacteristicsType		
Kind	Structure		
Elements	equalTo	V2xFac_equalTo65Type	--
	notEqualTo	V2xFac_notEqualTo66Type	--
	ranges	V2xFac_ranges67Type	--
	presence	V2xFac_TractorCharacteristicsPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91207] [**

Name	V2xFac_equalTo65Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_VehicleCharacteristicsFixValuesType	



	Size	4
Description	Namespace: IVI	
Variation	--	
Available via	V2xFac.h	

] ()

**[SWS\_V2xFac\_91208]** [

Name	V2xFac_notEqualTo66Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_VehicleCharacteristicsFixValuesType	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91209]** [

Name	V2xFac_ranges67Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_VehicleCharacteristicsRangesType	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91210]** [

Name	V2xFac_TractorCharacteristicsPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	equalTo	0x01	Bit 0 (LSB): Optional child present

	bit	notEqualTo	0x02	Bit 1: Optional child present
	bit	ranges	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91211]** [

Name	V2xFac_TrailerCharacteristicsType			
Kind	Structure			
Elements	equalTo	V2xFac_equalTo68Type		--
	notEqualTo	V2xFac_notEqualTo69Type		--
	ranges	V2xFac_ranges70Type		--
	presence	V2xFac_TrailerCharacteristicsPresenceType		--
Description	Namespace: IVI			
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91212]** [

Name	V2xFac_equalTo68Type			
Kind	Structure			
Elements	count	uint8		--
	values	Array of V2xFac_VehicleCharacteristicsFixValuesCopy74Type		--
		Size		
Description	Namespace: IVI			
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91213]** [

Name	V2xFac_notEqualTo69Type			
Kind	Structure			
Elements	count	uint8		--
	values	Array of V2xFac_VehicleCharacteristicsFixValuesCopy75Type		--

	Size	4
Description	Namespace: IVI	
Variation	--	
Available via	V2xFac.h	

] ()

**[SWS\_V2xFac\_91214]** [

Name	V2xFac_ranges70Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_VehicleCharacteristicsRangesCopy78Type	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91215]** [

Name	V2xFac_TrailerCharacteristicsPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	equalTo	0x01	Bit 0 (LSB): Optional child present
	bit	notEqualTo	0x02	Bit 1: Optional child present
	bit	ranges	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91216]** [

Name	V2xFac_TrainCharacteristicsType		
Kind	Structure		
Elements	equalTo	V2xFac_equalTo65Type	--
	notEqualTo	V2xFac_notEqualTo66Type	--

	ranges	V2xFac_ranges67Type	--
	presence	V2xFac_TractorCharacteristicsPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91217]** [

Name	V2xFac_VcClassType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..7		--
	classA	0	--
	classB	1	--
	classC	2	--
	classD	3	--
	classE	4	--
	classF	5	--
	classG	6	--
	classH	7	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91218]** [

Name	V2xFac_VcCodeType		
Kind	Structure		
Elements	roadSignClass	V2xFac_VcClassType	--
	roadSignCode	uint8	--
	vcOption	V2xFac_VcOptionType	--
	validity	V2xFac_validity72Type	--
	value	uint16	--

	unit	V2xFac_RSCUnitType	--
	presence	V2xFac_VcCodePresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91219]** [

Name	V2xFac_validity72Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_DTMTType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91220]** [

Name	V2xFac_VcCodePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	validity	0x01	Bit 0 (LSB): Optional child present
	bit	value	0x02	Bit 1: Optional child present
	bit	unit	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91221]** [

Name	V2xFac_VcOptionType
Kind	Type
Derived from	uint8

Description	Namespace: IVI		
Range	0..7		--
	none	0	--
	a	1	--
	b	2	--
	c	3	--
	d	4	--
	e	5	--
	f	6	--
	g	7	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91222]** [

Name	V2xFac_VehicleCharacteristicsFixValuesType		
Kind	Structure		
Elements	simpleVehicleType	V2xFac_StationTypeType	--
	euVehicleCategoryCode	V2xFac_EuVehicleCategoryCodeType	--
	iso3833VehicleType	V2xFac_Iso3833VehicleTypeType	--
	euroAndCo2value	V2xFac_EnvironmentalCharacteristicsType	--
	engineCharacteristics	V2xFac_EngineCharacteristicsType	--
	loadType	V2xFac_LoadTypeType	--
	usage	V2xFac_VehicleRoleType	--
	choice	V2xFac_VehicleCharacteristicsFixValuesChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91223]** [

Name	V2xFac_VehicleCharacteristicsFixValuesChoiceType
Kind	Enumeration

Range	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_SIMPLE_VEHICLE_TYPE	0x01	-	-
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_EU_VEHICLE_CATEGORY_CODE	0x02	-	-
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_ISO3833VEHICLE_TYPE	0x03	-	-
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_EURO_AND_CO2VALUE	0x04	-	-
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_ENGINE_CHARACTERISTICS	0x05	-	-
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_LOAD_TYPE	0x06	-	-
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_USAGE	0x07	-	-
Description	Namespace: IVI			
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91224]** [

Name	V2xFac_VehicleCharacteristicsFixValuesCopy74Type		
Kind	Structure		
Elements	simpleVehicleType	V2xFac_StationTypeType	--
	euVehicleCategoryCode	V2xFac_EuVehicleCategoryCodeType	--
	iso3833VehicleType	V2xFac_Iso3833VehicleTypeType	--
	loadType	V2xFac_LoadTypeType	--
	usage	V2xFac_VehicleRoleType	--
	choice	V2xFac_VehicleCharacteristicsFixValuesChoiceType	--
	simpleVehicleType	V2xFac_StationTypeType	--
	euVehicleCategoryCode	V2xFac_EuVehicleCategoryCodeType	--
	iso3833VehicleType	V2xFac_Iso3833VehicleTypeType	--
	euroAndCo2value	V2xFac_EnvironmentalCharacteristicsType	--
	engineCharacteristics	V2xFac_EngineCharacteristicsType	--
	loadType	V2xFac_LoadTypeType	--

	usage	V2xFac_VehicleRoleType	--
	choice	V2xFac_VehicleCharacteristicsFixValuesChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91225]** [

Name	V2xFac_VehicleCharacteristicsFixValuesCopy75Type		
Kind	Structure		
Elements	simpleVehicleType	V2xFac_StationTypeType	--
	euVehicleCategoryCode	V2xFac_EuVehicleCategoryCodeType	--
	iso3833VehicleType	V2xFac_Iso3833VehicleTypeType	--
	loadType	V2xFac_LoadTypeType	--
	usage	V2xFac_VehicleRoleType	--
	choice	V2xFac_VehicleCharacteristicsFixValuesChoiceType	--
	simpleVehicleType	V2xFac_StationTypeType	--
	euVehicleCategoryCode	V2xFac_EuVehicleCategoryCodeType	--
	iso3833VehicleType	V2xFac_Iso3833VehicleTypeType	--
	euroAndCo2value	V2xFac_EnvironmentalCharacteristicsType	--
	engineCharacteristics	V2xFac_EngineCharacteristicsType	--
	loadType	V2xFac_LoadTypeType	--
	usage	V2xFac_VehicleRoleType	--
	choice	V2xFac_VehicleCharacteristicsFixValuesChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91226]** [

Name	V2xFac_VehicleCharacteristicsRangesType		
Kind	Structure		
Elements	comparisonOperator	V2xFac_ComparisonOperatorType	--



	limits	V2xFac_limits76Type	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91227]** [

Name	V2xFac_limits76Type		
Kind	Structure		
Elements	numberOfAxles	uint8	--
	vehicleDimensions	V2xFac_VehicleDimensionsType	--
	vehicleWeightLimits	V2xFac_VehicleWeightLimitsType	--
	axleWeightLimits	V2xFac_AxleWeightLimitsType	--
	passengerCapacity	V2xFac_PassengerCapacityType	--
	exhaustEmissionValues	V2xFac_ExhaustEmissionValuesType	--
	dieselEmissionValues	V2xFac_DieselEmissionValuesType	--
	soundLevel	V2xFac_SoundLevelType	--
	choice	V2xFac_limits76ChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91228]** [

Name	V2xFac_limits76ChoiceType		
Kind	Enumeration		
Range	V2XFAC_LIMITS76_NUMBER_OF_AXLES	0x01	--
	V2XFAC_LIMITS76_VEHICLE_DIMENSIONS	0x02	--
	V2XFAC_LIMITS76_VEHICLE_WEIGHT_LIMITS	0x03	--
	V2XFAC_LIMITS76_AXLE_WEIGHT_LIMITS	0x04	--
	V2XFAC_LIMITS76_PASSENGER_CAPACITY	0x05	--
	V2XFAC_LIMITS76_EXHAUST_EMISSION_VALUES	0x06	--
	V2XFAC_LIMITS76_DIESEL_EMISSION_VALUES	0x07	--

	V2XFAC_LIMITS76_SOUND_LEVEL	0x08	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91229]** [

Name	V2xFac_VehicleCharacteristicsRangesCopy78Type		
Kind	Structure		
Elements	comparisonOperator	V2xFac_ComparisonOperatorType	--
	limits	V2xFac_limits76Type	--
	comparisonOperator	V2xFac_ComparisonOperatorType	--
	limits	V2xFac_limits76Type	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91230]** [

Name	V2xFac_WeightType		
Kind	Structure		
Elements	value	uint16	--
	unit	V2xFac_RSCUnitType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91231]** [

Name	V2xFac_ZidType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	1..32		--

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91232] [**

Name	V2xFac_ZoneType		
Kind	Structure		
Elements	segment	V2xFac_SegmentType	--
	area	V2xFac_PolygonalLineType	--
	computedSegment	V2xFac_ComputedSegmentType	--
	choice	V2xFac_ZoneChoiceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91233] [**

Name	V2xFac_ZoneChoiceType		
Kind	Enumeration		
Range	V2XFAC_ZONE_SEGMENT	0x01	--
	V2XFAC_ZONE_AREA	0x02	--
	V2XFAC_ZONE_COMPUTED_SEGMENT	0x03	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91234] [**

Name	V2xFac_DTMTType		
Kind	Structure		
Elements	year	V2xFac_year80Type	--
	month_day	V2xFac_month_day83Type	--
	pmd	V2xFac_PMDType	--
	hourMinutes	V2xFac_hourMinutes84Type	--

	dayOfWeek	V2xFac_DayOfWeekType	--
	period	V2xFac_HoursMinutesType	--
	presence	V2xFac_DTMPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91235]** [

Name	V2xFac_year80Type		
Kind	Structure		
Elements	syr	uint16	--
	eyr	uint16	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91236]** [

Name	V2xFac_month_day83Type		
Kind	Structure		
Elements	smd	V2xFac_MonthDayType	--
	emd	V2xFac_MonthDayType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91237]** [

Name	V2xFac_hourMinutes84Type		
Kind	Structure		
Elements	shm	V2xFac_HoursMinutesType	--
	ehm	V2xFac_HoursMinutesType	--
Description	Namespace: IVI		

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91238]** [

Name	V2xFac_DTMPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	hourMinutes	0x01	Bit 0 (LSB): Optional child present
	bit	dayOfWeek	0x02	Bit 1: Optional child present
	bit	period	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91239]** [

Name	V2xFac_MonthDayType		
Kind	Structure		
Elements	month	uint8	--
	day	uint8	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91240]** [

Name	V2xFac_PMDType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	national_holiday	0x01	--
	bit	even_days	0x02	--
	bit	odd_days	0x04	--

	bit	market_day	0x08	--
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91241]** [

Name	V2xFac_HoursMinutesType			
Kind	Structure			
Elements	hours	uint8	--	
	mins	uint8	--	
Description	Namespace: IVI			
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91242]** [

Name	V2xFac_DayOfWeekType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	unused	0x01	--
	bit	monday	0x02	--
	bit	tuesday	0x04	--
	bit	wednesday	0x08	--
	bit	thursday	0x10	--
	bit	friday	0x20	--
	bit	saturday	0x40	--
	bit	sunday	0x80	--
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91243]** [

Name	V2xFac_EDTType			
------	----------------	--	--	--

Kind	Structure		
Elements	year	V2xFac_year80Type	--
	month_day	V2xFac_month_day83Type	--
	pmd	V2xFac_PMDType	--
	hourMinutes	V2xFac_hourMinutes84Type	--
	dayOfWeek	V2xFac_DayOfWeekType	--
	period	V2xFac_HoursMinutesType	--
	presence	V2xFac_DTMPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91244]** [

Name	V2xFac_DFLType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	1..8		--
	sDL	1	--
	sLT	2	--
	sRT	3	--
	ITO	4	--
	rTO	5	--
	cLL	6	--
	eRI	7	--
	oVL	8	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91245]** [

Name	V2xFac_VEDType
------	----------------

Kind	Structure		
Elements	hei	V2xFac_DistanceType	--
	wid	V2xFac_DistanceType	--
	vln	V2xFac_DistanceType	--
	wei	V2xFac_WeightType	--
	presence	V2xFac_VEDPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91246]** [

Name	V2xFac_VEDPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	hei	0x01	Bit 0 (LSB): Optional child present
	bit	wid	0x02	Bit 1: Optional child present
	bit	vln	0x04	Bit 2: Optional child present
	bit	wei	0x08	Bit 3: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91247]** [

Name	V2xFac_SPEType		
Kind	Structure		
Elements	spm	uint8	--
	mns	uint8	--
	unit	V2xFac_RSCUnitType	--
	presence	V2xFac_SPEPresenceType	--
Description	Namespace: IVI		
Variation	--		



Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91248]** [

Name	V2xFac_SPEPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	spm	0x01	Bit 0 (LSB): Optional child present
	bit	mns	0x02	Bit 1: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91249]** [

Name	V2xFac_ROIType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	1..32		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91250]** [

Name	V2xFac_DBVType		
Kind	Structure		
Elements	value	uint16	--
	unit	V2xFac_RSCUnitType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91251]** [

Name	V2xFac_DDDType		
Kind	Structure		
Elements	dcj	uint8	--
	der	uint8	--
	tpl	uint8	--
	ioList	V2xFac_ioList94Type	--
	presence	V2xFac_DDDPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91252]** [

Name	V2xFac_ioList94Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_DDD_IOType	--
		Size	8
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91253]** [

Name	V2xFac_DDDPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	dcj	0x01	Bit 0 (LSB): Optional child present
	bit	der	0x02	Bit 1: Optional child present
	bit	tpl	0x04	Bit 2: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91254]** [

Name	V2xFac_DDD_IOType		
Kind	Structure		
Elements	drn	uint8	--
	dp	V2xFac_dp96Type	--
	dr	V2xFac_dr97Type	--
	rne	uint16	--
	stnId	uint16	--
	stnText	V2xFac_StringType	--
	dcp	V2xFac_DistanceOrDurationType	--
	ddp	V2xFac_DistanceOrDurationType	--
	presence	V2xFac_DDD_IOPresenceType	--
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91255]** [

Name	V2xFac_dp96Type		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_DestinationPlaceType	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91256]** [

Name	V2xFac_dr97Type		
Kind	Structure		
Elements	count	uint8	--

	values	Array of V2xFac_DestinationRoadType	--
		Size	4
Description	Namespace: IVI		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91257]** [

Name	V2xFac_DDD_IOPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	dp	0x01	Bit 0 (LSB): Optional child present
	bit	dr	0x02	Bit 1: Optional child present
	bit	rne	0x04	Bit 2: Optional child present
	bit	stnId	0x08	Bit 3: Optional child present
	bit	stnText	0x10	Bit 4: Optional child present
	bit	dcp	0x20	Bit 5: Optional child present
	bit	ddp	0x40	Bit 6: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91258]** [

Name	V2xFac_DestinationPlaceType		
Kind	Structure		
Elements	depType	V2xFac_DDD_DEPType	--
	depRSCode	V2xFac_ISO14823CodeType	--
	depBlob	V2xFac_depBlob100Type	--
	plnId	uint16	--
	plnText	V2xFac_StringType	--
	presence	V2xFac_DestinationPlacePresenceType	--
Description	Namespace: IVI		

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91259] [**

Name	V2xFac_depBlob100Type
Kind	Array
Description	Namespace: IVI
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91260] [**

Name	V2xFac_DestinationPlacePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	depRSCode	0x01	Bit 0 (LSB): Optional child present
	bit	depBlob	0x02	Bit 1: Optional child present
	bit	plnId	0x04	Bit 2: Optional child present
	bit	plnText	0x08	Bit 3: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91261] [**

Name	V2xFac_DestinationRoadType		
Kind	Structure		
Elements	derType	V2xFac_DDD_DERType	--
	ronId	uint16	--
	ronText	V2xFac_StringType	--
	presence	V2xFac_DestinationRoadPresenceType	--
Description	Namespace: IVI		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91262]** [

Name	V2xFac_DestinationRoadPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	ronId	0x01	Bit 0 (LSB): Optional child present
	bit	ronText	0x02	Bit 1: Optional child present
Description	Namespace: IVI			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91263]** [

Name	V2xFac_DDD_DERType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..15		--
	none	0	--
	nationalHighway	1	--
	localHighway	2	--
	tollExpresswayMotorway	3	--
	internationalHighway	4	--
	highway	5	--
	expressway	6	--
	nationalRoad	7	--
	regionalProvincialRoad	8	--
	localRoad	9	--
	motorwayJunction	10	--
	diversion	11	--
	rfu1	12	--

	rfu2	13	--
	rfu3	14	--
	rfu4	15	--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91264]** [

Name	V2xFac_DDD_DEPType		
Kind	Type		
Derived from	uint8		
Description	Namespace: IVI		
Range	0..15		--
	none	0	--
	importantArea	1	--
	principalArea	2	--
	generalArea	3	--
	wellKnownPoint	4	--
	country	5	--
	city	6	--
	street	7	--
	industrialArea	8	--
	historicArea	9	--
	touristicArea	10	--
	culturalArea	11	--
	touristicRoute	12	--
	recommendedRoute	13	--
touristicAttraction	14	--	
geographicArea	15	--	
Variation	--		
Available via	V2xFac.h		

] ()

### 8.7.3.7 MAPEM and SPATEM specific Implementation DataTypes

#### [SWS\_V2xFac\_91266] [

Name	V2xFac_MapemDataType		
Kind	Structure		
Elements	timeStamp	V2xFac_MinuteOfTheYearType	--
	msgIssueRevision	V2xFac_MsgCountType	--
	layerType	V2xFac_LayerTypeType	--
	layerID	V2xFac_LayerIDType	--
	intersections	V2xFac_IntersectionGeometryListType	--
	roadSegments	V2xFac_RoadSegmentListType	--
	dataParameters	V2xFac_DataParametersType	--
	restrictionList	V2xFac_RestrictionClassListType	--
	transactionId	uint32	--
	presence	V2xFac_MapemDataPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

#### [SWS\_V2xFac\_91267] [

Name	V2xFac_MapemDataPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	layerType	0x02	Bit 1: Optional child present
	bit	layerID	0x04	Bit 2: Optional child present
	bit	intersections	0x08	Bit 3: Optional child present
	bit	roadSegments	0x10	Bit 4: Optional child present
	bit	dataParameters	0x20	Bit 5: Optional child present
	bit	restrictionList	0x40	Bit 6: Optional child present
Description	Namespace: MAPEM			



Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91268]** [

Name	V2xFac_SpatemDataType		
Kind	Structure		
Elements	timeStamp	V2xFac_MinuteOfTheYearType	--
	name	V2xFac_DescriptiveNameType	--
	intersections	V2xFac_IntersectionStateListType	--
	transactionId	uint32	--
	presence	V2xFac_SpatemDataPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91269]** [

Name	V2xFac_SpatemDataPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	name	0x02	Bit 1: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91270]** [

Name	V2xFac_MapDataType		
Kind	Structure		
Elements	timeStamp	V2xFac_MinuteOfTheYearType	--
	msgIssueRevision	V2xFac_MsgCountType	--
	layerType	V2xFac_LayerTypeType	--
	layerID	V2xFac_LayerIDType	--

	intersections	V2xFac_IntersectionGeometryListType	--
	roadSegments	V2xFac_RoadSegmentListType	--
	dataParameters	V2xFac_DataParametersType	--
	restrictionList	V2xFac_RestrictionClassListType	--
	presence	V2xFac_MapDataPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91271]** [

Name	V2xFac_MapDataPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	layerType	0x02	Bit 1: Optional child present
	bit	layerID	0x04	Bit 2: Optional child present
	bit	intersections	0x08	Bit 3: Optional child present
	bit	roadSegments	0x10	Bit 4: Optional child present
	bit	dataParameters	0x20	Bit 5: Optional child present
	bit	restrictionList	0x40	Bit 6: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91272]** [

Name	V2xFac_SPATType		
Kind	Structure		
Elements	timeStamp	V2xFac_MinuteOfTheYearType	--
	name	V2xFac_DescriptiveNameType	--
	intersections	V2xFac_IntersectionStateListType	--
	presence	V2xFac_SPATPresenceType	--

Description	Namespace: MAPEM
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91273]** [

Name	V2xFac_SPATPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	name	0x02	Bit 1: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91274]** [

Name	V2xFac_AdvisorySpeedType		
Kind	Structure		
Elements	type	V2xFac_AdvisorySpeedTypeType	--
	speed	V2xFac_SpeedAdviceType	--
	confidence	V2xFac_SpeedConfidenceType	--
	distance	V2xFac_ZoneLengthType	--
	class	V2xFac_RestrictionClassIDType	--
	presence	V2xFac_AdvisorySpeedPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91275]** [

Name	V2xFac_AdvisorySpeedPresenceType
Kind	Bitfield
Derived from	uint8

Elements	Kind	Name	Mask	Description
	bit	speed	0x01	Bit 0 (LSB): Optional child present
	bit	confidence	0x02	Bit 1: Optional child present
	bit	distance	0x04	Bit 2: Optional child present
	bit	class	0x08	Bit 3: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91276]** [

Name	V2xFac_AdvisorySpeedListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_AdvisorySpeedType	--
		Size	16
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91277]** [

Name	V2xFac_ComputedLaneType		
Kind	Structure		
Elements	referenceLaneId	V2xFac_LaneIDType	--
	offsetXaxis	V2xFac_offsetXaxis106Type	--
	offsetYaxis	V2xFac_offsetYaxis107Type	--
	rotateXY	V2xFac_AngleType	--
	scaleXaxis	V2xFac_Scale_B12Type	--
	scaleYaxis	V2xFac_Scale_B12Type	--
	presence	V2xFac_ComputedLanePresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91278]** [

Name	V2xFac_offsetXaxis106Type		
Kind	Structure		
Elements	small	V2xFac_DrivenLineOffsetSmType	--
	large	V2xFac_DrivenLineOffsetLgType	--
	choice	V2xFac_offsetXaxis106ChoiceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91279]** [

Name	V2xFac_offsetXaxis106ChoiceType		
Kind	Enumeration		
Range	V2XFAC_OFFSETXAXIS106_SMALL	0x01	--
	V2XFAC_OFFSETXAXIS106_LARGE	0x02	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91280]** [

Name	V2xFac_offsetYaxis107Type		
Kind	Structure		
Elements	small	V2xFac_DrivenLineOffsetSmType	--
	large	V2xFac_DrivenLineOffsetLgType	--
	choice	V2xFac_offsetYaxis107ChoiceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91281]** [

Name	V2xFac_offsetYaxis107ChoiceType		
Kind	Enumeration		
Range	V2XFAC_OFFSETYAXIS107_SMALL	0x01	--
	V2XFAC_OFFSETYAXIS107_LARGE	0x02	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91282]** [

Name	V2xFac_ComputedLanePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	rotateXY	0x01	Bit 0 (LSB): Optional child present
	bit	scaleXaxis	0x02	Bit 1: Optional child present
	bit	scaleYaxis	0x04	Bit 2: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91283]** [

Name	V2xFac_ConnectingLaneType		
Kind	Structure		
Elements	lane	V2xFac_LaneIDType	--
	maneuver	V2xFac_AllowedManeuversType	--
	presence	V2xFac_ConnectingLanePresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91284]** [

Name	V2xFac_ConnectingLanePresenceType
------	-----------------------------------

Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	maneuver	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91285]** [

Name	V2xFac_ConnectionType		
Kind	Structure		
Elements	connectingLane	V2xFac_ConnectingLaneType	--
	remoteIntersection	V2xFac_IntersectionReferenceIDType	--
	signalGroup	V2xFac_SignalGroupIDType	--
	userClass	V2xFac_RestrictionClassIDType	--
	connectionID	V2xFac_LaneConnectionIDType	--
	presence	V2xFac_ConnectionPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91286]** [

Name	V2xFac_ConnectionPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	remoteIntersection	0x01	Bit 0 (LSB): Optional child present
	bit	signalGroup	0x02	Bit 1: Optional child present
	bit	userClass	0x04	Bit 2: Optional child present
	bit	connectionID	0x08	Bit 3: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91287]** [

Name	V2xFac_ConnectionManeuverAssistType		
Kind	Structure		
Elements	connectionID	V2xFac_LaneConnectionIDType	--
	queueLength	V2xFac_ZoneLengthType	--
	availableStorageLength	V2xFac_ZoneLengthType	--
	waitOnStop	V2xFac_WaitOnStoplineType	--
	pedBicycleDetect	V2xFac_PedestrianBicycleDetectType	--
	presence	V2xFac_ConnectionManeuverAssistPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91288]** [

Name	V2xFac_ConnectionManeuverAssistPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	queueLength	0x01	Bit 0 (LSB): Optional child present
	bit	availableStorageLength	0x02	Bit 1: Optional child present
	bit	waitOnStop	0x04	Bit 2: Optional child present
	bit	pedBicycleDetect	0x08	Bit 3: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91289]** [

Name	V2xFac_ConnectsToListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ConnectionType	--



	Size	16
Description	Namespace: MAPEM	
Variation	--	
Available via	V2xFac.h	

] ()

**[SWS\_V2xFac\_91290]** [

Name	V2xFac_DataParametersType		
Kind	Structure		
Elements	processMethod	V2xFac_processMethod108Type	--
	processAgency	V2xFac_processAgency109Type	--
	lastCheckedDate	V2xFac_lastCheckedDate110Type	--
	geoidUsed	V2xFac_geoidUsed111Type	--
	presence	V2xFac_DataParametersPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91291]** [

Name	V2xFac_processMethod108Type		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: MAPEM		
Range	1..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91292]** [

Name	V2xFac_processAgency109Type		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: MAPEM		

Range	1..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91293]** [

Name	V2xFac_lastCheckedDate110Type		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: MAPEM		
Range	1..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91294]** [

Name	V2xFac_geoidUsed111Type		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: MAPEM		
Range	1..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91295]** [

Name	V2xFac_DataParametersPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	processMethod	0x01	Bit 0 (LSB): Optional child present
	bit	processAgency	0x02	Bit 1: Optional child present
	bit	lastCheckedDate	0x04	Bit 2: Optional child present
	bit	geoidUsed	0x08	Bit 3: Optional child present

Description	Namespace: MAPEM
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91296] [**

Name	V2xFac_EnabledLaneListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LaneIDType	--
		Size	16
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91297] [**

Name	V2xFac_GenericLaneType		
Kind	Structure		
Elements	laneID	V2xFac_LaneIDType	--
	name	V2xFac_DescriptiveNameType	--
	ingressApproach	V2xFac_ApproachIDType	--
	egressApproach	V2xFac_ApproachIDType	--
	laneAttributes	V2xFac_LaneAttributesType	--
	maneuvers	V2xFac_AllowedManeuversType	--
	nodeList	V2xFac_NodeListXYType	--
	connectsTo	V2xFac_ConnectsToListType	--
	overlays	V2xFac_OverlayLaneListType	--
	presence	V2xFac_GenericLanePresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91298] [**

Name	V2xFac_GenericLanePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	name	0x01	Bit 0 (LSB): Optional child present
	bit	ingressApproach	0x02	Bit 1: Optional child present
	bit	egressApproach	0x04	Bit 2: Optional child present
	bit	maneuvers	0x08	Bit 3: Optional child present
	bit	connectsTo	0x10	Bit 4: Optional child present
	bit	overlays	0x20	Bit 5: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91299]** [

Name	V2xFac_IntersectionGeometryType		
Kind	Structure		
Elements	name	V2xFac_DescriptiveNameType	--
	id	V2xFac_IntersectionReferenceIDType	--
	revision	V2xFac_MsgCountType	--
	refPoint	V2xFac_Position3DType	--
	laneWidth	V2xFac_LaneWidthType	--
	speedLimits	V2xFac_SpeedLimitListType	--
	laneSet	V2xFac_LaneListType	--
	preemptPriorityData	V2xFac_PreemptPriorityListType	--
	presence	V2xFac_IntersectionGeometryPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91300]** [

Name	V2xFac_IntersectionGeometryPresenceType
------	---

Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	name	0x01	Bit 0 (LSB): Optional child present
	bit	laneWidth	0x02	Bit 1: Optional child present
	bit	speedLimits	0x04	Bit 2: Optional child present
	bit	preemptPriorityData	0x08	Bit 3: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91301]** [

Name	V2xFac_IntersectionGeometryListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_IntersectionGeometryType	--
		Size	32
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91302]** [

Name	V2xFac_IntersectionReferenceIDType		
Kind	Structure		
Elements	region	V2xFac_RoadRegulatorIDType	--
	id	V2xFac_IntersectionIDType	--
	presence	V2xFac_IntersectionReferenceIDPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91303]** [

Name	V2xFac_IntersectionReferenceIDPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	region	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91304]** [

Name	V2xFac_IntersectionStateType		
Kind	Structure		
Elements	name	V2xFac_DescriptiveNameType	--
	id	V2xFac_IntersectionReferenceIDType	--
	revision	V2xFac_MsgCountType	--
	status	V2xFac_IntersectionStatusObjectType	--
	moy	V2xFac_MinuteOfTheYearType	--
	timeStamp	V2xFac_DSecondType	--
	enabledLanes	V2xFac_EnabledLaneListType	--
	states	V2xFac_MovementListType	--
	maneuverAssistList	V2xFac_ManeuverAssistListType	--
	presence	V2xFac_IntersectionStatePresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91305]** [

Name	V2xFac_IntersectionStatePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	name	0x01	Bit 0 (LSB): Optional child present

	bit	moy	0x02	Bit 1: Optional child present
	bit	timeStamp	0x04	Bit 2: Optional child present
	bit	enabledLanes	0x08	Bit 3: Optional child present
	bit	maneuverAssistList	0x10	Bit 4: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91306]** [

Name	V2xFac_IntersectionStateListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_IntersectionStateType	--
		Size	32
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91307]** [

Name	V2xFac_LaneAttributesType		
Kind	Structure		
Elements	directionalUse	V2xFac_LaneDirectionType	--
	sharedWith	V2xFac_LaneSharingType	--
	laneType	V2xFac_LaneTypeAttributesType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91308]** [

Name	V2xFac_LaneDataAttributeType		
Kind	Structure		
Elements	pathEndPointAngle	V2xFac_DeltaAngleType	--

	laneCrownPointCenter	V2xFac_RoadwayCrownAngleType	--
	laneCrownPointLeft	V2xFac_RoadwayCrownAngleType	--
	laneCrownPointRight	V2xFac_RoadwayCrownAngleType	--
	laneAngle	V2xFac_MergeDivergeNodeAngleType	--
	speedLimits	V2xFac_SpeedLimitListType	--
	choice	V2xFac_LaneDataAttributeChoiceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91309]** [

Name	V2xFac_LaneDataAttributeChoiceType		
Kind	Enumeration		
Range	V2XFAC_LANEDATAATTRIBUTE_PATH_END_POINT_ANGLE	0x01	--
	V2XFAC_LANEDATAATTRIBUTE_LANE_CROWN_POINT_CENTER	0x02	--
	V2XFAC_LANEDATAATTRIBUTE_LANE_CROWN_POINT_LEFT	0x03	--
	V2XFAC_LANEDATAATTRIBUTE_LANE_CROWN_POINT_RIGHT	0x04	--
	V2XFAC_LANEDATAATTRIBUTE_LANE_ANGLE	0x05	--
	V2XFAC_LANEDATAATTRIBUTE_SPEED_LIMITS	0x06	--
	V2XFAC_LANEDATAATTRIBUTE_REGIONAL	0x07	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91310]** [

Name	V2xFac_LaneDataAttributeListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LaneDataAttributeType	--
		Size	8
Description	Namespace: MAPEM		



Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91311]** [

Name	V2xFac_LaneListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_GenericLaneType	--
		Size	255
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91312]** [

Name	V2xFac_LaneTypeAttributesType		
Kind	Structure		
Elements	vehicle	V2xFac_LaneAttributes_VehicleType	--
	crosswalk	V2xFac_LaneAttributes_CrosswalkType	--
	bikeLane	V2xFac_LaneAttributes_BikeType	--
	sidewalk	V2xFac_LaneAttributes_SidewalkType	--
	median	V2xFac_LaneAttributes_BarrierType	--
	striping	V2xFac_LaneAttributes_StripingType	--
	trackedVehicle	V2xFac_LaneAttributes_TrackedVehicleType	--
	parking	V2xFac_LaneAttributes_ParkingType	--
	choice	V2xFac_LaneTypeAttributesChoiceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91313]** [

Name	V2xFac_LaneTypeAttributesChoiceType
------	-------------------------------------

Kind	Enumeration		
Range	V2XFAC_LANETYPEATTRIBUTES_VEHICLE	0x01	--
	V2XFAC_LANETYPEATTRIBUTES_CROSSWALK	0x02	--
	V2XFAC_LANETYPEATTRIBUTES_BIKE_LANE	0x03	--
	V2XFAC_LANETYPEATTRIBUTES_SIDEWALK	0x04	--
	V2XFAC_LANETYPEATTRIBUTES_MEDIAN	0x05	--
	V2XFAC_LANETYPEATTRIBUTES_STRIPING	0x06	--
	V2XFAC_LANETYPEATTRIBUTES_TRACKED_VEHICLE	0x07	--
	V2XFAC_LANETYPEATTRIBUTES_PARKING	0x08	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91314]** [

Name	V2xFac_ManeuverAssistListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_ConnectionManeuverAssistType	--
		Size	16
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91315]** [

Name	V2xFac_MovementEventListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_MovementEventType	--
		Size	16
Description	Namespace: MAPEM		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91316]** [

Name	V2xFac_MovementEventType		
Kind	Structure		
Elements	eventState	V2xFac_MovementPhaseStateType	--
	timing	V2xFac_TimeChangeDetailsType	--
	speeds	V2xFac_AdvisorySpeedListType	--
	presence	V2xFac_MovementEventPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91317]** [

Name	V2xFac_MovementEventPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	timing	0x01	Bit 0 (LSB): Optional child present
	bit	speeds	0x02	Bit 1: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91318]** [

Name	V2xFac_MovementListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_MovementStateType	--
		Size	255
Description	Namespace: MAPEM		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91319]** [

Name	V2xFac_MovementStateType		
Kind	Structure		
Elements	movementName	V2xFac_DescriptiveNameType	--
	signalGroup	V2xFac_SignalGroupIDType	--
	state_time_speed	V2xFac_MovementEventListType	--
	maneuverAssistList	V2xFac_ManeuverAssistListType	--
	presence	V2xFac_MovementStatePresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91320]** [

Name	V2xFac_MovementStatePresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	movementName	0x01	Bit 0 (LSB): Optional child present
	bit	maneuverAssistList	0x02	Bit 1: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91321]** [

Name	V2xFac_Node_LLmD_64bType		
Kind	Structure		
Elements	lon	V2xFac_LongitudeType	--
	lat	V2xFac_LatitudeType	--
Description	Namespace: MAPEM		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91322]** [

Name	V2xFac_Node_XY_20bType		
Kind	Structure		
Elements	x	V2xFac_Offset_B10Type	--
	y	V2xFac_Offset_B10Type	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91323]** [

Name	V2xFac_Node_XY_22bType		
Kind	Structure		
Elements	x	V2xFac_Offset_B11Type	--
	y	V2xFac_Offset_B11Type	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91324]** [

Name	V2xFac_Node_XY_24bType		
Kind	Structure		
Elements	x	V2xFac_Offset_B12Type	--
	y	V2xFac_Offset_B12Type	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91325]** [

Name	V2xFac_Node_XY_26bType		
------	------------------------	--	--

Kind	Structure		
Elements	x	V2xFac_Offset_B13Type	--
	y	V2xFac_Offset_B13Type	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91326]** [

Name	V2xFac_Node_XY_28bType		
Kind	Structure		
Elements	x	V2xFac_Offset_B14Type	--
	y	V2xFac_Offset_B14Type	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91327]** [

Name	V2xFac_Node_XY_32bType		
Kind	Structure		
Elements	x	V2xFac_Offset_B16Type	--
	y	V2xFac_Offset_B16Type	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91328]** [

Name	V2xFac_NodeAttributeSetXYType		
Kind	Structure		
Elements	localNode	V2xFac_NodeAttributeXYListType	--
	disabled	V2xFac_SegmentAttributeXYListType	--
	enabled	V2xFac_SegmentAttributeXYListType	--

	data	V2xFac_LaneDataAttributeListType	--
	dWidth	V2xFac_Offset_B10Type	--
	dElevation	V2xFac_Offset_B10Type	--
	presence	V2xFac_NodeAttributeSetXYPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91329]** [

Name	V2xFac_NodeAttributeSetXYPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	localNode	0x01	Bit 0 (LSB): Optional child present
	bit	disabled	0x02	Bit 1: Optional child present
	bit	enabled	0x04	Bit 2: Optional child present
	bit	data	0x08	Bit 3: Optional child present
	bit	dWidth	0x10	Bit 4: Optional child present
	bit	dElevation	0x20	Bit 5: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91330]** [

Name	V2xFac_NodeAttributeXYListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_NodeAttributeXYType	--
		Size	8
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91331] [**

Name	V2xFac_NodeListXYType		
Kind	Structure		
Elements	nodes	V2xFac_NodeSetXYType	--
	computed	V2xFac_ComputedLaneType	--
	choice	V2xFac_NodeListXYChoiceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91332] [**

Name	V2xFac_NodeListXYChoiceType		
Kind	Enumeration		
Range	V2XFAC_NODELISTXY_NODES	0x01	--
	V2XFAC_NODELISTXY_COMPUTED	0x02	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91333] [**

Name	V2xFac_NodeOffsetPointXYType		
Kind	Structure		
Elements	node_XY1	V2xFac_Node_XY_20bType	--
	node_XY2	V2xFac_Node_XY_22bType	--
	node_XY3	V2xFac_Node_XY_24bType	--
	node_XY4	V2xFac_Node_XY_26bType	--
	node_XY5	V2xFac_Node_XY_28bType	--
	node_XY6	V2xFac_Node_XY_32bType	--
	node_LatLon	V2xFac_Node_LLmD_64bType	--
	choice	V2xFac_NodeOffsetPointXYChoiceType	--



Description	Namespace: MAPEM
Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91334]** [

Name	V2xFac_NodeOffsetPointXYChoiceType		
Kind	Enumeration		
Range	V2XFAC_NODEOFFSETPOINTXY_NODE_XY1	0x01	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY2	0x02	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY3	0x03	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY4	0x04	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY5	0x05	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY6	0x06	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_LAT_LON	0x07	--
	V2XFAC_NODEOFFSETPOINTXY_REGIONAL	0x08	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91335]** [

Name	V2xFac_NodeSetXYType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_NodeXYType	--
		Size	63
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91336]** [

Name	V2xFac_NodeXYType
------	-------------------

Kind	Structure		
Elements	delta	V2xFac_NodeOffsetPointXYType	--
	attributes	V2xFac_NodeAttributeSetXYType	--
	presence	V2xFac_NodeXYPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91337]** [

Name	V2xFac_NodeXYPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	attributes	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91338]** [

Name	V2xFac_OverlayLaneListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_LaneIDType	--
		Size	5
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91339]** [

Name	V2xFac_Position3DType		
Kind	Structure		
Elements	lat	V2xFac_LatitudeType	--

	long	V2xFac_LongitudeType	--
	elevation	V2xFac_ElevationType	--
	presence	V2xFac_Position3DPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91340]** [

Name	V2xFac_Position3DPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	elevation	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91341]** [

Name	V2xFac_PreemptPriorityListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_SignalControlZoneType	--
		Size	32
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91342]** [

Name	V2xFac_SignalControlZoneType
Kind	Structure
Description	Namespace: MAPEM
Variation	--

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91343]** [

Name	V2xFac_RegulatorySpeedLimitType		
Kind	Structure		
Elements	type	V2xFac_SpeedLimitTypeType	--
	speed	V2xFac_VelocityType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91344]** [

Name	V2xFac_RestrictionClassAssignmentType		
Kind	Structure		
Elements	id	V2xFac_RestrictionClassIDType	--
	users	V2xFac_RestrictionUserTypeListType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91345]** [

Name	V2xFac_RestrictionClassListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_RestrictionClassAssignmentType	--
		Size	254
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91346]** [

Name	V2xFac_RestrictionUserTypeListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_RestrictionUserTypeType	--
		Size	16
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91347]** [

Name	V2xFac_RestrictionUserTypeType		
Kind	Structure		
Elements	basicType	V2xFac_RestrictionAppliesToType	--
	choice	V2xFac_RestrictionUserTypeChoiceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91348]** [

Name	V2xFac_RestrictionUserTypeChoiceType		
Kind	Enumeration		
Range	V2XFAC_RESTRICTIONUSERTYPE_BASIC_TYPE	0x01	--
	V2XFAC_RESTRICTIONUSERTYPE_REGIONAL	0x02	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91349]** [

Name	V2xFac_RoadLaneSetListType		
Kind	Structure		
Elements	count	uint8	--

	values	Array of V2xFac_GenericLaneType	--
		Size	255
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91350]** [

Name	V2xFac_RoadSegmentListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_RoadSegmentType	--
		Size	32
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91351]** [

Name	V2xFac_RoadSegmentReferenceIDType		
Kind	Structure		
Elements	region	V2xFac_RoadRegulatorIDType	--
	id	V2xFac_RoadSegmentIDType	--
	presence	V2xFac_RoadSegmentReferenceIDPresenceType	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91352]** [

Name	V2xFac_RoadSegmentReferenceIDPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description

	bit	region	0x01	Bit 0 (LSB): Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91353]** [

Name	V2xFac_RoadSegmentType			
Kind	Structure			
Elements	name	V2xFac_DescriptiveNameType		--
	id	V2xFac_RoadSegmentReferenceIDType		--
	revision	V2xFac_MsgCountType		--
	refPoint	V2xFac_Position3DType		--
	laneWidth	V2xFac_LaneWidthType		--
	speedLimits	V2xFac_SpeedLimitListType		--
	roadLaneSet	V2xFac_RoadLaneSetListType		--
	presence	V2xFac_RoadSegmentPresenceType		--
Description	Namespace: MAPEM			
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91354]** [

Name	V2xFac_RoadSegmentPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	name	0x01	Bit 0 (LSB): Optional child present
	bit	laneWidth	0x02	Bit 1: Optional child present
	bit	speedLimits	0x04	Bit 2: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91355]** [

Name	V2xFac_SegmentAttributeXYListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_SegmentAttributeXYType	--
		Size	8
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91356]** [

Name	V2xFac_SpeedLimitListType		
Kind	Structure		
Elements	count	uint8	--
	values	Array of V2xFac_RegulatorySpeedLimitType	--
		Size	9
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91357]** [

Name	V2xFac_TimeChangeDetailsType		
Kind	Structure		
Elements	startTime	V2xFac_TimeMarkType	--
	minEndTime	V2xFac_TimeMarkType	--
	maxEndTime	V2xFac_TimeMarkType	--
	likelyTime	V2xFac_TimeMarkType	--
	confidence	V2xFac_TimeIntervalConfidenceType	--
	nextTime	V2xFac_TimeMarkType	--
	presence	V2xFac_TimeChangeDetailsPresenceType	--
Description	Namespace: MAPEM		
Variation	--		



Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91358]** [

Name	V2xFac_TimeChangeDetailsPresenceType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	startTime	0x01	Bit 0 (LSB): Optional child present
	bit	maxEndTime	0x02	Bit 1: Optional child present
	bit	likelyTime	0x04	Bit 2: Optional child present
	bit	confidence	0x08	Bit 3: Optional child present
	bit	nextTime	0x10	Bit 4: Optional child present
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91359]** [

Name	V2xFac_AdvisorySpeedTypeType		
Kind	Enumeration		
Range	none	0	--
	greenwave	1	--
	ecoDrive	2	--
	transit	3	--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91360]** [

Name	V2xFac_AllowedManeuversType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description

	bit	maneuverStraightAllowed	0x01	--
	bit	maneuverLeftAllowed	0x02	--
	bit	maneuverRightAllowed	0x04	--
	bit	maneuverUTurnAllowed	0x08	--
	bit	maneuverLeftTurnOnRedAllowed	0x10	--
	bit	maneuverRightTurnOnRedAllowed	0x20	--
	bit	maneuverLaneChangeAllowed	0x40	--
	bit	maneuverNoStoppingAllowed	0x80	--
	bit	yieldAllwaysRequired	0x100	--
	bit	goWithHalt	0x200	--
	bit	caution	0x400	--
	bit	reserved1	0x800	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91361]** [

Name	V2xFac_AngleType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..28800		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91362]** [

Name	V2xFac_ApproachIDType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..15		--
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91363]** [

Name	V2xFac_DeltaAngleType		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_150..150		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91364]** [

Name	V2xFac_DescriptiveNameType		
Kind	Type		
Derived from	V2xFac_StringType		
Description	Namespace: MAPEM		
Range	1..63		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91365]** [

Name	V2xFac_DrivenLineOffsetLgType		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_32767..32767		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91366]** [

Name	V2xFac_DrivenLineOffsetSmType		
------	-------------------------------	--	--

Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_2047..2047		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91367]** [

Name	V2xFac_DSecondType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91368]** [

Name	V2xFac_ElevationType		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_4096..61439		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91369]** [

Name	V2xFac_IntersectionIDType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..65535		--

Variation	--
Available via	V2xFac.h

] ()

**[SWS\_V2xFac\_91370]** [

Name	V2xFac_IntersectionStatusObjectType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	manualControllsEnabled	0x01	--
	bit	stopTimelsActivated	0x02	--
	bit	failureFlash	0x04	--
	bit	preemptIsActive	0x08	--
	bit	signalPriorityIsActive	0x10	--
	bit	fixedTimeOperation	0x20	--
	bit	trafficDependentOperation	0x40	--
	bit	standbyOperation	0x80	--
	bit	failureMode	0x100	--
	bit	off	0x200	--
	bit	recentMAPmessageUpdate	0x400	--
	bit	recentChangeInMAPAssignedLanesIDsUsed	0x800	--
	bit	noValidMAPisAvailableAtThisTime	0x1000	--
bit	noValidSPATisAvailableAtThisTime	0x2000	--	
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91371]** [

Name	V2xFac_LaneAttributes_BarrierType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	median_RevocableLane	0x01	--

	bit	median	0x02	--
	bit	whiteLineHashing	0x04	--
	bit	stripedLines	0x08	--
	bit	doubleStripedLines	0x10	--
	bit	trafficCones	0x20	--
	bit	constructionBarrier	0x40	--
	bit	trafficChannels	0x80	--
	bit	lowCurbs	0x100	--
	bit	highCurbs	0x200	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91372]** [

Name	V2xFac_LaneAttributes_BikeType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	bikeRevocableLane	0x01	--
	bit	pedestrianUseAllowed	0x02	--
	bit	isBikeFlyOverLane	0x04	--
	bit	fixedCycleTime	0x08	--
	bit	biDirectionalCycleTimes	0x10	--
	bit	isolatedByBarrier	0x20	--
	bit	unsignalizedSegmentsPresent	0x40	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91373]** [

Name	V2xFac_LaneAttributes_CrosswalkType			
Kind	Bitfield			
Derived from	uint8			

Elements	Kind	Name	Mask	Description
	bit	crosswalkRevocableLane	0x01	--
	bit	bicycleUseAllowed	0x02	--
	bit	isXwalkFlyOverLane	0x04	--
	bit	fixedCycleTime	0x08	--
	bit	biDirectionalCycleTimes	0x10	--
	bit	hasPushToWalkButton	0x20	--
	bit	audioSupport	0x40	--
	bit	rfSignalRequestPresent	0x80	--
	bit	unsignalizedSegmentsPresent	0x100	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91374]** [

Name	V2xFac_LaneAttributes_ParkingType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	parkingRevocableLane	0x01	--
	bit	parallelParkingInUse	0x02	--
	bit	headInParkingInUse	0x04	--
	bit	doNotParkZone	0x08	--
	bit	parkingForBusUse	0x10	--
	bit	parkingForTaxiUse	0x20	--
	bit	noPublicParkingUse	0x40	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91375]** [

Name	V2xFac_LaneAttributes_SidewalkType
Kind	Bitfield

Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	sidewalk_RevocableLane	0x01	--
	bit	bicycleUseAllowed	0x02	--
	bit	isSidewalkFlyOverLane	0x04	--
	bit	walkBikes	0x08	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91376]** [

Name	V2xFac_LaneAttributes_StripingType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	stripeToConnectingLanesRevocableLane	0x01	--
	bit	stripeDrawOnLeft	0x02	--
	bit	stripeDrawOnRight	0x04	--
	bit	stripeToConnectingLanesLeft	0x08	--
	bit	stripeToConnectingLanesRight	0x10	--
	bit	stripeToConnectingLanesAhead	0x20	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91377]** [

Name	V2xFac_LaneAttributes_TrackedVehicleType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	spec_RevocableLane	0x01	--
	bit	spec_commuterRailRoadTrack	0x02	--
	bit	spec_lightRailRoadTrack	0x04	--



	bit	spec_heavyRailRoadTrack	0x08	--
	bit	spec_otherRailType	0x10	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91378]** [

Name	V2xFac_LaneAttributes_VehicleType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	isVehicleRevocableLane	0x01	--
	bit	isVehicleFlyOverLane	0x02	--
	bit	hovLaneUseOnly	0x04	--
	bit	restrictedToBusUse	0x08	--
	bit	restrictedToTaxiUse	0x10	--
	bit	restrictedFromPublicUse	0x20	--
	bit	hasIRbeaconCoverage	0x40	--
	bit	permissionOnRequest	0x80	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91379]** [

Name	V2xFac_LaneConnectionIDType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91380]** [

Name	V2xFac_LaneDirectionType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	ingressPath	0x01	--
	bit	egressPath	0x02	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91381]** [

Name	V2xFac_LaneIDType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91382]** [

Name	V2xFac_LaneSharingType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	overlappingLaneDescriptionProvided	0x01	--
	bit	multipleLanesTreatedAsOneLane	0x02	--
	bit	otherNonMotorizedTrafficTypes	0x04	--
	bit	individualMotorizedVehicleTraffic	0x08	--
	bit	busVehicleTraffic	0x10	--
	bit	taxiVehicleTraffic	0x20	--
	bit	pedestriansTraffic	0x40	--
	bit	cyclistVehicleTraffic	0x80	--

	bit	trackedVehicleTraffic	0x100	--
	bit	pedestrianTraffic	0x200	--
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91383]** [

Name	V2xFac_LayerIDType			
Kind	Type			
Derived from	uint8			
Description	Namespace: MAPEM			
Range	0..100			--
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91384]** [

Name	V2xFac_LayerTypeType			
Kind	Enumeration			
Range	none			--
	mixedContent			--
	generalMapData			--
	intersectionData			--
	curveData			--
	roadwaySectionData			--
	parkingAreaData			--
	sharedLaneData			--
Description	Namespace: MAPEM			
Variation	--			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91385]** [

Name	V2xFac_MergeDivergeNodeAngleType			
------	----------------------------------	--	--	--

Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_180..180		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91386]** [

Name	V2xFac_MinuteOfTheYearType		
Kind	Type		
Derived from	uint32		
Description	Namespace: MAPEM		
Range	0..527040		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91387]** [

Name	V2xFac_MovementPhaseStateType		
Kind	Enumeration		
Range	unavailable	0	--
	dark	1	--
	stop_Then_Proceed	2	--
	stop_And_Remain	3	--
	pre_Movement	4	--
	permissive_Movement_Allowed	5	--
	protected_Movement_Allowed	6	--
	permissive_clearance	7	--
	protected_clearance	8	--
	caution_Conflicting_Traffic	9	--
Description	Namespace: MAPEM		
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91388]** [

Name	V2xFac_MsgCountType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..127		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91389]** [

Name	V2xFac_NodeAttributeXYType		
Kind	Enumeration		
Range	reserved		--
	stopLine		--
	roundedCapStyleA		--
	roundedCapStyleB		--
	mergePoint		--
	divergePoint		--
	downstreamStopLine		--
	downstreamStartNode		--
	closedToTraffic		--
	safeland		--
	curbPresentAtStepOff		--
	hydrantPresent		--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91390]** [

Name	V2xFac_Offset_B10Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_512..511		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91391]** [

Name	V2xFac_Offset_B11Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_1024..1023		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91392]** [

Name	V2xFac_Offset_B12Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_2048..2047		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91393]** [

Name	V2xFac_Offset_B13Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		

Range	_4096..4095		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91394]** [

Name	V2xFac_Offset_B14Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_8192..8191		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91395]** [

Name	V2xFac_Offset_B16Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		
Range	_32768..32767		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91396]** [

Name	V2xFac_PedestrianBicycleDetectType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	value	0x00	false if 0, true otherwise
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91397]** [

Name	V2xFac_RestrictionAppliesToType		
Kind	Enumeration		
Range	none		--
	equippedTransit		--
	equippedTaxis		--
	equippedOther		--
	emissionCompliant		--
	equippedBicycle		--
	weightCompliant		--
	heightCompliant		--
	pedestrians		--
	slowMovingPersons		--
	wheelchairUsers		--
	visualDisabilities		--
	audioDisabilities		--
otherUnknownDisabilities		--	
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91398]** [

Name	V2xFac_RestrictionClassIDType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91399]** [



Name	V2xFac_RoadRegulatorIDType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91400]** [

Name	V2xFac_RoadSegmentIDType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91401]** [

Name	V2xFac_RoadwayCrownAngleType		
Kind	Type		
Derived from	sint8		
Description	Namespace: MAPEM		
Range	_128..127		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91402]** [

Name	V2xFac_Scale_B12Type		
Kind	Type		
Derived from	sint16		
Description	Namespace: MAPEM		

Range	_2048..2047		--
Variation	--		
Available via	V2xFac.h		

] ()

[SWS\_V2xFac\_91403] [

Name	V2xFac_SegmentAttributeXYType		
Kind	Enumeration		
Range	reserved		--
	doNotBlock		--
	whiteLine		--
	mergingLaneLeft		--
	mergingLaneRight		--
	curbOnLeft		--
	curbOnRight		--
	loadingzoneOnLeft		--
	loadingzoneOnRight		--
	turnOutPointOnLeft		--
	turnOutPointOnRight		--
	adjacentParkingOnLeft		--
	adjacentParkingOnRight		--
	adjacentBikeLaneOnLeft		--
	adjacentBikeLaneOnRight		--
	sharedBikeLane		--
	bikeBoxInFront		--
	transitStopOnLeft		--
	transitStopOnRight		--
	transitStopInLane		--
sharedWithTrackedVehicle		--	
safelIsland		--	
lowCurbsPresent		--	
rumbleStripPresent		--	
audibleSignalingPresent		--	

	adaptiveTimingPresent		--
	rfSignalRequestPresent		--
	partialCurbIntrusion		--
	taperToLeft		--
	taperToRight		--
	taperToCenterLine		--
	parallelParking		--
	headInParking		--
	freeParking		--
	timeRestrictionsOnParking		--
	costToPark		--
	midBlockCurbPresent		--
	unEvenPavementPresent		--
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91404]** [

Name	V2xFac_SignalGroupIDType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..255		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91405]** [

Name	V2xFac_SpeedAdviceType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		

Range	0..500		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91406]** [

Name	V2xFac_SpeedLimitTypeType		
Kind	Enumeration		
Range	unknown		--
	maxSpeedInSchoolZone		--
	maxSpeedInSchoolZoneWhenChildrenArePresent		--
	maxSpeedInConstructionZone		--
	vehicleMinSpeed		--
	vehicleMaxSpeed		--
	vehicleNightMaxSpeed		--
	truckMinSpeed		--
	truckMaxSpeed		--
	truckNightMaxSpeed		--
	vehiclesWithTrailersMinSpeed		--
	vehiclesWithTrailersMaxSpeed		--
vehiclesWithTrailersNightMaxSpeed		--	
Description	Namespace: MAPEM		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91407]** [

Name	V2xFac_TimeIntervalConfidenceType		
Kind	Type		
Derived from	uint8		
Description	Namespace: MAPEM		
Range	0..15		--
Variation	--		

Available via	V2xFac.h
---------------	----------

] ()

**[SWS\_V2xFac\_91408]** [

Name	V2xFac_TimeMarkType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..36001		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91409]** [

Name	V2xFac_VelocityType		
Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..8191		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91410]** [

Name	V2xFac_WaitOnStoplineType			
Kind	Bitfield			
Derived from	uint8			
Elements	Kind	Name	Mask	Description
	bit	value	0x00	false if 0, true otherwise
Description	Namespace: MAPEM			
Available via	V2xFac.h			

] ()

**[SWS\_V2xFac\_91411]** [

Name	V2xFac_ZoneLengthType
------	-----------------------

Kind	Type		
Derived from	uint16		
Description	Namespace: MAPEM		
Range	0..10000		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91424]** [

Name	V2xFac_EssMobileFrictionType		
Kind	Type		
Derived from	uint8		
Description	Namespace: NTCIP		
Range	0..101		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91425]** [

Name	V2xFac_EssPrecipRateType		
Kind	Type		
Derived from	uint16		
Description	Namespace: NTCIP		
Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91426]** [

Name	V2xFac_EssPrecipSituationType		
Kind	Enumeration		
Range	other	1	--
	unknown	2	--
	noPrecipitation	3	--

	unidentifiedSlight	4	--
	unidentifiedModerate	5	--
	unidentifiedHeavy	6	--
	snowSlight	7	--
	snowModerate	8	--
	snowHeavy	9	--
	rainSlight	10	--
	rainModerate	11	--
	rainHeavy	12	--
	frozenPrecipitationSlight	13	--
	frozenPrecipitationModerate	14	--
	frozenPrecipitationHeavy	15	--
Description	Namespace: NTCIP		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91427]** [

Name	V2xFac_EssPrecipYesNoType		
Kind	Enumeration		
Range	precip	1	--
	noPrecip	2	--
	error	3	--
Description	Namespace: NTCIP		
Variation	--		
Available via	V2xFac.h		

] ()

**[SWS\_V2xFac\_91428]** [

Name	V2xFac_EssSolarRadiationType
Kind	Type
Derived from	uint16
Description	Namespace: NTCIP

Range	0..65535		--
Variation	--		
Available via	V2xFac.h		

] ()

## 8.7.4 Ports

### 8.7.4.1 V2xFac\_V2xFac\_DenBs

[SWS\_V2xFac\_00102] [

Name	V2xFac_DenBs		
Kind	ProvidedPort	Interface	V2xFacDenBs
Description	Service port for DEN specific service requests		
Variation	--		

] ()

### 8.7.4.2 V2xFac\_V2xFac\_V2xAppIRxIndication\_CAM

[SWS\_V2xFac\_00104] [

Name	V2xFac_V2xAppIRxIndication_CAM		
Kind	ProvidedPort	Interface	V2xAppIRxIndicationCam
Description	Port for delivering received CAMs to application layer		
Variation	--		

] ()

### 8.7.4.3 V2xFac\_V2xFac\_V2xAppIRxIndication\_DENM

[SWS\_V2xFac\_00233] [

Name	V2xFac_V2xAppIRxIndication_DENM		
Kind	ProvidedPort	Interface	V2xAppIRxIndicationDenm
Description	Port for delivering received DENMs to application layer		
Variation	--		

] ()

### 8.7.4.4 V2xFac\_V2xFac\_Vdp

[SWS\_V2xFac\_00105] [

Name	V2xFac_Vdp		
Kind	RequiredPort	Interface	V2xFacVdp
Description	Port for retrieving data from VDP application		
Variation	--		



] ()

**8.7.4.5 V2xFac\_V2xFac\_V2xAppIRxIndication\_IVIM**

**[SWS\_V2xFac\_91605]** [

Name	V2xFac_V2xAppIRxIndication_IVIM		
Kind	ProvidedPort	Interface	V2xAppIRxIndicationIvim
Description	Port for delivering received IVIMs to application layer		
Variation	--		

] ()

**8.7.4.6 V2xFac\_V2xFac\_V2xAppIRxIndication\_MAPEM**

**[SWS\_V2xFac\_91602]** [

Name	V2xFac_V2xAppIRxIndication_MAPEM		
Kind	ProvidedPort	Interface	V2xAppIRxIndicationMapem
Description	Port for delivering received MAPEMs to application layer		
Variation	--		

] ()

**8.7.4.7 V2xFac\_V2xFac\_V2xAppIRxIndication\_SPATEM**

**[SWS\_V2xFac\_91608]** [

Name	V2xFac_V2xAppIRxIndication_SPATEM		
Kind	ProvidedPort	Interface	V2xAppIRxIndicationSpatem
Description	Port for delivering received SPATEMs to application layer		
Variation	--		

] ()

## 9 Sequence diagrams

### 9.1 CAM Generation and Transmission




Figure 9.1 CAM Generation and Transmission

### 9.2 CAM Reception




Figure 9.2 CAM Reception

### 9.3 DENM Generation and Transmission




Figure 9.3 DENM Generation and Transmission

### 9.4 DENM Reception




Figure 9.4 DENM Reception

### 9.5 IVIM Reception




Figure 9.5 IVIM Reception




Figure 9.6 MAPEM Reception

### 9.7 SPATEM Reception




Figure 9.7 SPATEM Reception

## 10 Configuration specification

Chapter 10.1 specifies the structure (containers) and the parameters of the module V2xFac.

Chapter 10.2 specifies additionally published information of the module V2xFac.

### 10.1 Containers and configuration parameters

The following chapters summarize all configuration parameters. The detailed meanings of the parameters describe Chapter 7 and Chapter 8.

#### 10.1.1 Variants

**[SWS\_V2xFac\_00238]** [ The V2xFac module only supports VARIANT-PRE-COMPILE ] (SRS\_BSW\_00345)

#### 10.1.2 V2xFac

<b>SWS Item</b>	<b>ECUC_V2xFac_00001 :</b>
<b>Module Name</b>	V2xFac
<b>Module Description</b>	Configuration of the V2xFac module.
<b>Post-Build Variant Support</b>	false
<b>Supported Config Variants</b>	VARIANT-PRE-COMPILE

<b>Included Containers</b>		
<b>Container Name</b>	<b>Multiplicity</b>	<b>Scope / Dependency</b>
V2xFacGeneral	1	This container contains the general configuration parameters of the Vehicle-2-X Basic Transport.

#### 10.1.3 V2xFacGeneral

<b>SWS Item</b>	<b>ECUC_V2xFac_00002 :</b>
<b>Container Name</b>	V2xFacGeneral
<b>Description</b>	This container contains the general configuration parameters of the Vehicle-2-X Basic Transport.
<b>Configuration Parameters</b>	

<b>SWS Item</b>	<b>ECUC_V2xFac_00006 :</b>
<b>Name</b>	V2xFacCaBsMainFunctionPeriod
<b>Parent Container</b>	V2xFacGeneral
<b>Description</b>	This parameter defines the schedule period of V2xFac_CaBs_MainFunction.Unit: [s]
<b>Multiplicity</b>	1
<b>Type</b>	EcucFloatParamDef
<b>Range</b>	]0 .. INF[
<b>Default value</b>	0.1
<b>Post-Build Variant</b>	false

<b>Value</b>			
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	<b>ECUC_V2xFac_00005 :</b>		
<b>Name</b>	V2xFacDenBsMainFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_DenBs_MainFunction.Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	]0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	<b>ECUC_V2xFac_00004 :</b>		
<b>Name</b>	V2xFacDevErrorDetect		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	Switches the Default Error Tracer (Det) detection and notification ON or OFF. <ul style="list-style-type: none"> <li>▪ true: enabled (ON)</li> <li>▪ false: disabled (OFF)</li> </ul>		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucBooleanParamDef		
<b>Default value</b>	false		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	<b>ECUC_V2xFac_00008 :</b>		
<b>Name</b>	V2xFacIviSMainFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_lviS_MainFunction.Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	]0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	

<b>Scope / Dependency</b>	scope: local
---------------------------	--------------

<b>SWS Item</b>	<b>ECUC_V2xFac_00009 :</b>		
<b>Name</b>	V2xFacRltSMFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_RltS_MainFunction.Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	<b>ECUC_V2xFac_00007 :</b>		
<b>Name</b>	V2xFacStationType		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This configuration value defines the station type information of the originating ITS-S, RoadSideUnit (15) not supported by AUTOSAR.		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucEnumerationParamDef		
<b>Range</b>	V2XFAC_ST_BUS	--	
	V2XFAC_ST_CYCLIST	--	
	V2XFAC_ST_HEAVYTRUCK	--	
	V2XFAC_ST_LIGHTTRUCK	--	
	V2XFAC_ST_MOPED	--	
	V2XFAC_ST_MOTORCYCLE	--	
	V2XFAC_ST_PASSENGERCAR	--	
	V2XFAC_ST_PEDESTRIAN	--	
	V2XFAC_ST_SPECIALVEHICLES	--	
	V2XFAC_ST_TRAILER	--	
	V2XFAC_ST_TRAM	--	
V2XFAC_ST_UNKNOWN	--		
<b>Default value</b>	V2XFAC_ST_UNKNOWN		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	<b>ECUC_V2xFac_00003 :</b>		
<b>Name</b>	V2xFacVersionInfoApi		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	<p>Enable/disables the API for reading the version information of the V2xFac Module.</p> <ul style="list-style-type: none"> <li>▪ true: enabled (ON)</li> <li>▪ false: disabled (OFF)</li> </ul>		



<b>Multiplicity</b>	1		
<b>Type</b>	EcucBooleanParamDef		
<b>Default value</b>	false		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

**No Included Containers**

## 11 Not applicable requirements