

Document Title	General Requirements on Methodology and Templates
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	604

Document Status	obsolete
Part of AUTOSAR Standard	Classic Platform
Part of Standard Release	R19-11

Document Change History			
Date	Release	Changed by	Description
2019-11-28	R19-11	AUTOSAR Release Management	 Document set to obsolete Changed Document Status from Final to obsolete
2018-10-31	4.4.0	AUTOSAR Release Management	Editorial changes
2017-12-08	4.3.1	AUTOSAR Release Management	Editorial changes
2016-11-30	4.3.0	AUTOSAR Release Management	Editorial changes
2015-07-31	4.2.2	AUTOSAR Release Management	Editorial changes
2014-10-31	4.2.1	AUTOSAR Release Management	Support variant rich Special Data
2013-10-31	4.1.2	AUTOSAR Release Management	Editorial changes
2013-03-15	4.1.1	AUTOSAR Administration	Initial release









Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.



Table of Contents

1	Intro	duction	6
	1.1 1.2 1.3 1.4	Scope of this document Document Conventions	6 7 8 9
2	Req	uirements	10
	2.1	Category: AUTOSAR Main Requirements	10 10
		ware and its concepts and implementations	10
		that is applicable across different functional domains 2.1.3 Interoperability with legacy software	10 10
	0.0	legacy software	10
	2.2	Category: Variant Handling	11 11
		Constant Value of an Software Component Type [RS_MTG_00006] Describe supported combinations of System	11
		Constant Value of an InternalBehavior [RS_MTG_00007] Describe supported combinations of System	11
		Constant Value of an Implementation [RS_MTG_00008] Describe Special Data which only applies for	12
		specific variants	12
3	Cha	nge History	13
	3.1	Change History for AUTOSAR 4.1.1 against 4.0.3	13 13 13
	3.2	Change History for AUTOSAR 4.2.1 against 4.1.1	14 14 14 14



References

- [1] Standardization Template AUTOSAR_TPS_StandardizationTemplate
- [2] Requirements on Standardization Template AUTOSAR_RS_StandardizationTemplate
- [3] Main Requirements AUTOSAR_RS_Main



1 Introduction

This specification is obsolete and will be removed from the standard in an upcoming release.

1.1 Scope of this document

This document has the purpose to collect requirements on Methodology and Templates which are

- unspecific to single documents
 OR
- specific to parts of the AUTOSAR meta-model relevant for almost all AUTOSAR templates



1.2 Document Conventions

The representation of requirements in AUTOSAR documents follows the table specified in [TPS_STDT_00078], see Standardization Template, chapter Support for Traceability ([1]).

The verbal forms for the expression of obligation specified in [TPS_STDT_00053] shall be used to indicate requirements, see Standardization Template, chapter Support for Traceability ([1]).



1.3 Guidelines

Existing specifications shall be referenced (in form of a single requirement). Differences to these specifications are specified as additional requirements. All Requirements shall have the following properties:

- Redundancy
 Requirements shall not be repeated within one requirement or in other requirements.
- Clearness
 All requirements shall allow one possibility of interpretation only. Used technical terms that are not in the glossary must be defined.
- Atomicity
 Each Requirement shall only contain one requirement. A Requirement is atomic
 if it cannot be split up in further requirements.
- Testability
 Requirements shall be testable by analysis, review or test.
- Traceability
 The source and status of a requirement shall be visible at all times.



1.4 Requirements Tracing

The following table references the requirements specified in [2] and links to the fulfillment of these.

Requirement	Description	Satisfied by
[RS_Main_00080]	AUTOSAR shall provide means to describe a	[RS_MTG_00001]
	component model for Application Software	
[RS_Main_00190]	AUTOSAR shall support standardized	[RS_MTG_00003]
	interoperability with non-AUTOSAR software	



2 Requirements

2.1 Category: AUTOSAR Main Requirements

This section re-defines requirements from relevant requirements defined in Main Requirements [3].

2.1.1 Re-usability

[RS_MTG_00001] AUTOSAR shall ease the re-usability of software and its concepts and implementations \lceil

Туре:	valid
Description:	AUTOSAR shall ease the re-usability of software and its concepts and implementations
Rationale:	See requirement [RS_Main_00080].
Use Case:	See requirement [RS_Main_00080].
Dependencies:	-
Supporting Material:	-

|*(RS_Main_00080)*|

2.1.2 Different functional domains

[RS_MTG_00002] AUTOSAR shall provide a software architecture that is applicable across different functional domains

Type:	valid
Description:	AUTOSAR shall provide a software architecture that is applicable across different functional domains
Rationale:	-
Use Case:	_
Dependencies:	_
Supporting Material:	_

]()

2.1.3 Interoperability with legacy software

[RS_MTG_00003] AUTOSAR shall provide interoperability with legacy software [



Туре:	valid
Description:	AUTOSAR shall provide interoperability with legacy software
Rationale:	See requirement [RS_Main_00190].
Use Case:	See requirement [RS_Main_00190].
Dependencies:	_
Supporting Material:	_

(RS_Main_00190)

2.2 Category: Variant Handling

This section defines requirements on AUTOSAR Variant Handling.

2.2.1 Supported combinations of System Constant Value

[RS_MTG_00005] Describe supported combinations of System Constant Value of an Software Component Type \lceil

Туре:	valid
Description:	The Generic Structure Template shall support the description of the allowed combinations of System Constant Values of a Software Component Type.
Rationale:	Avoid illegal configuration of a software components, Enable selection of an appropriate Software Component Type.
Use Case:	-
Dependencies:	_
Supporting Material:	[RS_SWCT_03100]

10

[RS_MTG_00006] Describe supported combinations of System Constant Value of an InternalBehavior \lceil

Туре:	valid
Description:	The Generic Structure Template shall support the description of the allowed combinations of System Constant Values of an InternalBehavior.
Rationale:	Avoid illegal configuration of a Software Components Enable selection of an appropriate InternalBehavior.





 \triangle

Use Case:	-
Dependencies:	
Supporting Material:	[RS_SWCT_03100]

]()

[RS_MTG_00007] Describe supported combinations of System Constant Value of an Implementation \lceil

Туре:	valid	
Description:	The Generic Structure Template shall support the description of the allowed combinations of System Constant Values of an Implementation.	
Rationale:	Avoid illegal configuration of a Software Components Enable selection of an appropriate Implementation.	
Use Case:	-	
Dependencies:	_	
Supporting Material:	[RS_SWCT_03100]	

]()

[RS_MTG_00008] Describe Special Data which only applies for specific variants

Type:	valid
Description:	The Generic Structure Template shall support the description of Special Data (used to store arbitrary data for which no other element exists of the AUTOSAR data model) being subject of variability. Thereby values of special data can be subject of variability and / or the existence of parts of the Special Data can be subject of variability
Rationale:	Describe proprietary non-AUTOSAR information which relates to variant rich AUTOSAR models.
Use Case:	-
Dependencies:	_
Supporting Material:	

]()



3 Change History

3.1 Change History for AUTOSAR 4.1.1 against 4.0.3

3.1.1 Removed RS Items

N/A

3.1.2 Changed RS Items

N/A

3.1.3 Added RS Items

Number	Heading
[RS_MTG_00001]	AUTOSAR shall ease the re-usability of software and its concepts and imple-
	mentations (former RS_SWCT_0040)
[RS_MTG_00002]	AUTOSAR shall provide a software architecture that is applicable across differ-
	ent functional domains (former RS_SWCT_0050)
[RS_MTG_00003]	AUTOSAR shall provide interoperability with legacy software (former
	RS_SWCT_0130)
[RS_MTG_00005]	Describe supported combinations of System Constant Value of an Software
	Component Type (former RS_SWCT_3145)
[RS_MTG_00006]	Describe supported combinations of System Constant Value of an Internal-
	Behavior (former RS_SWCT_3146)
[RS_MTG_00007]	Describe supported combinations of System Constant Value of an Implemen-
	tation (former RS_SWCT_3147)

Table 3.1: Added Specification Items in 4.1.1



3.2 Change History for AUTOSAR 4.2.1 against 4.1.1

3.2.1 Removed RS Items

N/A

3.2.2 Changed RS Items

N/A

3.2.3 Added RS Items

Number	Heading
[RS_MTG_00008]	Describe Special Data which only applies for specific variants

Table 3.2: Added Specification Items in 4.2.1