

<b>Document Title</b>	Specification of Vehicle-2-X Facilities
<b>Document Owner</b>	AUTOSAR
<b>Document Responsibility</b>	AUTOSAR
<b>Document Identification No</b>	795

<b>Document Status</b>	published
<b>Part of AUTOSAR Standard</b>	Classic Platform
<b>Part of Standard Release</b>	R20-11

<b>Document Change History</b>			
<b>Date</b>	<b>Release</b>	<b>Changed by</b>	<b>Change Description</b>
2020-11-30	R20-11	AUTOSAR Release Management	<ul style="list-style-type: none"><li>• Corrections of typos in chap. 8 definitions</li><li>• Editorial Changes</li></ul>
2019-11-28	R19-11	AUTOSAR Release Management	<ul style="list-style-type: none"><li>• Added support for C2CCC BSP 1.3</li><li>• Editorial Changes</li><li>• Service API bugs corrections</li><li>• Changed Document Status from Final to published</li></ul>
2018-10-31	4.4.0	AUTOSAR Release Management	<ul style="list-style-type: none"><li>• Added IVIM supporting</li><li>• Added SPATEM supporting</li><li>• Added MAPEM supporting</li></ul>
2017-12-08	4.3.1	AUTOSAR Release Management	<ul style="list-style-type: none"><li>• Editorial Changes</li></ul>
2016-11-30	4.3.0	AUTOSAR Release Management	<ul style="list-style-type: none"><li>• Initial Release</li></ul>

## Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

## Table of Contents

1	Introduction and functional overview .....	6
1.1	Architectural overview .....	6
1.2	Functional overview .....	7
1.2.1	Cooperative Awareness (CA) .....	7
1.2.2	Decentralized Environmental Notification (DEN) .....	7
1.2.3	Vehicle Data Provider (VDP).....	8
1.2.4	Local Dynamic Map (LDM).....	8
1.2.5	Infrastructure to Vehicle Information (IVI) .....	9
1.2.6	Road and Lane Topology (RLT) service.....	9
1.2.7	Traffic Light Maneuver (TLM) service .....	9
2	Acronyms and abbreviations.....	11
3	Related documentation .....	12
3.1	Input documents.....	12
3.2	Related standards and norms.....	12
3.3	Related specification.....	13
4	Constraints and assumptions.....	15
4.1	Limitations .....	15
4.2	Applicability to car domains .....	15
4.3	Authorisation Tickets and Pseudonyms .....	15
5	Dependencies to other modules .....	16
5.3	V2x Vehicle Data Provider .....	16
5.4	V2x Proxy .....	16
5.5	V2x Applications.....	16
5.6	AUTOSAR V2xBtp .....	17
6	Requirements traceability .....	18
7	Functional specification.....	20
7.1	Startup behavior.....	20
7.2	General Format Specification .....	21
7.3	CA Functional Specification .....	21
7.3.1	CA Initialization, Activation and Deactivation.....	21
7.3.2	CAM Generation, Sending and Receiving, Frequency Management ....	22
7.3.3	CAM Generation Frequency Management for RSU ITS-Ss .....	23
7.3.4	CAM Time Requirement.....	23
7.3.5	CAM Format Specification .....	24
7.4	DEN Functional Specification .....	25
7.4.1	DEN Initialization .....	25
7.4.2	DENM Transmission Management.....	25
7.4.3	DENM Reception Management .....	25
7.4.4	DENM Repetition.....	26
7.4.5	DENM Keep Alive Forwarding (KAF).....	26
7.4.6	DENM Format Specification .....	26
7.5	IVI Functional Specification .....	28

7.5.1	IVIM Reception Management.....	28
7.5.2	IVIM Format Specification .....	28
7.6	RLT Functional Specification .....	29
7.6.1	MAPEM Reception Management.....	29
7.6.2	MAPEM Format Specification .....	29
7.7	TLM Functional Specification.....	29
7.7.1	SPATEM Reception Management.....	29
7.7.2	SPATEM Format Specification .....	30
7.8	Path History.....	30
7.9	Error classification.....	30
7.9.1	Development Errors .....	30
7.9.2	Runtime Errors .....	31
7.9.3	Transient Faults.....	31
7.9.4	Production Errors .....	31
7.9.5	Extended Production Errors .....	31
8	API specification.....	32
8.1	Imported types .....	32
8.2	Type definitions .....	32
8.2.1	V2xFac_RxParamsType .....	32
8.3	Function definitions .....	34
8.3.1	V2xFac_Init.....	34
8.3.2	V2xFac_GetVersionInfo .....	35
8.3.3	V2xFac_V2xM_PreparePseudonymChange .....	35
8.3.4	V2xFac_V2xM_CommitPseudonymChange .....	36
8.3.5	V2xFac_V2xM_AbortPseudonymChange .....	37
8.3.6	V2xFac_V2xM_SetTGenCamDcc .....	38
8.3.7	V2xFac_V2xM_SetCaBsOperation.....	39
8.4	Call-back notifications .....	40
8.4.1	V2xFac_TxConfirmation.....	40
8.4.2	V2xFac_RxIndication .....	40
8.5	Scheduled functions.....	41
8.5.1	V2xFac_CaBs_MainFunction.....	41
8.5.2	V2xFac_DenBs_MainFunction .....	42
8.5.3	V2xFac_IviS_MainFunction .....	42
8.5.4	V2xFac_RltS_MainFunction.....	43
8.5.5	V2xFac_TlmS_MainFunction .....	43
8.6	Expected Interfaces .....	43
8.6.1	Mandatory Interfaces.....	43
8.6.2	Optional Interfaces .....	44
8.7	Service Interfaces .....	44
8.7.1	Sender-Receiver-Interfaces .....	44
8.7.2	Client-Server-Interfaces .....	47
8.7.3	Implementation Data Types .....	52
8.7.4	Ports .....	332
9	Sequence diagrams .....	335
9.1	CAM Generation and Transmission.....	335
9.2	CAM Reception .....	335
9.3	DENM Generation and Transmission .....	336
9.4	DENM Reception .....	338

9.5	IVIM Reception.....	338
9.6	MAPEM Reception.....	338
9.7	SPATEM Reception .....	339
10	Configuration specification .....	340
10.1	Containers and configuration parameters .....	340
10.1.1	Variants .....	340
10.1.2	V2xFac .....	340
10.1.3	V2xFacGeneral .....	341
11	Not applicable requirements .....	346

## 1 Introduction and functional overview

This document specifies the functionality, API and the configuration of the AUTOSAR Basic Software module Vehicle-2-X Facilities (V2xFac). The Vehicle-2-X Facilities layer together with the Vehicle-2-X Basic Transport (V2xBtp), the Vehicle-2-X GeoNetworking (V2xGn), Vehicle-2-X Management (V2xM) and the communication driver layer forms the V2X stack within the AUTOSAR architecture.

The V2xFac module is designed to be hardware independent.

The V2xFac module is dependent on services of V2X entities in the application layer and on lower V2xBtp module.

### 1.1 Architectural overview

Positioning of the V2xFac module within the AUTOSAR BSW and the Layered Software architecture is shown in below.




Figure 1 – AUTOSAR BSW software architecture - V2xFac scope

The V2xFac module supports common message management for data exchange between V2X applications.

It provides the basic services (BS) Cooperative Awareness (CA) and Decentralized Environmental Notification (DEN).

## 1.2 Functional overview

The V2xFac module implements the basic services CA and DEN.

### 1.2.1 Cooperative Awareness (CA)

#### 1.2.1.1 CA basic service in the AUTOSAR architecture

The CA basic service is a facilities layer entity that operates the CAM protocol. It provides two services: sending and receiving of CAMs. The CA basic service generates and sends CAMs to other ITS-Ss or it receives CAMs from ITS-Ss and provides them to the V2x-Applications in the application layer (see [10] chapter 4).

The CA basic service uses the services provided by the protocol entities of the lower layers of the V2X stack to disseminate the CAM.

Upon receiving a CAM, the CA basic service makes the content of the CAM available to the V2X Applications.

Received CAMs are given to the upper Application layer via their standardized AUTOSAR service interface V2xApplRxIndicationCam.

It may interface with the AUTOSAR application layer in order to collect relevant information for CAM generation (Vehicle Data Provider - VDP) and to forward the received CAM content for further processing (V2x Receiver).

#### 1.2.1.2 CA basic service functional architecture

“The CA basic service is part of the Application Support domain of the Facilities Layer according to ETSI TS 102 894-1 [12] shows the functional block diagram with the functional blocks of the CA basic service and interfaces to other facilities and layers.”

For sending and receiving CAMs, the CA basic service part of the V2xFac shall provide the following sub-functions

- Encode CAM
- Decode CAM
- CAM transmission management
- CAM reception management

For details see [10] chapter 5.2.

### 1.2.2 Decentralized Environmental Notification (DEN)

#### 1.2.2.1 DEN basic service in the AUTOSAR architecture

The DEN basic service is a facilities layer entity that operates the DENM protocol. It provides services to entities at the AUTOSAR application layer.(refer to [11] chapter 4.2)

The DEN basic service generates and sends DENMs to other ITS-Ss or it receives DENMs from other ITS-Ss and provides them to the V2x-Applications in the application layer (see [11] chapter 5 and 6).

Upon receiving a DENM, the DEN basic service makes the content of the DENM available to the V2X Applications.

#### **1.2.2.2 DEN basic service functional architecture**

For sending and receiving DENMs, the DEN basic service shall provide the following sub-functions

- Encode DEN
- Decode DEN
- DEN transmission management
- DEN reception management
- Keep-Alive forwarding

For Details see [11] chapter 5.3. Position and Time management (POTI)

The POTI, as specified in ETSI TS 102 890-3 [14], provides the position of the ITS-S and time information.

Within the AUTOSAR architecture POTI service is a V2X Application within the Application layer and is not part of V2xFac.

For details See [11] chapter 5.1.

#### **1.2.3 Vehicle Data Provider (VDP)**

“The VDP is connected with the vehicle network and provides the vehicle status information.”

Within the AUTOSAR architecture VDP service is a V2X Application within the Application layer and is not part of V2xFac.

The VDP provides an interface to the lower layer (V2X Services).

The facilities basic services CA and DEN get vehicle relevant data from this interface. The V2xM gets e.g. position and time information from this interface.

#### **1.2.4 Local Dynamic Map (LDM)**

The LDM as outlined in [15] is a database in the ITS-S, which may be updated with received CAM or DENM data.

V2x applications may retrieve information from the LDM for further processing. Within the AUTOSAR architecture LDM service is a V2X Application within the Application layer and is not part of the V2xFac module.

For details see [15] chapter 5.1.

## 1.2.5 Infrastructure to Vehicle Information (IVI)

### 1.2.5.1 IVI service in the AUTOSAR architecture

The IVI service is a facilities layer entity that provides receiving of IVIMs.

The IVI service receives IVIMs from Infrastructure ITS-Ss and provides them to the V2x-Applications in the application layer (see [20] chapter 7).

Upon receiving an IVIM, the IVI service makes the content of the IVIM available to the V2X Applications.

Received IVIMs are given to the upper Application layer via their standardized AUTOSAR service interface V2xApplRxIndicationIVIM.

### 1.2.5.2 IVI service functional architecture

The IVI service is part of the Application Support domain of the Facilities Layer according to ETSI TS 103 301 [20] which shows the functional block diagram with the functional blocks of the IVI service and interfaces to other facilities and layers.

For receiving IVIMs, the IVI service part of the V2xFac shall provide the following sub-functions

- Decode IVIM
- IVIM reception management

## 1.2.6 Road and Lane Topology (RLT) service

The RLT service is a facilities layer entity that provides receiving of MAPEMs.

The RLT service receives MAPEMs from Infrastructure ITS-Ss and provides them to the V2x-Applications in the application layer (see [20] chapter 6).

Upon receiving a MAPEM, the RLT service makes the content of the MAPEM available to the V2X Applications.

Received MAPEMs are given to the upper Application layer via their standardized AUTOSAR service interface V2xApplRxIndicationMapem.

### 1.2.6.1 RLT service functional architecture

The RLT service is part of the Application Support domain of the Facilities Layer according to ETSI TS 103 301 [20] shows the functional block diagram with the functional blocks of the RLT services and interfaces to other facilities and layers.

For receiving MAPEMs, the RLT service part of the V2xFac shall provide the following sub-functions

- Decode MAPEM
- MAPEM reception management

## 1.2.7 Traffic Light Maneuver (TLM) service

### 1.2.7.1 TLM service in the AUTOSAR architecture

The TLM service is a facilities layer entity that provides receiving of SPATEMs.

The TLM service receives SPATEMs from Infrastructure ITS-Ss and provides them to the V2x-Applications in the application layer (see [20] chapter 5).

Upon receiving a SPATEM, the TLM service makes the content of the SPATEM available to the V2X Applications.

Received SPATEMs are given to the application layer via their standardized AUTOSAR service interface V2xApplRxIndicationSpatem.

#### 1.2.7.2 TLM service functional architecture

The TLM service is part of the Application Support domain of the Facilities Layer according to ETSI TS 103 301 [20] which shows the functional blocks of the TLM services and interfaces to other facilities and layers.

For receiving SPATEMs, the TLM service part of the V2xFac shall provide the following sub-functions

- Decode SPATEM
- SPATEM reception management

## 2 Acronyms and abbreviations

<b>Abbreviation / Acronym:</b>	<b>Description:</b>
DEM	Diagnostic Event Manager
DET	Default Error Tracer
API	Application Programming Interface
BS	Basic Service
BSW	Basic Software
BTP	Basic Transport Protocol
CA	Cooperative Awareness
CAM	Cooperative Awareness Message
DCC	Decentralized Congestion Control
DE	Data Element
DEN	Decentralized Environmental Notification
DENM	Decentralized Environmental Notification Messages
DF	Data Frame
EcuM	Electronic Control Unit Manager
ETSI	European Telecommunications Standards Institute
IF	Interface
ITS	Intelligent Transport System
ITS-S	ITS-Station
KAF	DENM Keep Alive Forwarding
LDM	Local Dynamic Map
POTI	Position and Time management
RSU	Road Side Unit
VDP	Vehicle Data Provider
VOD	Verification on Demand
V2X	Either vehicle to vehicle (V2V), or vehicle to infrastructure (V2I) and/or infrastructure to vehicle (I2V)
V2xM	Vehicle-2-X Management
V2xFac	Vehicle-2-X Facilities
V2xBtp	Vehicle-2-X Basic Transport
V2xGn	Vehicle-2-X Geo Networking
IVI	Infrastructure to Vehicle Information
IVIM	Infrastructure to Vehicle Information Message
RLT	Road and Lane Topology
MAPEM	MAP Extended Message
TLM	Traffic Light Maneuver
SPATEM	Signal Phase And Timing Extended Message

### 3 Related documentation

#### 3.1 Input documents

- [1] AUTOSAR Layered Software Architecture  
AUTOSAR\_EXP\_LayeredSoftwareArchitecture.pdf
- [2] AUTOSAR General Requirements on Basic Software Modules  
AUTOSAR\_SRS\_BSWGeneral.pdf
- [3] AUTOSAR General Specification for Basic Software Modules  
AUTOSAR\_SWS\_BSWGeneral.pdf
- [4] Specification of Default Error Tracer  
AUTOSAR\_SWS\_DefaultErrorTracer.pdf
- [5] Specification of ECU State Manager  
AUTOSAR\_SWS\_ECUStateManager.pdf
- [6] Specification of V2XBasicTransport  
AUTOSAR\_SWS\_Vehicle-2-X\_BasicTransport.pdf
- [7] Specification of Module V2X Communication Stack Types  
AUTOSAR\_SWS\_V2XComStackTypes.pdf

#### 3.2 Related standards and norms

- [8] IEC 7498-1 The Basic Model, IEC Norm, 1994
- [9] Intelligent Transport Systems (ITS); Communications Architecture  
ETSI EN 302 665 V1.1.1 (2010-09)
- [10] Intelligent Transport Systems (ITS); Vehicular Communications;  
Basic Set of Applications;  
Part 2: Specification of Cooperative Awareness Basic Service  
ETSI EN 302 637-2 V1.4.1 (2019-04)
- [11] Intelligent Transport Systems (ITS); Vehicular Communications;  
Basic Set of Applications;  
Part 3: Specifications of Decentralized Environmental Notification Basic Service  
ETSI EN 302 637-3 V1.3.1 (2019-04)
- [12] Intelligent Transport Systems (ITS); Users and applications requirements;  
Part 1: Facility layer structure, functional requirements and specifications  
ETSI TS 102 894-1 V1.1.1 (2013-08)
- [13] Intelligent Transport Systems (ITS); Users and applications requirements;  
Part 2: Applications and facilities layer common data dictionary  
ETSI TS 102 894-2 V1.3.1 (2018-08)

- [14] Intelligent Transport System (ITS); Facilities layer function;  
Part 3: Position and time facility specification"  
ETSI TS 102 890-3
- [15] Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Local Dynamic Map (LDM)  
ETSI EN 302 895 (V1.1.1) (2014-09)
- [16] Intelligent Transport Systems (ITS); OSI cross-layer topics;  
Part 11: Interface between networking and transport layer and facilities layer  
ETSI TS 102 723-11 V1.1.1 (2013-11)
- [17] Intelligent Transport Systems (ITS); Vehicular Communications;  
GeoNetworking;  
Part 5: Transport Protocols;  
Sub-part 1: Basic Transport Protocol  
ETSI EN 302 636-5-1 V2.1.1 (2017-08)
- [18] Intelligent Transport Systems (ITS); Vehicular Communications;  
GeoNetworking Part 4: Geographical addressing and forwarding for point-to-point and point-to-multipoint communications; Sub-part 1: Media-Independent Functionality  
ETSI EN 302 636-4-1 V1.3.1 (2017-08)
- [19] C2C-CC BSP Requirement  
C2CCC\_RS\_2037\_BSP\_Requirements.docx
- [20] Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Facilities layer protocols and communication requirements for infrastructure services  
ETSI TS 103 301 V1.2.1(2018-08)
- [21] ISO/TS 19321 (2015): Intelligent transport systems -- Cooperative ITS -- Dictionary of in-vehicle information (IVI) data structures
- [22] ISO/TS 19091 (2017): Intelligent transport systems -- Cooperative ITS -- Using V2I and I2V communications for applications related to signalized intersections
- [23] SAE J 2945/1, On-Board System Requirements for V2V Safety Communications
- [24] Intelligent Transport Systems (ITS); Vehicular Communications;  
GeoNetworking; Port Numbers for the Basic Transport Protocol (BTP)  
ETSI TS 103 248 V1.2.1

### 3.3 Related specification

AUTOSAR provides a General Specification on Basic Software (SWS BSW General) [3] which is also valid for V2xFac.

Thus, the specification SWS BSW General [3] shall be considered as additional and required specification for V2xFac.

## 4 Constraints and assumptions

### 4.1 Limitations

- The V2X modules follow the guidance regarding the Day-1 scenarios defined by Car-2-Car-Consortium and C-Roads platform.
- Extensions to US, Japan, China regions are planned for the future releases.

### 4.2 Applicability to car domains

This specification is applicable to all car domains.

### 4.3 Authorisation Tickets and Pseudonyms

The Authorisation Ticket (AT) is referred to as Pseudonym in this document.

## 5 Dependencies to other modules

This section describes the relations of the V2xFac module to other modules within the AUTOSAR basic software architecture. It outlines the modules that are required or optional for the realization of the V2xFac module and the V2xFac services that these modules use.

### 5.1 AUTOSAR DET (Default Error Tracer)

In development mode, the V2xFac module reports errors through the Det\_ReportError function of the DET Module [4].

### 5.2 AUTOSAR EcuM (Ecu State Manager)

The EcuM [5] initializes the V2xFac module by calling `V2xFac_Init` specified in 8.3.1.

### 5.3 V2x Vehicle Data Provider

The V2xFac module retrieves vehicle relevant data from the VDP application by using the Sender-Receiver-Interface V2xFacVdp (see [**SWS\_V2xFac\_00094**]).

### 5.4 V2x Proxy

The V2x Proxy is an Application that listens to every CAM and DENM via the Sender-Receiver-Interfaces V2xApplRxIndicationCam and V2xApplRxIndicationDenm and transmits it to one or more ECU's via in-vehicle networks. The transmission via the in-vehicle network is implementation specific.

### 5.5 V2x Applications

The V2xFac module delivers received DENM data to the V2x Applications by using the Sender-Receiver-Interface V2xApplRxIndicationDenm (see [**SWS\_V2xFac\_00100**]).

The V2xFac module delivers received CAM data to the V2x Applications by using the Sender-Receiver-Interface V2xApplRxIndicationCam (see [**SWS\_V2xFac\_00100**]).

The V2xFac module provides the Client-Server-Interface V2xFacDenBs for using the DEN basic service. The operations TriggerEvent, UpdateEvent or TerminateEvent are provided.

The V2xFac module delivers received IVIM data to the V2x Applications by using the Sender-Receiver-Interface V2xApplRxIndicationIVIM (see [**SWS\_V2xFac\_00254**]).

The V2xFac module delivers received MAPEM data to the V2x Applications by using the Sender-Receiver-Interface V2xApplRxIndicationMapem (see **[SWS\_V2xFac\_00260]**).

The V2xFac module delivers received SPATEM data to the V2x Applications by using the Sender-Receiver-Interface V2xApplRxIndicationSpatem (see **[SWS\_V2xFac\_00268]**).

## 5.6 AUTOSAR V2xBtp

The V2xFac module assumes a transmit request primitive (V2xBtp\_Transmit [6], see **[SWS\_V2xFac\_00092]**) to be provided by the V2xBtp module.

## 5.7 AUTOSAR V2xM

The V2xFac module assumes a request primitive (see **[SWS\_V2xFac\_00092]**) to be provided by the Vehicle-2-X Management (V2xM) module.

## 6 Requirements traceability

Requirement	Description	Satisfied by
SRS_BSW_00345	BSW Modules shall support pre-compile configuration	SWS_V2xFac_00238
SRS_V2X_00010	The implementation of the V2X system shall follow additional guidance given by C2C-CC requirements	SWS_V2xFac_20168, SWS_V2xFac_20185, SWS_V2xFac_20215, SWS_V2xFac_20256, SWS_V2xFac_20257, SWS_V2xFac_20313
SRS_V2X_00190	The V2X system shall handle vehicle states in a consistent manner	SWS_V2xFac_20444, SWS_V2xFac_20445
SRS_V2X_00214	The V2X system shall allow applications to deactivate transmission of CAMs	SWS_V2xFac_00006
SRS_V2X_00259	The V2X system shall manage the life time of all DENM packets	SWS_V2xFac_20259
SRS_V2X_00291	The V2X system shall only send messages with valid position and time	SWS_V2xFac_20215, SWS_V2xFac_20291
SRS_V2X_00301	The V2X system's Facility Layer shall handle DENM repetition	SWS_V2xFac_00029
SRS_V2X_00318	The V2X system's Facility Layer shall generate traces and path histories	SWS_V2xFac_20318
SRS_V2X_00693	The V2X system shall provide functionality for generating traces and path histories	SWS_V2xFac_20285, SWS_V2xFac_20286, SWS_V2xFac_20287, SWS_V2xFac_20288, SWS_V2xFac_20289, SWS_V2xFac_20302, SWS_V2xFac_20303, SWS_V2xFac_20304, SWS_V2xFac_20305, SWS_V2xFac_20306, SWS_V2xFac_20307, SWS_V2xFac_20308
SRS_V2X_00711	The V2X system's CA basic service shall be compliant to ETSI Specification of Cooperative Awareness Basic Service	SWS_V2xFac_00231, SWS_V2xFac_00294, SWS_V2xFac_00295, SWS_V2xFac_00296, SWS_V2xFac_20292, SWS_V2xFac_20297
SRS_V2X_00741	The V2X system's DEN basic service shall be compliant to ETSI Specifications of Decentralized Environmental Notification Basic Service	SWS_V2xFac_00232
SRS_V2X_10001	The V2X system's Facility layer shall support receiving IVI messages	SWS_V2xFac_00246, SWS_V2xFac_00247, SWS_V2xFac_00254, SWS_V2xFac_91603, SWS_V2xFac_91604
SRS_V2X_10002	The implementation of the V2X system shall follow additional guidance given by C-Roads requirements	SWS_V2xFac_00248, SWS_V2xFac_00257, SWS_V2xFac_00265
SRS_V2X_10003	The V2X system's Facility	SWS_V2xFac_00247, SWS_V2xFac_00256,

	layer shall support receiving MAPEM messages	SWS_V2xFac_00260, SWS_V2xFac_91600, SWS_V2xFac_91601
SRS_V2X_10004	The V2X system's Facility layer shall support receiving SPAT extended messages	SWS_V2xFac_00247, SWS_V2xFac_00264, SWS_V2xFac_00268, SWS_V2xFac_91606, SWS_V2xFac_91607

**Note:**

Requirement IDs within this document have an encoding to state where each requirement has its origin:

- SWS items starting with a leading 0 (SWS\_V2xFac\_0xxxx) are module specific and not inherited.
- SWS items starting with a leading 2 (SWS\_V2xFac\_2xxxx) are inherited from C2C-CC Basic System Profile

## 7 Functional specification

The V2xFac module operates the basic services Cooperative Awareness (CA) and Decentralized Environmental Notification (DEN).

**[SWS\_V2xFac\_00231]** [ The V2xFac module shall implement the CA Basic Service as specified in [10] unless specified otherwise in this document ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_00232]** [ The V2xFac module shall implement the DEN Basic Service as specified in [11] unless specified otherwise in this document ] (SRS\_V2X\_00741)

**[SWS\_V2xFac\_00246]** [ The V2xFac module shall implement the IVI Service as specified in [20] unless specified otherwise in this document ] (SRS\_V2X\_10001)

**[SWS\_V2xFac\_00247]** [ The V2xFac module shall use the following BTP ports:

BTP port number	Service
2001	CA
2002	DEN
2003	RLT
2004	TLM
2006	IVI

] (SRS\_V2X\_10001, SRS\_V2X\_10003, SRS\_V2X\_10004)

**[SWS\_V2xFac\_00256]** [ The V2xFac module shall implement the RLT Service as specified in [20] unless specified otherwise in this document. ] (SRS\_V2X\_10003)

**[SWS\_V2xFac\_00264]** [

The V2xFac module shall implement the TLM Service as specified in [20] unless specified otherwise in this document. ] (SRS\_V2X\_10004)

**[SWS\_V2xFac\_20444]** [

For a stationary vehicle, the system shall report the last estimated heading value. ] (SRS\_V2X\_00190)

create:

**[SWS\_V2xFac\_20445]** [

At system shutdown, the system shall store the last heading value and the corresponding gear position (forward, neutral or backward).

At system start-up, the system shall report the heading value based on this stored heading value and the current gear position, until the vehicle is no longer stationary. ] (SRS\_V2X\_00190)

### 7.1 Startup behavior

**[SWS\_V2xFac\_00001]** [

The function V2xFac\_Init (refer to chapter 8.3.2) of the V2xFac shall initialize

the internal states of the V2xFac module.

]()

Note: The function V2xFac\_Init shall not be called before the Vehicle-2-X Management (V2xM) is initialized by the Electronic Control Unit Manager (EcUM).

#### **[SWS\_V2xFac\_00004]** [

The function V2xFac\_Init shall initialize the basic services CA and DEN and the IVI, RLT and TLM services.] ()

## **7.2 General Format Specification**

#### **[SWS\_V2xFac\_20313]** [

The data elements which constitute the content of the CAM and DENM shall be compliant to [13] ] (SRS\_V2X\_00010)

#### **[SWS\_V2xFac\_00248]** [

The data elements which constitute the content of the IVIM shall be compliant to [21]. ] (SRS\_V2X\_10002)

#### **[SWS\_V2xFac\_00257]** [

The data elements which constitute the content of the MAPEM shall be compliant to [22]. ] ( SRS\_V2X\_10002)

#### **[SWS\_V2xFac\_00265]** [

The data elements which constitute the content of the SPATEM shall be compliant to [22]. ] ( SRS\_V2X\_10002)

## **7.3 CA Functional Specification**

For details see [10] chapter 6.1.

### **7.3.1 CA Initialization, Activation and Deactivation**

#### **[SWS\_V2xFac\_00116]** [

The path history shall be cleared when the sending functionality is enabled via the V2xFac\_V2xM\_SetCaBsOperation API.] ()

#### **[SWS\_V2xFac\_00006]** [

CA basic service initialization shall enable the transmission of CAM messages] (SRS\_V2X\_00214)

#### **[SWS\_V2xFac\_00008]** [

The function V2xFac\_Init shall initialize the parameter T\_GenCam\_DCC [10] needed for the frequency management for CAMs according to T\_GenCamMax [10].

For details see [10] chapter 5.3.5

] ()

#### **[SWS\_V2xFac\_00009] [**

The function V2xFac\_Init shall initialize the parameter T\_GenCam [10] to the default value T\_GenCamMax.

For details see [10] chapter 6.1.3

] ()

#### **[SWS\_V2xFac\_00010] [**

The function V2xFac\_Init shall initialize the parameter N\_GenCam [10] to the default value 0.

] ()

#### **[SWS\_V2xFac\_00011] [**

The function V2xFac\_Init shall initialize the parameter T\_CheckCamGen [10] to the default value equal to the configuration parameter T\_GenCamMin [10].

For details see [10] chapter 6.1.3

] ()

### **7.3.2 CAM Generation, Sending and Receiving, Frequency Management**

#### **[SWS\_V2xFac\_00014] [**

The CA basic service shall periodically generate CAMs controlled by a CAM frequency management (For details see [10] chapter 6.1.3.)

] ()

#### **[SWS\_V2xFac\_00015] [**

The generated CAMs shall be transmitted by the V2xBtp using the API function V2xBtp\_Transmit (see chapter 8.6.1).

] ()

#### **[SWS\_V2xFac\_00016] [**

The CA basic service shall receive CAMs via the callback function V2xFac\_RxIndication (see chapter 8.4).

] ()

**[SWS\_V2xFac\_00294]**

The MAX\_DANGLE [19] representing the delta angle (in degrees) between two generation rules checks shall use a value of 4°. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_00295]**

The MAX\_DDISTANCE [19] representing the delta distance (in meters) between two generation rules checks shall use a value of 4 meters. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_00296]**

The MAX\_DSPEED [19] representing the delta speed between two generation rules checks shall use a value of 0,5 m/s. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20297]**

The adjustable N\_GenCam parameter (see [10]) specified in the CAM Generation Frequency Management shall be set to 0 for the V2xFac module. ] (SRS\_V2X\_00711)

**[SWS\_V2xFac\_20291]**

The V2xFac module shall transmit CAM messages as long as position and time information are available. ] (SRS\_V2X\_00291)

### 7.3.3 CAM Generation Frequency Management for RSU ITS-Ss

Generation of CA messages for road side units (RSU-ITS) is currently not supported by AUTOSAR.

### 7.3.4 CAM Time Requirement

**[SWS\_V2xFac\_00019]**

The CAM generation shall follow time requirements according to [10] chapter 6.1.5.  
] ()

**[SWS\_V2xFac\_20168]**

The V2xFac module shall check the timestamp in the security envelope compared to the reception time and accept only CAMs in the last time of 2 seconds and other messages within the last time of 10 minutes.

Due to the tolerance of the ITS station times and allowed clock deviation in [19], the V2xFac module shall accept messages coming from the future compared to ego vehicle clock:

- up to a maximum of 40 ms for vehicles (20 ms estimated deviation from ego vehicle + 20 ms deviation for transmitting vehicle).

- up to a maximum of 220 ms for RSUs (20 ms estimated deviation from ego vehicle + 200 ms deviation for transmitting RSU).

] (SRS\_V2X\_00010)

### 7.3.5 CAM Format Specification

For details about CAM data format refer to the following ETSI documents:

See [10] chapter 7

See [10] Annex A: ASN.1 specification of CAM

See [10] Annex B: Description for data elements and data frames

See [13] Annex A, Annex B

**[SWS\_V2xFac\_20285]** [

The path history field inside the CAM low frequency (LF) container shall contain a PathHistory data element covering a distance of at least 200 m (K\_PHDISTANCE\_M parameter in [23], Appendix A.5).

An exception to the minimum covered distance by PathHistory shall be only made if either of the following conditions is fulfilled:

- the vehicle has not yet physically covered the distance with its current pseudonym (e.g., after vehicle startup or right after pseudonym change when driving)
- the maximum number of PathPoints is used while the overall length covered by the PathHistory still does not reach 200m.

Only in the above two cases the vehicle may send PathHistory information covering a distance below the 200 m lower limit.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20286]** [

The PathHistory in CAMs shall cover at most 500 m.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20287]** [

The V2xFac module shall send PathDeltaTime in every PathPoint of the PathHistory. Therefore, the PathHistory shall describe a time-ordered list (newest point first) of actually travelled geographical locations, including current ego position.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20288]** [

In cases where the vehicle does not move, i.e. PathPoint position information does not change, the PathDeltaTime of the first PathPoint shall still be updated with every CAM.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20289]** [

When the V2xFac module is stationary for a duration longer than the maximum value of PathDeltaTime (specified in [13]) the PathDeltaTime of the first PathPoint in the CAM shall be fixed to the maximum value.

] (SRS\_V2X\_00693)

#### [SWS\_V2xFac\_20292]

The traffic class value for CAM messages shall be set to 2. ] (SRS\_V2X\_00711)

#### [SWS\_V2xFac\_20256]

The V2xFac module shall use a Single Hop Broadcast (SHB) header on all CAM packets it sends. Therefore, the value of the transportType parameter shall be set to 0x50 ] (SRS\_V2X\_00010)

## 7.4 DEN Functional Specification

As defined in ETSI documents (See [11] chapter 5.2) the DEN basic service is a facilities layer entity that implements the DEN protocol. It interfaces with ITS-S applications in order to receive the application request for DENM transmission and to provide the received DENM content to the ITS-S applications.

### 7.4.1 DEN Initialization

#### [SWS\_V2xFac\_00025]

The function V2xFac\_Init shall initialize an empty originating ITS-S message table. For details see [11] chapter 8.2.1.6

] ()

### 7.4.2 DENM Transmission Management

#### [SWS\_V2xFac\_00027]

The DEN basic service is triggered by the V2x-Application via its service operations TriggerEvent, UpdateEvent or TerminateEvent from the service interface V2xFacDenBs (see chapter 8.7.2.1).

The function parameter “EventID” given by the above mentioned operations shall be mapped by the DEN basic service to the actionID generated for DENMs.

For details see [11] chapter 5.3 and 8.2

]()

### 7.4.3 DENM Reception Management

#### [SWS\_V2xFac\_00028]

Upon receiving a DENM, the DEN basic service makes the content of the DENM available to the V2X Applications.

Received DENMs shall be sent to the upper application layer via their standardized AUTOSAR service interface V2xApplRxIndicationDenm.

For Details see [11] chapter 5.3 and 8.4  
J ()

#### 7.4.4 DENM Repetition

##### [SWS\_V2xFac\_00029] [

In between two consequent DENM updates, a DENM may be repeated by the DEN basic service.

For details see [11] chapter 6.1.2.3  
J (SRS\_V2X\_00301)

#### 7.4.5 DENM Keep Alive Forwarding (KAF)

KAF functionality for the DEN basic service as defined by ETSI is not supported.  
See [11] chapter 5.3 and 8.3

#### 7.4.6 DENM Format Specification

For details about DENM data format refer to the following ETSI documents:

See [11] chapter 7,  
See [11] Annex A: ASN.1 specification of DENM  
See [11] Annex B: Description for data elements and data frames  
See [13] Annex A, Annex B

##### [SWS\_V2xFac\_20302] [

The path history field inside the DEN messages shall contain Trace data elements covering a distance of at least 600 m (K\_PHDISTANCE\_M parameter in [23], Appendix A.5).

An exception to the minimum covered distance by Traces shall be only made if either of the following conditions is fulfilled:

- the vehicle has not yet physically covered the distance with its current pseudonym (e.g., after vehicle startup or right after pseudonym change when driving)
- the maximum number of PathPoints is used while the overall length covered by the PathHistory still does not reach 200m.

Only in the above two cases the vehicle may send Traces information covering a distance below the 600 m lower limit.

J (SRS\_V2X\_00693)

##### [SWS\_V2xFac\_20303] [

The Traces in the DENMs shall cover at most 1000 m.  
J (SRS\_V2X\_00693)

##### [SWS\_V2xFac\_20304] [

The V2xFac module shall use the DENM traces as follow: The PathDeltaTime shall be sent in every PathPoint in the first DENM traces element. Therefore, the first

element of the traces shall describe a time-ordered list (newest point first) of actually travelled geographical locations leading to the event position, including event position.] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20305] [**

The PathDeltaTime data elements of the PathPoints in the first DENM traces element shall only be updated if the DENM is updated.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20306] [**

In cases where the event detecting vehicle does not move, i.e. PathPoint position information does not change, the PathDeltaTime of the first PathPoint of the first DENM traces element shall still be updated with every DEN\_Update.

] (SRS\_V2X\_00693)

NOTE: This is only the case for stationary events where the detecting vehicle is identical to the event, e.g. a stationary vehicle warning. For dynamic events, e.g. dangerous situations, or events, where the event is not identical to the vehicle, e.g. adverse weather warning, this is not the case.

**[SWS\_V2xFac\_20307] [**

When the V2xFac module is stationary for a duration longer than the maximum value of PathDeltaTime (specified in [13]) the PathDeltaTime of the first PathPoint in the DENM shall be set to this maximum value and a new PathPoint shall be created.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20308] [**

Additional PathHistory elements may be present in the DENM traces. However, unlike the first element, these shall describe alternative routes to the event location. These routes may or may not be available at the time of detecting the event. In the alternative routes, the PathPoints shall be position-ordered (i.e. shortest-path routes) and they shall not include the PathDeltaTime.

] (SRS\_V2X\_00693)

**[SWS\_V2xFac\_20318] [**

The traces and path histories used by the V2xFac module shall be generated using the Design Method One as specified in [23], Appendix A.5.

The V2xFac module shall use the generation method with the following settings:

- $K_{PHALLOWABLEERROR\_M} = 0,47 \text{ m}$ , where  
 $PH_{ActualError} < K_{PHALLOWABLEERROR\_M}$
- Maximum distance between concise path points,  
 $K_{PH\_CHORDLENGTHTHRESHOLD} = 22,5 \text{ m}$
- $K_{PH\_MAXESTIMATEDRADIUS} = REarthMeridian$
- $K_{PHSMALLDELTAPHI\_R} = 1 \text{ degree}$

- $R_{EarthMeridian} = 6378.137 \text{ km}$  (according to IUGG - International Union of Geodesy and Geophysics), used for great-circle or orthodromic distance calculation:

$PH\_ActualChordLength$

$$= R_{EarthMeridian} * \cos^{-1}[\cos(lat1)\cos(lat2)\cos(long1 - long2) + \sin(lat1)\sin(lat2)]$$

] (SRS\_V2X\_00318)

#### [SWS\_V2xFac\_20257]

The V2xFac module shall use GeoBroadcast (GBC) headers on all DENM packets it sends. Therefore, the value of the transportType parameter shall be set to 0x40 ] (SRS\_V2X\_00010)

#### [SWS\_V2xFac\_20259]

The V2xFac module shall set the maxPacketLifetime parameter of the packets transport parameters TxParams of all GBC packets to the minimum of ValidityDuration, RepetitionInterval and itsGnMaxPacketLifetime, with ValidityDuration and RepetitionInterval values as requested by the application and itsGnMaxPacketLifetime value as specified in [18], Annex H. ] (SRS\_V2X\_00259)

## 7.5 IVI Functional Specification

As defined in ETSI documents (See [20] chapter 7) the IVI service is a facilities layer entity that implements the IVIM reception. It interfaces with ITS-S applications in order to provide them the received IVIM content.

### 7.5.1 IVIM Reception Management

#### [SWS\_V2xFac\_00249]

Upon receiving a IVIM, the IVI service makes the content of the IVIM available to the V2X Applications.

Received IVIMs shall be sent to the upper application layer via their standardized AUTOSAR service interface V2xApplRxIndicationIVIM.

For Details see [20] chapter 7

] ()

### 7.5.2 IVIM Format Specification

For details about IVIM data format refer to the following ETSI and ISO documents:

See [20] Chapter 7

See [20] Annex C: ASN.1 specification of IVIM

See [21] Description for data elements

## 7.6 RLT Functional Specification

As defined in ETSI documents (See [20] chapter 6) the RLT service is a facilities layer entity that implements the MAPEM message reception. It interfaces with ITS-S applications in order to provide the received MAPEM content to the ITS-S applications.

### 7.6.1 MAPEM Reception Management

**[SWS\_V2xFac\_00258]** [

Upon receiving a MAPEM, the RLT service makes the content of the MAPEM available to the V2X Applications.

Received MAPEMs shall be sent to the upper application layer via their standardized AUTOSAR service interface V2xApplRxIndicationMapem.

For Details see [20] chapter 6. ] ()

### 7.6.2 MAPEM Format Specification

For details about MAPEM data format refer to the following ETSI and ISO documents:

See [20] chapter 6,

See [20] Annex B: ASN.1 specification of MAPEM

See [22] Description for data elements

## 7.7 TLM Functional Specification

As defined in ETSI documents (See [20] chapter 5) the TLM service is a facilities layer entity that implements the SPAT extended message reception. It interfaces with ITS-S applications in order to provide the received SPATEM content to the ITS-S applications.

### 7.7.1 SPATEM Reception Management

**[SWS\_V2xFac\_00266]** [

Upon receiving a SPATEM, the TLM service makes the content of the SPATEM available to the V2X Applications.

Received SPATEMs shall be sent to the application layer via their standardized AUTOSAR service interface V2xApplRxIndicationSpatem.

For details see [20] chapter 5. ] ()

## 7.7.2 SPATEM Format Specification

For details about SPATEM data format refer to the following ETSI and ISO documents:

See [20] chapter 5,

See [20] Annex A: ASN.1 specification of SPATEM

See [22] Description for data elements

## 7.8 Path History

### [SWS\_V2xFac\_20185]

Facilities layer shall clear the own station's path history cache (used to fill into new messages) when the security entity changes its pseudonym identity.

] (SRS\_V2X\_00010)

### [SWS\_V2xFac\_20215]

Traces and path history data shall only be generated when position confidence and ITS time information are available] (SRS\_V2X\_00010,SRS\_V2X\_00291)

## 7.9 Error classification

Section 7.x "Error Handling" of the document "General Specification of Basic Software Modules" describes the error handling of the Basic Software in detail. Above all, it constitutes a classification scheme consisting of five error types, which may occur in BSW modules.

Based on this foundation, the following section specifies particular errors arranged in the respective subsections below.

### 7.9.1 Development Errors

#### [SWS\_V2xFac\_00106]

In case development error detection is enabled for the V2xFac module, the V2xFac module shall check API parameters for validity and report detected errors to the DET.  
])()

#### [SWS\_V2xFac\_00031]

Type of error	Related error code	Error value
API service called with wrong parameter	V2XFAC_E_PARAM	0x01
API service called with invalid pointer	V2XFAC_E_PARAM_POINTER	0x02
V2xFac initialization failed	V2XFAC_E_INIT_FAILED	0x03
API function called before the V2xFac module has been fully initialized	V2XFAC_E_UNINIT	0x04

]()

### 7.9.2 Runtime Errors

There are no runtime errors.

### 7.9.3 Transient Faults

There are no transient faults.

### 7.9.4 Production Errors

There are no production errors.

### 7.9.5 Extended Production Errors

There are no extended production errors.

## 8 API specification

### 8.1 Imported types

In this chapter all types included from the following modules are listed:

[SWS\_V2xFac\_00032][

<i>Module</i>	<i>Header File</i>	<i>Imported Type</i>
Std	Std_Types.h	Std_ReturnType
	Std_Types.h	Std_VersionInfoType
V2x_GeneralTypes	Rte_V2xM_Type.h	V2xM_PositionAndTimeType
	Rte_V2xM_Type.h	V2xM_SecReportType
	V2x_GeneralTypes.h	V2x_GnAddressType
	V2x_GeneralTypes.h	V2x_GnAreaShapeType
	V2x_GeneralTypes.h	V2x_GnDestinationAreaType
	V2x_GeneralTypes.h	V2x_GnDestinationType
	V2x_GeneralTypes.h	V2x_GnLongPositionVectorType
	V2x_GeneralTypes.h	V2x_GnPacketTransportType
	V2x_GeneralTypes.h	V2x_GnUpperProtocolType
	V2x_GeneralTypes.h	V2x_PseudonymType
	V2x_GeneralTypes.h	V2x_SecProfileType
	V2x_GeneralTypes.h	V2x_TrafficClassIdType
V2xBtp	V2xBtp.h	V2xBtp_TxParamsType

]()

### 8.2 Type definitions

#### 8.2.1 V2xFac\_RxParamsType

[SWS\_V2xFac\_00034][

<b>Name</b>	V2xFac_RxParamsType
<b>Kind</b>	Structure
<b>Elements</b>	destinationPort

	<b>Type</b>	uint16
	<b>Comment</b>	Identifies the protocol entity at the ITS facilities layer at the destination of a BTP packet.
destinationAddress		
	<b>Type</b>	V2x_GnAddressType
	<b>Comment</b>	Destination address for GeoUnicast packet
destinationArea		
	<b>Type</b>	V2x_GnDestinationAreaType
	<b>Comment</b>	Destination area for GeoBroadcast/GeoAnycast packet.
destinationType		
	<b>Type</b>	V2x_GnDestinationType
	<b>Comment</b>	Select which destination type (destinationAddress or destinationArea is used for this packet).
sourcePositionVector		
	<b>Type</b>	V2x_GnLongPositionVectorType
	<b>Comment</b>	Geographical position for the source of the received GeoNetworking packet.
securityReport		
	<b>Type</b>	V2xM_SecReportType
	<b>Comment</b>	Result information from the security operations for decryption and verification. This parameter is supplied by the V2xM module and forwarded up to the ITS Facilities layer passing through the Geo Networking and BTP layers.
certificateld		
	<b>Type</b>	uint64
	<b>Comment</b>	Identification of source certificate, for example the certificate hash. This parameter is supplied by the V2xM and forwarded up to the ITS Facilities layer passing through the GeoNetworking and BTP layers.
sspBits		
	<b>Type</b>	Array of uint8
	<b>Size</b>	4
	<b>Comment</b>	Sender permissions
sspLength		
	<b>Type</b>	uint8
	<b>Comment</b>	Sender permissions length

	trafficClass
<b>Type</b>	V2x_TrafficClassIdType
<b>Comment</b>	Traffic class, with which the GeoNetworking packet was generated by the source.
	remPacketLifetime
<b>Type</b>	uint16
<b>Comment</b>	Remaining lifetime of the packet in [s].
	itsAid
<b>Type</b>	uint32
<b>Comment</b>	The numerical value of the ITS-AID (Application Identifier).
<b>Description</b>	Wraps GeoNetworking parameters from V2xBtp
<b>Available via</b>	V2xFac.h

]()

## 8.3 Function definitions

### 8.3.1 V2xFac\_Init

[SWS\_V2xFac\_00082][

<b>Service Name</b>	V2xFac_Init	
<b>Syntax</b>	<pre>void V2xFac_Init (     void* CfgPtr )</pre>	
<b>Service ID [hex]</b>	0x01	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Non Reentrant	
<b>Parameters (in)</b>	CfgPtr	Points to a null pointer.
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	None	
<b>Return value</b>	None	
<b>Description</b>	Initializes the V2xFac module.	
<b>Available via</b>	V2xFac.h	

]()

### 8.3.2 V2xFac\_GetVersionInfo

[SWS\_V2xFac\_00084] [

<b>Service Name</b>	V2xFac_GetVersionInfo	
<b>Syntax</b>	<pre>void V2xFac_GetVersionInfo (     Std_VersionInfoType* VersionInfoPtr )</pre>	
<b>Service ID [hex]</b>	0x02	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Reentrant	
<b>Parameters (in)</b>	None	
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	VersionInfo Ptr	Pointer to where to store the version information of this module.
<b>Return value</b>	None	
<b>Description</b>	Returns the version information of this module.	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_00085] [

If V2xFacDevErrorDetect is enabled: If the VersionInfoPtr pointer parameter is invalid (e.g. NULL), the error-code V2XFAC\_E\_PARAM\_POINTER shall be reported to the DET module. ] ()

### 8.3.3 V2xFac\_V2xM\_PreparesPseudonymChange

[SWS\_V2xFac\_00086] [

<b>Service Name</b>	V2xFac_V2xM_PreparesPseudonymChange	
<b>Syntax</b>	<pre>Std_ReturnType V2xFac_V2xM_PreparesPseudonymChange (     const V2x_PseudonymType* PseudonymPtr )</pre>	
<b>Service ID [hex]</b>	0x03	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Non Reentrant	

<b>Parameters (in)</b>	PseudonymPtr	The Pseudonym provided by V2xM
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	None	
<b>Return value</b>	Std_ReturnType	E_OK: operation successful E_NOT_OK: pseudonym change rejected
<b>Description</b>	By this API primitive the V2xFac module gets an indication that the given Pseudonym and hereby the StationId is about to be changed	
<b>Available via</b>	V2xFac_V2xM.h	

]()

#### [SWS\_V2xFac\_00136]

The function V2xFac\_V2xM\_PreparesPseudonymChange shall prepare the setting of the pseudonym specific part of the StationId being used for packet transmission.]()

#### [SWS\_V2xFac\_00137]

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK.]()

#### [SWS\_V2xFac\_00138]

If development error detection is enabled: the function shall check the parameter PseudonymPtr for being valid. If the check fails, the function shall raise the development error V2XFAC\_E\_PARAM\_POINTER otherwise (if DET is disabled) return E\_NOT\_OK.]()

### 8.3.4 V2xFac\_V2xM\_CommitPseudonymChange

#### [SWS\_V2xFac\_00140]

<b>Service Name</b>	V2xFac_V2xM_CommitPseudonymChange
<b>Syntax</b>	Std_ReturnType V2xFac_V2xM_CommitPseudonymChange ( void )
<b>Service ID [hex]</b>	0x04
<b>Sync/Async</b>	Synchronous
<b>Reentrancy</b>	Non Reentrant
<b>Parameters (in)</b>	None
<b>Parameters</b>	None

<i>(inout)</i>			
<b>Parameters (out)</b>	None		
<b>Return value</b>	Std_ReturnType	E_OK: operation successful E_NOT_OK: operation failed	
<b>Description</b>	This function is called by the V2xM when all modules are OK with the pseudonym change and the change is to be committed.		
<b>Available via</b>	V2xFac_V2xM.h		

]()

#### [SWS\_V2xFac\_00141] [

The function V2xFac\_V2xM\_CommitPseudonymChange shall set the pseudonym specific part of the GeoNetworking Address being used for packet transmission and clean the path history. V2xFac shall store the access of the GeoNetworking Address for subsequent API calls.]()

#### [SWS\_V2xFac\_00142] [

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK.]()

Note: The function requires previous preparation of the pseudonym via an API call to V2xFac\_V2xM\_PreparesPseudonymChange.

### 8.3.5 V2xFac\_V2xM\_AbortPseudonymChange

#### [SWS\_V2xFac\_00144] [

<b>Service Name</b>	V2xFac_V2xM_AbortPseudonymChange
<b>Syntax</b>	Std_ReturnType V2xFac_V2xM_AbortPseudonymChange ( void )
<b>Service ID [hex]</b>	0x05
<b>Sync/Async</b>	Synchronous
<b>Reentrancy</b>	Non Reentrant
<b>Parameters (in)</b>	None
<b>Parameters (inout)</b>	None
<b>Parameters (out)</b>	None

<b>Return value</b>	Std_ReturnType	E_OK: operation successful E_NOT_OK: operation failed
<b>Description</b>	This function is called by the V2xM when not all modules are OK with the pseudonym change and the change is to be rolled back.	
<b>Available via</b>	V2xFac_V2xM.h	

]()

#### [SWS\_V2xFac\_00145]

The function V2xFac\_V2xM\_AbortPseudonymChange shall roll back the prepared pseudonym change.]()

#### [SWS\_V2xFac\_00146]

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK.]()

Note: The function requires previous preparation of the pseudonym via an API call to V2xFac\_V2xM\_PreparesPseudonymChange.

### 8.3.6 V2xFac\_V2xM\_SetTGenCamDcc

#### [SWS\_V2xFac\_00148]

<b>Service Name</b>	V2xFac_V2xM_SetTGenCamDcc	
<b>Syntax</b>	<pre>void V2xFac_V2xM_SetTGenCamDcc (     uint16 TGenCamDcc )</pre>	
<b>Service ID [hex]</b>	0x06	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Non Reentrant	
<b>Parameters (in)</b>	TGenCamDcc	The TGenCamDcc in [ms], provided by V2xM
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	None	
<b>Return value</b>	None	
<b>Description</b>	By this API primitive the V2xFac module gets an indication of the current TGen CamDcc value.	
<b>Available via</b>	V2xFac_V2xM.h	

]()

**[SWS\_V2xFac\_00149]**

The function V2xFac\_V2xM\_SetTGenCamDcc shall set the TGenCamDcc for subsequent API calls. ]()

**[SWS\_V2xFac\_00150]**

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

### 8.3.7 V2xFac\_V2xM\_SetCaBsOperation

**[SWS\_V2xFac\_00152]**

<b>Service Name</b>	V2xFac_V2xM_SetCaBsOperation	
<b>Syntax</b>	<pre>void V2xFac_V2xM_SetCaBsOperation (     boolean OperationState )</pre>	
<b>Service ID [hex]</b>	0x07	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Non Reentrant	
<b>Parameters (in)</b>	OperationState	FALSE: CaBs disabled TRUE: CaBs enabled
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	None	
<b>Return value</b>	None	
<b>Description</b>	By this API primitive the V2xFac module gets an indication of the current operation state of the CA Basic Service.	
<b>Available via</b>	V2xFac_V2xM.h	

]()

**[SWS\_V2xFac\_00153]**

The function V2xFac\_V2xM\_SetCaBsOperation shall enable or disable the CA Basic Service. ]()

**[SWS\_V2xFac\_00154]**

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT otherwise (if DET is disabled) return E\_NOT\_OK. ]()

## 8.4 Call-back notifications

This is a list of functions provided for other modules.

### 8.4.1 V2xFac\_TxConfirmation

#### [SWS\_V2xFac\_00087][

<b>Service Name</b>	V2xFac_TxConfirmation	
<b>Syntax</b>	<pre>void V2xFac_TxConfirmation (     uint16 TransactionId16 )</pre>	
<b>Service ID [hex]</b>	0x08	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Reentrant	
<b>Parameters (in)</b>	TransactionId16	TransactionId of the packet that has been transmitted
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	None	
<b>Return value</b>	None	
<b>Description</b>	By this API primitive the V2xFac module gets a confirmation that the V2X message with a certain ID was send successfully.	
<b>Available via</b>	V2xFac.h	

]()

#### [SWS\_V2xFac\_00156][

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT. ]()

### 8.4.2 V2xFac\_RxIndication

#### [SWS\_V2xFac\_00088][

<b>Service Name</b>	V2xFac_RxIndication
<b>Syntax</b>	<pre>void V2xFac_RxIndication (     uint32 TransactionId32,     const V2xFac_RxParamsType* ReceiveParams,     uint16 Length,     const uint8* DataPtr )</pre>

<b>Service ID [hex]</b>	0x09	
<b>Sync/Async</b>	Synchronous	
<b>Reentrancy</b>	Non Reentrant	
<b>Parameters (in)</b>	Transaction Id32	ID of the received packet. This ID is created in the V2xGn module and handed up in the protocol stack to be used for verification on demand.
	Receive Params	Wraps RxIndication parameters
	Length	Length of the data pointed by DataPtr.
	DataPtr	Payload of the received BTP packet.
<b>Parameters (inout)</b>	None	
<b>Parameters (out)</b>	None	
<b>Return value</b>	None	
<b>Description</b>	This API primitive is called by the V2xBtp module providing the data and the Geo Networking parameters of a received BTP packet to V2xFac module.	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_00158] [

If development error detection is enabled: the function shall check that the service V2xFac\_Init was previously called. If the check fails, the function shall raise the development error V2XFAC\_E\_UNINIT. ]()

### [SWS\_V2xFac\_00159] [

If development error detection is enabled: the function shall check the parameter ReceiveParams for being valid. If the check fails, the function shall raise the development error V2XFAC\_E\_PARAM\_POINTER. ]()

### [SWS\_V2xFac\_00160] [

If development error detection is enabled: the function shall check the parameter DataPtr for being valid. If the check fails, the function shall raise the development error V2XFAC\_E\_PARAM\_POINTER. ]()

## 8.5 Scheduled functions

### 8.5.1 V2xFac\_CaBs\_MainFunction

#### [SWS\_V2xFac\_00090] [

<b>Service Name</b>	V2xFac_CaBs_MainFunction
<b>Syntax</b>	void V2xFac_CaBs_MainFunction ( void )
<b>Service ID [hex]</b>	0x0a
<b>Description</b>	This is the main processing function of the CA basic service
<b>Available via</b>	SchM_V2xFac.h

]()

### 8.5.2 V2xFac\_DenBs\_MainFunction

[SWS\_V2xFac\_00091][

<b>Service Name</b>	V2xFac_DenBs_MainFunction
<b>Syntax</b>	void V2xFac_DenBs_MainFunction ( void )
<b>Service ID [hex]</b>	0x0b
<b>Description</b>	This is the main processing function of the DEN basic service.
<b>Available via</b>	SchM_V2xFac.h

]()

### 8.5.3 V2xFac\_IviS\_MainFunction

[SWS\_V2xFac\_91603][

<b>Service Name</b>	V2xFac_IviS_MainFunction
<b>Syntax</b>	void V2xFac_IviS_MainFunction ( void )
<b>Service ID [hex]</b>	0x0c
<b>Description</b>	This is the main processing function of the IVI service.
<b>Available via</b>	SchM_V2xFac.h

] (SRS\_V2X\_10001)

[SWS\_V2xFac\_00251][

The function shall process the received IVI service as described in chapter 7.5. ] ()

### 8.5.4 V2xFac\_RltS\_MainFunction

#### [SWS\_V2xFac\_91600] [

<b>Service Name</b>	V2xFac_RltS_MainFunction
<b>Syntax</b>	void V2xFac_RltS_MainFunction ( void )
<b>Service ID [hex]</b>	0x0d
<b>Description</b>	This is the main processing function of the RLT service.
<b>Available via</b>	SchM_V2xFac.h

] (SRS\_V2X\_10003)

#### [SWS\_V2xFac\_00271] [

The function shall process the received RLT service as described in chapter 7.6.] ()

### 8.5.5 V2xFac\_TlmS\_MainFunction

#### [SWS\_V2xFac\_91606] [

<b>Service Name</b>	V2xFac_TlmS_MainFunction
<b>Syntax</b>	void V2xFac_TlmS_MainFunction ( void )
<b>Service ID [hex]</b>	0x0e
<b>Description</b>	This is the main processing function of the TLM service.
<b>Available via</b>	

] (SRS\_V2X\_10004)

#### [SWS\_V2xFac\_00272] [

The function shall process the received TLM service as described in chapter 7.7.] ()

## 8.6 Expected Interfaces

In this chapter all external interfaces required from other modules are listed.

### 8.6.1 Mandatory Interfaces

This chapter defines all external interfaces which are required to fulfill the core functionality of the module.

#### [SWS\_V2xFac\_00092] [

<i>API Function</i>	<i>Header File</i>	<i>Description</i>
V2xBtp_Transmit	V2xBtp.h	This API is called by the V2xFac module to request sending a BTP-PDU to the peer BTP entity.
V2xM_CalcDistance	V2xM.h	Calculates the distance between two geographical points on earth with the assumption that they are on elevation 0.
V2xM_CalcHeading-InTolerance	V2xM.h	Calculates if difference of heading values are within a tolerance value
V2xM_GetPosition-AndTime	V2xM.h	Provides the instantaneous position information.
V2xM_GetRefTimePtr	V2xM.h	Provides a pointer to the time reference of the V2X-Stack.
V2xM_SetTolling-ZoneInformation	V2xM.h	Set available tolling zone information. This is done from V2xFac that receives this information via CAM messages.

]()

## 8.6.2 Optional Interfaces

This chapter defines all external interfaces which are required to fulfill an optional functionality of the module.

### [SWS\_V2xFac\_00093]

<i>API Function</i>	<i>Header File</i>	<i>Description</i>
Det_ReportError	Det.h	Service to report development errors.

]()

## 8.7 Service Interfaces

### 8.7.1 Sender-Receiver-Interfaces

#### 8.7.1.1 V2xFacVdp

##### [SWS\_V2xFac\_00094]

The V2xFac requires an interface V2xFacVdp as defined below to get data from the VDP application.

]()

##### [SWS\_V2xFac\_00095]

<b>Name</b>	V2xFacVdp
<b>Comment</b>	Interface to receive data from VDP application

<b>IsService</b>	false	
<b>Variation</b>	--	
<b>Data Elements</b>	vdpData	
	<b>Type</b>	V2xFac_CoopAwarenessType
	<b>Variation</b>	--

]()

### 8.7.1.2 V2xApplRxIndicationCam

#### [SWS\_V2xFac\_00100]

For the V2X\_Facilities an interface V2xApplRxIndicationCam shall be provided as defined below to provide the capability of delivering received CAMs to applications.

]()

#### [SWS\_V2xFac\_00101]

<b>Name</b>	V2xApplRxIndicationCam	
<b>Comment</b>	Deliver received CAMs Applications	
<b>IsService</b>	true	
<b>Variation</b>	--	
<b>Data Elements</b>	CamData	
	<b>Type</b>	V2xFac_CamMessageRootType
	<b>Variation</b>	--

]()

### 8.7.1.3 V2xApplRxIndicationDenm

#### [SWS\_V2xFac\_00234]

For the V2X\_Facilities an interface V2xApplRxIndicationDenm shall be provided as defined below to provide the capability of delivering received DENMs to applications.

]()

#### [SWS\_V2xFac\_00235]

<b>Name</b>	V2xApplRxIndicationDenm	
<b>Comment</b>	Deliver received DENMs to Applications	
<b>IsService</b>	true	
<b>Variation</b>	--	
<b>Data Elements</b>	DenmData	
	<b>Type</b>	V2xFac_DenmMessageRootType

	<b>Variation</b>	--
--	------------------	----

]0

#### 8.7.1.4 V2xApplRxIndicationIvim

**[SWS\_V2xFac\_00254]** [

For the V2X\_Facilities an interface V2xApplRxIndicationIvim shall be provided as defined below to provide the capability of delivering received IVIMs to applications. ] (SRS\_V2X\_10001)

**[SWS\_V2xFac\_91604]** [

<b>Name</b>	V2xApplRxIndicationIvim	
<b>Comment</b>	Deliver received IVIMs to Applications	
<b>IsService</b>	true	
<b>Variation</b>	--	
<b>Data Elements</b>	IvimData	
	<b>Type</b>	V2xFac_IvimDataType
	<b>Variation</b>	--

] (SRS\_V2X\_10001)

#### 8.7.1.5 V2xApplRxIndicationMapem

**[SWS\_V2xFac\_00260]** [

For the V2X\_Facilities an interface V2xApplRxIndicationMapem shall be provided as defined below to provide the capability of delivering received MAPEMs to applications. ] ( SRS\_V2X\_10003)

**[SWS\_V2xFac\_91601]** [

<b>Name</b>	V2xApplRxIndicationMapem	
<b>Comment</b>	Deliver received MAPEMs to Applications	
<b>IsService</b>	true	
<b>Variation</b>	--	
<b>Data Elements</b>	MapemData	
	<b>Type</b>	V2xFac_MapemDataType
	<b>Variation</b>	--

] (SRS\_V2X\_10003)

### 8.7.1.6 V2xApplRxIndicationSpatem

[SWS\_V2xFac\_00268] [

For the V2X\_Facilities an interface V2xApplRxIndicationSpatem shall be provided as defined below to provide the capability of delivering received SPATEMs to applications. ] ( SRS\_V2X\_10004)

[SWS\_V2xFac\_91607] [

<b>Name</b>	V2xApplRxIndicationSpatem	
<b>Comment</b>	Deliver received SPATEMs to Applications	
<b>IsService</b>	true	
<b>Variation</b>	--	
<b>Data Elements</b>	SpatemData Type V2xFac_SpatemDataType Variation --	

] (SRS\_V2X\_10004)

### 8.7.2 Client-Server-Interfaces

#### 8.7.2.1 V2xFacDenBs

The V2xFac module provides the Client-Server service Interface V2xFacDenBs to the application layer. The service Interface V2xFacDenBs shall implement the following operations.

- TriggerEvent
- UpdateEvent
- TerminateEvent

[SWS\_V2xFac\_00098] [

The V2X\_Facilities shall provide an interface V2xFacDenBs as defined below to provide the capability of event handling (triggering, updating and terminating DENMs).

]()

[SWS\_V2xFac\_00099] [

<b>Name</b>	V2xFacDenBs
<b>Comment</b>	Service of V2xFac module basic service DEN

<b>IsService</b>	true	
<b>Variation</b>	--	
<b>Possible Errors</b>	0	E_OK Operation successful
	1	E_NOT_OK Operation failed
	2	E_ACTION_ID_NONEXISTENT ActionID provided for Update/Termination does not exist
	3	E_DENM_UNCONSTRUCTABLE DENM couldn't be constructed
	4	E_DENM_TIME_OUT DENM hasn't been sent before timeout of DENM has been reached

<b>Operation</b>	TerminateEvent	
<b>Comment</b>	Requests termination of an existing DENM ( see [11] chapter 4 and 5.4.1.4 )	
<b>Variation</b>	--	
<b>Parameters</b>	EventData	
	<b>Type</b>	V2xFac_DenMsgType
	<b>Direction</b>	IN
	<b>Comment</b>	Pre-filled DENM message structure, including the ActionID from Trigger Event
	<b>Variation</b>	--
	RepetitionDuration	
	<b>Type</b>	uint32
	<b>Direction</b>	IN
	<b>Comment</b>	Duration of the DENM repetition in units of milliseconds
	<b>Variation</b>	--
<b>Parameters</b>	RepetitionInterval	
	<b>Type</b>	uint16
	<b>Direction</b>	IN
	<b>Comment</b>	Interval of DENM repetition in units of milliseconds
	<b>Variation</b>	--
<b>Parameters</b>	DestinationArea	
	<b>Type</b>	V2xFac_GnDestinationAreaType
	<b>Direction</b>	IN

	<b>Comment</b>	Destination area for DENM dissemination as specified in ETSI EN 302 931.
	<b>Variation</b>	--
TrafficClass		
	<b>Type</b>	V2xFac_TrafficClassIdType
	<b>Direction</b>	IN
	<b>Comment</b>	GN traffic class of the DENM as defined in ETSI EN 302 636-4-1
	<b>Variation</b>	--
ActionID		
	<b>Type</b>	V2xFac_ActionIdType
	<b>Direction</b>	OUT
	<b>Comment</b>	The DEN basic service returns the actionID or other applicable identifier created by the DEN basic service to the requesting ITS-S application
	<b>Variation</b>	--
<b>Possible Errors</b>	E_OK E_NOT_OK E_ACTION_ID_NONEXISTENT E_DENM_UNCONSTRUCTABLE E_DENM_TIME_OUT	

	<b>Operation</b>	TriggerEvent
	<b>Comment</b>	Requests creation of a new DENM ( see [11] chapter 4 and 5.4.1.2 )
	<b>Variation</b>	--
	EventData	
	<b>Type</b>	V2xFac_DenMsgType
	<b>Direction</b>	IN
	<b>Comment</b>	Pre-filled DENM message structure
	<b>Variation</b>	--
<b>Parameters</b>	RepetitionDuration	
	<b>Type</b>	uint32
	<b>Direction</b>	IN
	<b>Comment</b>	Duration of the DENM repetition in units of milliseconds
	<b>Variation</b>	--
	RepetitionInterval	

	<b>Type</b>	uint16
	<b>Direction</b>	IN
	<b>Comment</b>	Interval of DENM repetition in units of milliseconds
	<b>Variation</b>	--
DestinationArea		
	<b>Type</b>	V2xFac_GnDestinationAreaType
	<b>Direction</b>	IN
	<b>Comment</b>	Destination area for DENM dissemination as specified in ETSI EN 302 931.
	<b>Variation</b>	--
TrafficClass		
	<b>Type</b>	V2xFac_TrafficClassIdType
	<b>Direction</b>	IN
	<b>Comment</b>	GN traffic class of the DENM as defined in ETSI EN 302 636-4-1
	<b>Variation</b>	--
ActionID		
	<b>Type</b>	V2xFac_ActionIdType
	<b>Direction</b>	OUT
	<b>Comment</b>	The DEN basic service returns the actionID or other applicable identifier created by the DEN basic service to the requesting ITS-S application
	<b>Variation</b>	--
<b>Possible Errors</b>	E_OK E_NOT_OK E_DENM_UNCONSTRUCTABLE E_DENM_TIME_OUT	

<b>Operation</b>	UpdateEvent	
<b>Comment</b>	Requests update of an existing DENM ( see [11] chapter 4 and 5.4.1.3 )	
<b>Variation</b>	--	
EventData		
<b>Parameters</b>	<b>Type</b>	V2xFac_DenMsgType
	<b>Direction</b>	IN
	<b>Comment</b>	Pre-filled DENM message structure, including the ActionID from Trigger Event

	<b>Variation</b>	--
RepetitionDuration		
	<b>Type</b>	uint32
	<b>Direction</b>	IN
	<b>Comment</b>	Duration of the DENM repetition in units of milliseconds
	<b>Variation</b>	--
RepetitionInterval		
	<b>Type</b>	uint16
	<b>Direction</b>	IN
	<b>Comment</b>	Interval of DENM repetition in units of milliseconds
	<b>Variation</b>	--
DestinationArea		
	<b>Type</b>	V2xFac_GnDestinationAreaType
	<b>Direction</b>	IN
	<b>Comment</b>	Destination area for DENM dissemination as specified in ETSI EN 302 931.
	<b>Variation</b>	--
TrafficClass		
	<b>Type</b>	V2xFac_TrafficClassIdType
	<b>Direction</b>	IN
	<b>Comment</b>	GN traffic class of the DENM as defined in ETSI EN 302 636-4-1
	<b>Variation</b>	--
ActionID		
	<b>Type</b>	V2xFac_ActionIdType
	<b>Direction</b>	OUT
	<b>Comment</b>	The DEN basic service returns the actionID or other applicable identifier created by the DEN basic service to the requesting ITS-S application
	<b>Variation</b>	--
<b>Possible Errors</b>	E_OK E_NOT_OK E_ACTION_ID_NONEXISTENT E_DENM_UNCONSTRUCTABLE E_DENM_TIME_OUT	

## 8.7.3 Implementation Data Types

### 8.7.3.1 V2xFac specific Implementation DataTypes

#### [SWS\_V2xFac\_00162][

<b>Name</b>	V2xFac_TrafficClassIdType
<b>Kind</b>	Type
<b>Derived from</b>	uint8
<b>Description</b>	Traffic class for sending DENMs
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

#### [SWS\_V2xFac\_00163][

<b>Name</b>	V2xFac_GnDestinationAreaType	
<b>Kind</b>	Structure	
<b>Elements</b>	latitude	
	<b>Type</b>	sint32
	<b>Comment</b>	Latitude [1/10 microdegree]
	longitude	
	<b>Type</b>	sint32
	<b>Comment</b>	Longitude [1/10 microdegree]
	distanceA	
	<b>Type</b>	uint16
	<b>Comment</b>	Distance a of the geometric shape [meters]
	distanceB	
	<b>Type</b>	uint16
	<b>Comment</b>	Distance b of the geometric shape [meters]
	angle	
	<b>Type</b>	uint16
	<b>Comment</b>	Angle of the geometric shape [degrees from North]
	shape	
	<b>Type</b>	V2xFac_GnAreaShapeType
	<b>Comment</b>	Shape type of the geometric area

<b>Description</b>	Destination area for DENM dissemination as specified in ETSI EN 302 931.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00164][

<b>Name</b>	V2xFac_GnAreaShapeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_GNAREASHAPE_CIRCLE	0x00	Circle
	V2XFAC_GNAREASHAPE_RECT	0x01	Rectangle
	V2XFAC_GNAREASHAPE_ELLIPSE	0x02	Ellipsis
<b>Description</b>	Enumeration of a GeoNetworking Area Shape		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### 8.7.3.2 CAM/DENM/IVIM/MAPEM/SPATEM common Implementation DataTypes

#### [SWS\_V2xFac\_00036][

<b>Name</b>	V2xFac_ItsPduHeaderType				
<b>Kind</b>	Structure				
<b>Elements</b>	protocolVersion				
	<b>Type</b>	uint8			
	<b>Comment</b>	Version of ITS message and/or communication protocol			
	messageld				
	<b>Type</b>	uint8			
	<b>Comment</b>	Type of the ITS message.			
	stationId				
	<b>Type</b>	uint32			
	<b>Comment</b>	Identifier of originating ITS-S			
<b>Description</b>	DF_ItsPduHeader as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				

<b>Available via</b>	Rte_V2xFac_Type.h
----------------------	-------------------

]()

### [SWS\_V2xFac\_00224][

<b>Name</b>	V2xFac_DeltaReferencePositionType	
<b>Kind</b>	Structure	
<b>Elements</b>	deltaLatitude	
	<b>Type</b>	sint32
	<b>Comment</b>	Defines offset latitude with regards to a referred latitude value.
	deltaLongitude	
	<b>Type</b>	sint32
	<b>Comment</b>	Defines an offset longitude with regards to a referred longitude value.
	deltaAltitude	
	<b>Type</b>	sint16
	<b>Comment</b>	Defines an offset altitude with regards to a referred altitude value.
<b>Description</b>	DF_DeltaReferencePosition as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00037][

<b>Name</b>	V2xFac_AltitudeType	
<b>Kind</b>	Structure	
<b>Elements</b>	altitudeValue	
	<b>Type</b>	sint32
	<b>Comment</b>	Altitude in a WGS84 co-ordinate system
	altitudeConfidence	
	<b>Type</b>	V2xFac_AltitudeConfidenceType
	<b>Comment</b>	Absolute accuracy of a reported altitude value
<b>Description</b>	DF_Altitude as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	

<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00165]

<b>Name</b>	V2xFac_AltitudeConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_ALTITUDECONFIDENCE_ALT_000_01	0x00	the altitude accuracy is equal to or less than 0.01 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_02	0x01	the altitude accuracy is equal to or less than 0.02 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_05	0x02	the altitude accuracy is equal to or less than 0.05 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_10	0x03	the altitude accuracy is equal to or less than 0.1 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_20	0x04	the altitude accuracy is equal to or less than 0.2 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_000_50	0x05	the altitude accuracy is equal to or less than 0.5 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_001_00	0x06	the altitude accuracy is equal to or less than 1 meter
	V2XFAC_ALTITUDECONFIDENCE_ALT_002_00	0x07	the altitude accuracy is equal to or less than 2 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_005_00	0x08	the altitude accuracy is equal to or less than 5 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_010_00	0x09	the altitude accuracy is equal to or less than 10 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_020_00	0x0a	the altitude accuracy is equal to or less than 20 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_050_00	0x0b	the altitude accuracy is equal to or less than 50 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_100_00	0x0c	the altitude accuracy is equal to or less than 100 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_200_00	0x0d	the altitude accuracy is equal to or less than 200 meters
	V2XFAC_ALTITUDECONFIDENCE_ALT_OUTOFRANGE	0x0e	the altitude accuracy is out of range, i.e. greater than 200 meters

	V2XFAC_ALTITUDECONFIDENCE_ ALT_UNAVAILABLE	0x0f	the altitude accuracy information is unavailable
<b>Description</b>	Enumeration of DE_AltitudeConfidence as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00038]

<b>Name</b>	V2xFac_PosConfidenceEllipseType				
<b>Kind</b>	Structure				
<b>Elements</b>	semiMajorConfidence				
	<b>Type</b>	uint16			
	<b>Comment</b>	Half of length of the major axis			
	semiMinorConfidence				
	<b>Type</b>	uint16			
	<b>Comment</b>	Half of length of the minor axis			
	semiMajorOrientation				
	<b>Type</b>	uint16			
	<b>Comment</b>	Orientation direction of the ellipse major axis			
<b>Description</b>	DF_PosConfidenceEllipse as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00039]

<b>Name</b>	V2xFac_HeadingType		
<b>Kind</b>	Structure		
<b>Elements</b>	headingValue		
	<b>Type</b>	uint16	
	<b>Comment</b>	Orientation of a heading with regards to the WGS84 north	
	headingConfidence		
	<b>Type</b>	uint8	

	<b>Comment</b>	Absolute accuracy of a reported heading value
<b>Description</b>	DF_Heading as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00040]

<b>Name</b>	V2xFac_SpeedType	
<b>Kind</b>	Structure	
<b>Elements</b>	speedValue	
	<b>Type</b>	uint16
	<b>Comment</b>	Speed value
	speedConfidence	
	<b>Type</b>	uint8
<b>Description</b>	DF_Speed as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00047]

<b>Name</b>	V2xFac_ReferencePositionType	
<b>Kind</b>	Structure	
<b>Elements</b>	latitude	
	<b>Type</b>	sint32
	<b>Comment</b>	Latitude of the geographical point
	longitude	
	<b>Type</b>	sint32
	<b>Comment</b>	Longitude of the geographical point
	posConfidenceEllipse	
	<b>Type</b>	V2xFac_PosConfidenceEllipseType

	<b>Comment</b>	Accuracy of the geographical position
	altitude	
	<b>Type</b>	V2xFac_AltitudeType
	<b>Comment</b>	Altitude and altitude accuracy of the geographical point
<b>Description</b>	DF_ReferencePosition as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00225][

<b>Name</b>	V2xFac_ActionIdType	
<b>Kind</b>	Structure	
	originatingStationID	
	<b>Type</b>	uint32
	<b>Comment</b>	Identifier for an ITS-S
	sequenceNumber	
	<b>Type</b>	uint16
	<b>Comment</b>	sequenceNumber
<b>Description</b>	DF_ActionID as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00059][

<b>Name</b>	V2xFac_PathHistoryType	
<b>Kind</b>	Structure	
	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array.
	values	
	<b>Type</b>	Array of V2xFac_PathPointType

	<b>Size</b>	23
	<b>Comment</b>	--
<b>Description</b>	DF_PathHistory as defined in ETSI TS 102 894-2. Size of the Array shall be 23 as defined in ETSI EN 302 637-2.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00226]

<b>Name</b>	V2xFac_ClosedLanesType				
<b>Kind</b>	Structure				
<b>Elements</b>	presence				
	<b>Type</b>	V2xFac_ClosedLanesPresenceType			
	<b>Comment</b>	Mark optional children present or not			
	hardShoulderStatus				
	<b>Type</b>	V2xFac_HardShoulderStatusType			
	<b>Comment</b>	Indicates the open/closing status of hard shoulder lanes			
	drivingLaneStatus				
	<b>Type</b>	V2xFac_DrivingLaneStatusType			
	<b>Comment</b>	Indicates whether a driving lane is open to traffic			
<b>Description</b>	DF_ClosedLanes as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00166]

<b>Name</b>	V2xFac_ClosedLanesPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	hardShoulderStatus	0x01
<b>Description</b>	Presence flags for V2xFac_ClosedLanesTypet		

<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

])

**[SWS\_V2xFac\_00167]**

<b>Name</b>	V2xFac_HardShoulderStatusType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_HARDSHOULDERSTATUS_AVAILABLE_FOR_STOPPING	0x00	Hard shoulder lane available for stopping
	V2XFAC_HARDSHOULDERSTATUS_CLOSED	0x01	Hard shoulder lane closed
	V2XFAC_HARDSHOULDERSTATUS_AVAILABLE_FOR_DRIVING	0x02	Hard shoulder lane available for driving
<b>Description</b>	Enumeration of DE_HardShoulderStatus as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

])

**[SWS\_V2xFac\_00168]**

<b>Name</b>	V2xFac_DrivingLaneStatusType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint16			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	outermostLaneClosed	0x2000	Bit 13: Outermost lane is closed
	bit	secondLaneFromOutside Closed	0x1000	Bit 12: Second lane from the outside is closed
	bit	thirdLaneFromOutside Closed	0x800	Bit 11: Third lane from the outside is closed
	bit	fourthLaneFromOutside Closed	0x400	Bit 10: Fourth lane from the outside is closed
	bit	fifthLaneFromOutside Closed	0x200	Bit 9: Fifth lane from the outside is closed
	bit	sixthLaneFromOutside Closed	0x100	Bit 8: Sixth lane from the outside is closed
	bit	seventhLaneFromOutside	0x80	Bit 7: Seventh lane from the outside is

	Closed		closed
bit	eighthLaneFromOutside Closed	0x40	Bit 6: Eighth lane from the outside is closed
bit	ninthLaneFromOutside Closed	0x20	Bit 5: Ninth lane from the outside is closed
bit	tenthLaneFromOutside Closed	0x10	Bit 4: Tenth lane from the outside is closed
bit	eleventhLaneFromOutside Closed	0x08	Bit 3: Eleventh lane from the outside is closed
bit	twelfthLaneFromOutside Closed	0x04	Bit 2: Twelfth lane from the outside is closed
bit	thirteenthLaneFrom OutsideClosed	0x02	Bit 1: Thirteenth lane from the outside is closed
bit	fourteenthLaneFrom OutsideClosed	0x01	Bit 0 (LSB): Fourteenth lane from the outside is closed
<b>Description</b>	BitString DE_DrivingLaneStatus as defined in ETSI TS 102 894-2 V1.2.1.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00074][

<b>Name</b>	V2xFac_CauseCodeType	
<b>Kind</b>	Structure	
<b>Elements</b>	causeCode	
	<b>Type</b>	uint8
	<b>Comment</b>	Encoded value of a traffic event type
	subCauseCode	
	<b>Type</b>	uint8
	<b>Comment</b>	Type of sub cause of a detected event
<b>Description</b>	DF_CauseCode as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_91035][

<b>Name</b>	V2xFac_StationIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint32		
<b>Range</b>	0..4294967295	--	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91036][

<b>Name</b>	V2xFac_LongitudeType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint32		
<b>Range</b>	-1800000000..1800000001	--	--
	oneMicrodegreeWest	-10	--
	oneMicrodegreeEast	10	--
	unavailable	1800000001	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91037][

<b>Name</b>	V2xFac_LatitudeType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint32		
<b>Range</b>	-900000000..900000001	--	--
	oneMicrodegreeSouth	-10	--
	oneMicrodegreeNorth	10	--
	unavailable	900000001	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91038]**[ 

<b>Name</b>	V2xFac_AltitudeValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint32		
<b>Range</b>	-100000..800001	--	--
	referenceEllipsoidSurface	0	--
	oneCentimeter	1	--
	unavailable	800001	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91039]**[ 

<b>Name</b>	V2xFac_DeltaLongitudeType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint32		
<b>Range</b>	-131071..131072	--	--
	oneMicrodegreeWest	-10	--
	oneMicrodegreeEast	10	--
	unavailable	131072	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91040]**[ 

<b>Name</b>	V2xFac_DeltaLatitudeType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint32		
<b>Range</b>	-131071..131072	--	--
	oneMicrodegreeSouth	-10	--

	oneMicrodegreeNorth	10	--
	unavailable	131072	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91041][

<b>Name</b>	V2xFac_DeltaAltitudeType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-12700..12800	--	--
	oneCentimeterDown	-1	--
	oneCentimeterUp	1	--
	unavailable	12800	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91042][

<b>Name</b>	V2xFac_PathDeltaTimeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	1..65535	--	--
	tenMillisecondsInPast	1	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91043][

<b>Name</b>	V2xFac_PtActivationTypeType		
<b>Kind</b>	Type		

<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	undefinedCodingType	0	--
	r09_16CodingType	1	--
	vdv_50149CodingType	2	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91044**][

<b>Name</b>	V2xFac_SemiAxisLengthType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..4095	--	--
	oneCentimeter	1	--
	outOfRange	4094	--
	unavailable	4095	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91045**][

<b>Name</b>	V2xFac_CauseCodeTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	reserved	0	--
	trafficCondition	1	--
	accident	2	--
	roadworks	3	--
	adverseWeatherCondition_Adhesion	6	--

	hazardousLocation_SurfaceCondition	9	--
	hazardousLocation_ObstacleOnTheRoad	10	--
	hazardousLocation_AnimalOnTheRoad	11	--
	humanPresenceOnTheRoad	12	--
	wrongWayDriving	14	--
	rescueAndRecoveryWorkInProgress	15	--
	adverseWeatherCondition_ExtremeWeatherCondition	17	--
	adverseWeatherCondition_Visibility	18	--
	adverseWeatherCondition_Precipitation	19	--
	slowVehicle	26	--
	dangerousEndOfQueue	27	--
	vehicleBreakdown	91	--
	postCrash	92	--
	humanProblem	93	--
	stationaryVehicle	94	--
	emergencyVehicleApproaching	95	--
	hazardousLocation_DangerousCurve	96	--
	collisionRisk	97	--
	signalViolation	98	--
	dangerousSituation	99	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91046][

<b>Name</b>	V2xFac_SubCauseCodeTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

[SWS\_V2xFac\_91047][

<b>Name</b>	V2xFac_TrafficConditionSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	increasedVolumeOfTraffic	1	--
	trafficJamSlowlyIncreasing	2	--
	trafficJamIncreasing	3	--
	trafficJamStronglyIncreasing	4	--
	trafficStationary	5	--
	trafficJamSlightlyDecreasing	6	--
	trafficJamDecreasing	7	--
	trafficJamStronglyDecreasing	8	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91048][

<b>Name</b>	V2xFac_AccidentSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	multiVehicleAccident	1	--
	heavyAccident	2	--
	accidentInvolvingLorry	3	--
	accidentInvolvingBus	4	--
	accidentInvolvingHazardousMaterials	5	--

	accidentOnOppositeLane	6	--
	unsecuredAccident	7	--
	assistanceRequested	8	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91049]

<b>Name</b>	V2xFac_RoadworksSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	majorRoadworks	1	--
	roadMarkingWork	2	--
	slowMovingRoadMaintenance	3	--
	shortTermStationaryRoadworks	4	--
	streetCleaning	5	--
	winterService	6	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91050]

<b>Name</b>	V2xFac_HumanPresenceOnTheRoadSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	childrenOnRoadway	1	--
	cyclistOnRoadway	2	--

	motorcyclistOnRoadway	3	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91051][

<b>Name</b>	V2xFac_WrongWayDrivingSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	wrongLane	1	--
	wrongDirection	2	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91052][

<b>Name</b>	V2xFac_AdverseWeatherCondition_ExtremeWeatherConditionSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	strongWinds	1	--
	damagingHail	2	--
	hurricane	3	--
	thunderstorm	4	--
	tornado	5	--
	blizzard	6	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

**[SWS\_V2xFac\_91053]**[

<b>Name</b>	V2xFac_AdverseWeatherCondition_AdhesionSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	heavyFrostOnRoad	1	--
	fuelOnRoad	2	--
	mudOnRoad	3	--
	snowOnRoad	4	--
	iceOnRoad	5	--
	blackIceOnRoad	6	--
	oilOnRoad	7	--
	looseChippings	8	--
	instantBlackIce	9	--
	roadsSalted	10	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91054]**[

<b>Name</b>	V2xFac_AdverseWeatherCondition_VisibilitySubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	fog	1	--
	smoke	2	--
	heavySnowfall	3	--

	heavyRain	4	--
	heavyHail	5	--
	lowSunGlare	6	--
	sandstorms	7	--
	swarmsOfInsects	8	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91055][

<b>Name</b>	V2xFac_AdverseWeatherCondition_PrecipitationSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	heavyRain	1	--
	heavySnowfall	2	--
	softHail	3	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91056][

<b>Name</b>	V2xFac_SlowVehicleSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	maintenanceVehicle	1	--
	vehiclesSlowingToLookAtAccident	2	--
	abnormalLoad	3	--

	abnormalWideLoad	4	--
	convoy	5	--
	snowplough	6	--
	deicing	7	--
	saltingVehicles	8	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91057][

<b>Name</b>	V2xFac_StationaryVehicleSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	humanProblem	1	--
	vehicleBreakdown	2	--
	postCrash	3	--
	publicTransportStop	4	--
	carryingDangerousGoods	5	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91058][

<b>Name</b>	V2xFac_HumanProblemSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	glycemiaProblem	1	--

	heartProblem	2	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91059][

<b>Name</b>	V2xFac_EmergencyVehicleApproachingSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	emergencyVehicleApproaching	1	--
	prioritizedVehicleApproaching	2	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91060][

<b>Name</b>	V2xFac_HazardousLocation_DangerousCurveSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	dangerousLeftTurnCurve	1	--
	dangerousRightTurnCurve	2	--
	multipleCurvesStartingWithUnknownTurningDirection	3	--
	multipleCurvesStartingWithLeftTurn	4	--
	multipleCurvesStartingWithRightTurn	5	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91061]**[ 

<b>Name</b>	V2xFac_HazardousLocation_SurfaceConditionSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	rockfalls	1	--
	earthquakeDamage	2	--
	sewerCollapse	3	--
	subsidence	4	--
	snowDrifts	5	--
	stormDamage	6	--
	burstPipe	7	--
	volcanoEruption	8	--
	fallingIce	9	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91062]**[ 

<b>Name</b>	V2xFac_HazardousLocation_ObstacleOnTheRoadSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	shedLoad	1	--
	partsOfVehicles	2	--
	partsOfTyres	3	--
	bigObjects	4	--
	fallenTrees	5	--

	hubCaps	6	--
	waitingVehicles	7	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91063][

<b>Name</b>	V2xFac_HazardousLocation_AnimalOnTheRoadSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	wildAnimals	1	--
	herdOfAnimals	2	--
	smallAnimals	3	--
	largeAnimals	4	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91064][

<b>Name</b>	V2xFac_CollisionRiskSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	longitudinalCollisionRisk	1	--
	crossingCollisionRisk	2	--
	lateralCollisionRisk	3	--
	vulnerableRoadUser	4	--
<b>Description</b>	Namespace: ITS-Container		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91065][

<b>Name</b>	V2xFac_SignalViolationSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	stopSignViolation	1	--
	trafficLightViolation	2	--
	turningRegulationViolation	3	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91066][

<b>Name</b>	V2xFac_RescueAndRecoveryWorkInProgressSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	emergencyVehicles	1	--
	rescueHelicopterLanding	2	--
	policeActivityOngoing	3	--
	medicalEmergencyOngoing	4	--
	childAbductionInProgress	5	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91067][**

<b>Name</b>	V2xFac_DangerousEndOfQueueSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	suddenEndOfQueue	1	--
	queueOverHill	2	--
	queueAroundBend	3	--
	queueInTunnel	4	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

J()

**[SWS\_V2xFac\_91068][**

<b>Name</b>	V2xFac_DangerousSituationSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	emergencyElectronicBrakeEngaged	1	--
	preCrashSystemEngaged	2	--
	espEngaged	3	--
	absEngaged	4	--
	aebEngaged	5	--
	brakeWarningEngaged	6	--
	collisionRiskWarningEngaged	7	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

J()

**[SWS\_V2xFac\_91069]**

<b>Name</b>	V2xFac_VehicleBreakdownSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	lackOfFuel	1	--
	lackOfBatteryPower	2	--
	engineProblem	3	--
	transmissionProblem	4	--
	engineCoolingProblem	5	--
	brakingSystemProblem	6	--
	steeringProblem	7	--
	tyrePuncture	8	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

J()

**[SWS\_V2xFac\_91070]**

<b>Name</b>	V2xFac_PostCrashSubCauseCodeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unavailable	0	--
	accidentWithoutECallTriggered	1	--
	accidentWithECallManuallyTriggered	2	--
	accidentWithECallAutomaticallyTriggered	3	--
	accidentWithECallTriggeredWithoutAccessToCellularNetwork	4	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91071]**]

<b>Name</b>	V2xFac_CurvatureValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-30000..30001	--	--
	reciprocalOf1MeterRadiusToRight	-30000	--
	straight	0	--
	reciprocalOf1MeterRadiusToLeft	30000	--
	unavailable	30001	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91072]**]

<b>Name</b>	V2xFac_CurvatureConfidenceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	onePerMeter_0_00002	0	--
	onePerMeter_0_0001	1	--
	onePerMeter_0_0005	2	--
	onePerMeter_0_002	3	--
	onePerMeter_0_01	4	--
	onePerMeter_0_1	5	--
	outOfRange	6	--
	unavailable	7	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91073]**]

<b>Name</b>	V2xFac_HeadingValueType
-------------	-------------------------

<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..3601	--	--
	wgs84North	0	--
	wgs84East	900	--
	wgs84South	1800	--
	wgs84West	2700	--
	unavailable	3601	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91074][

<b>Name</b>	V2xFac_HeadingConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..127	--	--
	equalOrWithinZeroPointOneDegree	1	--
	equalOrWithinOneDegree	10	--
	outOfRange	126	--
	unavailable	127	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91075][

<b>Name</b>	V2xFac_LanePositionType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint8		
<b>Range</b>	-1..14	--	--
	offTheRoad	-1	--

	hardShoulder	0	--
	outermostDrivingLane	1	--
	secondLaneFromOutside	2	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91076]

<b>Name</b>	V2xFac_PerformanceClassType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	unavailable	0	--
	performanceClassA	1	--
	performanceClassB	2	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91077]

<b>Name</b>	V2xFac_SpeedValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..16383	--	--
	standstill	0	--
	oneCentimeterPerSec	1	--
	unavailable	16383	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91078][**

<b>Name</b>	V2xFac_SpeedConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..127	--	--
	equalOrWithinOneCentimeterPerSec	1	--
	equalOrWithinOneMeterPerSec	100	--
	outOfRange	126	--
	unavailable	127	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91079][**

<b>Name</b>	V2xFac_EmbarkationStatusType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	value	0x00
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91080][**

<b>Name</b>	V2xFac_LongitudinalAccelerationValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-160..161	--	--
	pointOneMeterPerSecSquaredBackward	-1	--
	pointOneMeterPerSecSquaredForward	1	--
	unavailable	161	--

<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91081][

<b>Name</b>	V2xFac_AccelerationConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..102	--	--
	pointOneMeterPerSecSquared	1	--
	outOfRange	101	--
	unavailable	102	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91082][

<b>Name</b>	V2xFac_LateralAccelerationValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-160..161	--	--
	pointOneMeterPerSecSquaredToRight	-1	--
	pointOneMeterPerSecSquaredToLeft	1	--
	unavailable	161	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91083][

<b>Name</b>	V2xFac_VerticalAccelerationValueType		
<b>Kind</b>	Type		

<b>Derived from</b>	sint16		
<b>Range</b>	-160..161	--	--
	pointOneMeterPerSecSquaredDown	-1	--
	pointOneMeterPerSecSquaredUp	1	--
	unavailable	161	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91084**][

<b>Name</b>	V2xFac_StationTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	unknown	0	--
	pedestrian	1	--
	cyclist	2	--
	moped	3	--
	motorcycle	4	--
	passengerCar	5	--
	bus	6	--
	lightTruck	7	--
	heavyTruck	8	--
	trailer	9	--
	specialVehicles	10	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91085][**

<b>Name</b>	V2xFac_HeightLonCarrType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..100	--	--
	oneCentimeter	1	--
	unavailable	100	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91086][**

<b>Name</b>	V2xFac_PosLonCarrType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..127	--	--
	oneCentimeter	1	--
	unavailable	127	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91087][**

<b>Name</b>	V2xFac_PosPillarType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..30	--	--
	tenCentimeters	1	--
	unavailable	30	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		

<b>Available via</b>	V2xFac.h		
----------------------	----------	--	--

]()

[SWS\_V2xFac\_91088][

<b>Name</b>	V2xFac_PosCentMassType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..63	--	--
	tenCentimeters	1	--
	unavailable	63	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91089][

<b>Name</b>	V2xFac_SpeedLimitType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..255	--	--
	oneKmPerHour	1	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91090][

<b>Name</b>	V2xFac_TemperatureType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint8		
<b>Range</b>	-60..67	--	--
	equalOrSmallerThanMinus60Deg	-60	--
	oneDegreeCelsius	1	--
	equalOrGreaterThan67Deg	67	--

<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91091][

<b>Name</b>	V2xFac_WheelBaseVehicleType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..127	--	--
	tenCentimeters	1	--
	unavailable	127	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91092][

<b>Name</b>	V2xFac_TurningRadiusType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..255	--	--
	point4Meters	1	--
	unavailable	255	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91093][

<b>Name</b>	V2xFac_PosFrontAxType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..20	--	--

	tenCentimeters	1	--
	unavailable	20	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91094][

<b>Name</b>	V2xFac_WMInumberType		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..3	--	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91095][

<b>Name</b>	V2xFac_VDSType		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91096][

<b>Name</b>	V2xFac_EnergyStorageTypeType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	hydrogenStorage	0x01
	bit	electricEnergyStorage	0x02
	bit	liquidPropaneGas	0x04

	bit	compressedNaturalGas	0x08	--
	bit	diesel	0x10	--
	bit	gasoline	0x20	--
	bit	ammonia	0x40	--
<b>Description</b>	Namespace: ITS-Container			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91097][

<b>Name</b>	V2xFac_VehicleLengthValueType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint16			
<b>Range</b>	1..1023	--	--	
	tenCentimeters	1	--	
	outOfRange	1022	--	
	unavailable	1023	--	
<b>Description</b>	Namespace: ITS-Container			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91098][

<b>Name</b>	V2xFac_VehicleWidthType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	1..62	--	--	
	tenCentimeters	1	--	
	outOfRange	61	--	
	unavailable	62	--	
<b>Description</b>	Namespace: ITS-Container			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[**SWS\_V2xFac\_91099**][

<b>Name</b>	V2xFac_InformationQualityType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	unavailable	0	--
	lowest	1	--
	highest	7	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91100**][

<b>Name</b>	V2xFac_SteeringWheelAngleValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-511..512	--	--
	onePointFiveDegreesToRight	-1	--
	straight	0	--
	onePointFiveDegreesToLeft	1	--
	unavailable	512	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91101**][

<b>Name</b>	V2xFac_SteeringWheelAngleConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..127	--	--

	equalOrWithinOnePointFiveDegree	1	--
	outOfRange	126	--
	unavailable	127	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91102]**[

<b>Name</b>	V2xFac_TimestamppltsType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint64		
<b>Range</b>	0..4398046511103	--	--
	utcStartOf2004	0	--
	oneMillisecAfterUTCStartOf2004	1	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91103]**[

<b>Name</b>	V2xFac_YawRateValueType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-32766..32767	--	--
	degSec_000_01ToRight	-1	--
	straight	0	--
	degSec_000_01ToLeft	1	--
	unavailable	32767	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91104][**

<b>Name</b>	V2xFac_TransmissionIntervalType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	1..10000	--	--
	oneMillisecond	1	--
	tenSeconds	10000	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91105][**

<b>Name</b>	V2xFac_ValidityDurationType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint32		
<b>Range</b>	0..86400	--	--
	timeOfDetection	0	--
	oneSecondAfterDetection	1	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91106][**

<b>Name</b>	V2xFac_ActionIDType		
<b>Kind</b>	Structure		
<b>Elements</b>	originatingStationID		
	<b>Type</b>	V2xFac_StationIDType	
	<b>Comment</b>	--	
	sequenceNumber		
	<b>Type</b>	V2xFac_SequenceNumberType	
	<b>Comment</b>	--	

<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91107][

<b>Name</b>	V2xFac_NumberOfOccupantsType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..127	--	--
	oneOccupant	1	--
	unavailable	127	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91108][

<b>Name</b>	V2xFac_SequenceNumberType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91109][

<b>Name</b>	V2xFac_ProtectedZoneRadiusType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..255	--	--
	oneMeter	1	--
<b>Description</b>	Namespace: ITS-Container		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

#### [SWS\_V2xFac\_91110][

<b>Name</b>	V2xFac_ProtectedZoneIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint32		
<b>Range</b>	0..134217727	--	--
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

#### [SWS\_V2xFac\_91111][

<b>Name</b>	V2xFac_CenDsrcTollingZoneIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_ProtectedZoneIDType		
<b>Description</b>	Namespace: ITS-Container		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### 8.7.3.3 CAM specific Implementation DataTypes

#### [SWS\_V2xFac\_00041][

<b>Name</b>	V2xFac_CamMessageRootType		
<b>Kind</b>	Structure		
<b>Elements</b>	itsPduHeader		
	<b>Type</b>	V2xFac_ItsPduHeaderType	
	<b>Comment</b>	Structure of the ItsPduHeader	
	coopAwareness		
	<b>Type</b>	V2xFac_CoopAwarenessType	
	<b>Comment</b>	Structure of the CoopAwareness data	

	transactionId
<b>Type</b>	uint32
<b>Comment</b>	TransactionId for received CAM
<b>Description</b>	CAM root message as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00042][

<b>Name</b>	V2xFac_CoopAwarenessType	
<b>Kind</b>	Structure	
	generationDeltaTime	
<b>Elements</b>	<b>Type</b>	uint16
	<b>Comment</b>	Time corresponding to the time of the reference position in the CAM
	camParameters	
	<b>Type</b>	V2xFac_CamParametersType
	<b>Comment</b>	Structure of V2X CAM-Parameters
<b>Description</b>	CoopAwareness as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00045][

<b>Name</b>	V2xFac_CamParametersType	
<b>Kind</b>	Structure	
	presence	
<b>Elements</b>	<b>Type</b>	V2xFac_CamParametersPresenceType
	<b>Comment</b>	Mark optional childs present or not
	basicContainer	
	<b>Type</b>	V2xFac_BasicContainerType
	<b>Comment</b>	Basic container of CAM

	highFrequencyContainer
<b>Type</b>	V2xFac_HighFrequencyContainerType
<b>Comment</b>	High frequency container of CAM
	lowFrequencyContainer
<b>Type</b>	V2xFac_LowFrequencyContainerType
<b>Comment</b>	Low frequency container of CAM
	specialVehicleContainer
<b>Type</b>	V2xFac_SpecialVehicleContainerType
<b>Comment</b>	Special container of the CAM
<b>Description</b>	CamParameters as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00169]

<b>Name</b>	V2xFac_CamParametersPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	lowFrequencyContainer	0x02	Bit 1: Optional child present
	bit	specialVehicleContainer	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_CamParametersType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00170]

<b>Name</b>	V2xFac_SpecialVehicleContainerType		
<b>Kind</b>	Structure		
<b>Elements</b>	choice		
	<b>Type</b>	V2xFac_SpecialVehicleContainerChoiceType	
	<b>Comment</b>	Marks which element is filled	

	publicTransportContainer
<b>Type</b>	V2xFac_PublicTransportContainerType
<b>Comment</b>	--
	specialTransportContainer
<b>Type</b>	V2xFac_SpecialTransportContainerType
<b>Comment</b>	--
	dangerousGoodsContainer
<b>Type</b>	V2xFac_DangerousGoodsContainerType
<b>Comment</b>	--
	roadWorksContainerBasic
<b>Type</b>	V2xFac_RoadWorksContainerBasicType
<b>Comment</b>	--
	rescueContainer
<b>Type</b>	V2xFac_RescueContainerType
<b>Comment</b>	--
	emergencyContainer
<b>Type</b>	V2xFac_EmergencyContainerType
<b>Comment</b>	--
	safetyCarContainer
<b>Type</b>	V2xFac_SafetyCarContainerType
<b>Comment</b>	--
<b>Description</b>	SpecialVehicleContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00171][

<b>Name</b>	V2xFac_SpecialVehicleContainerChoiceType
<b>Kind</b>	Type
<b>Derived from</b>	uint8

<b>Range</b>	V2XFAC_SPECIALVEHICLECONTAINER_PUBLIC_TRANSPORT_CONTAINER	0x00	Public transport container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_SPECIAL_TRANSPORT_CONTAINER	0x01	Special transport container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_DANGEROUS_GOODS_CONTAINER	0x02	Dangerous goods container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_ROAD_WORKS_CONTAINER_BASIC	0x03	Road works container basic chosen
	V2XFAC_SPECIALVEHICLECONTAINER_RESCUE_CONTAINER	0x04	Rescue container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_EMERGENCY_CONTAINER	0x05	Emergency container chosen
	V2XFAC_SPECIALVEHICLECONTAINER_SAFETY_CAR_CONTAINER	0x06	Safety car container chosen
<b>Description</b>	Enumeration for Choice V2xFac_SpecialVehicleContainerType		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00046]

<b>Name</b>	V2xFac_BasicContainerType				
<b>Kind</b>	Structure				
<b>Elements</b>	stationType				
	<b>Type</b>	uint8			
	<b>Comment</b>	Station type of the originating ITS-S			
	referencePosition				
	<b>Type</b>	V2xFac_ReferencePositionType			
	<b>Comment</b>	Position and position accuracy measured at the reference point of the originating ITS-S			
<b>Description</b>	BasicContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00048]

<b>Name</b>	V2xFac_HighFrequencyContainerType				
<b>Kind</b>	Structure				
<b>Elements</b>	choice				
	<b>Type</b>	V2xFac_HighFrequencyContainerChoiceType			
	<b>Comment</b>	Mark which element is filled			
	basicVehicleContainerHighFrequency				
	<b>Type</b>	V2xFac_BasicVehicleContainerHighFrequencyType			
	<b>Comment</b>	--			
	rsuContainerHighFrequency				
	<b>Type</b>	V2xFac_RSUContainerHighFrequencyType			
	<b>Comment</b>	--			
<b>Description</b>	HighFrequencyContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00172]

<b>Name</b>	V2xFac_HighFrequencyContainerChoiceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_HIGHFREQCONTAINER_BASICVEHICLECONTAINER	0x01	High Frequency basic vehicle container chosen
	V2XFAC_HIGHFREQCONTAINER_RSUCONTAINERHIGHFREQ	0x02	Hlgh frequency RSU container high freq chosen
<b>Description</b>	Enumeration for Choice V2xFac_HighFrequencyContainerType		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00173]

<b>Name</b>	V2xFac_BasicVehicleContainerHighFrequencyType		
<b>Kind</b>	Structure		

<b>Elements</b>	presence	
	<b>Type</b>	V2xFac_BasicVehicleContainerHighFrequencyPresenceType
	<b>Comment</b>	Mark optional childs present or not
	heading	
	<b>Type</b>	V2xFac_HeadingType
	<b>Comment</b>	Heading and heading accuracy of the vehicle movement
	speed	
	<b>Type</b>	V2xFac_SpeedType
	<b>Comment</b>	Driving speed and speed accuracy of the originating ITS-S
	driveDirection	
	<b>Type</b>	V2xFac_DriveDirectionType
	<b>Comment</b>	Vehicle drive direction
	vehicleLength	
	<b>Type</b>	V2xFac_VehicleLengthType
	<b>Comment</b>	Vehicle length and accuracy of the vehicle that originates the CAM
	vehicleWidth	
	<b>Type</b>	uint8
	<b>Comment</b>	Width of a vehicle, including side mirrors
	longitudinalAcceleration	
	<b>Type</b>	V2xFac_LongitudinalAccelerationType
	<b>Comment</b>	Vehicle longitudinal acceleration and accuracy
	curvature	
	<b>Type</b>	V2xFac_CurvatureType
	<b>Comment</b>	Actual trajectory curvature and accuracy
	curvatureCalculationMode	
	<b>Type</b>	V2xFac_CurvatureCalculationModeType
	<b>Comment</b>	Flag indicating whether vehicle yaw-rate is used
	yawRate	
	<b>Type</b>	V2xFac_YawRateType
	<b>Comment</b>	YawRate and accuracy
	accelerationControl	

	<b>Type</b>	V2xFac_AccelerationControlType
	<b>Comment</b>	Current status of the vehicle mechanisms controlling the longitudinal movement
lanePosition		
	<b>Type</b>	sint8
	<b>Comment</b>	Lane position of the vehicle
steeringWheelAngle		
	<b>Type</b>	V2xFac_SteeringWheelAngleType
	<b>Comment</b>	Steering wheel angle and accuracy
lateralAcceleration		
	<b>Type</b>	V2xFac_LateralAccelerationType
	<b>Comment</b>	Vehicle lateral acceleration and accuracy
verticalAcceleration		
	<b>Type</b>	V2xFac_VerticalAccelerationType
	<b>Comment</b>	Vertical Acceleration of the originating ITS-S
performanceClass		
	<b>Type</b>	uint8
	<b>Comment</b>	Characterizes the maximum age of the CAM data elements
cenDsrcTollingZone		
	<b>Type</b>	V2xFac_CenDsrcTollingZoneType
	<b>Comment</b>	Information about the position of a CEN DSRC Tolling Station
<b>Description</b>	BasicVehicleContainerHighFrequency as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00174]

<b>Name</b>	V2xFac_BasicVehicleContainerHighFrequencyPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	accelerationControl	0x40	Bit 6: Optional child present

	bit	lanePosition	0x20	Bit 5: Optional child present
	bit	steeringWheelAngle	0x10	Bit 4: Optional child present
	bit	lateralAcceleration	0x08	Bit 3: Optional child present
	bit	verticalAcceleration	0x04	Bit 2: Optional child present
	bit	performanceClass	0x02	Bit 1: Optional child present
	bit	cenDsrcTollingZone	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_BasicVehicleContainerHighFrequencyType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00175]

<b>Name</b>	V2xFac_DriveDirectionType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_DRIVINGDIRECTION_FORWARD	0x00	Driving direction forward
	V2XFAC_DRIVINGDIRECTION_BACKWARD	0x01	Driving direction backward
	V2XFAC_DRIVINGDIRECTION_UNAVAILABLE	0x02	Driving direction unavailable
<b>Description</b>	Enumeration of DE_DrivingDirection as defined in ETSI EN 302 637-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00176]

<b>Name</b>	V2xFac_CurvatureCalculationModeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_CURVATURECALCMODE_YAWRATE_USED	0x00	Calc mode Yawrate used
	V2XFAC_CURVATURECALCMODE_YAWRATE_NOT_USED	0x01	Calc mode Yawrate not used
	V2XFAC_CURVATURECALCMODE_UNAVAILABLE	0x02	Calc mode unavailable

<b>Description</b>	Enumeration of DE_CurvatureCalculationMode as defined in ETSI TS 102 894-2.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00177][

<b>Name</b>	V2xFac_AccelerationControlType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	brakePedalEngaged	0x40	Bit 6: Driver is stepping on the brake pedal
	bit	gasPedalEngaged	0x20	Bit 5: Driver is stepping on the gas pedal
	bit	emergencyBrake Engaged	0x10	Bit 4: Emergency brake system is engaged
	bit	collisionWarningEngaged	0x08	Bit 3: Collision warning system is engaged
	bit	accEngaged	0x04	Bit 2: ACC is engaged
	bit	cruiseControlEngaged	0x02	Bit 1: Cruise control is engaged
	bit	speedLimiterEngaged	0x01	Bit 0 (LSB): Speed limiter is engaged
<b>Description</b>	BitString DE_AccelerationControl as defined in ETSI TS 102 894-2.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00178][

<b>Name</b>	V2xFac_RSUContainerHighFrequencyType	
<b>Kind</b>	Structure	
<b>Elements</b>	presence	
	<b>Type</b>	V2xFac_RSUContainerHighFrequencyPresenceType
	<b>Comment</b>	Mark optional childs present or not
	protectedCommunicationZonesRSU	
	<b>Type</b>	V2xFac_ProtectedCommunicationZonesRSUType
	<b>Comment</b>	Describes a list of protected communication zones by a road side ITS-

	S (Road Side Unit RSU)
<b>Description</b>	DF_VehicleLength as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00179]

<b>Name</b>	V2xFac_RSUContainerHighFrequencyPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	protectedCommunicationZonesRSU	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_RSUContainerHighFrequencyType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00180]

<b>Name</b>	V2xFac_ProtectedCommunicationZonesRSUType						
<b>Kind</b>	Structure						
<b>Elements</b>	count						
	<b>Type</b>	uint8					
	<b>Comment</b>	Number of valid elements within array.					
	values						
	<b>Type</b>	Array of V2xFac_ProtectedCommunicationZoneType					
	<b>Size</b>	16					
	<b>Comment</b>	--					
<b>Description</b>	DF_ProtectedCommunicationZonesRSU as defined in ETSI TS 102 894-2. Size of the Array shall be 16.						
<b>Variation</b>	--						
<b>Available via</b>	Rte_V2xFac_Type.h						

]()

**[SWS\_V2xFac\_00181]**

<b>Name</b>	V2xFac_ProtectedCommunicationZoneType
<b>Kind</b>	Structure
<b>Elements</b>	presence
	<b>Type</b> V2xFac_ProtectedCommunicationZonePresenceType
	<b>Comment</b> Mark optional children present or not
	protectedZoneType
	<b>Type</b> V2xFac_ProtectedZoneTypeType
	<b>Comment</b> type of the protected zone
	expiryTime
	<b>Type</b> uint64
	<b>Comment</b> time at which the validity of the protected communication zone will expire
	protectedZoneLatitude
<b>Description</b>	<b>Type</b> sint32
	<b>Comment</b> latitude of the center point of the protected communication zone.
	protectedZoneLongitude
<b>Variation</b>	<b>Type</b> sint32
	<b>Comment</b> longitude of the center point of the protected communication zone
	protectedZoneRadius
<b>Available via</b>	<b>Type</b> uint8
	<b>Comment</b> Radius of a protected communication zone in meters
	protectedZoneID
<b>Available via</b>	<b>Type</b> uint32
	<b>Comment</b> ID of a protected communication zone
<b>Description</b>	DF_VehicleLength as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

**[SWS\_V2xFac\_00182]**

<b>Name</b>	V2xFac_ProtectedCommunicationZonePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	expiryTime	0x04	Bit 2: Optional child present
	bit	protectedZoneRadius	0x02	Bit 1: Optional child present
	bit	protectedZoneID	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_ProtectedCommunicationZoneType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00183]

<b>Name</b>	V2xFac_ProtectedZoneTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_PROTECTEDZONETYPE_CEN_DSRC_TOLLING	0x00	CenDscrTolling Zone
<b>Description</b>	Enumeration of DE_ProtectedZoneType as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00050]

<b>Name</b>	V2xFac_VehicleLengthType		
<b>Kind</b>	Structure		
<b>Elements</b>	vehicleLengthValue		
	<b>Type</b>	uint16	
	<b>Comment</b>	Length of a vehicle	
	vehicleLengthConfidenceIndication		
	<b>Type</b>	V2xFac_VehicleLengthConfidenceIndicationType	
	<b>Comment</b>	Indication of whether trailer is detected to be present and whether the length of the trailer is known.	
<b>Description</b>	DF_VehicleLength as defined in ETSI TS 102 894-2. Values for data elements within		

	this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00239][

<b>Name</b>	V2xFac_VehicleLengthConfidenceIndicationType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_NOTRAILERPRESENT	0x00	no trailer present
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_TRAILERPRESENTWITHKNOWNLENGTH	0x01	trailer present with known length
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_TRAILERPRESENTWITHUNKNOWNLENGTH	0x02	trailer present with unknown length
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_TRAILERPRESENCEISUNKNOWN	0x03	trailer presence is unknown
	V2XFAC_VEHICLELENGTHCONFIDENCEINDICATION_UNAVAILABLE	0x04	information is not known
<b>Description</b>	Enumeration of DE_VehicleLengthConfidenceIndication as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00051][

<b>Name</b>	V2xFac_LongitudinalAccelerationType		
<b>Kind</b>	Structure		
<b>Elements</b>	longitudinalAccelerationValue		
	<b>Type</b>	sint16	
	<b>Comment</b>	Vehicle acceleration at longitudinal direction	
	longitudinalAccelerationConfidence		
	<b>Type</b>	uint8	
	<b>Comment</b>	The absolute accuracy of a reported vehicle acceleration	

<b>Description</b>	DF_LongitudinalAcceleration as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00052]

<b>Name</b>	V2xFac_CurvatureType				
<b>Kind</b>	Structure				
<b>Elements</b>	curvatureValue				
	<b>Type</b>	sint16			
	<b>Comment</b>	Describes the inverse of a detected vehicle turning curve radius			
	curvatureConfidence				
	<b>Type</b>	V2xFac_CurvatureConfidenceType			
<b>Description</b>	DF_Curvature as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.				
	--				
	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00184]

<b>Name</b>	V2xFac_CurvatureConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_00002	0x00	The accuracy is less than or equal to 0,00002 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_0001	0x01	The accuracy is less than or equal to 0,0001 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_0005	0x02	The accuracy is less than or equal to 0,0005 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_002	0x03	The accuracy is less than or equal to 0,002 m-1
	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_01	0x04	The accuracy is less than or equal to 0,01 m-1

	V2XFAC_CURVATURECONFIDENCE_ONE_PER_METER_0_1	0x05	The accuracy is less than or equal to 0,1 m-1
	V2XFAC_CURVATURECONFIDENCE_OUT_OF_RANGE	0x06	The accuracy is out of range, i.e. greater than 0,1 m-1
	V2XFAC_CURVATURECONFIDENCE_UNAVAILABLE	0x07	The information is not available
<b>Description</b>	Enumeration of DE_CurvatureConfidence as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00053][

<b>Name</b>	V2xFac_YawRateType				
<b>Kind</b>	Structure				
<b>Elements</b>	yawRateValue				
	<b>Type</b>	sint16			
	<b>Comment</b>	Vehicle rotation around z-axis			
	yawRateConfidence				
	<b>Type</b>	V2xFac_YawRateConfidenceType			
	<b>Comment</b>	Absolute accuracy range for reported yaw rate value			
<b>Description</b>	DF_YawRate as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00245][

<b>Name</b>	V2xFac_YawRateConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	YAWRATECONFIDENCE_DEGSEC_000_01	0x00	0 if the accuracy is equal to or less than 0,01 degree/second
	YAWRATECONFIDENCE_DEGSEC_000_05	0x01	1 if the accuracy is equal to or less than 0,05 degrees/second
	YAWRATECONFIDENCE_	0x02	2 if the accuracy is equal to or less than

	DEGSEC_000_10		0,1 degree/second
	YAWRATECONFIDENCE_DEGSEC_001_00	0x03	3 if the accuracy is equal to or less than 1 degree/second
	YAWRATECONFIDENCE_DEGSEC_005_00	0x04	4 if the accuracy is equal to or less than 5 degrees/second
	YAWRATECONFIDENCE_DEGSEC_010_00	0x05	5 if the accuracy is equal to or less than 10 degrees/second
	YAWRATECONFIDENCE_DEGSEC_100_00	0x06	6 if the accuracy is equal to or less than 100 degrees/second
	YAWRATECONFIDENCE_OUTOFRANGE	0x07	7 if the accuracy is out of range, i.e. greater than 100 degrees/second
	YAWRATECONFIDENCE_UNAVAILABLE	0x08	8 if the accuracy information is unavailable
<b>Description</b>	Enumeration of DE_YawRateConfidence as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00054]

<b>Name</b>	V2xFac_SteeringWheelAngleType	
<b>Kind</b>	Structure	
<b>Elements</b>	steeringWheelAngleValue	
	<b>Type</b>	uint16
	<b>Comment</b>	Steering wheel angle of the vehicle at certain point in time.
	steeringWheelAngleConfidence	
	<b>Type</b>	uint8
	<b>Comment</b>	Absolute accuracy for a reported steering wheel angle value.
<b>Description</b>	DF_SteeringWheelAngle as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00055]

<b>Name</b>	V2xFac_LateralAccelerationType
<b>Kind</b>	Structure

<b>Elements</b>	lateralAccelerationValue	
	<b>Type</b>	sint16
	<b>Comment</b>	Vehicle acceleration at lateral direction
	lateralAccelerationConfidence	
	<b>Type</b>	uint8
	<b>Comment</b>	The absolute accuracy of a reported vehicle acceleration
<b>Description</b>	DF_LateralAcceleration as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00056]

<b>Name</b>	V2xFac_VerticalAccelerationType	
<b>Kind</b>	Structure	
<b>Elements</b>	verticalAccelerationValue	
	<b>Type</b>	sint16
	<b>Comment</b>	Vehicle acceleration at vertical direction
	verticalAccelerationConfidence	
	<b>Type</b>	uint8
	<b>Comment</b>	The absolute accuracy of a reported vehicle acceleration
<b>Description</b>	DF_VerticalAcceleration as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00057]

<b>Name</b>	V2xFac_CenDsrcTollingZoneType	
<b>Kind</b>	Structure	
<b>Elements</b>	presence	
	<b>Type</b>	V2xFac_CenDsrcTollingZonePresenceType
	<b>Comment</b>	Marks optional children present or not

	protectedZoneLatitude	
<b>Type</b>	sint32	
<b>Comment</b>	The latitude of the CEN DSRC road side equipment	
	protectedZoneLongitude	
<b>Type</b>	sint32	
<b>Comment</b>	The longitude of the CEN DSRC road side equipment	
	cenDsrcTollingZoneID	
<b>Type</b>	V2xFac_CenDsrcTollingZoneIDType	
<b>Comment</b>	The ID of the CEN DSRC road side equipment	
<b>Description</b>	DF_CenDsrcTollingZone as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00185][

<b>Name</b>	V2xFac_CenDsrcTollingZonePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	cenDsrcTollingZoneID	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_CenDsrcTollingZoneType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00058][

<b>Name</b>	V2xFac_LowFrequencyContainerType			
<b>Kind</b>	Structure			
<b>Elements</b>	choice			
	<b>Type</b>	V2xFac_LowFrequencyContainerChoiceType		
	<b>Comment</b>	Mark which element is filled		
	basicVehicleContainerLowFrequency			

	<b>Type</b>	V2xFac_BasicVehicleContainerLowFrequencyType
	<b>Comment</b>	--
<b>Description</b>	LowFrequencyContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00186]

<b>Name</b>	V2xFac_LowFrequencyContainerChoiceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_LOWFREQCONTAINER_BASIC_VEHICLE_CONTAINER_LOW_FREQ	0x01	Element chosen
<b>Description</b>	Enumeration of Choice V2xFac_LowFrequencyContainerType		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00187]

<b>Name</b>	V2xFac_BasicVehicleContainerLowFrequencyType		
<b>Kind</b>	Structure		
	vehicleRole		
	<b>Type</b>	V2xFac_VehicleRoleType	
	<b>Comment</b>	Vehicle role	
	exteriorLights		
	<b>Type</b>	V2xFac_ExteriorLightsType	
	<b>Comment</b>	Exterior Lights	
	pathHistory		
	<b>Type</b>	V2xFac_PathHistoryType	
	<b>Comment</b>	Path History	
<b>Description</b>	BasicVehicleLowFrequencyContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.		

<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

### [SWS\_V2xFac\_00188]

<b>Name</b>	V2xFac_VehicleRoleType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_VEHICLEROLE_DEFAULT	0x00	default vehicle role as indicated by the vehicle type
	V2XFAC_VEHICLEROLE_PUBLIC_TRANSPORT	0x01	vehicle is used to operate public transport service
	V2XFAC_VEHICLEROLE_SPECIAL_TRANSPORT	0x02	vehicle is used for special transport purpose, e.g. oversized trucks
	V2XFAC_VEHICLEROLE_DANGEROUS_GOODS	0x03	vehicle is used for dangerous goods transportation
	V2XFAC_VEHICLEROLE_ROAD_WORK	0x04	vehicle is used to realize roadwork or road maintenance mission
	V2XFAC_VEHICLEROLE_RESCUE	0x05	vehicle is used for rescue purpose in case of an accident, e.g. as a towing service
	V2XFAC_VEHICLEROLE_EMERGENCY	0x06	vehicle is used for emergency mission, e.g. ambulance, fire brigade
	V2XFAC_VEHICLEROLE_SAFETY_CAR	0x07	vehicle is used for public safety, e.g. patrol
	V2XFAC_VEHICLEROLE_AGRICULTURAL	0x08	vehicle is used for agriculture, e.g. farm tractor
	V2XFAC_VEHICLEROLE_COMMERCIAL	0x09	vehicle is used for transportation of commercial goods
	V2XFAC_VEHICLEROLE_MILITARY	0x0a	vehicle is used for military purpose
	V2XFAC_VEHICLEROLE_ROAD_OPERATOR	0x0b	vehicle is used in road operator missions
	V2XFAC_VEHICLEROLE_TAXI	0x0c	vehicle is used to provide an authorized taxi service
	V2XFAC_VEHICLEROLE_RESERVED_1	0x0d	reserved for future usage
	V2XFAC_VEHICLEROLE_RESERVED_2	0x0e	reserved for future usage

	V2XFAC_VEHICLEROLE_RESERVED_3	0x0f	reserved for future usage
<b>Description</b>	Enumeration of DE_VehicleRole as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00189]

<b>Name</b>	V2xFac_ExteriorLightsType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	lowBeamHeadlightsOn	0x80	Bit 7: low beam headlights on
	bit	highBeamHeadlightsOn	0x40	Bit 6: high beam headlights on
	bit	leftTurnSignalOn	0x20	Bit 5: left turn signal on
	bit	rightTurnSignalOn	0x10	Bit 4: right turn signal on
	bit	daytimeRunningLightsOn	0x08	Bit 3: daytime running lights on
	bit	reverseLightOn	0x04	Bit 2: reverse light on
	bit	fogLightOn	0x02	Bit 1: fog light on
	bit	parkingLightsOn	0x01	Bit 0: parking lights on
<b>Description</b>	BitString DE_ExteriorLights as defined in ETSI TS 102 894-2.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00060]

<b>Name</b>	V2xFac_PathPointType			
<b>Kind</b>	Structure			
<b>Elements</b>	presence			
	<b>Type</b>	V2xFac_PathPointPresenceType		
	<b>Comment</b>	Mark optional children present or not		
	pathPosition			
	<b>Type</b>	V2xFac_DeltaReferencePositionType		

	<b>Comment</b>	Defines a geographical point position as offset position to a reference geographical point.
pathDeltaTime		
	<b>Type</b>	uint16
	<b>Comment</b>	Presents the time difference when two consecutive PathPoint values are measured.
<b>Description</b>	DF_PathPoint as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00190][

<b>Name</b>	V2xFac_PathPointPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	pathDeltaTime	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_PathPointType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00061][

<b>Name</b>	V2xFac_PublicTransportContainerType			
<b>Kind</b>	Structure			
<b>Elements</b>	presence			
	<b>Type</b>	V2xFac_PublicTransportContainerPresenceType		
	<b>Comment</b>	Mark optional childs present or not		
	embarkationStatus			
	<b>Type</b>	boolean		
	<b>Comment</b>	Indicates whether the passenger embarkation is currently ongoing		
	ptActivation			
	<b>Type</b>	V2xFac_PtActivationType		

	<b>Comment</b>	Used by public transport vehicles for controlling traffic lights, barriers, bollards, etc.
<b>Description</b>	PublicTransportContainer as defined in ETSI EN 302 637-2 V1.3.2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00191][

<b>Name</b>	V2xFac_PublicTransportContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	ptActivation	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_PublicTransportContainerType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00229][

<b>Name</b>	V2xFac_PtActivationType						
<b>Kind</b>	Structure						
<b>Elements</b>	ptActivationType						
	<b>Type</b>	uint8					
	<b>Comment</b>	Indicates a certain coding type of the PtActivationData					
	ptActivationData						
	<b>Type</b>	V2xFac_PtActivationDataType					
	<b>Comment</b>	Controlling traffic signal systems to prioritize and speed up public transportation					
<b>Description</b>	DF_PtActivation as defined in ETSI TS 102 894-2.						
<b>Variation</b>	--						
<b>Available via</b>	Rte_V2xFac_Type.h						

]()

### [SWS\_V2xFac\_00237][

<b>Name</b>	V2xFac_PtActivationDataType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array.
	values	
	<b>Type</b>	Array of uint8
	<b>Size</b>	20
	<b>Comment</b>	--
<b>Description</b>	DF_PtActivationData as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00062]

<b>Name</b>	V2xFac_SpecialTransportContainerType	
<b>Kind</b>	Structure	
<b>Elements</b>	specialTransportType	
	<b>Type</b>	V2xFac_SpecialTransportTypeType
	<b>Comment</b>	Indicates whether the originating ITS-S is mounted on a special transport vehicle
	lightBarSirenInUse	
	<b>Type</b>	V2xFac_LightBarSirenInUseType
	<b>Comment</b>	Indicates whether light-bar or a siren is in use
<b>Description</b>	SpecialTransportContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00192]

<b>Name</b>	V2xFac_SpecialTransportTypeType	
<b>Kind</b>	Bitfield	

<b>Derived from</b>	uint8			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
<b>Elements</b>	bit	heavyLoad	0x08	Bit 3: heavy load
	bit	excessWidth	0x04	Bit 2: excess width
	bit	excessLength	0x02	Bit 1: excess length
	bit	excessHeight	0x01	Bit 0 (LSB): excess height
<b>Description</b>	BitString DE_SpecialTransportType as defined in ETSI TS 102 894-2.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00193][

<b>Name</b>	V2xFac_LightBarSirenInUseType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
<b>Elements</b>	bit	lightBarActivated	0x02	Bit 1: light bar activated
	bit	sirenActivated	0x01	Bit 0 (LSB): siren activated
<b>Description</b>	BitString DE_LightBarSirenInUse as defined in ETSI TS 102 894-2.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00064][

<b>Name</b>	V2xFac_DangerousGoodsContainerType						
<b>Kind</b>	Structure						
<b>Elements</b>	dangerousGoodsBasic						
	<b>Type</b>	V2xFac_DangerousGoodsBasicType					
	<b>Comment</b>	Identifies the type of the dangerous goods transported					
<b>Description</b>	DangerousGoodsContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.						
<b>Variation</b>	--						
<b>Available via</b>	Rte_V2xFac_Type.h						

]()

**[SWS\_V2xFac\_00194]**

<b>Name</b>	V2xFac_DangerousGoodsBasicType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_1	0x00	explosives 1
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_2	0x01	explosives 2
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_3	0x02	explosives 3
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_4	0x03	explosives 4
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_5	0x04	explosives 5
	V2XFAC_DANGEROUSGOODSBASIC_EXPLOSIVES_6	0x05	explosives 6
	V2XFAC_DANGEROUSGOODSBASIC_FLAMMABLE_GASES	0x06	flammable gases
	V2XFAC_DANGEROUSGOODSBASIC_NON_FLAMMABLE_GASES	0x07	non flammable gases
	V2XFAC_DANGEROUSGOODSBASIC_TOXIC_GASES	0x08	toxic gases
	V2XFAC_DANGEROUSGOODSBASIC_FLAMMABLE LIQUIDS	0x09	flammable liquids
	V2XFAC_DANGEROUSGOODSBASIC_FLAMMABLE SOLIDS	0x0a	flammable solids
	V2XFAC_DANGEROUSGOODSBASIC_SUBSTANCES_LIBLE_TO_SPONTANEOUS_COMBUSTION	0x0b	substances lible to spontaneous combustion
	V2XFAC_DANGEROUSGOODSBASIC_SUBSTANCES_EMITTING_FLAMMABLE_GASES_UPON_CONTACT_WITH_WATER	0x0c	substances emitting flammable gases upon contact with water
	V2XFAC_DANGEROUSGOODSBASIC_OXIDIZING_SUBSTANCES	0x0d	oxidizing substances
	V2XFAC_DANGEROUSGOODSBASIC_ORGANIC_PEROXIDES	0x0e	organic peroxides
	V2XFAC_DANGEROUSGOODSBASIC_TOXIC_SUBSTANCES	0x0f	toxic substances

	V2XFAC_DANGEROUSGOODSBASIC_INFECTIOUS_SUBSTANCES	0x10	infectious substances
	V2XFAC_DANGEROUSGOODSBASIC_RADIOACTIVE_MATERIAL	0x11	radioactive material
	V2XFAC_DANGEROUSGOODSBASIC_CORROSIVE_SUBSTANCES	0x12	corrosive substances
	V2XFAC_DANGEROUSGOODSBASIC_MISCCELLANEOUS_DANGEROUS_SUBSTANCES	0x13	miscellaneous dangerous substances
<b>Description</b>	Enumeration of DE_DangerousGoodsBasic as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00065]

<b>Name</b>	V2xFac_RoadWorksContainerBasicType				
<b>Kind</b>	Structure				
<b>Elements</b>	presence				
	<b>Type</b>	V2xFac_RoadWorksContainerBasicPresenceType			
	<b>Comment</b>	Mark optional childs present or not			
	roadworksSubCauseCode				
	<b>Type</b>	uint8			
	<b>Comment</b>	Information on the type of roadwork			
	lightBarSirenInUse				
	<b>Type</b>	V2xFac_LightBarSirenInUseType			
	<b>Comment</b>	Indicates whether light-bar or a siren is in use			
	closedLanes				
<b>Description</b>	RoadWorksContainerBasic as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.				
	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00195]

<b>Name</b>	V2xFac_RoadWorksContainerBasicPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	roadworksSubCauseCode	0x02	Bit 1: Optional child present
	bit	closedLanes	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_RoadWorksContainerBasicType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00066]

<b>Name</b>	V2xFac_RescueContainerType						
<b>Kind</b>	Structure						
<b>Elements</b>	lightBarSirenInUse						
	<b>Type</b>	V2xFac_LightBarSirenInUseType					
	<b>Comment</b>	Indicates whether light-bar or a siren is in use					
<b>Description</b>	RescueContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.						
<b>Variation</b>	--						
<b>Available via</b>	Rte_V2xFac_Type.h						

]()

### [SWS\_V2xFac\_00067]

<b>Name</b>	V2xFac_EmergencyContainerType			
<b>Kind</b>	Structure			
<b>Elements</b>	presence			
	<b>Type</b>	V2xFac_EmergencyContainerPresenceType		
	<b>Comment</b>	Mark optional childs present or not		
	lightBarSirenInUse			
	<b>Type</b>	V2xFac_LightBarSirenInUseType		
	<b>Comment</b>	Indicates whether light-bar or a siren is in use		
incidentIndication				

	<b>Type</b>	V2xFac_CauseCodeType
	<b>Comment</b>	Describes the event type of the emergency or safety mission
	emergencyPriority	
	<b>Type</b>	V2xFac_EmergencyPriorityType
	<b>Comment</b>	Right of way indicator of the vehicle
<b>Description</b>	EmergencyContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00196][

<b>Name</b>	V2xFac_EmergencyPriorityType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	requestForRightOfWay	0x02	Bit 1: request for right of way
	bit	requestForFreeCrossingAtATrafficLight	0x01	Bit 0 (LSB): request for free crossing at a traffic light
<b>Description</b>	BitString DE_EmergencyPriority as defined in ETSI TS 102 894-2			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00197][

<b>Name</b>	V2xFac_EmergencyContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	incidentIndication	0x02	Bit 1: Optional child present
	bit	emergencyPriority	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_EmergencyContainerType			
<b>Variation</b>	--			

<b>Available via</b>	Rte_V2xFac_Type.h
----------------------	-------------------

]()

[SWS\_V2xFac\_00068] [

<b>Name</b>	V2xFac_SafetyCarContainerType				
<b>Kind</b>	Structure				
<b>Elements</b>	presence				
	<b>Type</b>	V2xFac_SafetyCarContainerPresenceType			
	<b>Comment</b>	Mark optional childs present or not			
	lightBarSirenInUse				
	<b>Type</b>	V2xFac_LightBarSirenInUseType			
	<b>Comment</b>	Indicates whether light-bar or a siren is in use			
	incidentIndication				
	<b>Type</b>	V2xFac_CauseCodeType			
	<b>Comment</b>	Describes the event type of the emergency or safety mission			
	trafficRule				
	<b>Type</b>	V2xFac_TrafficRuleType			
	<b>Comment</b>	Indicates whether vehicles are allowed to overtake a safety car			
	speedLimit				
	<b>Type</b>	uint8			
	<b>Comment</b>	Indicates whether a speed limit is applied to vehicles following the safety car			
<b>Description</b>	SafetyCarContainer as defined in ETSI EN 302 637-2. Values for data elements within this structure shall be used according that document.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

[SWS\_V2xFac\_00198] [

<b>Name</b>	V2xFac_SafetyCarContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	incidentIndication	0x04	Bit 2: Optional child present

	bit	trafficRule	0x02	Bit 1: Optional child present
	bit	speedLimit	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_SafetyCarContainerType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

#### 8.7.3.4 DENM specific Implementation DataTypes

[SWS\_V2xFac\_00069] [

<b>Name</b>	V2xFac_DenmMessageRootType	
<b>Kind</b>	Structure	
<b>Elements</b>	itsPduHeader	
	<b>Type</b>	V2xFac_ItsPduHeaderType
	<b>Comment</b>	Structure of the ItsPduHeader
	denm	
	<b>Type</b>	V2xFac_DenMsgType
	<b>Comment</b>	Structure of the DEN data
	transactionId	
	<b>Type</b>	uint32
<b>Comment</b>	TransactionId for received DENM	
<b>Description</b>	DENM root message as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

[SWS\_V2xFac\_00070] [

<b>Name</b>	V2xFac_DenMsgType	
<b>Kind</b>	Structure	
<b>Elements</b>	presence	
	<b>Type</b>	V2xFac_DenMsgPresenceType
	<b>Comment</b>	Mark optional childs present or not
	management	

	<b>Type</b>	V2xFac_ManagementContainerType
	<b>Comment</b>	management container
situation		
	<b>Type</b>	V2xFac_SituationContainerType
	<b>Comment</b>	situation container
location		
	<b>Type</b>	V2xFac_LocationContainerType
	<b>Comment</b>	location container
alacarte		
	<b>Type</b>	V2xFac_AlacarteContainerType
	<b>Comment</b>	alacarte container
<b>Description</b>	DecentralizedEnvironmentalNotificationMessage as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00199]

<b>Name</b>	V2xFac_DenMsgPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	situation	0x04	Bit 2: Optional child present
	bit	location	0x02	Bit 1: Optional child present
	bit	alacarte	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_DenMsgType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00071]

<b>Name</b>	V2xFac_ManagementContainerType	
<b>Kind</b>	Structure	

<b>Elements</b>	presence	
	<b>Type</b>	V2xFac_ManagementContainerPresenceType
	<b>Comment</b>	Mark optional childs present or not
	actionId	
	<b>Type</b>	V2xFac_ActionIdType
	<b>Comment</b>	Action identifier
	detectionTime	
	<b>Type</b>	uint64
	<b>Comment</b>	Time at which the event is detected
	referenceTime	
	<b>Type</b>	uint64
	<b>Comment</b>	Refers to the time at which a new DENM, an update DENM or a cancellation DENM is generated
	termination	
	<b>Type</b>	V2xFac_TerminationType
	<b>Comment</b>	Indicates if the type of generated DENM is a cancellation DENM or a negation DENM.
	eventPosition	
	<b>Type</b>	V2xFac_ReferencePositionType
	<b>Comment</b>	Geographical position of the detected event
	relevanceDistance	
	<b>Type</b>	V2xFac_RelevanceDistanceType
	<b>Comment</b>	The distance in which event information is relevant for the receiving ITS-S
	relevanceTrafficDirection	
	<b>Type</b>	V2xFac_RelevanceTrafficDirectionType
	<b>Comment</b>	Traffic direction that is relevant to information indicated in a message
	validityDuration	
	<b>Type</b>	uint32
	<b>Comment</b>	estimation of how long the event may persist
	transmissionInterval	
	<b>Type</b>	uint16

	<b>Comment</b>	Time interval between two consecutive message transmissions					
	stationType						
	<b>Type</b>	uint8					
	<b>Comment</b>	Station type information of the originating ITS-S					
<b>Description</b>	ManagementContainer as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.						
<b>Variation</b>	--						
<b>Available via</b>	Rte_V2xFac_Type.h						

]()

### [SWS\_V2xFac\_00240][

<b>Name</b>	V2xFac_TerminationType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	V2XFAC_TERMINATION_ISCANCELLATION	0x00	Cancellation	
	V2XFAC_TERMINATION_ISNEGATION	0x01	--	
<b>Description</b>	Enumeration of Termination as defined in ETSI EN 302 637-3.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00200][

<b>Name</b>	V2xFac_RelevanceDistanceType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_50_M	0x00	less than 50 m	
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_100_M	0x01	less than 100 m	
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_200_M	0x02	less than 200 m	
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_500_M	0x03	less than 500 m	
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_1000_M	0x04	less than 1000 m	
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_5_KM	0x05	less than 5 km	
	V2XFAC_RELEVANCEDISTANCE_LESS_THAN_10_KM	0x06	less than 10 km	

	V2XFAC_RELEVANCEDISTANCE_OVER_10_KM	0x07	over 10 km
<b>Description</b>	Enumeration of DE_RelevanceDistance as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00201][

<b>Name</b>	V2xFac_RelevanceTrafficDirectionType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_RELEVANCETRAFFICDIRECTION_ALL_TRAFFIC_DIRECTIONS	0x00	all traffic directions
	V2XFAC_RELEVANCETRAFFICDIRECTION_UPSTREAM_TRAFFIC	0x01	upstream traffic
	V2XFAC_RELEVANCETRAFFICDIRECTION_DOWNSTREAM_TRAFFIC	0x02	downstream traffic
	V2XFAC_RELEVANCETRAFFICDIRECTION_OPPOSITE_TRAFFIC	0x03	opposite traffic
<b>Description</b>	Enumeration of DE_RelevanceTrafficDirection as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00202][

<b>Name</b>	V2xFac_ManagementContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	termination	0x08	Bit 3: Optional child present
	bit	relevanceDistance	0x04	Bit 2: Optional child present
	bit	relevanceTrafficDirection	0x02	Bit 1: Optional child present
	bit	transmissionInterval	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_ManagementContainerType			
<b>Variation</b>	--			

<b>Available via</b>	Rte_V2xFac_Type.h
----------------------	-------------------

]()

[SWS\_V2xFac\_00073][

<b>Name</b>	V2xFac_SituationContainerType	
<b>Kind</b>	Structure	
<b>Elements</b>	presence	
	<b>Type</b>	V2xFac_SituationContainerPresenceType
	<b>Comment</b>	Mark optional childs present or not
	informationQuality	
	<b>Type</b>	uint8
	<b>Comment</b>	Quality level of the information provided by the ITS-S application
	eventType	
	<b>Type</b>	V2xFac_CauseCodeType
	<b>Comment</b>	Encoded value of a traffic event type
	linkedCause	
<b>Description</b>	<b>Type</b>	V2xFac_CauseCodeType
	<b>Comment</b>	Encoded value of a traffic event type
	eventHistory	
	<b>Type</b>	V2xFac_EventHistoryType
<b>Variation</b>	<b>Comment</b>	EventHistory
	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

[SWS\_V2xFac\_00203][

<b>Name</b>	V2xFac_SituationContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	linkedCause	0x02	Bit 1: Optional child present

	bit	eventHistory	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_SituationContainerType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

[SWS\_V2xFac\_00075][

<b>Name</b>	V2xFac_EventHistoryType		
<b>Kind</b>	Structure		
<b>Elements</b>	count		
	<b>Type</b>	uint8	
	<b>Comment</b>	Number of valid elements within array.	
	values		
	<b>Type</b>	Array of V2xFac_EventPointType	
	<b>Size</b>	23	
<b>Description</b>	<b>Comment</b>	--	
	DF_EventHistory as defined in ETSI TS 102 894-2.		
	<b>Variation</b>	--	
	<b>Available via</b>	Rte_V2xFac_Type.h	

]()

[SWS\_V2xFac\_00076][

<b>Name</b>	V2xFac_EventPointType		
<b>Kind</b>	Structure		
<b>Elements</b>	presence		
	<b>Type</b>	V2xFac_EventPointPresenceType	
	<b>Comment</b>	Mark optional childs present or not	
	eventPosition		
	<b>Type</b>	V2xFac_DeltaReferencePositionType	
	<b>Comment</b>	Offset position of a detected event point.	
<b>eventDeltaTime</b>	eventDeltaTime		
	<b>Type</b>	uint16	
	<b>Comment</b>	Time travelled by the detecting ITS-S since the previous detected event point.	

	informationQuality	
	<b>Type</b>	uint8
	<b>Comment</b> Information quality of the detection for this event point.	
<b>Description</b>	DF_EventPoint as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00204]

<b>Name</b>	V2xFac_EventPointPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	eventDeltaTime	0x01
<b>Description</b>	Presence flags for V2xFac_EventPointType		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00077]

<b>Name</b>	V2xFac_LocationContainerType		
<b>Kind</b>	Structure		
<b>Elements</b>	presence		
	<b>Type</b>	V2xFac_LocationContainerPresenceType	
	<b>Comment</b> Mark optional childs present or not		
	eventSpeed		
	<b>Type</b>	V2xFac_SpeedType	
	<b>Comment</b> Moving speed of a detected event		
	eventPositionHeading		
	<b>Type</b>	V2xFac_HeadingType	
	<b>Comment</b> The heading direction of the event		
traces			

	<b>Type</b>	V2xFac_TracesType
	<b>Comment</b>	One or more paths
	roadType	
	<b>Type</b>	V2xFac_RoadTypeType
	<b>Comment</b>	Type of a road segment.
<b>Description</b>	LocationContainer as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00241]

<b>Name</b>	V2xFac_RoadTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_ROADTYPE_URBAN_NOSTRUCTURALSEPARATIONTOOPPOSITELANES	0x00	Urban road without structural separation to opposite lanes.
	V2XFAC_ROADTYPE_URBAN_WITHSTRUCTURALSEPARATIONTOOPPOSITELANES	0x01	Urban road with structural separation to opposite lanes.
	V2XFAC_ROADTYPE_NONURBAN_NOSTRUCTURALSEPARATIONTOOPPOSITELANES	0x02	Non-urban road without structural separation to opposite lanes.
	V2XFAC_ROADTYPE_ONURBAN_WITHSTRUCTURALSEPARATIONTOOPPOSITELANES	0x03	Non-urban road with structural separation to opposite lanes.
<b>Description</b>	Enumeration of DE_RoadType as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00205]

<b>Name</b>	V2xFac_TracesType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	Number of valid elements within array.			
	values				
	<b>Type</b>	Array of V2xFac_PathHistoryType			
	<b>Size</b>	7			
	<b>Comment</b>	--			
<b>Description</b>	DF_Traces as defined in ETSI TS 102 894-2. Size of the Array shall be 7.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00206]

<b>Name</b>	V2xFac_LocationContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	eventSpeed	0x04	Bit 2: Optional child present
	bit	eventPositionHeading	0x02	Bit 1: Optional child present
	bit	roadType	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_LocationContainerType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00078]

<b>Name</b>	V2xFac_AlacarteContainerType		
<b>Kind</b>	Structure		
<b>Elements</b>	presence		
	<b>Type</b>	V2xFac_AlacarteContainerPresenceType	
	<b>Comment</b>	Mark optional childs present or not	

	lanePosition
<b>Type</b>	sint8
<b>Comment</b>	The lane position of the event position
	impactReduction
<b>Type</b>	V2xFac_ImpactReductionContainerType
<b>Comment</b>	--
	externalTemperature
<b>Type</b>	sint8
<b>Comment</b>	Indicates the ambient temperature at the event position
	roadWorks
<b>Type</b>	V2xFac_RoadWorksContainerExtendedType
<b>Comment</b>	--
	positioningSolution
<b>Type</b>	V2xFac_PositioningSolutionTypeType
<b>Comment</b>	Indicates the positioning technology being used to estimate a geographical position
	stationaryVehicle
<b>Type</b>	V2xFac_StationaryVehicleContainerType
<b>Comment</b>	--
<b>Description</b>	AlacarteContainer as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.
<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

[SWS\_V2xFac\_00207][

<b>Name</b>	V2xFac_PositioningSolutionTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_POSITIONINGSOLUTIONTYPE_NO_POSITIONING_SOLUTION	0x00	No GNSS
	V2XFAC_POSITIONINGSOLUTIONTYPE_SGNSS	0x01	Global Navigation Satellite System

	V2XFAC_POSITIONINGSOLUTIONTYPE_DGNSS	0x02	Differential GNSS
	V2XFAC_POSITIONINGSOLUTIONTYPE_SGNSSPLUSDR	0x03	GNSS and dead reckoning
	V2XFAC_POSITIONINGSOLUTIONTYPE_DGNSSPLUSDR	0x04	Differential GNSS and dead reckoning
	V2XFAC_POSITIONINGSOLUTIONTYPE_DR	0x05	dead reckoning
<b>Description</b>	Enumeration of DE_PositioningSolutionType as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00208]

<b>Name</b>	V2xFac_AlacarteContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	lanePosition	0x20	Bit 5: Optional child present
	bit	impactReduction	0x10	Bit 4: Optional child present
	bit	externalTemperature	0x08	Bit 3: Optional child present
	bit	roadWorks	0x04	Bit 2: Optional child present
	bit	positioningSolution	0x02	Bit 1: Optional child present
	bit	stationaryVehicle	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_AlacarteContainerType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00079]

<b>Name</b>	V2xFac_ImpactReductionContainerType		
<b>Kind</b>	Structure		
<b>Elements</b>	heightLonCarrLeft		
	<b>Type</b>	uint8	
	<b>Comment</b>	Height of left longitudinal carrier of the vehicle from base to top	
	heightLonCarrRight		

	<b>Type</b>	uint8
	<b>Comment</b>	Height of right longitudinal carrier of the vehicle from base to top
posLonCarrLeft		
	<b>Type</b>	uint8
	<b>Comment</b>	Distance from the centre of vehicle front bumper to the front of the left longitudinal carrier of vehicle
posLonCarrRight		
	<b>Type</b>	uint8
	<b>Comment</b>	Distance from the centre of vehicle front bumper to the front of the right longitudinal carrier of vehicle
positionOfPillars		
	<b>Type</b>	V2xFac_PositionOfPillarsType
	<b>Comment</b>	Indicates the perpendicular inter-distance of neighbouring pillar
posCentMass		
	<b>Type</b>	uint8
	<b>Comment</b>	Indicates the perpendicular distance from the centre of mass of an empty load vehicle
wheelBaseVehicle		
	<b>Type</b>	uint8
	<b>Comment</b>	Perpendicular distance between front and rear axle of the wheel base of vehicle
turningRadius		
	<b>Type</b>	uint8
	<b>Comment</b>	The smallest circular turn (i.e. U-turn) that the vehicle is capable of making
posFrontAx		
	<b>Type</b>	uint8
	<b>Comment</b>	Perpendicular distance between the vehicle front line of the bounding box and the front wheel axle in 10 centimetres
positionOfOccupants		
	<b>Type</b>	V2xFac_PositionOfOccupantsType
	<b>Comment</b>	indicates whether a seat in vehicle is occupied at the moment when the impactReduction is generated
vehicleMass		

	<b>Type</b>	uint16
	<b>Comment</b>	Mass of an empty loaded vehicle in multiple of 100 kg
	requestResponseIndication	
	<b>Type</b>	V2xFac_RequestResponseIndicationType
	<b>Comment</b>	This DE includes whether an ITS message is transmitted as request from ITS-S or a response transmitted from ITS-S after receiving request from other ITS-Ss
<b>Description</b>	ImpactReductionContainer as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00209]

	<b>Name</b>	V2xFac_PositionOfPillarsType	
	<b>Kind</b>	Structure	
	<b>Elements</b>		
			count
			<b>Type</b> uint8
			<b>Comment</b> Number of valid elements within array.
	<b>Elements</b>		
			values
			<b>Type</b> Array of uint8
			<b>Size</b> 3
			<b>Comment</b> --
<b>Description</b>	DF_PositionOfPillars as defined in ETSI TS 102 894-2. Size of the Array shall be 3.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00210]

	<b>Name</b>	V2xFac_PositionOfOccupantsType		
	<b>Kind</b>	Bitfield		
	<b>Derived from</b>	uint32		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	row1LeftOccupied	0x80000	Bit 19: row 1 left occupied

	bit	row1RightOccupied	0x40000	Bit 18: row 1 right occupied
	bit	row1MidOccupied	0x20000	Bit 17: row 1 mid occupied
	bit	row1NotDetectable	0x10000	Bit 16: row 1 not detectable
	bit	row1NotPresent	0x8000	Bit 15: row 1 not present
	bit	row2LeftOccupied	0x4000	Bit 14: row 2 left occupied
	bit	row2RightOccupied	0x2000	Bit 13: row 2 right occupied
	bit	row2MidOccupied	0x1000	Bit 12: row 2 mid occupied
	bit	row2NotDetectable	0x800	Bit 11: row 2 not detectable
	bit	row2NotPresent	0x400	Bit 10: row 2 not present
	bit	row3LeftOccupied	0x200	Bit 9: row 3 left occupied
	bit	row3RightOccupied	0x100	Bit 8: row 3 right occupied
	bit	row3MidOccupied	0x80	Bit 7: row 3 mid occupied
	bit	row3NotDetectable	0x40	Bit 6: row 3 not detectable
	bit	row3NotPresent	0x20	Bit 5: row 3 not present
	bit	row4LeftOccupied	0x10	Bit 4: row 4 left occupied
	bit	row4RightOccupied	0x08	Bit 3: row 4 right occupied
	bit	row4MidOccupied	0x04	Bit 2: row 4 mid occupied
	bit	row4NotDetectable	0x02	Bit 1: row 4 not detectable
	bit	row4NotPresent	0x01	Bit 0 (LSB): row 4 not present
<b>Description</b>	BitString DE_PositionOfOccupants as defined in ETSI TS 102 894-2.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00242]

<b>Name</b>	V2xFac_RequestResponseIndicationType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_REQUESTRESPONSEINDICATION_REQUEST	0x00	Request
	V2XFAC_REQUESTRESPONSEINDICATION_RESPONSE	0x01	Response
<b>Description</b>	Enumeration of DE_RequestResponseIndication as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		

<b>Available via</b>	Rte_V2xFac_Type.h
----------------------	-------------------

]()

**[SWS\_V2xFac\_00080]** [

<b>Name</b>	V2xFac_RoadWorksContainerExtendedType
<b>Kind</b>	Structure
	presence
<b>Type</b>	V2xFac_RoadWorksContainerExtendedPresenceType
<b>Comment</b>	Mark optional childs present or not
	lightBarSirenInUse
<b>Type</b>	V2xFac_LightBarSirenInUseType
<b>Comment</b>	Indicates whether light-bar or a siren is in use
	closedLanes
<b>Type</b>	V2xFac_ClosedLanesType
<b>Comment</b>	Indicates the opening/closure status of a lane or a set of lanes
	restriction
<b>Type</b>	V2xFac_RestrictedTypesType
<b>Comment</b>	List of ITS-S types to which a certain traffic restriction e.g. the speed limit, applies
<b>Elements</b>	speedLimit
<b>Type</b>	uint8
<b>Comment</b>	Speed limitation applied to a geographical position, a road section or a geographical region
	incidentIndication
<b>Type</b>	V2xFac_CauseCodeType
<b>Comment</b>	Describes the event type of the emergency or safety mission
	recommendedPath
<b>Type</b>	V2xFac_ItineraryPathType
<b>Comment</b>	--
	startingPointSpeedLimit
<b>Type</b>	V2xFac_DeltaReferencePositionType
<b>Comment</b>	--
	trafficFlowRule

	<b>Type</b>	V2xFac_TrafficRuleType
	<b>Comment</b>	Indicates traffic rules that apply to vehicles at a certain position
referenceDenms		
	<b>Type</b>	V2xFac_ReferenceDenmsType
	<b>Comment</b>	Indicates a sequence of actionIDs for different DENMs that describe the same event
<b>Description</b>	RoadWorksContainerExtended as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00211][

<b>Name</b>	V2xFac_RestrictedTypesType	
<b>Kind</b>	Structure	
<i>Elements</i>		
	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array
values		
	<b>Type</b>	Array of uint8
	<b>Size</b>	3
	<b>Comment</b>	--
<b>Description</b>	DF_RestrictedTypes as defined in ETSI TS 102 894-2. Size of the Array shall be 3.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00212][

<b>Name</b>	V2xFac_ItineraryPathType	
<b>Kind</b>	Structure	
<i>Elements</i>		
	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array.
values		

	<b>Type</b>	Array of V2xFac_ReferencePositionType			
	<b>Size</b>	40			
	<b>Comment</b>	--			
<b>Description</b>	DF_ItineraryPath as defined in ETSI TS 102 894-2. Size of the Array shall be 40.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00213][

<b>Name</b>	V2xFac_TrafficRuleType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_TRAFFICRULE_NO_PASSING	0x00	Overtaking is prohibited for all vehicles
	V2XFAC_TRAFFICRULE_NO_PASSING_FOR_TRUCKS	0x01	Overtaking is prohibited for trucks
	V2XFAC_TRAFFICRULE_PASS_TO_RIGHT	0x02	Vehicles should pass to the right lane
	V2XFAC_TRAFFICRULE_PASS_TO_LEFT	0x03	Vehicles should pass to the left lane
<b>Description</b>	Enumeration of DE_TrafficRule as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00214][

<b>Name</b>	V2xFac_ReferenceDenmsType		
<b>Kind</b>	Structure		
<b>Elements</b>	count		
	<b>Type</b>	uint8	
	<b>Comment</b>	Number of valid elements within array.	
	values		
	<b>Type</b>	Array of V2xFac_ActionIdType	
	<b>Size</b>	8	

	<b>Comment</b>	--
<b>Description</b>	ReferenceDenms as defined in ETSI EN 302 637-3. Size of the Array shall be 8.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00215][

<b>Name</b>	V2xFac_RoadWorksContainerExtendedPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint16			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	lightBarSirenInUse	0x100	Bit 8: Optional child present
	bit	closedLanes	0x80	Bit 7: Optional child present
	bit	restriction	0x40	Bit 6: Optional child present
	bit	speedLimit	0x20	Bit 5: Optional child present
	bit	incidentIndication	0x10	Bit 4: Optional child present
	bit	recommendedPath	0x08	Bit 3: Optional child present
	bit	startingPointSpeedLimit	0x04	Bit 2: Optional child present
	bit	trafficFlowRule	0x02	Bit 1: Optional child present
	bit	referenceDenms	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_RoadWorksContainerExtendedType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00081][

<b>Name</b>	V2xFac_StationaryVehicleContainerType		
<b>Kind</b>	Structure		
<b>Elements</b>	presence		
	<b>Type</b>	V2xFac_StationaryVehicleContainerPresenceType	
	<b>Comment</b>	Mark optional childs present or not	
	stationarySince		
	<b>Type</b>	V2xFac_StationarySinceType	

	<b>Comment</b>	Duration in minutes of a vehicle being stationary
	stationaryCause	
	<b>Type</b>	V2xFac_CauseCodeType
	<b>Comment</b>	Additional information to describe causes of the stationary vehicle
	carryingDangerousGoods	
	<b>Type</b>	V2xFac_DangerousGoodsExtendedType
	<b>Comment</b>	In case the stationary vehicle is carrying dangerous goods
	numberOfOccupants	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of occupants in a vehicle
	vehicleIdentification	
	<b>Type</b>	V2xFac_VehicleIdentificationType
	<b>Comment</b>	Provides information related to the identification of a vehicle
	energyStorageType	
	<b>Type</b>	V2xFac_EnergyStorageType
	<b>Comment</b>	Type of energy being used and stored
<b>Description</b>	StationaryVehicleContainer as defined in ETSI EN 302 637-3. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00216]

<b>Name</b>	V2xFac_StationarySinceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	V2XFAC_STATIONARYSINCE_LESS_THAN_1_MINUTE	0x00	less than 1 minute
	V2XFAC_STATIONARYSINCE_LESS_THAN_2_MINUTES	0x01	less than 2 minutes
	V2XFAC_STATIONARYSINCE_LESS_THAN_15_MINUTES	0x02	less than 15 minutes
	V2XFAC_STATIONARYSINCE_EQUAL_OR_	0x03	equal or greater 15

	GREATER_15_MINUTES		minutes
<b>Description</b>	Enumeration of DE_StationarySince as defined in ETSI TS 102 894-2.		
<b>Variation</b>	--		
<b>Available via</b>	Rte_V2xFac_Type.h		

]()

### [SWS\_V2xFac\_00217][

<b>Name</b>	V2xFac_EnergyStorageType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	hydrogenStorage	0x40	Bit 6: hydrogen storage
	bit	electricEnergyStorage	0x20	Bit 5: electric energy storage
	bit	liquidPropaneGas	0x10	Bit 4: liquid propane gas
	bit	compressedNaturalGas	0x08	Bit 3: compressed natural gas
	bit	diesel	0x04	Bit 2: diesel
	bit	gasoline	0x02	Bit 1: gasoline
	bit	ammonia	0x01	Bit 0 (LSB): ammonia
<b>Description</b>	BitString DE_EnergyStorage as defined in ETSI TS 102 894-2.			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00218][

<b>Name</b>	V2xFac_StationaryVehicleContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	stationarySince	0x20	Bit 5: Optional child present
	bit	stationaryCause	0x10	Bit 4: Optional child present
	bit	carryingDangerousGoods	0x08	Bit 3: Optional child present
	bit	numberOfOccupants	0x04	Bit 2: Optional child present
	bit	vehicleIdentification	0x02	Bit 1: Optional child present

	bit	energyStorageType	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_StationaryVehicleContainerType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

### [SWS\_V2xFac\_00236][

<b>Name</b>	V2xFac_DangerousGoodsExtendedType			
<b>Kind</b>	Structure			
<b>Elements</b>	presence			
	<b>Type</b>	V2xFac_DangerousGoodsExtendedPresenceType		
	<b>Comment</b>	Mark optional childs present or not		
	dangerousGoodsType			
	<b>Type</b>	V2xFac_DangerousGoodsBasicType		
	<b>Comment</b>	Type of dangerous goods		
	unNumber			
	<b>Type</b>	uint16		
	<b>Comment</b>	4-digit number that identifies the substance of the dangerous goods		
	elevatedTemperature			
	<b>Type</b>	boolean		
	<b>Comment</b>	Whether the carried dangerous goods are transported at high temperature		
	tunnelsRestricted			
	<b>Type</b>	boolean		
	<b>Comment</b>	whether the heavy vehicle carrying dangerous goods is restricted to enter tunnels		
	limitedQuantity			
	<b>Type</b>	boolean		
	<b>Comment</b>	whether the carried dangerous goods are packed with limited quantity		
	emergencyActionCode			
	<b>Type</b>	V2xFac_EmergencyActionCodeType		
	<b>Comment</b>	Physical signage placard at the vehicle		
	phoneNumber			

	<b>Type</b>	V2xFac_PhoneNumberType
	<b>Comment</b>	Contact phone number of assistance service in case of incident or accident
	companyName	
	<b>Type</b>	V2xFac_CompanyNameType
	<b>Comment</b>	Name of company that manages the transportation of the dangerous goods
<b>Description</b>	DF_DangerousGoodsExtended as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00219]

<b>Name</b>	V2xFac_EmergencyActionCodeType	
<b>Kind</b>	Structure	
	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array.
	values	
	<b>Type</b>	Array of uint8
	<b>Size</b>	24
	<b>Comment</b>	--
<b>Description</b>	emergencyActionCode as defined in DangerousGoodsExtended in ETSI TS 102 894-2. Size of the Array shall be 24.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00220]

<b>Name</b>	V2xFac_PhoneNumberType	
<b>Kind</b>	Structure	
	count	
	<b>Type</b>	uint8

	<b>Comment</b>	Number of valid elements within array.
values		
	<b>Type</b>	Array of uint8
	<b>Size</b>	24
	<b>Comment</b>	--
<b>Description</b>	phoneNumber as defined in DangerousGoodsExtended in ETSI TS 102 894-2. Size of the Array shall be 24.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### [SWS\_V2xFac\_00221][

<b>Name</b>	V2xFac_CompanyNameType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	Number of valid elements within array.			
	values				
	<b>Type</b>	Array of uint8			
	<b>Size</b>	24			
	<b>Comment</b>	--			
<b>Description</b>	companyName as defined in DangerousGoodsExtended in ETSI TS 102 894-2. Size of the Array shall be 24.				
<b>Variation</b>	--				
<b>Available via</b>	Rte_V2xFac_Type.h				

]()

### [SWS\_V2xFac\_00222][

<b>Name</b>	V2xFac_DangerousGoodsExtendedPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	emergencyActionCode	0x04

	bit	phoneNumber	0x02	Bit 1: Optional child present
	bit	companyName	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_DangerousGoodsExtendedType			
<b>Variation</b>	--			
<b>Available via</b>	Rte_V2xFac_Type.h			

]()

[SWS\_V2xFac\_00230] [

<b>Name</b>	V2xFac_VehicleIdentificationType						
<b>Kind</b>	Structure						
<b>Elements</b>	presence						
	<b>Type</b>	V2xFac_VehicleIdentificationPresenceType					
	<b>Comment</b>	Mark optional childs present or not					
	wmiNumber						
	<b>Type</b>	V2xFac_WmiNumberType					
	<b>Comment</b>	World Manufacturer Identifier (WMI)					
	vds						
	<b>Type</b>	V2xFac_VdsType					
	<b>Comment</b>	Vehicle Descriptor Section (VDS)					
<b>Description</b>	DF_VehicleIdentification as defined in ETSI TS 102 894-2. Values for data elements within this structure shall be used according that document.						
<b>Variation</b>	--						
<b>Available via</b>	Rte_V2xFac_Type.h						

]()

[SWS\_V2xFac\_00223] [

<b>Name</b>	V2xFac_VehicleIdentificationPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	wmiNumber	0x02	Bit 1: Optional child present
	bit	vds	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Presence flags for V2xFac_VehicleIdentificationType			

<b>Variation</b>	--
<b>Available via</b>	Rte_V2xFac_Type.h

]()

[SWS\_V2xFac\_00243][

<b>Name</b>	V2xFac_WmiNumberType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array.
	values	
	<b>Type</b>	Array of uint8
	<b>Size</b>	3
	<b>Comment</b>	--
<b>Description</b>	DE_WMInumber as defined in ETSI TS 102 894-2. Size of the Array shall be 3.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

[SWS\_V2xFac\_00244][

<b>Name</b>	V2xFac_VdsType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	Number of valid elements within array.
	values	
	<b>Type</b>	Array of uint8
	<b>Size</b>	6
	<b>Comment</b>	--
<b>Description</b>	DE_VDS as defined in ETSI TS 102 894-2. Size of the Array shall be 6.	
<b>Variation</b>	--	
<b>Available via</b>	Rte_V2xFac_Type.h	

]()

### 8.7.3.5 IVIM/MAPEM/SPATEM Common Implementation DataTypes

#### [SWS\_V2xFac\_91027][

<b>Name</b>	V2xFac_EuVehicleCategoryCodeType
<b>Kind</b>	Structure
<b>Elements</b>	euVehicleCategoryL
	<b>Type</b> V2xFac_EuVehicleCategoryLType
	<b>Comment</b> --
	euVehicleCategoryM
	<b>Type</b> V2xFac_EuVehicleCategoryMType
	<b>Comment</b> --
	euVehicleCategoryN
	<b>Type</b> V2xFac_EuVehicleCategoryNType
	<b>Comment</b> --
	euVehicleCategoryO
<b>Elements</b>	<b>Type</b> V2xFac_EuVehicleCategoryOType
	<b>Comment</b> --
	euVehicleCategoryT
	<b>Type</b> V2xFac_NULLType
	<b>Comment</b> --
	euVehicleCategoryG
	<b>Type</b> V2xFac_NULLType
	<b>Comment</b> --
	choice
	<b>Type</b> V2xFac_EuVehicleCategoryCodeChoiceType
<b>Description</b>	<b>Comment</b> --
	Namespace: ElectronicRegistrationIdentificationVehicleDataModule
	--
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

#### [SWS\_V2xFac\_91028][

<b>Name</b>	V2xFac_NULLType
-------------	-----------------

<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_NULL	0x00	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91029] [

<b>Name</b>	V2xFac_EuVehicleCategoryCodeChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_L	0x01	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_M	0x02	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_N	0x03	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHICLE_CATEGORY_O	0x04	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHIC_IE_CATEGORY_T	0x05	--
	V2XFAC_EUVEHICLECATEGORYCODE_EU_VEHIC_IE_CATEGORY_G	0x06	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91030] [

<b>Name</b>	V2xFac_EuVehicleCategoryLType		
<b>Kind</b>	Enumeration		
<b>Range</b>	I1	0	--
	I2	1	--
	I3	2	--
	I4	3	--
	I5	4	--
	I6	5	--
	I7	6	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91031][

<b>Name</b>	V2xFac_EuVehicleCategoryMType		
<b>Kind</b>	Enumeration		
<b>Range</b>	m1	0	--
	m2	1	--
	m3	2	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91032][

<b>Name</b>	V2xFac_EuVehicleCategoryNType		
<b>Kind</b>	Enumeration		
<b>Range</b>	n1	0	--
	n2	1	--
	n3	2	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91033][

<b>Name</b>	V2xFac_EuVehicleCategoryOType		
<b>Kind</b>	Enumeration		
<b>Range</b>	o1	0	--
	o2	1	--
	o3	2	--
	o4	3	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

**[SWS\_V2xFac\_91034]**[

<b>Name</b>	V2xFac_Iso3833VehicleTypeType		
<b>Kind</b>	Enumeration		
<b>Range</b>			
	passengerCar	0	--
	saloon	1	--
	convertibleSaloon	2	--
	pullmanSaloon	3	--
	stationWagon	4	--
	truckStationWagon	5	--
	coupe	6	--
	convertible	7	--
	multipurposePassengerCar	8	--
	forwardControlPassengerCar	9	--
	specialPassengerCar	10	--
	bus	11	--
	minibus	12	--
	urbanBus	13	--
	interurbanCoach	14	--
	longDistanceCoach	15	--
	articulatedBus	16	--
	trolleyBus	17	--
	specialBus	18	--
	commercialVehicle	19	--
	specialCommercialVehicle	20	--
	specialVehicle	21	--
	trailingTowingVehicle	22	--
	semiTrailerTowingVehicle	23	--
	trailer	24	--

	busTrailer	25	--
	generalPurposeTrailer	26	--
	caravan	27	--
	specialTrailer	28	--
	semiTrailer	29	--
	busSemiTrailer	30	--
	generalPurposesSemiTrailer	31	--
	specialSemiTrailer	32	--
	roadTrain	33	--
	passengerRoadTrain	34	--
	articulatedRoadTrain	35	--
	doubleRoadTrain	36	--
	compositeRoadTrain	37	--
	specialRoadTrain	38	--
	moped	39	--
	motorCycle	40	--
<b>Description</b>	Namespace: ElectronicRegistrationIdentificationVehicleDataModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91413]

<b>Name</b>	V2xFac_GenericLocationsType		
<b>Kind</b>	Enumeration		
<b>Range</b>	on_bridges	7937	--
	in_tunnels	7938	--
	entering_or_leaving_tunnels	7939	--
	on_ramps	7940	--
	in_road_construction_area	7941	--
	around_a_curve	7942	--
	on_minor_roads	7943	--

	in_the_opposing_lanes	7944	--
	adjacent_to_roadway	7945	--
	on_bend	7946	--
	entire_intersection	7947	--
	in_the_median	7948	--
	moved_to_side_of_road	7949	--
	moved_to_shoulder	7950	--
	on_the_roadway	7951	--
	in_shaded_areas	7952	--
	in_low_lying_areas	7953	--
	in_the_downtown_area	7954	--
	in_the_inner_city_area	7955	--
	in_parts	7956	--
	in_some_places	7957	--
	in_the_ditch	7958	--
	in_the_valley	7959	--
	on_hill_top	7960	--
	near_the_foothills	7961	--
	at_high_altitudes	7962	--
	near_the_lake	7963	--
	near_the_shore	7964	--
	over_the_crest_of_a_hill	7965	--
	other_than_on_the_roadway	7966	--
	near_the_beach	7967	--
	near_beach_access_point	7968	--
	lower_level	7969	--
	upper_level	7970	--
	airport	7971	--
	concourse	7972	--
	gate	7973	--
	baggage_claim	7974	--

	customs_point	7975	--
	station	7976	--
	platform	7977	--
	dock	7978	--
	depot	7979	--
	ev_charging_point	7980	--
	information_welcome_point	7981	--
	at_rest_area	7982	--
	at_service_area	7983	--
	at_weigh_station	7984	--
	picnic_areas	7985	--
	rest_area	7986	--
	service_stations	7987	--
	toilets	7988	--
	on_the_right	7989	--
	on_the_left	7990	--
	in_the_center	7991	--
	in_the_opposite_direction	7992	--
	cross_traffic	7993	--
	northbound_traffic	7994	--
	eastbound_traffic	7995	--
	southbound_traffic	7996	--
	westbound_traffic	7997	--
	north	7998	--
	south	7999	--
	east	8000	--
	west	8001	--
	northeast	8002	--
	northwest	8003	--
	southeast	8004	--
	southwest	8005	--

	mountain_pass	8006	--
	reservation_center	8007	--
	nearby_basin	8008	--
	on_tracks	8009	--
	dip	8010	--
	traffic_circle	8011	--
	park_and_ride_lot	8012	--
	to	8014	--
	by	8015	--
	through	8016	--
	area_of	8017	--
	under	8018	--
	over	8019	--
	from	8020	--
	approaching	8021	--
	entering_at	8022	--
	exiting_at	8023	--
	across_tracks	8024	--
	in_street	8025	--
	on_curve	8026	--
	shoulder	8027	--
	crossover	8028	--
	cross_road	8029	--
	side_road	8030	--
	bus_stop	8031	--
	intersection	8032	--
	roadside_park	8033	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

**[SWS\_V2xFac\_91414]**

Name	V2xFac_IncidentResponseEquipmentType		
Kind	Enumeration		
Range			
	ground_fire_suppression	9985	--
	heavy_ground_equipment	9986	--
	aircraft	9988	--
	marine_equipment	9989	--
	support_equipment	9990	--
	medical_rescue_unit	9991	--
	other	9993	--
	ground_fire_suppression_other	9994	--
	engine	9995	--
	truck_or_aerial	9996	--
	quint	9997	--
	tanker_pumper_combination	9998	--
	brush_truck	10000	--
	aircraft_rescue_firefighting	10001	--
	heavy_ground_equipment_other	10004	--
	dozer_or_plow	10005	--
	tractor	10006	--
	tanker_or_tender	10008	--
	aircraft_other	10024	--
	aircraft_fixed_wing_tanker	10025	--
	helitanker	10026	--
	helicopter	10027	--
	marine_equipment_other	10034	--
	fire_boat_with_pump	10035	--
	boat_no_pump	10036	--
	support_apparatus_other	10044	--
	breathing_apparatus_support	10045	--
	light_and_air_unit	10046	--

	medical_rescue_unit_other	10054	--
	rescue_unit	10055	--
	urban_search_rescue_unit	10056	--
	high_angle_rescue	10057	--
	crash_fire_rescue	10058	--
	bLS_unit	10059	--
	aLS_unit	10060	--
	mobile_command_post	10075	--
	chief_officer_car	10076	--
	hAZMAT_unit	10077	--
	type_i_hand_crew	10078	--
	type_ii_hand_crew	10079	--
	privately_owned_vehicle	10083	--
	other_apparatus_resource	10084	--
	ambulance	10085	--
	bomb_squad_van	10086	--
	combine_harvester	10087	--
	construction_vehicle	10088	--
	farm_tractor	10089	--
	grass_cutting_machines	10090	--
	hAZMATContainment_tow	10091	--
	heavy_tow	10092	--
	hedge_cutting_machines	10093	--
	light_tow	10094	--
	mobile_crane	10095	--
	refuse_collection_vehicle	10096	--
	resurfacing_vehicle	10097	--
	road_sweeper	10098	--
	roadside_litter_collection_crews	10099	--
	salvage_vehicle	10100	--
	sand_truck	10101	--

	snowplow	10102	--
	steam_roller	10103	--
	swat_team_van	10104	--
	track_laying_vehicle	10105	--
	unknown_vehicle	10106	--
	white_lining_vehicle	10107	--
	dump_truck	10108	--
	supervisor_vehicle	10109	--
	snow_blower	10110	--
	rotary_snow_blower	10111	--
	road_grader	10112	--
	steam_truck	10113	--
	flatbed_tow	10114	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91415]

<b>Name</b>	V2xFac_ITIStextType		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..500	--	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91416]

<b>Name</b>	V2xFac_ResponderGroupAffectedType		
<b>Kind</b>	Enumeration		
<b>Range</b>	emergency_vehicle_units	9729	--
	federal_law_enforcement_units	9730	--

	state_police_units	9731	--
	county_police_units	9732	--
	local_police_units	9733	--
	ambulance_units	9734	--
	rescue_units	9735	--
	fire_units	9736	--
	hAZMAT_units	9737	--
	light_tow_unit	9738	--
	heavy_tow_unit	9739	--
	freeway_service_patrols	9740	--
	transportation_response_units	9741	--
	private_contractor_response_units	9742	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91417][

<b>Name</b>	V2xFac_VehicleGroupAffectedType		
<b>Kind</b>	Enumeration		
<b>Range</b>	all_vehicles	9217	--
	bicycles	9218	--
	motorcycles	9219	--
	cars	9220	--
	light_vehicles	9221	--
	cars_and_light_vehicles	9222	--
	cars_with_trailers	9223	--
	cars_with_recreational_trailers	9224	--
	vehicles_with_trailers	9225	--
	heavy_vehicles	9226	--
	trucks	9227	--
	buses	9228	--

	articulated_buses	9229	--
	school_buses	9230	--
	vehicles_with_semi_trailers	9231	--
	vehicles_with_double_trailers	9232	--
	high_profile_vehicles	9233	--
	wide_vehicles	9234	--
	long_vehicles	9235	--
	hazardous_loads	9236	--
	exceptional_loads	9237	--
	abnormal_loads	9238	--
	convoy	9239	--
	maintenance_vehicles	9240	--
	delivery_vehicles	9241	--
	vehicles_with_even_numbered_license_plates	9242	--
	vehicles_with_odd_numbered_license_plates	9243	--
	vehicles_with_parking_permits	9244	--
	vehicles_with_catalytic_converters	9245	--
	vehicles_without_catalytic_converters	9246	--
	gasPowered_vehicles	9247	--
	dieselPowered_vehicles	9248	--
	IPG_vehicles	9249	--
	military_convoy	9250	--
	military_vehicles	9251	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91418] [

<b>Name</b>	V2xFac_ITIScodesType
<b>Kind</b>	Type
<b>Derived from</b>	uint16

<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91419][

<b>Name</b>	V2xFac_ITIScodesAndTextType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_ITIScodesAndText113Type			
	<b>Size</b>	100			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: ITIS				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91420][

<b>Name</b>	V2xFac_ITIScodesAndText113Type				
<b>Kind</b>	Structure				
<b>Elements</b>	item				
	<b>Type</b>	V2xFac_item114Type			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: ITIS				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91421][

<b>Name</b>	V2xFac_item114Type
-------------	--------------------

<b>Kind</b>	Structure		
<i>Elements</i>			
		itis	
		<b>Type</b>	V2xFac_ITIScodesType
		<b>Comment</b>	--
text			
		<b>Type</b>	V2xFac_ITIStextType
		<b>Comment</b>	--
choice			
		<b>Type</b>	V2xFac_item114ChoiceType
		<b>Comment</b>	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91422]

<b>Name</b>	V2xFac_item114ChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_ITEM114_ITIS	0x01	--
	V2XFAC_ITEM114_TEXT	0x02	--
<b>Description</b>	Namespace: ITIS		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### 8.7.3.6 IVIM specific Implementation DataTypes

#### [SWS\_V2xFac\_91000]

<b>Name</b>	V2xFac_AxleWeightLimitsType		
<b>Kind</b>	Structure		
<i>Elements</i>			
		maxLadenweightOnAxle1	
		<b>Type</b>	V2xFac_Int2Type
		<b>Comment</b>	--
maxLadenweightOnAxle2			

	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
maxLadenweightOnAxe3		
	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
maxLadenweightOnAxe4		
	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
maxLadenweightOnAxe5		
	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91001][

<b>Name</b>	V2xFac_DieselEmissionValuesType	
<b>Kind</b>	Structure	
<b>Elements</b>	particulate	
	<b>Type</b>	V2xFac_particulate0Type
	<b>Comment</b>	--
	absorbtionCoeff	
	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91002][

<b>Name</b>	V2xFac_particulate0Type
<b>Kind</b>	Structure

<b>Elements</b>	unitType	
	<b>Type</b>	V2xFac_UnitTypeType
	<b>Comment</b>	--
	value	
	<b>Type</b>	uint16
	<b>Comment</b>	--
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91003]

<b>Elements</b>	V2xFac_ExhaustEmissionValuesType	
	Structure	
	unitType	
	<b>Type</b>	V2xFac_UnitTypeType
	<b>Comment</b>	--
	emissionCO	
	<b>Type</b>	uint16
	<b>Comment</b>	--
	emissionHC	
	<b>Type</b>	V2xFac_Int2Type
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91004]**

<b>Name</b>	V2xFac_EngineCharacteristicsType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
	noEntry	0	--
	noEngine	1	--
	petrolUnleaded	2	--
	petrolLeaded	3	--
	diesel	4	--
	IPG	5	--
	battery	6	--
	solar	7	--
	hybrid	8	--
	hydrogen	9	--
<b>Description</b>	Namespace: EfcModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91005]**

<b>Name</b>	V2xFac_EnvironmentalCharacteristicsType				
<b>Kind</b>	Structure				
<b>Elements</b>	euroValue				
	<b>Type</b>	V2xFac_EuroValueType			
	<b>Comment</b>	--			
	copValue				
	<b>Type</b>	V2xFac_CopValueType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: EfcModule				
<b>Variation</b>	--				

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

[SWS\_V2xFac\_91006] [

<b>Name</b>	V2xFac_EuroValueType		
<b>Kind</b>	Enumeration		
<b>Range</b>	noEntry	0	--
	euro_1	1	--
	euro_2	2	--
	euro_3	3	--
	euro_4	4	--
	euro_5	5	--
	euro_6	6	--
	reservedForUse1	7	--
	reservedForUse2	8	--
	reservedForUse3	9	--
	reservedForUse4	10	--
	reservedForUse5	11	--
	reservedForUse6	12	--
	reservedForUse7	13	--
	reservedForUse8	14	--
	eev	15	--
<b>Description</b>	Namespace: EfcModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91007] [

<b>Name</b>	V2xFac_CopValueType		
<b>Kind</b>	Enumeration		
<b>Range</b>	noEntry	0	--
	co2class1	1	--
	co2class2	2	--

	co2class3	3	--
	co2class4	4	--
	co2class5	5	--
	co2class6	6	--
	co2class7	7	--
	reservedforUse	8	--
<b>Description</b>	Namespace: EfcModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91008][

<b>Name</b>	V2xFac_Int1Type		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
<b>Description</b>	Namespace: EfcModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91009][

<b>Name</b>	V2xFac_Int2Type		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: EfcModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91010][

<b>Name</b>	V2xFac_PassengerCapacityType		
<b>Kind</b>	Structure		

<b>Elements</b>	numberOfSeats	
	<b>Type</b>	V2xFac_Int1Type
	<b>Comment</b>	--
	numberOfStandingPlaces	
	<b>Type</b>	V2xFac_Int1Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91011][

<b>Name</b>	V2xFac_ProviderType	
<b>Kind</b>	Structure	
<b>Elements</b>	countryCode	
	<b>Type</b>	V2xFac_CountryCodeType
	<b>Comment</b>	--
	providerIdentifier	
	<b>Type</b>	V2xFac_IssuerIdentifierType
	<b>Comment</b>	--
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91012][

<b>Name</b>	V2xFac_SoundLevelType	
<b>Kind</b>	Structure	
<b>Elements</b>	soundstationary	
	<b>Type</b>	V2xFac_Int1Type
	<b>Comment</b>	--
	sounddriveby	
	<b>Type</b>	V2xFac_Int1Type

	<b>Comment</b>	--
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91013][

<b>Name</b>	V2xFac_UnitTypeType		
<b>Kind</b>	Enumeration		
<b>Range</b>	mg_km	0	--
	mg_kWh	1	--
<b>Description</b>	Namespace: EfcModule		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91014][

<b>Name</b>	V2xFac_VehicleDimensionsType				
<b>Kind</b>	Structure				
<b>Elements</b>	vehicleLengthOverall				
	<b>Type</b>	V2xFac_Int1Type			
	<b>Comment</b>	--			
	vehicleHeigthOverall				
	<b>Type</b>	V2xFac_Int1Type			
	<b>Comment</b>	--			
	vehicleWidthOverall				
	<b>Type</b>	V2xFac_Int1Type			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: EfcModule				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91015][

<b>Name</b>	V2xFac_VehicleWeightLimitsType	
<b>Kind</b>	Structure	
<b>Elements</b>	vehicleMaxLadenWeight	
	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
	vehicleTrainMaximumWeight	
	<b>Type</b>	V2xFac_Int2Type
	<b>Comment</b>	--
	vehicleWeightUnladen	
	<b>Type</b>	V2xFac_Int2Type
<b>Description</b>	Namespace: EfcModule	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91016]

<b>Name</b>	V2xFac_CS5Type
<b>Kind</b>	Type
<b>Derived from</b>	V2xFac_StringType
<b>Description</b>	Namespace: AVIAEINumberingAndDataStructures
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91017]

<b>Name</b>	V2xFac_StringType
<b>Kind</b>	Type
<b>Derived from</b>	uint8
<b>Description</b>	Namespace: AVIAEINumberingAndDataStructures
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[**SWS\_V2xFac\_91018**][

<b>Name</b>	V2xFac_CountryCodeType
<b>Kind</b>	Bitfield
<b>Derived from</b>	uint8
<b>Description</b>	Namespace: AVIAEINumberingAndDataStructures
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[**SWS\_V2xFac\_91019**][

<b>Name</b>	V2xFac_IssuerIdentifierType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..16383	--	--
<b>Description</b>	Namespace: AVIAEINumberingAndDataStructures		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91020**][

<b>Name</b>	V2xFac_VarLengthNumberType		
<b>Kind</b>	Structure		
<b>Elements</b>	content		
	<b>Type</b>	--	
	<b>Comment</b>	--	
	extension		
	<b>Type</b>	--	
	<b>Comment</b>	--	
	choice		
	<b>Type</b>	V2xFac_VarLengthNumberChoiceType	
<b>Description</b>	Namespace: CITsapplMgmtIDs		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91021][

<b>Name</b>	V2xFac_VarLengthNumberChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_VARLENGTHNUMBER_CONTENT	0x01	--
	V2XFAC_VARLENGTHNUMBER_EXTENSION	0x02	--
<b>Description</b>	Namespace: CITSapplMgmtIDs		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91022][

<b>Name</b>	V2xFac_Ext1Type				
<b>Kind</b>	Structure				
<b>Elements</b>	content				
	<b>Type</b>	--			
	<b>Comment</b>	--			
	extension				
	<b>Type</b>	--			
	<b>Comment</b>	--			
	choice				
	<b>Type</b>	V2xFac_Ext1ChoiceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: CITSapplMgmtIDs				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91023][

<b>Name</b>	V2xFac_Ext1ChoiceType		
<b>Kind</b>	Enumeration		

<b>Range</b>	V2XFAC_EXT1_CONTENT	0x01	--
	V2XFAC_EXT1_EXTENSION	0x02	--
<b>Description</b>	Namespace: CITSapplMgmtIDs		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91024][

<b>Name</b>	V2xFac_Ext2Type				
<b>Kind</b>	Structure				
<b>Elements</b>	content				
	<b>Type</b>	--			
	<b>Comment</b>	--			
	extension				
	<b>Type</b>	--			
	<b>Comment</b>	--			
	choice				
	<b>Type</b>	V2xFac_Ext2ChoiceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: CITSapplMgmtIDs				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91025][

<b>Name</b>	V2xFac_Ext2ChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_EXT2_CONTENT	0x01	--
	V2XFAC_EXT2_EXTENSION	0x02	--
<b>Description</b>	Namespace: CITSapplMgmtIDs		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91026]**

<b>Name</b>	V2xFac_Ext3Type		
<b>Kind</b>	Type		
<b>Derived from</b>	uint32		
<b>Range</b>	2113663..270549119	--	--
<b>Description</b>	Namespace: CITSapplMgmtIDs		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91112]**

<b>Name</b>	V2xFac_IvimDataType		
<b>Kind</b>	Structure		
<b>Elements</b>	management		
	<b>Type</b>	V2xFac_ManagementContainerType	
	<b>Comment</b>	--	
	glc		
	<b>Type</b>	V2xFac_GeographicLocationContainerType	
	<b>Comment</b>	--	
	gic		
	<b>Type</b>	V2xFac_GenerallyviContainerType	
	<b>Comment</b>	--	
	rcc		
	<b>Type</b>	V2xFac_RoadConfigurationContainerType	
	<b>Comment</b>	--	
	tc		
	<b>Type</b>	V2xFac_TextContainerType	
	<b>Comment</b>	--	
	lac		
	<b>Type</b>	V2xFac_LayoutContainerType	
	<b>Comment</b>	--	
	transactionId		

	<b>Type</b>	uint32
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_IvimDataPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91113][

<b>Name</b>	V2xFac_IvimDataPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	glc	0x01	Bit 0 (LSB): Optional child present
	bit	gic	0x02	Bit 1: Optional child present
	bit	rcc	0x04	Bit 2: Optional child present
	bit	tc	0x08	Bit 3: Optional child present
	bit	lac	0x10	Bit 4: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91114][

<b>Name</b>	V2xFac_IviStructureType		
<b>Kind</b>	Structure		
<b>Elements</b>	mandatory		
	<b>Type</b>	V2xFac_ManagementContainerType	
	<b>Comment</b>	--	
	optional		
	<b>Type</b>	V2xFac_optional4Type	

	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_IviStructurePresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91115][

<b>Name</b>	V2xFac_optional4Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_IviContainerType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91116][

<b>Name</b>	V2xFac_IviStructurePresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	optional	0x01
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91117][

<b>Name</b>	V2xFac_IviContainerType				
<b>Kind</b>	Structure				
<b>Elements</b>	glc				
	<b>Type</b>	V2xFac_GeographicLocationContainerType			
	<b>Comment</b>	--			
	gic				
	<b>Type</b>	V2xFac_GeneralIviContainerType			
	<b>Comment</b>	--			
	rcc				
	<b>Type</b>	V2xFac_RoadConfigurationContainerType			
	<b>Comment</b>	--			
	tc				
	<b>Type</b>	V2xFac_TextContainerType			
	<b>Comment</b>	--			
	lac				
	<b>Type</b>	V2xFac_LayoutContainerType			
	<b>Comment</b>	--			
	choice				
	<b>Type</b>	V2xFac_IviContainerChoiceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91118][

<b>Name</b>	V2xFac_IviContainerChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_IVICONAINER_GLC	0x01	--
	V2XFAC_IVICONAINER_GIC	0x02	--

	V2XFAC_IVICONAINER_RCC	0x03	--
	V2XFAC_IVICONAINER_TC	0x04	--
	V2XFAC_IVICONAINER_LAC	0x05	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91119][

<b>Name</b>	V2xFac_GeographicLocationContainerType				
<b>Kind</b>	Structure				
<b>Elements</b>	referencePosition				
	<b>Type</b>	V2xFac_ReferencePositionType			
	<b>Comment</b>	--			
	referencePositionTime				
	<b>Type</b>	V2xFac_TimestampltsType			
	<b>Comment</b>	--			
	referencePositionHeading				
	<b>Type</b>	V2xFac_HeadingType			
	<b>Comment</b>	--			
	referencePositionSpeed				
	<b>Type</b>	V2xFac_SpeedType			
	<b>Comment</b>	--			
<b>Elements</b>	parts				
	<b>Type</b>	V2xFac_parts5Type			
	<b>Comment</b>	--			
	presence				
	<b>Type</b>	V2xFac_GeographicLocationContainerPresenceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91120][

<b>Name</b>	V2xFac_parts5Type				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_GlcPartType			
	<b>Size</b>	16			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91121][

<b>Name</b>	V2xFac_GeographicLocationContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	
	bit	referencePositionTime	0x01	Bit 0 (LSB): Optional child present
	bit	refereneePositionHeading	0x02	Bit 1: Optional child present
	bit	refereneePositionSpeed	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91122][

<b>Name</b>	V2xFac_GlcPartType		
<b>Kind</b>	Structure		
<b>Elements</b>	zoneld		

	<b>Type</b>	V2xFac_ZidType
	<b>Comment</b>	--
laneNumber		
	<b>Type</b>	V2xFac_LanePositionType
	<b>Comment</b>	--
zoneExtension		
	<b>Type</b>	uint8
	<b>Comment</b>	--
zoneHeading		
	<b>Type</b>	V2xFac_HeadingValueType
	<b>Comment</b>	--
zone		
	<b>Type</b>	V2xFac_ZoneType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_GlcPartPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91123]

<b>Name</b>	V2xFac_GlcPartPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
<b>Elements</b>	bit	laneNumber	0x01	Bit 0 (LSB): Optional child present
	bit	zoneExtension	0x02	Bit 1: Optional child present
	bit	zoneHeading	0x04	Bit 2: Optional child present
	bit	zone	0x08	Bit 3: Optional child present
<b>Description</b>	Namespace: IVI			

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91124][

<b>Name</b>	V2xFac_GeneralIVIContainerType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_GicPartType
	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91125][

<b>Name</b>	V2xFac_GicPartType	
<b>Kind</b>	Structure	
<b>Elements</b>	detectionZoneIds	
	<b>Type</b>	V2xFac_detectionZoneIds7Type
	<b>Comment</b>	--
	its_Rrid	
	<b>Type</b>	V2xFac_VarLengthNumberType
	<b>Comment</b>	--
	relevanceZoneIds	
	<b>Type</b>	V2xFac_relevanceZoneIds8Type
	<b>Comment</b>	--
	direction	
	<b>Type</b>	V2xFac_DirectionType

	<b>Comment</b>	--
driverAwarenessZonelds		
	<b>Type</b>	V2xFac_driverAwarenessZonelds9Type
	<b>Comment</b>	--
minimumAwarenessTime		
	<b>Type</b>	uint8
	<b>Comment</b>	--
applicableLanes		
	<b>Type</b>	V2xFac_applicableLanes11Type
	<b>Comment</b>	--
iviType		
	<b>Type</b>	V2xFac_IviTypeType
	<b>Comment</b>	--
iviPurpose		
	<b>Type</b>	V2xFac_IviPurposeType
	<b>Comment</b>	--
laneStatus		
	<b>Type</b>	V2xFac_LaneStatusType
	<b>Comment</b>	--
vehicleCharacteristics		
	<b>Type</b>	V2xFac_CompleteVehicleCharacteristicsType
	<b>Comment</b>	--
driverCharacteristics		
	<b>Type</b>	V2xFac_DriverCharacteristicsType
	<b>Comment</b>	--
layoutId		
	<b>Type</b>	uint8
	<b>Comment</b>	--
preStoredLayoutId		
	<b>Type</b>	uint8
	<b>Comment</b>	--

	roadSignCodes
<b>Type</b>	V2xFac_roadSignCodes14Type
<b>Comment</b>	--
extraText	
<b>Type</b>	V2xFac_extraText15Type
<b>Comment</b>	--
presence	
<b>Type</b>	V2xFac_GicPartPresenceType
<b>Comment</b>	--
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91126]

<b>Name</b>	V2xFac_detectionZonelds7Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91127]

<b>Name</b>	V2xFac_relevanceZonelds8Type
<b>Kind</b>	Structure
<b>Elements</b>	count

	<b>Type</b>	uint8
	<b>Comment</b>	--
values		
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91128][

<b>Name</b>	V2xFac_driverAwarenessZonelDs9Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91129][

<b>Name</b>	V2xFac_applicableLanes11Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	

	<b>Type</b>	Array of V2xFac_LanePositionType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91130][

<b>Name</b>	V2xFac_roadSignCodes14Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_RSCodeType
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91131][

<b>Name</b>	V2xFac_extraText15Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_TextCopy63Type
	<b>Size</b>	4
	<b>Comment</b>	--

<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91132]

<b>Name</b>	V2xFac_GicPartPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	detectionZonelds	0x01	Bit 0 (LSB): Optional child present
	bit	its_Rrid	0x02	Bit 1: Optional child present
	bit	relevanceZonelds	0x04	Bit 2: Optional child present
	bit	direction	0x08	Bit 3: Optional child present
	bit	driverAwarenessZonelds	0x10	Bit 4: Optional child present
	bit	minimumAwarenessTime	0x20	Bit 5: Optional child present
	bit	applicableLanes	0x40	Bit 6: Optional child present
	bit	iviPurpose	0x80	Bit 7: Optional child present
	bit	laneStatus	0x100	Bit 8: Optional child present
	bit	vehicleCharacteristics	0x200	Bit 9: Optional child present
	bit	driverCharacteristics	0x400	Bit 10: Optional child present
	bit	layoutId	0x800	Bit 11: Optional child present
	bit	preStoredLayoutId	0x1000	Bit 12: Optional child present
	bit	extraText	0x2000	Bit 13: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91133]

<b>Name</b>	V2xFac_RoadConfigurationContainerType
<b>Kind</b>	Structure
<b>Elements</b>	count

	<b>Type</b>	uint8
	<b>Comment</b>	--
values		
	<b>Type</b>	Array of V2xFac_RccPartType
	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91134][

<b>Name</b>	V2xFac_RccPartType	
<b>Kind</b>	Structure	
<b>Elements</b>	zonelds	
	<b>Type</b>	V2xFac_zonelds16Type
	<b>Comment</b>	--
	roadType	
	<b>Type</b>	V2xFac_RoadTypeType
	<b>Comment</b>	--
	laneConfiguration	
	<b>Type</b>	V2xFac_laneConfiguration17Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91135][

<b>Name</b>	V2xFac_zonelds16Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8

	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91136][

<b>Name</b>	V2xFac_laneConfiguration17Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_LaneInformationType
	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91137][

<b>Name</b>	V2xFac_TextContainerType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_TcPartType

	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91138]

<b>Name</b>	V2xFac_TcPartType	
<b>Kind</b>	Structure	
<b>Elements</b>	detectionZonelds	
	<b>Type</b>	V2xFac_detectionZonelds18Type
	<b>Comment</b>	--
	relevanceZonelds	
	<b>Type</b>	V2xFac_relevanceZonelds19Type
	<b>Comment</b>	--
	direction	
	<b>Type</b>	V2xFac_DirectionType
	<b>Comment</b>	--
	driverAwarenessZonelds	
	<b>Type</b>	V2xFac_driverAwarenessZonelds20Type
	<b>Comment</b>	--
	minimumAwarenessTime	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	applicableLanes	
	<b>Type</b>	V2xFac_applicableLanes22Type
	<b>Comment</b>	--
	layoutId	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	preStoredLayoutId	

	<b>Type</b>	uint8
	<b>Comment</b>	--
text		
	<b>Type</b>	V2xFac_text25Type
	<b>Comment</b>	--
data		
	<b>Type</b>	V2xFac_data26Type
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_TcPartPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91139][

	<b>Name</b>	V2xFac_detectionZonelds18Type
	<b>Kind</b>	Structure
<i>Elements</i>		
	<b>Type</b>	count
	<b>Type</b>	uint8
	<b>Comment</b>	--
values		
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91140][

	<b>Name</b>	V2xFac_relevanceZonelds19Type
--	-------------	-------------------------------

<b>Kind</b>	Structure	
		count
<b>Elements</b>	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91141][

<b>Name</b>	V2xFac_driverAwarenessZoneIds20Type	
<b>Kind</b>	Structure	
		count
<b>Elements</b>	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ZidType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91142][

<b>Name</b>	V2xFac_applicableLanes22Type	
<b>Kind</b>	Structure	
		count
<b>Elements</b>	<b>Type</b>	uint8

	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_LanePositionType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91143]

<b>Name</b>	V2xFac_text25Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_TextType
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91144]

<b>Name</b>	V2xFac_data26Type		
<b>Kind</b>	Array	<b>Element type</b>	--
<b>Size</b>	--		
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91145][**

<b>Name</b>	V2xFac_TcPartPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	detectionZonelds	0x01	Bit 0 (LSB): Optional child present
	bit	driverAwarenessZonelds	0x02	Bit 1: Optional child present
	bit	minimumAwarenessTime	0x04	Bit 2: Optional child present
	bit	applicableLanes	0x08	Bit 3: Optional child present
	bit	layoutId	0x10	Bit 4: Optional child present
	bit	preStoredLayoutId	0x20	Bit 5: Optional child present
	bit	text	0x40	Bit 6: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

**[SWS\_V2xFac\_91146][**

<b>Name</b>	V2xFac_LayoutContainerType						
<b>Kind</b>	Structure						
<b>Elements</b>	layoutId						
	<b>Type</b>	uint8					
	<b>Comment</b>	--					
	height						
	<b>Type</b>	uint8					
	<b>Comment</b>	--					
	width						
	<b>Type</b>	uint16					
<b>Comment</b>							
--							
layoutComponents							
<b>Type</b>	V2xFac_layoutComponents30Type						
<b>Comment</b>	--						

	presence	
	<b>Type</b>	V2xFac_LayoutContainerPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91147][

<b>Name</b>	V2xFac_layoutComponents30Type				
<b>Kind</b>	Structure				
	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_LayoutComponentType			
	<b>Size</b>	4			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91148][

<b>Name</b>	V2xFac_LayoutContainerPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	height	0x01	Bit 0 (LSB): Optional child present
	bit	width	0x02	Bit 1: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[**SWS\_V2xFac\_91149**]

<b>Name</b>	V2xFac_AbsolutePositionType	
<b>Kind</b>	Structure	
<b>Elements</b>	latitude	
	<b>Type</b>	V2xFac_LatitudeType
	<b>Comment</b>	--
	longitude	
	<b>Type</b>	V2xFac_LongitudeType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[**SWS\_V2xFac\_91150**]

<b>Name</b>	V2xFac_AbsolutePositionWAltitudeType	
<b>Kind</b>	Structure	
<b>Elements</b>	latitude	
	<b>Type</b>	V2xFac_LatitudeType
	<b>Comment</b>	--
	longitude	
	<b>Type</b>	V2xFac_LongitudeType
	<b>Comment</b>	--
altitude	altitude	
	<b>Type</b>	V2xFac_AltitudeType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[**SWS\_V2xFac\_91151**]

<b>Name</b>	V2xFac_AnyCatalogueType	
<b>Kind</b>	Structure	
	owner	
	<b>Type</b>	V2xFac_ProviderType
	<b>Comment</b>	--
	version	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	pictogramCode	
	<b>Type</b>	uint16
	<b>Comment</b>	--
	value	
<b>Elements</b>	<b>Type</b>	uint16
	<b>Comment</b>	--
	unit	
	<b>Type</b>	V2xFac_RSCUnitType
	<b>Comment</b>	--
	attributes	
	<b>Type</b>	V2xFac_ISO14823AttributesType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_AnyCataloguePresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91152][

<b>Name</b>	V2xFac_AnyCataloguePresenceType
<b>Kind</b>	Bitfield
<b>Derived from</b>	uint8

Elements	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	value	0x01	Bit 0 (LSB): Optional child present
	bit	unit	0x02	Bit 1: Optional child present
	bit	attributes	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91153][

<b>Name</b>	V2xFac_ComparisonOperatorType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..3	--	--
	greaterThan	0	--
	greaterThanOrEqualTo	1	--
	lessThan	2	--
	lessThanOrEqualTo	3	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91154][

<b>Name</b>	V2xFac_CompleteVehicleCharacteristicsType		
<b>Kind</b>	Structure		
<b>Elements</b>	tractor		
	<b>Type</b>	V2xFac_TractorCharacteristicsType	
	<b>Comment</b>	--	
	trailer		
	<b>Type</b>	V2xFac_trailer34Type	
	<b>Comment</b>	--	
	train		

	<b>Type</b>	V2xFac_TrainCharacteristicsType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_CompleteVehicleCharacteristicsPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91155][

<b>Name</b>	V2xFac_trailer34Type				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_TrailerCharacteristicsType			
	<b>Size</b>	3			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91156][

<b>Name</b>	V2xFac_CompleteVehicleCharacteristicsPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	tractor	0x01	Bit 0 (LSB): Optional child present
	bit	trailer	0x02	Bit 1: Optional child present
	bit	train	0x04	Bit 2: Optional child present

<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91157][

<b>Name</b>	V2xFac_ComputedSegmentType																								
<b>Kind</b>	Structure																								
<b>Elements</b>	<table border="1"> <tr> <td><b>Type</b></td><td>zoneld</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> <tr> <td><b>Type</b></td><td>laneNumber</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> <tr> <td><b>Type</b></td><td>laneWidth</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> <tr> <td><b>Type</b></td><td>offsetDistance</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> <tr> <td><b>Type</b></td><td>offsetPosition</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> <tr> <td><b>Type</b></td><td>presence</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	zoneld	<b>Comment</b>	--	<b>Type</b>	laneNumber	<b>Comment</b>	--	<b>Type</b>	laneWidth	<b>Comment</b>	--	<b>Type</b>	offsetDistance	<b>Comment</b>	--	<b>Type</b>	offsetPosition	<b>Comment</b>	--	<b>Type</b>	presence	<b>Comment</b>	--
<b>Type</b>	zoneld																								
<b>Comment</b>	--																								
<b>Type</b>	laneNumber																								
<b>Comment</b>	--																								
<b>Type</b>	laneWidth																								
<b>Comment</b>	--																								
<b>Type</b>	offsetDistance																								
<b>Comment</b>	--																								
<b>Type</b>	offsetPosition																								
<b>Comment</b>	--																								
<b>Type</b>	presence																								
<b>Comment</b>	--																								
<b>Description</b>	Namespace: IVI																								
<b>Variation</b>	--																								
<b>Available via</b>	V2xFac.h																								

]()

### [SWS\_V2xFac\_91158][

<b>Name</b>	V2xFac_ComputedSegmentPresenceType
-------------	------------------------------------

<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	offsetDistance	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91159]

<b>Name</b>	V2xFac_DeltaPositionType						
<b>Kind</b>	Structure						
<b>Elements</b>	deltaLatitude						
	<b>Type</b>	V2xFac_DeltaLatitudeType					
	<b>Comment</b>	--					
	deltaLongitude						
	<b>Type</b>	V2xFac_DeltaLongitudeType					
	<b>Comment</b>	--					
<b>Description</b>	Namespace: IVI						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

### [SWS\_V2xFac\_91160]

<b>Name</b>	V2xFac_DirectionType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	0..3		--	--
	sameDirection		0	--
	oppositeDirection		1	--
	bothDirections		2	--
	valueNotUsed		3	--
<b>Description</b>	Namespace: IVI			

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91161][

<b>Name</b>	V2xFac_DistanceType	
<b>Kind</b>	Structure	
<b>Elements</b>	value	
	<b>Type</b>	uint16
	<b>Comment</b>	--
	unit	
	<b>Type</b>	V2xFac_RSCUnitType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91162][

<b>Name</b>	V2xFac_DistanceOrDurationType	
<b>Kind</b>	Structure	
<b>Elements</b>	value	
	<b>Type</b>	uint16
	<b>Comment</b>	--
	unit	
	<b>Type</b>	V2xFac_RSCUnitType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91163][

<b>Name</b>	V2xFac_DriverCharacteristicsType
-------------	----------------------------------

<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..3	--	--
	unexperiencedDrivers	0	--
	experiencedDrivers	1	--
	rfu1	2	--
	rfu2	3	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91164][

<b>Name</b>	V2xFac_GoodsTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..15	--	--
	ammunition	0	--
	chemicals	1	--
	empty	2	--
	fuel	3	--
	glass	4	--
	dangerous	5	--
	liquid	6	--
	livestock	7	--
	dangerousForPeople	8	--
	dangerousForTheEnvironment	9	--
	dangerousForWater	10	--
	perishableProducts	11	--
	pharmaceutical	12	--
	vehicles	13	--
<b>Description</b>	Namespace: IVI		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91165][

<b>Name</b>	V2xFac_ISO14823AttributesType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ISO14823Attributes38Type
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91166][

<b>Name</b>	V2xFac_ISO14823Attributes38Type	
<b>Kind</b>	Structure	
<b>Elements</b>	dtm	
	<b>Type</b>	V2xFac_DTMType
	<b>Comment</b>	--
	edt	
	<b>Type</b>	V2xFac_EDTType
	<b>Comment</b>	--
	illl	
	<b>Type</b>	V2xFac_DFLType
	<b>Comment</b>	--
	ved	
	<b>Type</b>	V2xFac_VEDType

	<b>Comment</b>	--
	spe	
	<b>Type</b>	V2xFac_SPEType
	<b>Comment</b>	--
	roi	
	<b>Type</b>	V2xFac_ROIType
	<b>Comment</b>	--
	dbv	
	<b>Type</b>	V2xFac_DBVType
	<b>Comment</b>	--
	ddd	
	<b>Type</b>	V2xFac_DDDType
	<b>Comment</b>	--
	choice	
	<b>Type</b>	V2xFac_ISO14823Attributes38ChoiceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91167][

<b>Name</b>	V2xFac_ISO14823Attributes38ChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_ISO14823ATTRIBUTES38_DTM	0x01	--
	V2XFAC_ISO14823ATTRIBUTES38_EDT	0x02	--
	V2XFAC_ISO14823ATTRIBUTES38_ILL	0x03	--
	V2XFAC_ISO14823ATTRIBUTES38_VED	0x04	--
	V2XFAC_ISO14823ATTRIBUTES38_SPE	0x05	--
	V2XFAC_ISO14823ATTRIBUTES38_ROI	0x06	--
	V2XFAC_ISO14823ATTRIBUTES38_DBV	0x07	--
	V2XFAC_ISO14823ATTRIBUTES38_DDD	0x08	--

<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91168] [

<b>Name</b>	V2xFac_ISO14823CodeType	
<b>Kind</b>	Structure	
<b>Elements</b>	pictogramCode	
	<b>Type</b>	V2xFac_pictogramCode39Type
	<b>Comment</b>	--
	attributes	
	<b>Type</b>	V2xFac_ISO14823AttributesType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_ISO14823CodePresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91169] [

<b>Name</b>	V2xFac_pictogramCode39Type	
<b>Kind</b>	Structure	
<b>Elements</b>	countryCode	
	<b>Type</b>	V2xFac_countryCode40Type
	<b>Comment</b>	--
	serviceCategoryCode	
	<b>Type</b>	V2xFac_serviceCategoryCode41Type
	<b>Comment</b>	--
	pictogramCategoryCode	
	<b>Type</b>	V2xFac_pictogramCategoryCode45Type

	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91170][

<b>Name</b>	V2xFac_countryCode40Type		
<b>Kind</b>	Array	<b>Element type</b>	uint8
<b>Size</b>	--		
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91171][

<b>Name</b>	V2xFac_serviceCategoryCode41Type				
<b>Kind</b>	Structure				
<b>Elements</b>	trafficSignPictogram				
	<b>Type</b>	V2xFac_trafficSignPictogram42Type			
	<b>Comment</b>	--			
	publicFacilitiesPictogram				
	<b>Type</b>	V2xFac_publicFacilitiesPictogram43Type			
	<b>Comment</b>	--			
	ambientOrRoadConditionPictogram				
	<b>Type</b>	V2xFac_ambientOrRoadConditionPictogram44Type			
	<b>Comment</b>	--			
	choice				
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[**SWS\_V2xFac\_91172**][

<b>Name</b>	V2xFac_trafficSignPictogram42Type		
<b>Kind</b>	Enumeration		
<b>Range</b>	dangerWarning	0	--
	regulatory	1	--
	informative	2	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91173**][

<b>Name</b>	V2xFac_publicFacilitiesPictogram43Type		
<b>Kind</b>	Enumeration		
<b>Range</b>	publicFacilities	0	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91174**][

<b>Name</b>	V2xFac_ambientOrRoadConditionPictogram44Type		
<b>Kind</b>	Enumeration		
<b>Range</b>	ambientCondition	0	--
	roadCondition	1	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91175**][

<b>Name</b>	V2xFac_serviceCategoryCode41ChoiceType		
<b>Kind</b>	Enumeration		

<b>Range</b>	V2XFAC_SERVICECATEGORYCODE41_TRAFFIC_SIGN_PICTOGRAM	0x01	--
	V2XFAC_SERVICECATEGORYCODE41_PUBLIC_FACILITIES_PICTOGRAM	0x02	--
	V2XFAC_SERVICECATEGORYCODE41_AMBIENT_OR_ROAD_CONDITION_PICTOGRAM	0x03	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91176][

<b>Name</b>	V2xFac_pictogramCategoryCode45Type				
<b>Kind</b>	Structure				
<b>Elements</b>	nature				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	serialNumber				
	<b>Type</b>	uint8			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91177][

<b>Name</b>	V2xFac_ISO14823CodePresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	attributes	0x01
	Bit 0 (LSB): Optional child present		
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91178]**[

<b>Name</b>	V2xFac_IviIdentificationNumberType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	1..32767	--	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91179]**[

<b>Name</b>	V2xFac_IviPurposeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..3	--	--
	safety	0	--
	environmental	1	--
	trafficOptimisation	2	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91180]**[

<b>Name</b>	V2xFac_IviStatusType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	new	0	--
	update	1	--
	cancellation	2	--
	negation	3	--

<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91181][

<b>Name</b>	V2xFac_IviTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	immediateDangerWarningMessages	0	--
	regulatoryMessages	1	--
	trafficRelatedInformationMessages	2	--
	pollutionMessages	3	--
	notTrafficRelatedInformationMessages	4	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91182][

<b>Name</b>	V2xFac_LaneInformationType		
<b>Kind</b>	Structure		
<b>Elements</b>	laneNumber		
	<b>Type</b>	V2xFac_LanePositionType	
	<b>Comment</b>	--	
	direction		
	<b>Type</b>	V2xFac_DirectionType	
	<b>Comment</b>	--	
	validity		
	<b>Type</b>	V2xFac_DTMType	
	<b>Comment</b>	--	
laneType			

	<b>Type</b>	V2xFac_LaneTypeType
	<b>Comment</b>	--
laneTypeQualifier		
	<b>Type</b>	V2xFac_CompleteVehicleCharacteristicsType
	<b>Comment</b>	--
laneStatus		
	<b>Type</b>	V2xFac_LaneStatusType
	<b>Comment</b>	--
laneWidth		
	<b>Type</b>	V2xFac_LaneWidthType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_LaneInformationPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91183][

<b>Name</b>	V2xFac_LaneInformationPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	validity	0x01
	bit	laneTypeQualifier	0x02
	bit	laneWidth	0x04
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91184][

<b>Name</b>	V2xFac_LaneStatusType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	open	0	--
	closed	1	--
	mergeR	2	--
	mergeL	3	--
	mergeLR	4	--
	provisionallyOpen	5	--
	diverging	6	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91185]

<b>Name</b>	V2xFac_LaneTypeType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..31	--	--
	traffic	0	--
	through	1	--
	reversible	2	--
	acceleration	3	--
	deceleration	4	--
	leftHandTurning	5	--
	rightHandTurning	6	--
	dedicatedVehicle	7	--
	bus	8	--
	taxi	9	--
	hov	10	--

	hot	11	--
	pedestrian	12	--
	bikeLane	13	--
	median	14	--
	striping	15	--
	trackedVehicle	16	--
	parking	17	--
	emergency	18	--
	verge	19	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91186][

<b>Name</b>	V2xFac_LaneWidthType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..1023	--	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91187][

<b>Name</b>	V2xFac_LayoutComponentType		
<b>Kind</b>	Structure		
	layoutComponentId		
<b>Type</b>	uint8		
<b>Comment</b>	--		
	height		
<b>Type</b>	uint8		
<b>Comment</b>	--		

	width
<b>Type</b>	uint16
<b>Comment</b>	--
x	
<b>Type</b>	uint16
<b>Comment</b>	--
y	
<b>Type</b>	uint8
<b>Comment</b>	--
textScripting	
<b>Type</b>	V2xFac_textScripting53Type
<b>Comment</b>	--
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91188][

<b>Name</b>	V2xFac_textScripting53Type		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..1	--	--
	horizontal	0	--
	vertical	1	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91189][

<b>Name</b>	V2xFac_LoadTypeType		
<b>Kind</b>	Structure		
<b>Elements</b>	goodsType		

	<b>Type</b>	V2xFac_GoodsTypeType
	<b>Comment</b>	--
dangerousGoodsType		
	<b>Type</b>	V2xFac_DangerousGoodsBasicType
	<b>Comment</b>	--
specialTransportType		
	<b>Type</b>	V2xFac_SpecialTransportTypeType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91190]

	<b>Name</b>	V2xFac_PolygonalLineType
	<b>Kind</b>	Structure
deltaPositions		
	<b>Type</b>	V2xFac_deltaPositions54Type
	<b>Comment</b>	--
deltaPositionsWithAltitude		
	<b>Type</b>	V2xFac_deltaPositionsWithAltitude55Type
	<b>Comment</b>	--
absolutePositions		
	<b>Type</b>	V2xFac_absolutePositions56Type
	<b>Comment</b>	--
absolutePositionsWithAltitude		
	<b>Type</b>	V2xFac_absolutePositionsWithAltitude57Type
	<b>Comment</b>	--
choice		
	<b>Type</b>	V2xFac_PolygonalLineChoiceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91191][

<b>Name</b>	V2xFac_deltaPositions54Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_DeltaPositionType
	<b>Size</b>	32
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91192][

<b>Name</b>	V2xFac_deltaPositionsWithAltitude55Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_DeltaReferencePositionType
	<b>Size</b>	32
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91193]**

<b>Name</b>	V2xFac_absolutePositions56Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_AbsolutePositionType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91194]**

<b>Name</b>	V2xFac_absolutePositionsWithAltitude57Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_AbsolutePositionWAltitudeType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91195]**

<b>Name</b>	V2xFac_PolygonalLineChoiceType
<b>Kind</b>	Enumeration

<b>Range</b>	V2XFAC_POLYGONALLINE_DELTA_POSITIONS	0x01	--
	V2XFAC_POLYGONALLINE_DELTA_POSITIONS_WITH_ALTITUDE	0x02	--
	V2XFAC_POLYGONALLINE_ABSOLUTE_POSITIONS	0x03	--
	V2XFAC_POLYGONALLINE_ABSOLUTE_POSITIONS_WITH_ALTITUDE	0x04	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[[SWS\\_V2xFac\\_91196](#)][

<b>Name</b>	V2xFac_RSCodeType				
<b>Kind</b>	Structure				
<b>Elements</b>	layoutComponentId				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	code				
	<b>Type</b>	V2xFac_code59Type			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[[SWS\\_V2xFac\\_91197](#)][

<b>Name</b>	V2xFac_code59Type		
<b>Kind</b>	Structure		
<b>Elements</b>	viennaConvention		
	<b>Type</b>	V2xFac_VcCodeType	
	<b>Comment</b>	--	
	iso14823		
	<b>Type</b>	V2xFac_ISO14823CodeType	
<b>Comment</b>	--		

	itIsCodes
<b>Type</b>	uint16
<b>Comment</b>	--
	anyCatalogue
<b>Type</b>	V2xFac_AnyCatalogueType
<b>Comment</b>	--
	choice
<b>Type</b>	V2xFac_code59ChoiceType
<b>Comment</b>	--
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91198]

<b>Name</b>	V2xFac_code59ChoiceType			
<b>Kind</b>	Enumeration			
<b>Range</b>	V2XFAC_CODE59_VIENNA_CONVENTION	0x01	--	
	V2XFAC_CODE59_ISO14823	0x02	--	
	V2XFAC_CODE59_ITIS_CODES	0x03	--	
	V2XFAC_CODE59_ANY_CATALOGUE	0x04	--	
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91199]

<b>Name</b>	V2xFac_RSCUnitType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	0..15	--	--	
	kmperh	0	--	
	milesperh	1	--	

	kilometre	2	--
	meter	3	--
	decimetre	4	--
	centimetre	5	--
	mile	6	--
	yard	7	--
	foot	8	--
	minutesOfTime	9	--
	tonnes	10	--
	hundredkg	11	--
	pound	12	--
	rateOfIncline	13	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91200] [

<b>Name</b>	V2xFac_SegmentType				
<b>Kind</b>	Structure				
<b>Elements</b>	line				
	<b>Type</b>	V2xFac_PolygonalLineType			
	<b>Comment</b>	--			
	laneWidth				
	<b>Type</b>	V2xFac_LaneWidthType			
	<b>Comment</b>	--			
	presence				
	<b>Type</b>	V2xFac_SegmentPresenceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[**SWS\_V2xFac\_91201]**[

<b>Name</b>	V2xFac_SegmentPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	laneWidth	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[**SWS\_V2xFac\_91202]**[

<b>Name</b>	V2xFac_TextType						
<b>Kind</b>	Structure						
<b>Elements</b>	layoutComponentId						
	<b>Type</b>	uint8					
	<b>Comment</b>	--					
	language						
	<b>Type</b>	V2xFac_language62Type					
	<b>Comment</b>	--					
	textContent						
	<b>Type</b>	V2xFac_StringType					
	<b>Comment</b>	--					
	presence						
<b>Description</b>	Namespace: IVI						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

[**SWS\_V2xFac\_91203]**[

<b>Name</b>	V2xFac_language62Type
<b>Kind</b>	Bitfield
<b>Derived from</b>	uint8
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91204][

<b>Name</b>	V2xFac_TextPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	layoutComponentId	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91205][

<b>Name</b>	V2xFac_TextCopy63Type	
<b>Kind</b>	Structure	
<b>Elements</b>	layoutComponentId	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	language	
	<b>Type</b>	V2xFac_language62Type
	<b>Comment</b>	--
	textContent	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	layoutComponentId	
	<b>Type</b>	uint8

	<b>Comment</b>	--
	language	
	<b>Type</b>	V2xFac_language62Type
	<b>Comment</b>	--
	textContent	
	<b>Type</b>	V2xFac_StringType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_TextPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91206][

<b>Name</b>	V2xFac_TractorCharacteristicsType	
<b>Kind</b>	Structure	
	equalTo	
	<b>Type</b>	V2xFac_equalTo65Type
	<b>Comment</b>	--
	notEqualTo	
	<b>Type</b>	V2xFac_notEqualTo66Type
	<b>Comment</b>	--
<b>Elements</b>	ranges	
	<b>Type</b>	V2xFac_ranges67Type
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_TractorCharacteristicsPresenceType
	<b>Comment</b>	--
	Namespace: IVI	
	--	

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

**[SWS\_V2xFac\_91207]**[

<b>Name</b>	V2xFac_equalTo65Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_VehicleCharacteristicsFixValuesType
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91208]**[

<b>Name</b>	V2xFac_notEqualTo66Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_VehicleCharacteristicsFixValuesType
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91209]**[

<b>Name</b>	V2xFac_ranges67Type				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_VehicleCharacteristicsRangesType			
	<b>Size</b>	4			
<b>Comment</b>	--				
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91210][

<b>Name</b>	V2xFac_TractorCharacteristicsPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	equalTo	0x01
	bit	notEqualTo	0x02
	bit	ranges	0x04
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91211][

<b>Name</b>	V2xFac_TrailerCharacteristicsType		
<b>Kind</b>	Structure		
<b>Elements</b>	equalTo		
	<b>Type</b>	V2xFac_equalTo68Type	
	<b>Comment</b>	--	

	notEqualTo
<b>Type</b>	V2xFac_notEqualTo69Type
<b>Comment</b>	--
ranges	
<b>Type</b>	V2xFac_ranges70Type
<b>Comment</b>	--
presence	
<b>Type</b>	V2xFac_TrailerCharacteristicsPresenceType
<b>Comment</b>	--
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91212]

<b>Name</b>	V2xFac_equalTo68Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_VehicleCharacteristicsFixValuesCopy74Type
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91213]

<b>Name</b>	V2xFac_notEqualTo69Type	
<b>Kind</b>	Structure	
<b>Elements</b>	count	

	<b>Type</b>	uint8
	<b>Comment</b>	--
values		
	<b>Type</b>	Array of V2xFac_VehicleCharacteristicsFixValuesCopy75Type
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91214][

<b>Name</b>	V2xFac_ranges70Type	
<b>Kind</b>	Structure	
<i>Elements</i>		
	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
values		
	<b>Type</b>	Array of V2xFac_VehicleCharacteristicsRangesCopy78Type
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91215][

<b>Name</b>	V2xFac_TrailerCharacteristicsPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<i>Elements</i>			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	equalTo	0x01
	bit	notEqualTo	0x02
			Bit 0 (LSB): Optional child present
			Bit 1: Optional child present

	bit	ranges	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91216][

<b>Name</b>	V2xFac_TrainCharacteristicsType					
<b>Kind</b>	Structure					
<b>Elements</b>	equalTo					
	<b>Type</b>	V2xFac_equalTo65Type				
	<b>Comment</b>	--				
	notEqualTo					
	<b>Type</b>	V2xFac_notEqualTo66Type				
	<b>Comment</b>	--				
	ranges					
	<b>Type</b>	V2xFac_ranges67Type				
	<b>Comment</b>	--				
	presence					
<b>Description</b>	Namespace: IVI					
	--					
<b>Available via</b>	V2xFac.h					

]()

### [SWS\_V2xFac\_91217][

<b>Name</b>	V2xFac_VcClassType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	classA	0	--
	classB	1	--

	classC	2	--
	classD	3	--
	classE	4	--
	classF	5	--
	classG	6	--
	classH	7	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91218][

<b>Name</b>	V2xFac_VcCodeType		
<b>Kind</b>	Structure		
<b>Elements</b>	roadSignClass		
	<b>Type</b>	V2xFac_VcClassType	
	<b>Comment</b>	--	
	roadSignCode		
	<b>Type</b>	uint8	
	<b>Comment</b>	--	
	vcOption		
	<b>Type</b>	V2xFac_VcOptionType	
	<b>Comment</b>	--	
	validity		
	<b>Type</b>	V2xFac_validity72Type	
	<b>Comment</b>	--	
	value		
	<b>Type</b>	uint16	
	<b>Comment</b>	--	
	unit		
	<b>Type</b>	V2xFac_RSCUnitType	
	<b>Comment</b>	--	

	presence
	<b>Type</b> V2xFac_VcCodePresenceType
	<b>Comment</b> --
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91219][

<b>Name</b>	V2xFac_validity72Type				
<b>Kind</b>	Structure				
	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
<b>Elements</b>	values				
	<b>Type</b>	Array of V2xFac_DTMType			
	<b>Size</b>	8			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91220][

<b>Name</b>	V2xFac_VcCodePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	validity	0x01	Bit 0 (LSB): Optional child present
	bit	value	0x02	Bit 1: Optional child present
	bit	unit	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

[SWS\_V2xFac\_91221][

<b>Name</b>	V2xFac_VcOptionType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..7	--	--
	none	0	--
	a	1	--
	b	2	--
	c	3	--
	d	4	--
	e	5	--
	f	6	--
	g	7	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91222][

<b>Name</b>	V2xFac_VehicleCharacteristicsFixValuesType		
<b>Kind</b>	Structure		
<b>Elements</b>	simpleVehicleType		
	<b>Type</b>	V2xFac_StationTypeType	
	<b>Comment</b>	--	
	euVehicleCategoryCode		
	<b>Type</b>	V2xFac_EuVehicleCategoryCodeType	
	<b>Comment</b>	--	
	iso3833VehicleType		
	<b>Type</b>	V2xFac_Iso3833VehicleTypeType	
	<b>Comment</b>	--	

	euroAndCo2value
<b>Type</b>	V2xFac_EnvironmentalCharacteristicsType
<b>Comment</b>	--
engineCharacteristics	
<b>Type</b>	V2xFac_EngineCharacteristicsType
<b>Comment</b>	--
loadType	
<b>Type</b>	V2xFac_LoadTypeType
<b>Comment</b>	--
usage	
<b>Type</b>	V2xFac_VehicleRoleType
<b>Comment</b>	--
choice	
<b>Type</b>	V2xFac_VehicleCharacteristicsFixValuesChoiceType
<b>Comment</b>	--
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91223]

<b>Name</b>	V2xFac_VehicleCharacteristicsFixValuesChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_SIMPLE_VEHICLE_TYPE	0x01	--
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_EU_VEHICLE_CATEGORY_CODE	0x02	--
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_ISO3833VEHICLE_TYPE	0x03	--
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_EURO_AND_CO2VALUE	0x04	--
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_ENGINE_CHARACTERISTICS	0x05	--
	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_LOAD_TYPE	0x06	--

	V2XFAC_VEHICLECHARACTERISTICSFIXVALUES_USAGE	0x07	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91224]

<b>Name</b>	V2xFac_VehicleCharacteristicsFixValuesCopy74Type		
<b>Kind</b>	Structure		
<b>Elements</b>	simpleVehicleType		
	<b>Type</b>	V2xFac_StationTypeType	
	<b>Comment</b>	--	
	euVehicleCategoryCode		
	<b>Type</b>	V2xFac_EuVehicleCategoryCodeType	
	<b>Comment</b>	--	
	iso3833VehicleType		
	<b>Type</b>	V2xFac_Iso3833VehicleTypeType	
	<b>Comment</b>	--	
	loadType		
	<b>Type</b>	V2xFac_LoadTypeType	
	<b>Comment</b>	--	
	usage		
	<b>Type</b>	V2xFac_VehicleRoleType	
	<b>Comment</b>	--	
	choice		
	<b>Type</b>	V2xFac_VehicleCharacteristicsFixValuesChoiceType	
	<b>Comment</b>	--	
	simpleVehicleType		
	<b>Type</b>	V2xFac_StationTypeType	
	<b>Comment</b>	--	
	euVehicleCategoryCode		

	<b>Type</b>	V2xFac_EuVehicleCategoryCodeType
	<b>Comment</b>	--
iso3833VehicleType		
	<b>Type</b>	V2xFac_Iso3833VehicleTypeType
	<b>Comment</b>	--
euroAndCo2value		
	<b>Type</b>	V2xFac_EnvironmentalCharacteristicsType
	<b>Comment</b>	--
engineCharacteristics		
	<b>Type</b>	V2xFac_EngineCharacteristicsType
	<b>Comment</b>	--
loadType		
	<b>Type</b>	V2xFac_LoadTypeType
	<b>Comment</b>	--
usage		
	<b>Type</b>	V2xFac_VehicleRoleType
	<b>Comment</b>	--
choice		
	<b>Type</b>	V2xFac_VehicleCharacteristicsFixValuesChoiceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91225][

<b>Name</b>	V2xFac_VehicleCharacteristicsFixValuesCopy75Type	
<b>Kind</b>	Structure	
<b>Elements</b>	simpleVehicleType	
	<b>Type</b>	V2xFac_StationTypeType
	<b>Comment</b>	--
	euVehicleCategoryCode	

	<b>Type</b>	V2xFac_EuVehicleCategoryCodeType
	<b>Comment</b>	--
iso3833VehicleType		
	<b>Type</b>	V2xFac_Iso3833VehicleTypeType
	<b>Comment</b>	--
loadType		
	<b>Type</b>	V2xFac_LoadTypeType
	<b>Comment</b>	--
usage		
	<b>Type</b>	V2xFac_VehicleRoleType
	<b>Comment</b>	--
choice		
	<b>Type</b>	V2xFac_VehicleCharacteristicsFixValuesChoiceType
	<b>Comment</b>	--
simpleVehicleType		
	<b>Type</b>	V2xFac_StationTypeType
	<b>Comment</b>	--
euVehicleCategoryCode		
	<b>Type</b>	V2xFac_EuVehicleCategoryCodeType
	<b>Comment</b>	--
iso3833VehicleType		
	<b>Type</b>	V2xFac_Iso3833VehicleTypeType
	<b>Comment</b>	--
euroAndCo2value		
	<b>Type</b>	V2xFac_EnvironmentalCharacteristicsType
	<b>Comment</b>	--
engineCharacteristics		
	<b>Type</b>	V2xFac_EngineCharacteristicsType
	<b>Comment</b>	--
loadType		
	<b>Type</b>	V2xFac_LoadTypeType

	<b>Comment</b>	--
	usage	
	<b>Type</b>	V2xFac_VehicleRoleType
	<b>Comment</b>	--
	choice	
	<b>Type</b>	V2xFac_VehicleCharacteristicsFixValuesChoiceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91226][

<b>Name</b>	V2xFac_VehicleCharacteristicsRangesType	
<b>Kind</b>	Structure	
<b>Elements</b>	comparisonOperator	
	<b>Type</b>	V2xFac_ComparisonOperatorType
	<b>Comment</b>	--
	limits	
	<b>Type</b>	V2xFac_limits76Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91227][

<b>Name</b>	V2xFac_limits76Type	
<b>Kind</b>	Structure	
<b>Elements</b>	numberOfAxles	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	vehicleDimensions	

	<b>Type</b>	V2xFac_VehicleDimensionsType
	<b>Comment</b>	--
vehicleWeightLimits		
	<b>Type</b>	V2xFac_VehicleWeightLimitsType
	<b>Comment</b>	--
axleWeightLimits		
	<b>Type</b>	V2xFac_AxleWeightLimitsType
	<b>Comment</b>	--
passengerCapacity		
	<b>Type</b>	V2xFac_PassengerCapacityType
	<b>Comment</b>	--
exhaustEmissionValues		
	<b>Type</b>	V2xFac_ExhaustEmissionValuesType
	<b>Comment</b>	--
dieselEmissionValues		
	<b>Type</b>	V2xFac_DieselEmissionValuesType
	<b>Comment</b>	--
soundLevel		
	<b>Type</b>	V2xFac_SoundLevelType
	<b>Comment</b>	--
choice		
	<b>Type</b>	V2xFac_limits76ChoiceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91228][

<b>Name</b>	V2xFac_limits76ChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_LIMITS76_NUMBER_OF_AXLES	0x01	--

	V2XFAC_LIMITS76_VEHICLE_DIMENSIONS	0x02	--
	V2XFAC_LIMITS76_VEHICLE_WEIGHT_LIMITS	0x03	--
	V2XFAC_LIMITS76_AXLE_WEIGHT_LIMITS	0x04	--
	V2XFAC_LIMITS76_PASSENGER_CAPACITY	0x05	--
	V2XFAC_LIMITS76_EXHAUST_EMISSION_VALUES	0x06	--
	V2XFAC_LIMITS76_DIESEL_EMISSION_VALUES	0x07	--
	V2XFAC_LIMITS76_SOUND_LEVEL	0x08	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91229] [

<b>Name</b>	V2xFac_VehicleCharacteristicsRangesCopy78Type				
<b>Kind</b>	Structure				
<b>Elements</b>	comparisonOperator				
	<b>Type</b>	V2xFac_ComparisonOperatorType			
	<b>Comment</b>	--			
	limits				
	<b>Type</b>	V2xFac_limits76Type			
	<b>Comment</b>	--			
	comparisonOperator				
	<b>Type</b>	V2xFac_ComparisonOperatorType			
	<b>Comment</b>	--			
	limits				
<b>Description</b>	V2xFac_limits76Type				
	<b>Type</b>	V2xFac_limits76Type			
	<b>Comment</b>	--			
<b>Variation</b>	Namespace: IVI				
<b>Available via</b>	IVI				

]()

[SWS\_V2xFac\_91230] [

<b>Name</b>	V2xFac_WeightType				
<b>Kind</b>	Structure				
<b>Elements</b>	value				
	<b>Type</b>	uint16			
	<b>Comment</b>	--			
	unit				
	<b>Type</b>	V2xFac_RSCUnitType			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91231][

<b>Name</b>	V2xFac_ZidType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..32	--	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91232][

<b>Name</b>	V2xFac_ZoneType				
<b>Kind</b>	Structure				
<b>Elements</b>	segment				
	<b>Type</b>	V2xFac_SegmentType			
	<b>Comment</b>	--			
	area				
	<b>Type</b>	V2xFac_PolygonalLineType			
<b>Comment</b>	--				
computedSegment					

	<b>Type</b>	V2xFac_ComputedSegmentType					
	<b>Comment</b>	--					
	choice						
	<b>Type</b>	V2xFac_ZoneChoiceType					
	<b>Comment</b>	--					
<b>Description</b>	Namespace: IVI						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

[SWS\_V2xFac\_91233][

<b>Name</b>	V2xFac_ZoneChoiceType			
<b>Kind</b>	Enumeration			
<b>Range</b>	V2XFAC_ZONE_SEGMENT	0x01	--	
	V2XFAC_ZONE_AREA	0x02	--	
	V2XFAC_ZONE_COMPUTED_SEGMENT	0x03	--	
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91234][

<b>Name</b>	V2xFac_DTMType			
<b>Kind</b>	Structure			
<b>Elements</b>	year			
	<b>Type</b>	V2xFac_year80Type		
	<b>Comment</b>	--		
	month_day			
	<b>Type</b>	V2xFac_month_day83Type		
	<b>Comment</b>	--		
	pmd			
	<b>Type</b>	V2xFac_PMDType		
	<b>Comment</b>	--		

	hourMinutes
<b>Type</b>	V2xFac_hourMinutes84Type
<b>Comment</b>	--
	dayOfWeek
<b>Type</b>	V2xFac_DayOfWeekType
<b>Comment</b>	--
	period
<b>Type</b>	V2xFac_HoursMinutesType
<b>Comment</b>	--
	presence
<b>Type</b>	V2xFac_DTMPresenceType
<b>Comment</b>	--
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91235][

<b>Name</b>	V2xFac_year80Type	
<b>Kind</b>	Structure	
<b>Elements</b>	syr	
	<b>Type</b>	uint16
	<b>Comment</b>	--
	eyr	
	<b>Type</b>	uint16
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91236][

<b>Name</b>	V2xFac_month_day83Type
-------------	------------------------

<b>Kind</b>	Structure	
<b>Elements</b>	smd	
	<b>Type</b>	V2xFac_MonthDayType
	<b>Comment</b>	--
	emd	
	<b>Type</b>	V2xFac_MonthDayType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91237][

<b>Name</b>	V2xFac_hourMinutes84Type	
<b>Kind</b>	Structure	
<b>Elements</b>	shm	
	<b>Type</b>	V2xFac_HoursMinutesType
	<b>Comment</b>	--
	ehm	
	<b>Type</b>	V2xFac_HoursMinutesType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91238][

<b>Name</b>	V2xFac_DTMPPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	hourMinutes	0x01	Bit 0 (LSB): Optional child present
	bit	dayOfWeek	0x02	Bit 1: Optional child present

	bit	period	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91239][

<b>Name</b>	V2xFac_MonthDayType				
<b>Kind</b>	Structure				
<b>Elements</b>	month				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	day				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91240][

<b>Name</b>	V2xFac_PMDType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	national_holiday	0x01	--
	bit	even_days	0x02	--
	bit	odd_days	0x04	--
	bit	market_day	0x08	--
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

**[SWS\_V2xFac\_91241][**

<b>Name</b>	V2xFac_HoursMinutesType		
<b>Kind</b>	Structure		
<b>Elements</b>	hours		
	<b>Type</b>	uint8	
	<b>Comment</b>	--	
	mins		
	<b>Type</b>	uint8	
	<b>Comment</b>	--	
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91242][**

<b>Name</b>	V2xFac_DayOfWeekType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	unused	0x01	--
	bit	monday	0x02	--
	bit	tuesday	0x04	--
	bit	wednesday	0x08	--
	bit	thursday	0x10	--
	bit	friday	0x20	--
	bit	saturday	0x40	--
	bit	sunday	0x80	--
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

**[SWS\_V2xFac\_91243][**

<b>Name</b>	V2xFac_EDTType	
<b>Kind</b>	Structure	
<b>Elements</b>	year	
	<b>Type</b>	V2xFac_year80Type
	<b>Comment</b>	--
	month_day	
	<b>Type</b>	V2xFac_month_day83Type
	<b>Comment</b>	--
	pmd	
	<b>Type</b>	V2xFac_PMDType
	<b>Comment</b>	--
	hourMinutes	
<b>Description</b>	<b>Type</b>	V2xFac_hourMinutes84Type
	<b>Comment</b>	--
	dayOfWeek	
	<b>Type</b>	V2xFac_DayOfWeekType
	<b>Comment</b>	--
	period	
	<b>Type</b>	V2xFac_HoursMinutesType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_DTMPresenceType
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91244][

<b>Name</b>	V2xFac_DFLType
<b>Kind</b>	Type
<b>Derived from</b>	uint8

<b>Range</b>	1..8	--	--
	sDL	1	--
	sLT	2	--
	sRT	3	--
	ITO	4	--
	rTO	5	--
	cLL	6	--
	eRI	7	--
	oVL	8	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91245**]

<b>Name</b>	V2xFac_VEDType	
<b>Kind</b>	Structure	
<b>Elements</b>	hei	
	<b>Type</b>	V2xFac_DistanceType
	<b>Comment</b>	--
	wid	
	<b>Type</b>	V2xFac_DistanceType
	<b>Comment</b>	--
	vln	
	<b>Type</b>	V2xFac_DistanceType
	<b>Comment</b>	--
	wei	
	<b>Type</b>	V2xFac_WeightType
	<b>Comment</b>	--
presence		
<b>Type</b>		V2xFac_VEDPresenceType
<b>Comment</b>		--

<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91246][

<b>Name</b>	V2xFac_VEDPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	hei	0x01	Bit 0 (LSB): Optional child present
	bit	wid	0x02	Bit 1: Optional child present
	bit	vln	0x04	Bit 2: Optional child present
	bit	wei	0x08	Bit 3: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91247][

<b>Name</b>	V2xFac_SPEType	
<b>Kind</b>	Structure	
<b>Elements</b>	spm	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	mns	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	unit	
	<b>Type</b>	V2xFac_RSCUnitType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_SPEPresenceType

	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[**SWS\_V2xFac\_91248**][

<b>Name</b>	V2xFac_SPEPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	spm	0x01
	bit	mns	0x02
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91249**][

<b>Name</b>	V2xFac_ROIType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	1..32	--	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[**SWS\_V2xFac\_91250**][

<b>Name</b>	V2xFac_DBVType		
<b>Kind</b>	Structure		
<b>Elements</b>	value		
	<b>Type</b>	uint16	
	<b>Comment</b>	--	

	unit
	<b>Type</b> V2xFac_RSCUnitType
	<b>Comment</b> --
<b>Description</b>	Namespace: IVI
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91251][

<b>Name</b>	V2xFac_DDDType
<b>Kind</b>	Structure
<b>Elements</b>	dcj
	<b>Type</b> uint8
	<b>Comment</b> --
	der
	<b>Type</b> uint8
	<b>Comment</b> --
	tpl
	<b>Type</b> uint8
	<b>Comment</b> --
	ioList
<b>Description</b>	<b>Type</b> V2xFac_ioList94Type
	<b>Comment</b> --
	presence
	<b>Type</b> V2xFac_DDDPresenceType
	<b>Comment</b> --
	Namespace: IVI
	--
	V2xFac.h

]()

### [SWS\_V2xFac\_91252][

<b>Name</b>	V2xFac_ioList94Type
-------------	---------------------

<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_DDD_IOType
	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91253][

<b>Name</b>	V2xFac_DDDPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	dcj	0x01	Bit 0 (LSB): Optional child present
	bit	der	0x02	Bit 1: Optional child present
	bit	tpl	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91254][

<b>Name</b>	V2xFac_DDD_IOType	
<b>Kind</b>	Structure	
<b>Elements</b>	drn	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	dp	

	<b>Type</b>	V2xFac_dp96Type
	<b>Comment</b>	--
dr		
	<b>Type</b>	V2xFac_dr97Type
	<b>Comment</b>	--
rne		
	<b>Type</b>	uint16
	<b>Comment</b>	--
stnId		
	<b>Type</b>	uint16
	<b>Comment</b>	--
stnText		
	<b>Type</b>	V2xFac_StringType
	<b>Comment</b>	--
dcp		
	<b>Type</b>	V2xFac_DistanceOrDurationType
	<b>Comment</b>	--
ddp		
	<b>Type</b>	V2xFac_DistanceOrDurationType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_DDD_IOPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91255][

<b>Name</b>	V2xFac_dp96Type
<b>Kind</b>	Structure
<b>Elements</b>	count

	<b>Type</b>	uint8
	<b>Comment</b>	--
values		
	<b>Type</b>	Array of V2xFac_DestinationPlaceType
	<b>Size</b>	4
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91256][

<b>Name</b>	V2xFac_dr97Type				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_DestinationRoadType			
	<b>Size</b>	4			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: IVI				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

### [SWS\_V2xFac\_91257][

<b>Name</b>	V2xFac_DDD_IOPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
<b>Elements</b>	bit	dp	0x01	Bit 0 (LSB): Optional child present
	bit	dr	0x02	Bit 1: Optional child present

	bit	rne	0x04	Bit 2: Optional child present
	bit	stnId	0x08	Bit 3: Optional child present
	bit	stnText	0x10	Bit 4: Optional child present
	bit	dcp	0x20	Bit 5: Optional child present
	bit	ddp	0x40	Bit 6: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91258][

<b>Name</b>	V2xFac_DestinationPlaceType		
<b>Kind</b>	Structure		
<b>Elements</b>	depType		
	<b>Type</b>	V2xFac_DDD_DEPTType	
	<b>Comment</b>	--	
	depRSCode		
	<b>Type</b>	V2xFac_ISO14823CodeType	
	<b>Comment</b>	--	
	depBlob		
	<b>Type</b>	V2xFac_depBlob100Type	
	<b>Comment</b>	--	
	plnId		
	<b>Type</b>	uint16	
	<b>Comment</b>	--	
	plnText		
	<b>Type</b>	V2xFac_StringType	
	<b>Comment</b>	--	
	presence		
	<b>Type</b>	V2xFac_DestinationPlacePresenceType	
	<b>Comment</b>	--	
<b>Description</b>	Namespace: IVI		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91259][

<b>Name</b>	V2xFac_depBlob100Type			
<b>Kind</b>	Array	<b>Element type</b>	--	
<b>Size</b>	--			
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91260][

<b>Name</b>	V2xFac_DestinationPlacePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	depRSCode	0x01	Bit 0 (LSB): Optional child present
	bit	depBlob	0x02	Bit 1: Optional child present
	bit	plnId	0x04	Bit 2: Optional child present
	bit	plnText	0x08	Bit 3: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91261][

<b>Name</b>	V2xFac_DestinationRoadType		
<b>Kind</b>	Structure		
<b>Elements</b>	derType		
	<b>Type</b>	V2xFac_DDD_DERType	
	<b>Comment</b>	--	
	ronId		

	<b>Type</b>	uint16
	<b>Comment</b>	--
ronText		
	<b>Type</b>	V2xFac_StringType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_DestinationRoadPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: IVI	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91262][

<b>Name</b>	V2xFac_DestinationRoadPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	ronId	0x01	Bit 0 (LSB): Optional child present
	bit	ronText	0x02	Bit 1: Optional child present
<b>Description</b>	Namespace: IVI			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91263][

<b>Name</b>	V2xFac_DDD_DERType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	0..15		--	--
	none		0	--
	nationalHighway		1	--
	localHighway		2	--

	tollExpresswayMotorway	3	--
	internationalHighway	4	--
	highway	5	--
	expressway	6	--
	nationalRoad	7	--
	regionalProvincialRoad	8	--
	localRoad	9	--
	motorwayJunction	10	--
	diversion	11	--
	rfu1	12	--
	rfu2	13	--
	rfu3	14	--
	rfu4	15	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91264]

<b>Name</b>	V2xFac_DDD_DEPType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..15	--	--
	none	0	--
	importantArea	1	--
	principalArea	2	--
	generalArea	3	--
	wellKnownPoint	4	--
	country	5	--
	city	6	--
	street	7	--
	industrialArea	8	--

	historicArea	9	--
	touristicArea	10	--
	culturalArea	11	--
	touristicRoute	12	--
	recommendedRoute	13	--
	touristicAttraction	14	--
	geographicArea	15	--
<b>Description</b>	Namespace: IVI		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### 8.7.3.7 MAPEM and SPATEM specific Implementation DataTypes

#### [SWS\_V2xFac\_91266]

<b>Name</b>	V2xFac_MapemDataType		
<b>Kind</b>	Structure		
<b>Elements</b>	timeStamp		
	<b>Type</b>	V2xFac_MinuteOfTheYearType	
	<b>Comment</b>	--	
	msgIssueRevision		
	<b>Type</b>	V2xFac_MsgCountType	
	<b>Comment</b>	--	
	layerType		
	<b>Type</b>	V2xFac_LayerTypeType	
	<b>Comment</b>	--	
	layerID		
	<b>Type</b>	V2xFac_LayerIDType	
	<b>Comment</b>	--	
	intersections		
	<b>Type</b>	V2xFac_IntersectionGeometryListType	
	<b>Comment</b>	--	
roadSegments			

	<b>Type</b>	V2xFac_RoadSegmentListType
	<b>Comment</b>	--
dataParameters		
	<b>Type</b>	V2xFac_DataParametersType
	<b>Comment</b>	--
restrictionList		
	<b>Type</b>	V2xFac_RestrictionClassListType
	<b>Comment</b>	--
transactionId		
	<b>Type</b>	uint32
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_MapemDataPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91267][

<b>Name</b>	V2xFac_MapemDataPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	layerType	0x02	Bit 1: Optional child present
	bit	layerID	0x04	Bit 2: Optional child present
	bit	intersections	0x08	Bit 3: Optional child present
	bit	roadSegments	0x10	Bit 4: Optional child present
	bit	dataParameters	0x20	Bit 5: Optional child present
<b>Description</b>	Bit 6: Optional child present			
	Namespace: MAPEM			

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91268] [

<b>Name</b>	V2xFac_SpatemDataType				
<b>Kind</b>	Structure				
<b>Elements</b>	timeStamp				
	<b>Type</b>	V2xFac_MinuteOfTheYearType			
	<b>Comment</b>	--			
	name				
	<b>Type</b>	V2xFac_DescriptiveNameType			
	<b>Comment</b>	--			
	intersections				
	<b>Type</b>	V2xFac_IntersectionStateListType			
	<b>Comment</b>	--			
	transactionId				
	<b>Type</b>	uint32			
	<b>Comment</b>	--			
	presence				
	<b>Type</b>	V2xFac_SpatemDataPresenceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91269] [

<b>Name</b>	V2xFac_SpatemDataPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present

	bit	name	0x02	Bit 1: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91270][

<b>Name</b>	V2xFac_MapDataType			
<b>Kind</b>	Structure			
<b>Elements</b>	timeStamp			
	<b>Type</b>	V2xFac_MinuteOfTheYearType		
	<b>Comment</b>	--		
	msgIssueRevision			
	<b>Type</b>	V2xFac_MsgCountType		
	<b>Comment</b>	--		
	layerType			
	<b>Type</b>	V2xFac_LayerTypeType		
	<b>Comment</b>	--		
	layerID			
	<b>Type</b>	V2xFac_LayerIDType		
	<b>Comment</b>	--		
	intersections			
	<b>Type</b>	V2xFac_IntersectionGeometryListType		
	<b>Comment</b>	--		
	roadSegments			
	<b>Type</b>	V2xFac_RoadSegmentListType		
	<b>Comment</b>	--		
	dataParameters			
	<b>Type</b>	V2xFac_DataParametersType		
	<b>Comment</b>	--		
	restrictionList			
	<b>Type</b>	V2xFac_RestrictionClassListType		

	<b>Comment</b>	--
	<b>presence</b>	
	<b>Type</b>	V2xFac_MapDataPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91271][

<b>Name</b>	V2xFac_MapDataPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	layerType	0x02	Bit 1: Optional child present
	bit	layerID	0x04	Bit 2: Optional child present
	bit	intersections	0x08	Bit 3: Optional child present
	bit	roadSegments	0x10	Bit 4: Optional child present
	bit	dataParameters	0x20	Bit 5: Optional child present
	bit	restrictionList	0x40	Bit 6: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91272][

<b>Name</b>	V2xFac_SPATType		
<b>Kind</b>	Structure		
<b>Elements</b>	timeStamp		
	<b>Type</b>	V2xFac_MinuteOfTheYearType	
	<b>Comment</b>	--	
	name		

	<b>Type</b>	V2xFac_DescriptiveNameType
	<b>Comment</b>	--
intersections		
	<b>Type</b>	V2xFac_IntersectionStateListType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_SPATPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91273][

<b>Name</b>	V2xFac_SPATPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	timeStamp	0x01	Bit 0 (LSB): Optional child present
	bit	name	0x02	Bit 1: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91274][

<b>Name</b>	V2xFac_AdvisorySpeedType	
<b>Kind</b>	Structure	
<b>Elements</b>	type	
	<b>Type</b>	V2xFac_AdvisorySpeedTypeType
	<b>Comment</b>	--
	speed	
	<b>Type</b>	V2xFac_SpeedAdviceType

	<b>Comment</b>	--
	confidence	
	<b>Type</b>	V2xFac_SpeedConfidenceType
	<b>Comment</b>	--
	distance	
	<b>Type</b>	V2xFac_ZoneLengthType
	<b>Comment</b>	--
	class	
	<b>Type</b>	V2xFac_RestrictionClassIDType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_AdvisorySpeedPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91275]

<b>Name</b>	V2xFac_AdvisorySpeedPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	speed	0x01
	bit	confidence	0x02
	bit	distance	0x04
	bit	class	0x08
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91276]

<b>Name</b>	V2xFac_AdvisorySpeedListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_AdvisorySpeedType
	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91277]

<b>Name</b>	V2xFac_ComputedLaneType	
<b>Kind</b>	Structure	
<b>Elements</b>	referenceLaneId	
	<b>Type</b>	V2xFac_LaneIDType
	<b>Comment</b>	--
	offsetXaxis	
	<b>Type</b>	V2xFac_offsetXaxis106Type
	<b>Comment</b>	--
	offsetYaxis	
	<b>Type</b>	V2xFac_offsetYaxis107Type
	<b>Comment</b>	--
	rotateXY	
	<b>Type</b>	V2xFac_AngleType
	<b>Comment</b>	--
	scaleXaxis	
	<b>Type</b>	V2xFac_Scale_B12Type
	<b>Comment</b>	--

	scaleYaxis	
<b>Type</b>	V2xFac_Scale_B12Type	
<b>Comment</b>	--	
presence		
<b>Type</b>	V2xFac_ComputedLanePresenceType	
<b>Comment</b>	--	
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91278][

<b>Name</b>	V2xFac_offsetXaxis106Type	
<b>Kind</b>	Structure	
		small
		<b>Type</b> V2xFac_DrivenLineOffsetSmType
		<b>Comment</b> --
		large
		<b>Type</b> V2xFac_DrivenLineOffsetLgType
		<b>Comment</b> --
		choice
		<b>Type</b> V2xFac_offsetXaxis106ChoiceType
		<b>Comment</b> --
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91279][

<b>Name</b>	V2xFac_offsetXaxis106ChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_OFFSETXAXIS106_SMALL	0x01	--
	V2XFAC_OFFSETXAXIS106_LARGE	0x02	--

<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91280][

<b>Name</b>	V2xFac_offsetYaxis107Type				
<b>Kind</b>	Structure				
<b>Elements</b>	small				
	<b>Type</b>	V2xFac_DrivenLineOffsetSmType			
	<b>Comment</b>	--			
	large				
	<b>Type</b>	V2xFac_DrivenLineOffsetLgType			
	<b>Comment</b>	--			
	choice				
	<b>Type</b>	V2xFac_offsetYaxis107ChoiceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91281][

<b>Name</b>	V2xFac_offsetYaxis107ChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_OFFSETYAXIS107_SMALL	0x01	--
	V2XFAC_OFFSETYAXIS107_LARGE	0x02	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91282][

<b>Name</b>	V2xFac_ComputedLanePresenceType
-------------	---------------------------------

<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	rotateXY	0x01	Bit 0 (LSB): Optional child present
	bit	scaleXaxis	0x02	Bit 1: Optional child present
	bit	scaleYaxis	0x04	Bit 2: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91283][

<b>Name</b>	V2xFac_ConnectingLaneType						
<b>Kind</b>	Structure						
<b>Elements</b>	lane						
	<b>Type</b>	V2xFac_LaneIDType					
	<b>Comment</b>	--					
	maneuver						
	<b>Type</b>	V2xFac_AllowedManeuversType					
	<b>Comment</b>	--					
	presence						
	<b>Type</b>	V2xFac_ConnectingLanePresenceType					
	<b>Comment</b>	--					
<b>Description</b>	Namespace: MAPEM						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

[SWS\_V2xFac\_91284][

<b>Name</b>	V2xFac_ConnectingLanePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>

	bit	maneuver	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91285][

<b>Name</b>	V2xFac_ConnectionType				
<b>Kind</b>	Structure				
<b>Elements</b>	connectingLane				
	<b>Type</b>	V2xFac_ConnectingLaneType			
	<b>Comment</b>	--			
	remoteIntersection				
	<b>Type</b>	V2xFac_IntersectionReferenceIDType			
	<b>Comment</b>	--			
	signalGroup				
	<b>Type</b>	V2xFac_SignalGroupIDType			
	<b>Comment</b>	--			
	userClass				
<b>Description</b>	<b>Type</b>	V2xFac_RestrictionClassIDType			
	<b>Comment</b>	--			
	connectionID				
	<b>Type</b>	V2xFac_LaneConnectionIDType			
	<b>Comment</b>	--			
	presence				
	<b>Type</b>	V2xFac_ConnectionPresenceType			
	<b>Comment</b>	--			
	Namespace: MAPEM				
	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91286][

<b>Name</b>	V2xFac_ConnectionPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
		bit	remoteIntersection	0x01 Bit 0 (LSB): Optional child present
		bit	signalGroup	0x02 Bit 1: Optional child present
		bit	userClass	0x04 Bit 2: Optional child present
		bit	connectionID	0x08 Bit 3: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91287]

<b>Name</b>	V2xFac_ConnectionManeuverAssistType			
<b>Kind</b>	Structure			
		connectionID		
<b>Elements</b>	<b>Type</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
		Type	V2xFac_LaneConnectionIDType	
		Comment	--	
		queueLength		
		<b>Type</b>	V2xFac_ZoneLengthType	
		Comment	--	
		availableStorageLength		
		<b>Type</b>	V2xFac_ZoneLengthType	
		Comment	--	
		waitOnStop		
		<b>Type</b>	V2xFac_WaitOnStoplineType	
		Comment	--	
		pedBicycleDetect		
		<b>Type</b>	V2xFac_PedestrianBicycleDetectType	
		Comment	--	
		presence		

	<b>Type</b>	V2xFac_ConnectionManeuverAssistPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91288][

<b>Name</b>	V2xFac_ConnectionManeuverAssistPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	queueLength	0x01	Bit 0 (LSB): Optional child present
	bit	availableStorageLength	0x02	Bit 1: Optional child present
	bit	waitOnStop	0x04	Bit 2: Optional child present
	bit	pedBicycleDetect	0x08	Bit 3: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91289][

<b>Name</b>	V2xFac_ConnectsToListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_ConnectionType
	<b>Size</b>	16
<b>Comment</b>	--	
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

[SWS\_V2xFac\_91290][

<b>Name</b>	V2xFac_DataParametersType				
<b>Kind</b>	Structure				
<b>Elements</b>	processMethod				
	<b>Type</b>	V2xFac_processMethod108Type			
	<b>Comment</b>	--			
	processAgency				
	<b>Type</b>	V2xFac_processAgency109Type			
	<b>Comment</b>	--			
	lastCheckedDate				
	<b>Type</b>	V2xFac_lastCheckedDate110Type			
	<b>Comment</b>	--			
	geoidUsed				
	<b>Type</b>	V2xFac_geoidUsed111Type			
	<b>Comment</b>	--			
	presence				
	<b>Type</b>	V2xFac_DataParametersPresenceType			
<b>Description</b>	<b>Comment</b>				
	Namespace: MAPEM				
	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91291][

<b>Name</b>	V2xFac_processMethod108Type		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		

<b>Available via</b>	V2xFac.h		
----------------------	----------	--	--

]()

[SWS\_V2xFac\_91292][

<b>Name</b>	V2xFac_processAgency109Type		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91293][

<b>Name</b>	V2xFac_lastCheckedDate110Type		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91294][

<b>Name</b>	V2xFac_geoidUsed111Type		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91295][

<b>Name</b>	V2xFac_DataParametersPresenceType		
-------------	-----------------------------------	--	--

<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	processMethod	0x01	Bit 0 (LSB): Optional child present
	bit	processAgency	0x02	Bit 1: Optional child present
	bit	lastCheckedDate	0x04	Bit 2: Optional child present
	bit	geoidUsed	0x08	Bit 3: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91296][

<b>Name</b>	V2xFac_EnabledLaneListType						
<b>Kind</b>	Structure						
<b>Elements</b>	count						
	<b>Type</b>	uint8					
	<b>Comment</b>	--					
	values						
	<b>Type</b>	Array of V2xFac_LaneIDType					
	<b>Size</b>	16					
	<b>Comment</b>	--					
<b>Description</b>	Namespace: MAPEM						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

[SWS\_V2xFac\_91297][

<b>Name</b>	V2xFac_GenericLaneType			
<b>Kind</b>	Structure			
<b>Elements</b>	laneID			
	<b>Type</b>	V2xFac_LaneIDType		
	<b>Comment</b>	--		

	name
<b>Type</b>	V2xFac_DescriptiveNameType
<b>Comment</b>	--
ingressApproach	
<b>Type</b>	V2xFac_ApproachIDType
<b>Comment</b>	--
egressApproach	
<b>Type</b>	V2xFac_ApproachIDType
<b>Comment</b>	--
laneAttributes	
<b>Type</b>	V2xFac_LaneAttributesType
<b>Comment</b>	--
maneuvers	
<b>Type</b>	V2xFac_AllowedManeuversType
<b>Comment</b>	--
nodeList	
<b>Type</b>	V2xFac_NodeListXYType
<b>Comment</b>	--
connectsTo	
<b>Type</b>	V2xFac_ConnectsToListType
<b>Comment</b>	--
overlays	
<b>Type</b>	V2xFac_OverlayLaneListType
<b>Comment</b>	--
presence	
<b>Type</b>	V2xFac_GenericLanePresenceType
<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

**[SWS\_V2xFac\_91298]**

<b>Name</b>	V2xFac_GenericLanePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	name	0x01	Bit 0 (LSB): Optional child present
	bit	ingressApproach	0x02	Bit 1: Optional child present
	bit	egressApproach	0x04	Bit 2: Optional child present
	bit	maneuvers	0x08	Bit 3: Optional child present
	bit	connectsTo	0x10	Bit 4: Optional child present
	bit	overlays	0x20	Bit 5: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

()()

**[SWS\_V2xFac\_91299]**

<b>Name</b>	V2xFac_IntersectionGeometryType			
<b>Kind</b>	Structure			
<b>Elements</b>	name			
	<b>Type</b>	V2xFac_DescriptiveNameType		
	<b>Comment</b>	--		
	id			
	<b>Type</b>	V2xFac_IntersectionReferenceIDType		
	<b>Comment</b>	--		
	revision			
	<b>Type</b>	V2xFac_MsgCountType		
	<b>Comment</b>	--		
	refPoint			
	<b>Type</b>	V2xFac_Position3DType		
	<b>Comment</b>	--		
	laneWidth			

	<b>Type</b>	V2xFac_LaneWidthType
	<b>Comment</b>	--
speedLimits		
	<b>Type</b>	V2xFac_SpeedLimitListType
	<b>Comment</b>	--
laneSet		
	<b>Type</b>	V2xFac_LaneListType
	<b>Comment</b>	--
preemptPriorityData		
	<b>Type</b>	V2xFac_PreemptPriorityListType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_IntersectionGeometryPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91300]

<b>Name</b>	V2xFac_IntersectionGeometryPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	name	0x01
<b>Elements</b>	bit	laneWidth	0x02
	bit	speedLimits	0x04
	bit	preemptPriorityData	0x08
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91301][**

<b>Name</b>	V2xFac_IntersectionGeometryListType	
<b>Kind</b>	Structure	
		count
<b>Elements</b>	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_IntersectionGeometryType
	<b>Size</b>	32
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91302][**

<b>Name</b>	V2xFac_IntersectionReferenceIDType	
<b>Kind</b>	Structure	
		region
<b>Elements</b>	<b>Type</b>	V2xFac_RoadRegulatorIDType
	<b>Comment</b>	--
	id	
	<b>Type</b>	V2xFac_IntersectionIDType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_IntersectionReferenceIDPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91303][**

<b>Name</b>	V2xFac_IntersectionReferenceIDPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	region	0x01	Bit 0 (LSB): Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91304]

<b>Name</b>	V2xFac_IntersectionStateType			
<b>Kind</b>	Structure			
<b>Elements</b>	name			
	<b>Type</b>	V2xFac_DescriptiveNameType		
	<b>Comment</b>	--		
	id			
	<b>Type</b>	V2xFac_IntersectionReferenceIDType		
	<b>Comment</b>	--		
	revision			
	<b>Type</b>	V2xFac_MsgCountType		
	<b>Comment</b>	--		
	status			
	<b>Type</b>	V2xFac_IntersectionStatusObjectType		
	<b>Comment</b>	--		
	moy			
	<b>Type</b>	V2xFac_MinuteOfTheYearType		
	<b>Comment</b>	--		
	timeStamp			
	<b>Type</b>	V2xFac_DSecondType		
	<b>Comment</b>	--		
	enabledLanes			

	<b>Type</b>	V2xFac_EnabledLaneListType
	<b>Comment</b>	--
states		
	<b>Type</b>	V2xFac_MovementListType
	<b>Comment</b>	--
maneuverAssistList		
	<b>Type</b>	V2xFac_ManeuverAssistListType
	<b>Comment</b>	--
presence		
	<b>Type</b>	V2xFac_IntersectionStatePresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91305][

<b>Name</b>	V2xFac_IntersectionStatePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	
	bit	name	0x01	Bit 0 (LSB): Optional child present
	bit	moy	0x02	Bit 1: Optional child present
	bit	timeStamp	0x04	Bit 2: Optional child present
	bit	enabledLanes	0x08	Bit 3: Optional child present
	bit	maneuverAssistList	0x10	Bit 4: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91306][

<b>Name</b>	V2xFac_IntersectionStateListType
-------------	----------------------------------

<b>Kind</b>	Structure	
	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
<b>Elements</b>	values	
	<b>Type</b>	Array of V2xFac_IntersectionStateType
	<b>Size</b>	32
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91307][

<b>Name</b>	V2xFac_LaneAttributesType	
<b>Kind</b>	Structure	
	directionalUse	
	<b>Type</b>	V2xFac_LaneDirectionType
	<b>Comment</b>	--
	sharedWith	
<b>Elements</b>	<b>Type</b>	V2xFac_LaneSharingType
	<b>Comment</b>	--
	laneType	
	<b>Type</b>	V2xFac_LaneTypeAttributesType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91308][

<b>Name</b>	V2xFac_LaneDataAttributeType	
<b>Kind</b>	Structure	

<b>Elements</b>	pathEndPointAngle						
	<b>Type</b>	V2xFac_DeltaAngleType					
	<b>Comment</b>	--					
	laneCrownPointCenter						
	<b>Type</b>	V2xFac_RoadwayCrownAngleType					
	<b>Comment</b>	--					
	laneCrownPointLeft						
	<b>Type</b>	V2xFac_RoadwayCrownAngleType					
	<b>Comment</b>	--					
	laneCrownPointRight						
	<b>Type</b>	V2xFac_RoadwayCrownAngleType					
	<b>Comment</b>	--					
	laneAngle						
	<b>Type</b>	V2xFac_MergeDivergeNodeAngleType					
	<b>Comment</b>	--					
	speedLimits						
	<b>Type</b>	V2xFac_SpeedLimitListType					
	<b>Comment</b>	--					
	choice						
	<b>Type</b>	V2xFac_LaneDataAttributeChoiceType					
	<b>Comment</b>	--					
<b>Description</b>	Namespace: MAPEM						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

[SWS\_V2xFac\_91309] |

<b>Name</b>	V2xFac_LaneDataAttributeChoiceType			
<b>Kind</b>	Enumeration			
<b>Range</b>	V2XFAC_LANEDATAATTRIBUTE_PATH_END_POINT_ANGLE	0x01	--	
	V2XFAC_LANEDATAATTRIBUTE_LANE_CROWN_POINT_CENTER	0x02	--	
	V2XFAC_LANEDATAATTRIBUTE_LANE_CROWN_POINT_LEFT	0x03	--	

	V2XFAC_LANEDATAATTRIBUTE_LANE_CROWN_POINT_RIGHT	0x04	--
	V2XFAC_LANEDATAATTRIBUTE_LANE_ANGLE	0x05	--
	V2XFAC_LANEDATAATTRIBUTE_SPEED_LIMITS	0x06	--
	V2XFAC_LANEDATAATTRIBUTE_REGIONAL	0x07	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91310][

<b>Name</b>	V2xFac_LaneDataAttributeListType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_LaneDataAttributeType			
	<b>Size</b>	8			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91311][

<b>Name</b>	V2xFac_LaneListType		
<b>Kind</b>	Structure		
<b>Elements</b>	count		
	<b>Type</b>	uint8	
	<b>Comment</b>	--	
	values		
	<b>Type</b>	Array of V2xFac_GenericLaneType	
	<b>Size</b>	255	

	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91312][

<b>Name</b>	V2xFac_LaneTypeAttributesType	
<b>Kind</b>	Structure	
<b>Elements</b>	vehicle	
	<b>Type</b>	V2xFac_LaneAttributes_VehicleType
	<b>Comment</b>	--
	crosswalk	
	<b>Type</b>	V2xFac_LaneAttributes_CrosswalkType
	<b>Comment</b>	--
	bikeLane	
	<b>Type</b>	V2xFac_LaneAttributes_BikeType
	<b>Comment</b>	--
	sidewalk	
	<b>Type</b>	V2xFac_LaneAttributes_SidewalkType
	<b>Comment</b>	--
	median	
	<b>Type</b>	V2xFac_LaneAttributes_BarrierType
	<b>Comment</b>	--
	striping	
	<b>Type</b>	V2xFac_LaneAttributes_StripingType
	<b>Comment</b>	--
	trackedVehicle	
	<b>Type</b>	V2xFac_LaneAttributes_TrackedVehicleType
	<b>Comment</b>	--
	parking	
	<b>Type</b>	V2xFac_LaneAttributes_ParkingType
	<b>Comment</b>	--

	<b>Comment</b>	--
	choice	
	<b>Type</b>	V2xFac_LaneTypeAttributesChoiceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91313]

<b>Name</b>	V2xFac_LaneTypeAttributesChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_LANETYPEATTRIBUTES_VEHICLE	0x01	--
	V2XFAC_LANETYPEATTRIBUTES_CROSSWALK	0x02	--
	V2XFAC_LANETYPEATTRIBUTES_BIKE_LANE	0x03	--
	V2XFAC_LANETYPEATTRIBUTES_SIDEWALK	0x04	--
	V2XFAC_LANETYPEATTRIBUTES_MEDIAN	0x05	--
	V2XFAC_LANETYPEATTRIBUTES_STRIPING	0x06	--
	V2XFAC_LANETYPEATTRIBUTES_TRACKED_VEHICLE	0x07	--
	V2XFAC_LANETYPEATTRIBUTES_PARKING	0x08	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91314]

<b>Name</b>	V2xFac_ManeuverAssistListType		
<b>Kind</b>	Structure		
<b>Elements</b>	count		
	<b>Type</b>	uint8	
	<b>Comment</b>	--	
	values		
	<b>Type</b>	Array of V2xFac_ConnectionManeuverAssistType	

	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91315][

<b>Name</b>	V2xFac_MovementEventListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_MovementEventType
	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91316][

<b>Name</b>	V2xFac_MovementEventType	
<b>Kind</b>	Structure	
<b>Elements</b>	eventState	
	<b>Type</b>	V2xFac_MovementPhaseStateType
	<b>Comment</b>	--
	timing	
	<b>Type</b>	V2xFac_TimeChangeDetailsType
	<b>Comment</b>	--
	speeds	
	<b>Type</b>	V2xFac_AdvisorySpeedListType

	<b>Comment</b>	--
		presence
	<b>Type</b>	V2xFac_MovementEventPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91317][

<b>Name</b>	V2xFac_MovementEventPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	
	bit	timing	0x01	Bit 0 (LSB): Optional child present
	bit	speeds	0x02	Bit 1: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91318][

<b>Name</b>	V2xFac_MovementListType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_MovementStateType			
	<b>Size</b>	255			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

[SWS\_V2xFac\_91319][

<b>Name</b>	V2xFac_MovementStateType	
<b>Kind</b>	Structure	
<b>Elements</b>	movementName	
	<b>Type</b>	V2xFac_DescriptiveNameType
	<b>Comment</b>	--
	signalGroup	
	<b>Type</b>	V2xFac_SignalGroupIDType
	<b>Comment</b>	--
	state_time_speed	
	<b>Type</b>	V2xFac_MovementEventListType
	<b>Comment</b>	--
	maneuverAssistList	
	<b>Type</b>	V2xFac_ManeuverAssistListType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_MovementStatePresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91320][

<b>Name</b>	V2xFac_MovementStatePresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	movementName	0x01	Bit 0 (LSB): Optional child present
	bit	maneuverAssistList	0x02	Bit 1: Optional child present

<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91321][

<b>Name</b>	V2xFac_Node_LLmD_64bType	
<b>Kind</b>	Structure	
<b>Elements</b>	lon	
	<b>Type</b>	V2xFac_LongitudeType
	<b>Comment</b>	--
	lat	
	<b>Type</b>	V2xFac_LatitudeType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91322][

<b>Name</b>	V2xFac_Node_XY_20bType	
<b>Kind</b>	Structure	
<b>Elements</b>	x	
	<b>Type</b>	V2xFac_Offset_B10Type
	<b>Comment</b>	--
	y	
	<b>Type</b>	V2xFac_Offset_B10Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91323][

<b>Name</b>	V2xFac_Node_XY_22bType	
<b>Kind</b>	Structure	
<b>Elements</b>	x	
	<b>Type</b>	V2xFac_Offset_B11Type
	<b>Comment</b>	--
	y	
	<b>Type</b>	V2xFac_Offset_B11Type
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91324]

<b>Name</b>	V2xFac_Node_XY_24bType	
<b>Kind</b>	Structure	
<b>Elements</b>	x	
	<b>Type</b>	V2xFac_Offset_B12Type
	<b>Comment</b>	--
	y	
	<b>Type</b>	V2xFac_Offset_B12Type
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91325]

<b>Name</b>	V2xFac_Node_XY_26bType	
<b>Kind</b>	Structure	
<b>Elements</b>	x	
	<b>Type</b>	V2xFac_Offset_B13Type
	<b>Comment</b>	--

	y
<b>Type</b>	V2xFac_Offset_B13Type
<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

**[SWS\_V2xFac\_91326]**[

<b>Name</b>	V2xFac_Node_XY_28bType	
<b>Kind</b>	Structure	
<b>Elements</b>	x	
	<b>Type</b>	V2xFac_Offset_B14Type
	<b>Comment</b>	--
	y	
	<b>Type</b>	V2xFac_Offset_B14Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91327]**[

<b>Name</b>	V2xFac_Node_XY_32bType	
<b>Kind</b>	Structure	
<b>Elements</b>	x	
	<b>Type</b>	V2xFac_Offset_B16Type
	<b>Comment</b>	--
	y	
	<b>Type</b>	V2xFac_Offset_B16Type
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	

<b>Available via</b>	V2xFac.h
----------------------	----------

]()

[SWS\_V2xFac\_91328] [

<b>Name</b>	V2xFac_NodeAttributeSetXYType				
<b>Kind</b>	Structure				
	localNode				
	<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_NodeAttributeXYListType</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_NodeAttributeXYListType	<b>Comment</b>	--
<b>Type</b>	V2xFac_NodeAttributeXYListType				
<b>Comment</b>	--				
	disabled				
	<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_SegmentAttributeXYListType</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_SegmentAttributeXYListType	<b>Comment</b>	--
<b>Type</b>	V2xFac_SegmentAttributeXYListType				
<b>Comment</b>	--				
	enabled				
	<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_SegmentAttributeXYListType</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_SegmentAttributeXYListType	<b>Comment</b>	--
<b>Type</b>	V2xFac_SegmentAttributeXYListType				
<b>Comment</b>	--				
	data				
<b>Elements</b>	<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_LaneDataAttributeListType</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_LaneDataAttributeListType	<b>Comment</b>	--
<b>Type</b>	V2xFac_LaneDataAttributeListType				
<b>Comment</b>	--				
dWidth					
<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_Offset_B10Type</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_Offset_B10Type	<b>Comment</b>	--	
<b>Type</b>	V2xFac_Offset_B10Type				
<b>Comment</b>	--				
dElevation					
<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_Offset_B10Type</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_Offset_B10Type	<b>Comment</b>	--	
<b>Type</b>	V2xFac_Offset_B10Type				
<b>Comment</b>	--				
presence					
<table border="1"> <tr> <td><b>Type</b></td><td>V2xFac_NodeAttributeSetXYPresenceType</td></tr> <tr> <td><b>Comment</b></td><td>--</td></tr> </table>	<b>Type</b>	V2xFac_NodeAttributeSetXYPresenceType	<b>Comment</b>	--	
<b>Type</b>	V2xFac_NodeAttributeSetXYPresenceType				
<b>Comment</b>	--				
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91329] [

<b>Name</b>	V2xFac_NodeAttributeSetXYPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	localNode	0x01	Bit 0 (LSB): Optional child present
	bit	disabled	0x02	Bit 1: Optional child present
	bit	enabled	0x04	Bit 2: Optional child present
	bit	data	0x08	Bit 3: Optional child present
	bit	dWidth	0x10	Bit 4: Optional child present
	bit	dElevation	0x20	Bit 5: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91330] [

<b>Name</b>	V2xFac_NodeAttributeXYListType						
<b>Kind</b>	Structure						
<b>Elements</b>	count						
	<b>Type</b>	uint8					
	<b>Comment</b>	--					
	values						
	<b>Type</b>	Array of V2xFac_NodeAttributeXYType					
	<b>Size</b>	8					
	<b>Comment</b>	--					
<b>Description</b>	Namespace: MAPEM						
<b>Variation</b>	--						
<b>Available via</b>	V2xFac.h						

]()

[SWS\_V2xFac\_91331] [

<b>Name</b>	V2xFac_NodeListXYType			
<b>Kind</b>	Structure			

<b>Elements</b>	nodes		
	<b>Type</b>	V2xFac_NodeSetXYType	
	<b>Comment</b>	--	
	computed		
	<b>Type</b>	V2xFac_ComputedLaneType	
	<b>Comment</b>	--	
	choice		
	<b>Type</b>	V2xFac_NodeListXYChoiceType	
	<b>Comment</b>	--	
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91332]]

<b>Name</b>	V2xFac_NodeListXYChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_NODELISTXY_NODES	0x01	--
	V2XFAC_NODELISTXY_COMPUTED	0x02	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91333]]

<b>Name</b>	V2xFac_NodeOffsetPointXYType		
<b>Kind</b>	Structure		
<b>Elements</b>	node_XY1		
	<b>Type</b>	V2xFac_Node_XY_20bType	
	<b>Comment</b>	--	
	node_XY2		
	<b>Type</b>	V2xFac_Node_XY_22bType	
	<b>Comment</b>	--	

	node_XY3
<b>Type</b>	V2xFac_Node_XY_24bType
<b>Comment</b>	--
	node_XY4
<b>Type</b>	V2xFac_Node_XY_26bType
<b>Comment</b>	--
	node_XY5
<b>Type</b>	V2xFac_Node_XY_28bType
<b>Comment</b>	--
	node_XY6
<b>Type</b>	V2xFac_Node_XY_32bType
<b>Comment</b>	--
	node_LatLon
<b>Type</b>	V2xFac_Node_LLmD_64bType
<b>Comment</b>	--
	choice
<b>Type</b>	V2xFac_NodeOffsetPointXYChoiceType
<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91334][

<b>Name</b>	V2xFac_NodeOffsetPointXYChoiceType		
<b>Kind</b>	Enumeration		
<b>Range</b>	V2XFAC_NODEOFFSETPOINTXY_NODE_XY1	0x01	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY2	0x02	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY3	0x03	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY4	0x04	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY5	0x05	--
	V2XFAC_NODEOFFSETPOINTXY_NODE_XY6	0x06	--

	V2XFAC_NODEOFFSETPOINTXY_NODE_LAT_LON	0x07	--
	V2XFAC_NODEOFFSETPOINTXY_REGIONAL	0x08	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91335][

<b>Name</b>	V2xFac_NodeSetXYType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_NodeXYType			
	<b>Size</b>	63			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91336][

<b>Name</b>	V2xFac_NodeXYType		
<b>Kind</b>	Structure		
<b>Elements</b>	delta		
	<b>Type</b>	V2xFac_NodeOffsetPointXYType	
	<b>Comment</b>	--	
	attributes		
	<b>Type</b>	V2xFac_NodeAttributeSetXYType	
	<b>Comment</b>	--	
	presence		
	<b>Type</b>	V2xFac_NodeXYPresenceType	

	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91337][

<b>Name</b>	V2xFac_NodeXYPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	attributes	0x01
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91338][

<b>Name</b>	V2xFac_OverlayLaneListType				
<b>Kind</b>	Structure				
<b>Elements</b>	count				
	<b>Type</b>	uint8			
	<b>Comment</b>	--			
	values				
	<b>Type</b>	Array of V2xFac_LaneIDType			
	<b>Size</b>	5			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

[SWS\_V2xFac\_91339][

<b>Name</b>	V2xFac_Position3DType
-------------	-----------------------

<b>Kind</b>	Structure	
<b>Elements</b>	lat	
	<b>Type</b>	V2xFac_LatitudeType
	<b>Comment</b>	--
	long	
	<b>Type</b>	V2xFac_LongitudeType
	<b>Comment</b>	--
	elevation	
	<b>Type</b>	V2xFac_ElevationType
	<b>Comment</b>	--
presence		
<b>Type</b>		V2xFac_Position3DPresenceType
<b>Comment</b>		--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91340]

<b>Name</b>	V2xFac_Position3DPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	elevation	0x01
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91341]

<b>Name</b>	V2xFac_PreemptPriorityListType		
<b>Kind</b>	Structure		
<b>Elements</b>	count		

	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_SignalControlZoneType
	<b>Size</b>	32
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91342][

<b>Name</b>	V2xFac_SignalControlZoneType
<b>Kind</b>	Structure
<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

### [SWS\_V2xFac\_91343][

<b>Name</b>	V2xFac_RegulatorySpeedLimitType	
<b>Kind</b>	Structure	
<b>Elements</b>	type	
	<b>Type</b>	V2xFac_SpeedLimitTypeType
	<b>Comment</b>	--
	speed	
	<b>Type</b>	V2xFac_VelocityType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91344][

<b>Name</b>	V2xFac_RestrictionClassAssignmentType	
<b>Kind</b>	Structure	
<b>Elements</b>	id	
	<b>Type</b>	V2xFac_RestrictionClassIDType
	<b>Comment</b>	--
	users	
	<b>Type</b>	V2xFac_RestrictionUserTypeListType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91345]

<b>Name</b>	V2xFac_RestrictionClassListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_RestrictionClassAssignmentType
	<b>Size</b>	254
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91346]

<b>Name</b>	V2xFac_RestrictionUserTypeListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8

	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_RestrictionUserTypeType
	<b>Size</b>	16
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

#### [SWS\_V2xFac\_91347]

<b>Name</b>	V2xFac_RestrictionUserTypeType				
<b>Kind</b>	Structure				
	basicType				
	<b>Type</b>	V2xFac_RestrictionAppliesToType			
	<b>Comment</b>	--			
	choice				
	<b>Type</b>	V2xFac_RestrictionUserTypeChoiceType			
	<b>Comment</b>	--			
<b>Description</b>	Namespace: MAPEM				
<b>Variation</b>	--				
<b>Available via</b>	V2xFac.h				

]()

#### [SWS\_V2xFac\_91348]

<b>Name</b>	V2xFac_RestrictionUserTypeChoiceType		
<b>Kind</b>	Enumeration		
	V2XFAC_RESTRICTIONUSERTYPE_BASIC_TYPE	0x01	--
	V2XFAC_RESTRICTIONUSERTYPE_REGIONAL	0x02	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91349][**

<b>Name</b>	V2xFac_RoadLaneSetListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_GenericLaneType
	<b>Size</b>	255
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91350][**

<b>Name</b>	V2xFac_RoadSegmentListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_RoadSegmentType
	<b>Size</b>	32
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

**[SWS\_V2xFac\_91351][**

<b>Name</b>	V2xFac_RoadSegmentReferenceIDType
<b>Kind</b>	Structure

<b>Elements</b>	region	
	<b>Type</b>	V2xFac_RoadRegulatorIDType
	<b>Comment</b>	--
	id	
	<b>Type</b>	V2xFac_RoadSegmentIDType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_RoadSegmentReferenceIDPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91352]

<b>Name</b>	V2xFac_RoadSegmentReferenceIDPresenceType		
<b>Kind</b>	Bitfield		
<b>Derived from</b>	uint8		
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>
	bit	region	0x01
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91353]

<b>Name</b>	V2xFac_RoadSegmentType		
<b>Kind</b>	Structure		
<b>Elements</b>	name		
	<b>Type</b>	V2xFac_DescriptiveNameType	
	<b>Comment</b>	--	
	id		
	<b>Type</b>	V2xFac_RoadSegmentReferenceIDType	

	<b>Comment</b>	--
	revision	
	<b>Type</b>	V2xFac_MsgCountType
	<b>Comment</b>	--
	refPoint	
	<b>Type</b>	V2xFac_Position3DType
	<b>Comment</b>	--
	laneWidth	
	<b>Type</b>	V2xFac_LaneWidthType
	<b>Comment</b>	--
	speedLimits	
	<b>Type</b>	V2xFac_SpeedLimitListType
	<b>Comment</b>	--
	roadLaneSet	
	<b>Type</b>	V2xFac_RoadLaneSetListType
	<b>Comment</b>	--
	presence	
	<b>Type</b>	V2xFac_RoadSegmentPresenceType
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

### [SWS\_V2xFac\_91354]

<b>Name</b>	V2xFac_RoadSegmentPresenceType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	name	0x01	Bit 0 (LSB): Optional child present
	bit	laneWidth	0x02	Bit 1: Optional child present
	bit	speedLimits	0x04	Bit 2: Optional child present

<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91355][

<b>Name</b>	V2xFac_SegmentAttributeXYListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_SegmentAttributeXYType
<b>Elements</b>	<b>Size</b>	8
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91356][

<b>Name</b>	V2xFac_SpeedLimitListType	
<b>Kind</b>	Structure	
<b>Elements</b>	count	
	<b>Type</b>	uint8
	<b>Comment</b>	--
	values	
	<b>Type</b>	Array of V2xFac_RegulatorySpeedLimitType
<b>Elements</b>	<b>Size</b>	9
	<b>Comment</b>	--
<b>Description</b>	Namespace: MAPEM	
<b>Variation</b>	--	
<b>Available via</b>	V2xFac.h	

]()

[SWS\_V2xFac\_91357][

<b>Name</b>	V2xFac_TimeChangeDetailsType
<b>Kind</b>	Structure
<b>Elements</b>	startTime
	<b>Type</b> V2xFac_TimeMarkType
	<b>Comment</b> --
	minEndTime
	<b>Type</b> V2xFac_TimeMarkType
	<b>Comment</b> --
	maxEndTime
	<b>Type</b> V2xFac_TimeMarkType
	<b>Comment</b> --
	likelyTime
<b>Elements</b>	<b>Type</b> V2xFac_TimeMarkType
	<b>Comment</b> --
	confidence
	<b>Type</b> V2xFac_TimeIntervalConfidenceType
	<b>Comment</b> --
	nextTime
	<b>Type</b> V2xFac_TimeMarkType
	<b>Comment</b> --
	presence
	<b>Type</b> V2xFac_TimeChangeDetailsPresenceType
	<b>Comment</b> --
<b>Description</b>	Namespace: MAPEM
<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

[SWS\_V2xFac\_91358][

<b>Name</b>	V2xFac_TimeChangeDetailsPresenceType
-------------	--------------------------------------

<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	startTime	0x01	Bit 0 (LSB): Optional child present
	bit	maxEndTime	0x02	Bit 1: Optional child present
	bit	likelyTime	0x04	Bit 2: Optional child present
	bit	confidence	0x08	Bit 3: Optional child present
	bit	nextTime	0x10	Bit 4: Optional child present
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91359]

<b>Name</b>	V2xFac_AdvisorySpeedTypeType			
<b>Kind</b>	Enumeration			
<b>Range</b>	none		0	--
	greenwave		1	--
	ecoDrive		2	--
	transit		3	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91360]

<b>Name</b>	V2xFac_AllowedManeuversType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	maneuverStraightAllowed	0x01	--
	bit	maneuverLeftAllowed	0x02	--
	bit	maneuverRightAllowed	0x04	--

	bit	maneuverUTurnAllowed	0x08	--
	bit	maneuverLeftTurnOnRedAllowed	0x10	--
	bit	maneuverRightTurnOnRedAllowed	0x20	--
	bit	maneuverLaneChangeAllowed	0x40	--
	bit	maneuverNoStoppingAllowed	0x80	--
	bit	yieldAllwaysRequired	0x100	--
	bit	goWithHalt	0x200	--
	bit	caution	0x400	--
	bit	reserved1	0x800	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91361][

<b>Name</b>	V2xFac_AngleType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..28800	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91362][

<b>Name</b>	V2xFac_ApproachIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..15	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91363][**

<b>Name</b>	V2xFac_DeltaAngleType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-150..150	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91364][**

<b>Name</b>	V2xFac_DescriptiveNameType		
<b>Kind</b>	Type		
<b>Derived from</b>	V2xFac_StringType		
<b>Range</b>	1..63	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91365][**

<b>Name</b>	V2xFac_DrivenLineOffsetLgType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-32767..32767	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91366][**

<b>Name</b>	V2xFac_DrivenLineOffsetSmType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-2047..2047	--	--

<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91367][

<b>Name</b>	V2xFac_DSecondType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91368][

<b>Name</b>	V2xFac_ElevationType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-4096..61439	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91369][

<b>Name</b>	V2xFac_IntersectionIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91370][**

<b>Name</b>	V2xFac_IntersectionStatusObjectType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	manualControlsEnabled	0x01	--
	bit	stopTimelsActivated	0x02	--
	bit	failureFlash	0x04	--
	bit	preemptlIsActive	0x08	--
	bit	signalPrioritylIsActive	0x10	--
	bit	fixedTimeOperation	0x20	--
	bit	trafficDependentOperation	0x40	--
	bit	standbyOperation	0x80	--
	bit	failureMode	0x100	--
	bit	off	0x200	--
	bit	recentMAPmessageUpdate	0x400	--
	bit	recentChangeInMAPassignedLanesIDsUsed	0x800	--
	bit	noValidMAPisAvailableAtThisTime	0x1000	--
	bit	noValidSPATisAvailableAtThisTime	0x2000	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

**[SWS\_V2xFac\_91371][**

<b>Name</b>	V2xFac_LaneAttributes_BarrierType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	median_RevocableLane	0x01	--
	bit	median	0x02	--
	bit	whiteLineHashing	0x04	--

	bit	stripedLines	0x08	--
	bit	doubleStripedLines	0x10	--
	bit	trafficCones	0x20	--
	bit	constructionBarrier	0x40	--
	bit	trafficChannels	0x80	--
	bit	lowCurbs	0x100	--
	bit	highCurbs	0x200	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91372][

<b>Name</b>	V2xFac_LaneAttributes_BikeType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	bikeRevocableLane	0x01	--
	bit	pedestrianUseAllowed	0x02	--
	bit	isBikeFlyOverLane	0x04	--
	bit	fixedCycleTime	0x08	--
	bit	biDirectionalCycleTimes	0x10	--
	bit	isolatedByBarrier	0x20	--
	bit	unsignalizedSegmentsPresent	0x40	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91373][

<b>Name</b>	V2xFac_LaneAttributes_CrosswalkType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			

	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
<b>Elements</b>	bit	crosswalkRevocableLane	0x01	--
	bit	bicycleUseAllowed	0x02	--
	bit	isXwalkFlyOverLane	0x04	--
	bit	fixedCycleTime	0x08	--
	bit	biDirectionalCycleTimes	0x10	--
	bit	hasPushToWalkButton	0x20	--
	bit	audioSupport	0x40	--
	bit	rfSignalRequestPresent	0x80	--
	bit	unsignalizedSegmentsPresent	0x100	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91374][

<b>Name</b>	V2xFac_LaneAttributes_ParkingType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	parkingRevocableLane	0x01	--
	bit	parallelParkingInUse	0x02	--
	bit	headInParkingInUse	0x04	--
	bit	doNotParkZone	0x08	--
	bit	parkingForBusUse	0x10	--
	bit	parkingForTaxiUse	0x20	--
	bit	noPublicParkingUse	0x40	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91375][

<b>Name</b>	V2xFac_LaneAttributes_SidewalkType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	sidewalk_RevocableLane	0x01	--
	bit	bicycleUseAllowed	0x02	--
	bit	isSidewalkFlyOverLane	0x04	--
	bit	walkBikes	0x08	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91376]

<b>Name</b>	V2xFac_LaneAttributes_StripingType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	stripeToConnectingLanesRevocableLane	0x01	--
	bit	stripeDrawOnLeft	0x02	--
	bit	stripeDrawOnRight	0x04	--
	bit	stripeToConnectingLanesLeft	0x08	--
	bit	stripeToConnectingLanesRight	0x10	--
	bit	stripeToConnectingLanesAhead	0x20	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91377]

<b>Name</b>	V2xFac_LaneAttributes_TrackedVehicleType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			

	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
<b>Elements</b>	bit	spec_RevocableLane	0x01	--
	bit	spec_commuterRailRoadTrack	0x02	--
	bit	spec_lightRailRoadTrack	0x04	--
	bit	spec_heavyRailRoadTrack	0x08	--
	bit	spec_otherRailType	0x10	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91378][

<b>Name</b>	V2xFac_LaneAttributes_VehicleType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	isVehicleRevocableLane	0x01	--
	bit	isVehicleFlyOverLane	0x02	--
	bit	hovLaneUseOnly	0x04	--
	bit	restrictedToBusUse	0x08	--
	bit	restrictedToTaxiUse	0x10	--
	bit	restrictedFromPublicUse	0x20	--
	bit	hasIRbeaconCoverage	0x40	--
	bit	permissionOnRequest	0x80	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91379][

<b>Name</b>	V2xFac_LaneConnectionIDType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			

<b>Range</b>	0..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91380][

<b>Name</b>	V2xFac_LaneDirectionType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	ingressPath	0x01	--
	bit	egressPath	0x02	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91381][

<b>Name</b>	V2xFac_LaneIDType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	0..255		--	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

### [SWS\_V2xFac\_91382][

<b>Name</b>	V2xFac_LaneSharingType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	overlappingLaneDescriptionProvided	0x01	--

	bit	multipleLanesTreatedAsOneLane	0x02	--
	bit	otherNonMotorizedTrafficTypes	0x04	--
	bit	individualMotorizedVehicleTraffic	0x08	--
	bit	busVehicleTraffic	0x10	--
	bit	taxiVehicleTraffic	0x20	--
	bit	pedestriansTraffic	0x40	--
	bit	cyclistVehicleTraffic	0x80	--
	bit	trackedVehicleTraffic	0x100	--
	bit	pedestrianTraffic	0x200	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91383][

<b>Name</b>	V2xFac_LayerIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..100	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91384][

<b>Name</b>	V2xFac_LayerTypeType		
<b>Kind</b>	Enumeration		
<b>Range</b>	none	0	--
	mixedContent	1	--
	generalMapData	2	--
	intersectionData	3	--
	curveData	4	--
	roadwaySectionData	5	--

	parkingAreaData	6	--
	sharedLaneData	7	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91385][

<b>Name</b>	V2xFac_MergeDivergeNodeAngleType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-180..180	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91386][

<b>Name</b>	V2xFac_MinuteOfTheYearType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint32		
<b>Range</b>	0..527040	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91387][

<b>Name</b>	V2xFac_MovementPhaseStateType		
<b>Kind</b>	Enumeration		
<b>Range</b>	unavailable	0	--
	dark	1	--
	stop_Then_Proceed	2	--
	stop_And_Remain	3	--

	pre_Movement	4	--
	permissive_Movement_Allowed	5	--
	protected_Movement_Allowed	6	--
	permissive_clearance	7	--
	protected_clearance	8	--
	caution_Conflicting_Traffic	9	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91388]

<b>Name</b>	V2xFac_MsgCountType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..127	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91389]

<b>Name</b>	V2xFac_NodeAttributeXYType		
<b>Kind</b>	Enumeration		
<b>Range</b>	reserved	0	--
	stopLine	1	--
	roundedCapStyleA	2	--
	roundedCapStyleB	3	--
	mergePoint	4	--
	divergePoint	5	--
	downstreamStopLine	6	--
	downstreamStartNode	7	--
	closedToTraffic	8	--

	safelsland	9	--
	curbPresentAtStepOff	10	--
	hydrantPresent	11	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91390][

<b>Name</b>	V2xFac_Offset_B10Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-512..511	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91391][

<b>Name</b>	V2xFac_Offset_B11Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-1024..1023	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91392][

<b>Name</b>	V2xFac_Offset_B12Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-2048..2047	--	--
<b>Description</b>	Namespace: MAPEM		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

**[SWS\_V2xFac\_91393]**[

<b>Name</b>	V2xFac_Offset_B13Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-4096..4095	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91394]**[

<b>Name</b>	V2xFac_Offset_B14Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-8192..8191	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91395]**[

<b>Name</b>	V2xFac_Offset_B16Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-32768..32767	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91396]**[

<b>Name</b>	V2xFac_PedestrianBicycleDetectType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	value	0x00	false if 0, true otherwise
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91397]

<b>Name</b>	V2xFac_RestrictionAppliesToType			
<b>Kind</b>	Enumeration			
<b>Range</b>	none		0	--
	equippedTransit		1	--
	equippedTaxis		2	--
	equippedOther		3	--
	emissionCompliant		4	--
	equippedBicycle		5	--
	weightCompliant		6	--
	heightCompliant		7	--
	pedestrians		8	--
	slowMovingPersons		9	--
	wheelchairUsers		10	--
	visualDisabilities		11	--
	audioDisabilities		12	--
	otherUnknownDisabilities		13	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91398]

<b>Name</b>	V2xFac_RestrictionClassIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91399][

<b>Name</b>	V2xFac_RoadRegulatorIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91400][

<b>Name</b>	V2xFac_RoadSegmentIDType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91401][

<b>Name</b>	V2xFac_RoadwayCrownAngleType		
<b>Kind</b>	Type		
<b>Derived from</b>	sint8		
<b>Range</b>	-128..127	--	--

<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91402][

<b>Name</b>	V2xFac_Scale_B12Type		
<b>Kind</b>	Type		
<b>Derived from</b>	sint16		
<b>Range</b>	-2048..2047	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91403][

<b>Name</b>	V2xFac_SegmentAttributeXYType		
<b>Kind</b>	Enumeration		
<b>Range</b>	reserved	0	--
	doNotBlock	1	--
	whiteLine	2	--
	mergingLaneLeft	3	--
	mergingLaneRight	4	--
	curbOnLeft	5	--
	curbOnRight	6	--
	loadingzoneOnLeft	7	--
	loadingzoneOnRight	8	--
	turnOutPointOnLeft	9	--
	turnOutPointOnRight	10	--
	adjacentParkingOnLeft	11	--
	adjacentParkingOnRight	12	--
	adjacentBikeLaneOnLeft	13	--
	adjacentBikeLaneOnRight	14	--

	sharedBikeLane	15	--
	bikeBoxInFront	16	--
	transitStopOnLeft	17	--
	transitStopOnRight	18	--
	transitStopInLane	19	--
	sharedWithTrackedVehicle	20	--
	safelsland	21	--
	lowCurbsPresent	22	--
	rumbleStripPresent	23	--
	audibleSignalingPresent	24	--
	adaptiveTimingPresent	25	--
	rfSignalRequestPresent	26	--
	partialCurbIntrusion	27	--
	taperToLeft	28	--
	taperToRight	29	--
	taperToCenterLine	30	--
	parallelParking	31	--
	headInParking	32	--
	freeParking	33	--
	timeRestrictionsOnParking	34	--
	costToPark	35	--
	midBlockCurbPresent	36	--
	unEvenPavementPresent	37	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91404][

<b>Name</b>	V2xFac_SignalGroupIDType
<b>Kind</b>	Type
<b>Derived from</b>	uint8

<b>Range</b>	0..255	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91405][

<b>Name</b>	V2xFac_SpeedAdviceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..500	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### [SWS\_V2xFac\_91406][

<b>Name</b>	V2xFac_SpeedLimitTypeType		
<b>Kind</b>	Enumeration		
<b>Range</b>	unknown	0	--
	maxSpeedInSchoolZone	1	--
	maxSpeedInSchoolZoneWhenChildrenArePresent	2	--
	maxSpeedInConstructionZone	3	--
	vehicleMinSpeed	4	--
	vehicleMaxSpeed	5	--
	vehicleNightMaxSpeed	6	--
	truckMinSpeed	7	--
	truckMaxSpeed	8	--
	truckNightMaxSpeed	9	--
	vehiclesWithTrailersMinSpeed	10	--
	vehiclesWithTrailersMaxSpeed	11	--
	vehiclesWithTrailersNightMaxSpeed	12	--
<b>Description</b>	Namespace: MAPEM		

<b>Variation</b>	--
<b>Available via</b>	V2xFac.h

]()

**[SWS\_V2xFac\_91407]**[

<b>Name</b>	V2xFac_TimeIntervalConfidenceType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint8		
<b>Range</b>	0..15	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91408]**[

<b>Name</b>	V2xFac_TimeMarkType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..36001	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91409]**[

<b>Name</b>	V2xFac_VelocityType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..8191	--	--
<b>Description</b>	Namespace: MAPEM		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

**[SWS\_V2xFac\_91410]**[

<b>Name</b>	V2xFac_WaitOnStoplineType			
<b>Kind</b>	Bitfield			
<b>Derived from</b>	uint8			
<b>Elements</b>	<b>Kind</b>	<b>Name</b>	<b>Mask</b>	<b>Description</b>
	bit	value	0x00	false if 0, true otherwise
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91411][

<b>Name</b>	V2xFac_ZoneLengthType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint16			
<b>Range</b>	0..10000	--	--	--
<b>Description</b>	Namespace: MAPEM			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91424][

<b>Name</b>	V2xFac_EssMobileFrictionType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint8			
<b>Range</b>	0..101	--	--	--
<b>Description</b>	Namespace: NTCIP			
<b>Variation</b>	--			
<b>Available via</b>	V2xFac.h			

]()

[SWS\_V2xFac\_91425][

<b>Name</b>	V2xFac_EssPrecipRateType			
<b>Kind</b>	Type			
<b>Derived from</b>	uint16			

<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: NTCIP		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91426][

<b>Name</b>	V2xFac_EssPrecipSituationType		
<b>Kind</b>	Enumeration		
<b>Range</b>	other	1	--
	unknown	2	--
	noPrecipitation	3	--
	unidentifiedSlight	4	--
	unidentifiedModerate	5	--
	unidentifiedHeavy	6	--
	snowSlight	7	--
	snowModerate	8	--
	snowHeavy	9	--
	rainSlight	10	--
	rainModerate	11	--
	rainHeavy	12	--
	frozenPrecipitationSlight	13	--
	frozenPrecipitationModerate	14	--
	frozenPrecipitationHeavy	15	--
<b>Description</b>	Namespace: NTCIP		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

[SWS\_V2xFac\_91427][

<b>Name</b>	V2xFac_EssPrecipYesNoType		
<b>Kind</b>	Enumeration		
<b>Range</b>	precip	1	--

	noPrecip	2	--
	error	3	--
<b>Description</b>	Namespace: NTCIP		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

#### [SWS\_V2xFac\_91428][

<b>Name</b>	V2xFac_EssSolarRadiationType		
<b>Kind</b>	Type		
<b>Derived from</b>	uint16		
<b>Range</b>	0..65535	--	--
<b>Description</b>	Namespace: NTCIP		
<b>Variation</b>	--		
<b>Available via</b>	V2xFac.h		

]()

### 8.7.4 Ports

#### 8.7.4.1 V2xFac\_V2xFac\_DenBs

#### [SWS\_V2xFac\_00102][

<b>Name</b>	V2xFac_DenBs		
<b>Kind</b>	ProvidedPort	<b>Interface</b>	V2xFacDenBs
<b>Description</b>	Service port for DEN specific service requests		
<b>Variation</b>	--		

]()

#### 8.7.4.2 V2xFac\_V2xFac\_V2xApplRxIndication\_CAM

#### [SWS\_V2xFac\_00104][

<b>Name</b>	V2xFac_V2xApplRxIndication_CAM		
<b>Kind</b>	ProvidedPort	<b>Interface</b>	V2xApplRxIndicationCam
<b>Description</b>	Port for delivering received CAMs to application layer		
<b>Variation</b>	--		

]()

**8.7.4.3 V2xFac\_V2xFac\_V2xAppI RxIndication\_DENM**  
**[SWS\_V2xFac\_00233]**[

<b>Name</b>	V2xFac_V2xAppI RxIndication_DENM		
<b>Kind</b>	ProvidedPort	<b>Interface</b>	V2xAppI RxIndicationDenm
<b>Description</b>	Port for delivering received DENMs to application layer		
<b>Variation</b>	--		

]()  
**8.7.4.4 V2xFac\_V2xFac\_Vdp**  
**[SWS\_V2xFac\_00105]**[

<b>Name</b>	V2xFac_Vdp		
<b>Kind</b>	RequiredPort	<b>Interface</b>	V2xFacVdp
<b>Description</b>	Port for retrieving data from VDP application		
<b>Variation</b>	--		

]()  
**8.7.4.5 V2xFac\_V2xFac\_V2xAppI RxIndication\_IVIM**  
**[SWS\_V2xFac\_91605]**[

<b>Name</b>	V2xFac_V2xAppI RxIndication_IVIM		
<b>Kind</b>	ProvidedPort	<b>Interface</b>	V2xAppI RxIndicationIVim
<b>Description</b>	Port for delivering received IVIMs to application layer		
<b>Variation</b>	--		

]()  
**8.7.4.6 V2xFac\_V2xFac\_V2xAppI RxIndication\_MAPEM**  
**[SWS\_V2xFac\_91602]**[

<b>Name</b>	V2xFac_V2xAppI RxIndication_MAPEM		
<b>Kind</b>	ProvidedPort	<b>Interface</b>	V2xAppI RxIndicationMapem
<b>Description</b>	Port for delivering received MAPEMs to application layer		
<b>Variation</b>	--		

]()  
**8.7.4.7 V2xFac\_V2xFac\_V2xAppI RxIndication\_SPATEM**  
**[SWS\_V2xFac\_91608]**[

<b>Name</b>	V2xFac_V2xAppI RxIndication_SPATEM		
<b>Kind</b>	ProvidedPort	<b>Interface</b>	V2xAppI RxIndicationSpatem
<b>Description</b>	Port for delivering received SPATEMs to application layer		
<b>Variation</b>	--		

]()

## 9 Sequence diagrams

### 9.1 CAM Generation and Transmission




Figure 9.1 CAM Generation and Transmission

### 9.2 CAM Reception






Figure 9.2 CAM Reception

## 9.3 DENM Generation and Transmission



**Figure 9.3 DENM Generation and Transmission**

## 9.4 DENM Reception


**Figure 9.4 DENM Reception**

## 9.5 IVIM Reception




**Figure 9.5 IVIM Reception**


Figure 9.6 MAPEM Reception

## 9.7 SPATEM Reception




Figure 9.7 SPATEM Reception

## 10 Configuration specification

Chapter 10.1 specifies the structure (containers) and the parameters of the module V2xFac.

Chapter 10.2 specifies additionally published information of the module V2xFac.

### 10.1 Containers and configuration parameters

The following chapters summarize all configuration parameters. The detailed meanings of the parameters describe Chapter 7 and Chapter 8.


#### 10.1.1 Variants

**[SWS\_V2xFac\_00238]** [ The V2xFsc module only supports VARIANT-PRE-COMPIL ] (SRS\_BSW\_00345)

#### 10.1.2 V2xFac

<b>SWS Item</b>	ECUC_V2xFac_00001 :
<b>Module Name</b>	V2xFac
<b>Module Description</b>	Configuration of the V2xFac module.
<b>Post-Build Variant Support</b>	false
<b>Supported Config Variants</b>	VARIANT-PRE-COMPIL

<b>Included Containers</b>		
<b>Container Name</b>	<b>Multiplicity</b>	<b>Scope / Dependency</b>
V2xFacGeneral	1	This container contains the general configuration parameters of the Vehicle-2-X Basic Transport.



### 10.1.3 V2xFacGeneral

<b>SWS Item</b>	<b>ECUC_V2xFac_00002 :</b>
<b>Container Name</b>	V2xFacGeneral
<b>Parent Container</b>	V2xFac
<b>Description</b>	This container contains the general configuration parameters of the Vehicle-2-X Basic Transport.
<b>Configuration Parameters</b>	

<b>SWS Item</b>	<b>ECUC_V2xFac_00006 :</b>
<b>Name</b>	V2xFacCaBsMainFunctionPeriod
<b>Parent Container</b>	V2xFacGeneral
<b>Description</b>	This parameter defines the schedule period of V2xFac_CaBs_MainFunction.Unit: [s]
<b>Multiplicity</b>	1
<b>Type</b>	EcucFloatParamDef
<b>Range</b>	[0 .. INF[
<b>Default value</b>	0.1

<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00005 :		
<b>Name</b>	V2xFacDenBsMainFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_DenBs_MainFunction.Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00004 :		
<b>Name</b>	V2xFacDevErrorDetect		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	Switches the Default Error Tracer (Det) detection and notification ON or OFF. <ul style="list-style-type: none"> <li>• true: enabled (ON)</li> <li>• false: disabled (OFF)</li> </ul>		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucBooleanParamDef		
<b>Default value</b>	false		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00008 :		
<b>Name</b>	V2xFaciIvISMainFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_IviS_MainFunction.Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00009 :		
-----------------	---------------------	--	--


<b>Name</b>	V2xFacRltSMainFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_RltS_MainFunction.Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	]0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00007 :		
<b>Name</b>	V2xFacStationType		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This configuration value defines the station type information of the originating ITS-S, RoadSideUnit (15) not supported by AUTOSAR.		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucEnumerationParamDef		
<b>Range</b>	V2XFAC_ST_BUS	--	
	V2XFAC_ST_CYCLIST	--	
	V2XFAC_ST_HEAVYTRUCK	--	
	V2XFAC_ST_LIGHTTRUCK	--	
	V2XFAC_ST_MOPED	--	
	V2XFAC_ST_MOTORCYCLE	--	
	V2XFAC_ST_PASSENGERCAR	--	
	V2XFAC_ST_PEDESTRIAN	--	
	V2XFAC_ST_SPECIALVEHICLES	--	
	V2XFAC_ST_TRAILER	--	
	V2XFAC_ST_TRAM	--	
<b>Default value</b>	V2XFAC_ST_UNKNOWN		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00010 :		
<b>Name</b>	V2xFacTImSMainFunctionPeriod		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	This parameter defines the schedule period of V2xFac_TImS_MainFunction. Unit: [s]		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucFloatParamDef		
<b>Range</b>	]0 .. INF[		
<b>Default value</b>	0.1		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

<b>SWS Item</b>	ECUC_V2xFac_00003 :		
<b>Name</b>	V2xFacVersionInfoApi		
<b>Parent Container</b>	V2xFacGeneral		
<b>Description</b>	<p>Enable/disables the API for reading the version information of the V2xFac Module.</p> <ul style="list-style-type: none"><li>• true: enabled (ON)</li><li>• false: disabled (OFF)</li></ul>		
<b>Multiplicity</b>	1		
<b>Type</b>	EcucBooleanParamDef		
<b>Default value</b>	false		
<b>Post-Build Variant Value</b>	false		
<b>Value Configuration Class</b>	<b>Pre-compile time</b>	X	All Variants
	<b>Link time</b>	--	
	<b>Post-build time</b>	--	
<b>Scope / Dependency</b>	scope: local		

**No Included Containers**



## 11 Not applicable requirements