

Document Title	Project Objectives
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	599
Document Status	published
Part of AUTOSAR Standard	Foundation
Part of Standard Release	R20-11

Document Change History			
Date	Release	Changed by	Change Description
2020-11-30	R20-11	AUTOSAR Release Management	 No content changes
2019-11-28	R19-11	AUTOSAR Release Management	 Update of project objectives to reflect AUTOSAR objectives discussed in SC Changed Document Status from Final to published
2019-03-29	1.5.1	AUTOSAR Release Management	No content changes
2018-10-31	1.5.0	AUTOSAR Release Management	 Editorial changes
2018-03-29	1.4.0	AUTOSAR Release Management	No content changes
2017-12-08	1.3.0	AUTOSAR Release Management	 No content changes
2017-10-27	1.2.0	AUTOSAR Release Management	 No content changes
2017-03-31	1.1.0	AUTOSAR Release Management	 Editorial changes
2016-11-30	1.0.0	AUTOSAR Release Management	 Migration of document to standard "Foundation" Editorial changes



Document Change History			
Date	Release	Changed by	Change Description
2020-11-30	R20-11	AUTOSAR	No content changes
		Release	
		Management	
2019-11-28	R19-11	AUTOSAR	 Update of project objectives to
		Release	reflect AUTOSAR objectives
		Management	discussed in SC Changed Decument Status from
			 Changed Document Status from Final to published
2019-03-29	1.5.1	AUTOSAR	No content changes
		Release	
		Management	
2018-10-31	1.5.0	AUTOSAR	Editorial changes
		Release	
		Management	
2015-07-31	4.2.2	AUTOSAR	 Editorial changes
		Release	
		Management	
2014-10-31	4.2.1	AUTOSAR	 Editorial changes
		Release	
		Management	
2013-10-31	4.1.2	AUTOSAR	 Editorial rework of [RS_PO_00005]
		Release	Editorial changes
		Management	
2013-03-15	4.1.1	AUTOSAR	Update of requirement numbering
		Administration	and layout of table according to the new template
2011-12-22	4.0.3	AUTOSAR	Extracted Project Objectives (UID
		Administration	599) from Main Requirements (UID 054).
			Major rework and update of all
			Project Objectives to (a) reflect
			current results and (b) the future
			focus of the project.



Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.



Table of Content

1	Scope of the document	5
2 2.1	How to read this document Conventions used	
3 3.1 3.2	The AUTOSAR project objectives [RS_PO_00001] AUTOSAR shall support the portability of software [RS_PO_00002] AUTOSAR shall support the scalability to different	7
3.3 3.4	architectures and hardware variants. [RS_PO_00003] AUTOSAR shall be domain agnostic [RS_PO_00010] AUTOSAR shall support data exchange with non	
3.4	AUTOSAR systems	8
3.5	[RS_PO_00004] AUTOSAR shall define an open architecture for automotive software	8
3.6	[RS_PO_00005] AUTOSAR shall support the development of dependable systems.	
3.7	[RS_PO_00007] AUTOSAR shall enable the collaboration between partners.	9
3.8	1	
4	References	. 10



1 Scope of the document

Each AUTOSAR Partner has committed to the top level project objectives (PO) of AUTOSAR.

The project objectives are the top level requirements of the AUTOSAR standard and get further refined in order to get broken down into the specific technical requirements. For this purpose, the AUTOSAR Project Objectives are established as a fundamental base to derive these specific requirements.

The term AUTOSAR is used as a synonym of the development partnership and the technical product AUTomotive Open System ARchitecture.



2 How to read this document

Each project objective has its unique identifier starting with the prefix "RS_PO_" (for "Requirements of Project Objectives"). For any review annotations, remarks or questions, please refer to this unique ID rather than chapter or page numbers.

2.1 Conventions used

In requirements, the following specific semantics are used (taken from Request for Comment RFC 2119 from the Internet Engineering Task Force IETF)

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119. Note that the requirement level of the document in which they are used modifies the force of these words.

- The representation of requirements in AUTOSAR documents follows the table specified in [TPS_STDT_00078].
- MUST: This word, or the terms "REQUIRED" or "SHALL", mean that the definition is an absolute requirement of the specification.
- MUST NOT: This phrase, or the phrase "SHALL NOT", means that the definition is an absolute prohibition of the specification.
- SHOULD: This word, or the adjective "RECOMMENDED", mean that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
- SHOULD NOT: This phrase, or the phrase "NOT RECOMMENDED" mean that there may exist valid reasons in particular circumstances when the particular behavior is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behavior described with this label.
- MAY: This word, or the adjective "OPTIONAL", means that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation, which does not include a particular option, MUST be prepared to interoperate with another implementation, which does include the option, though perhaps with reduced functionality. In the same vein an implementation, which does include a particular option, MUST be prepared to interoperate with another implementation, which does not include the option, though perhaps with reduced functionality. In the same vein an implementation, which does include a particular option, MUST be prepared to interoperate with another implementation, which does not include the option (except, of course, for the feature the option provides.)



3 The AUTOSAR project objectives

This chapter describes the project objectives of AUTOSAR. They are used as the basis for further refinement into the AUTOSAR Main Requirements which drive the specific technical requirements to build the AUTOSAR standard. Besides these technical requirements, there are non-technical requirements, such as new business model etc., which are not considered in the project objectives.

3.1 [RS_PO_00001] AUTOSAR shall support the portability of software.

_	
L	

Туре:	Valid
Description:	AUTOSAR shall enable OEMs and suppliers to deploy software across the vehicle network and to reuse software.
Rationale:	Deployment and reuse of software across the vehicle network allows overall system scaling and optimization. Redevelopment of software is expensive and error prone.
Use Case:	Application software is reusable across different product lines and OEMs. Scaling and optimizing of vehicle networks by transferring application software. Basic software is reusable across different ECUs and domains.
Dependencies:	RS_PO_00003, RS_PO_00004, RS_PO_00007
Supporting Material:	

」()

3.2 [RS_PO_00002] AUTOSAR shall support the scalability to different architectures and hardware variants.

Γ

Туре:	Valid
Description:	AUTOSAR shall provide mechanisms to develop systems, which can be adapted to different vehicles, platforms and ECU hardware capabilities.
Rationale:	Software functions can be used in ECUs with different hardware characteristics.
Use Case:	Integration of an application on a different or updated hardware platform Development of an application which can be configured to be integrated on different vehicles.
Dependencies:	
Supporting Material:	

」()

3.3 [RS_PO_00003] AUTOSAR shall be domain agnostic.

Γ

Туре:	Valid
Description:	AUTOSAR shall be functional domain agnostic
Rationale:	A common architecture across the functional domains allows the relocation of software components across domains.
Use Case:	Applying the same software systems to multiple areas
Dependencies:	RS_PO_00001
Supporting Material:	



」()

3.4 [RS_PO_00010] AUTOSAR shall support data exchange with non AUTOSAR systems

Туре:	Valid
Description:	AUTOSAR shall support data exchange with non AUTOSAR systems.
Rationale:	It increases the degree of freedom at generating the E/E system.
Use Case:	Communication of AUTOSAR ECUs with infotainment ECUs.
Dependencies:	RS_PO_00001
Supporting Material:	

」()

3.5 [RS_PO_00004] AUTOSAR shall define an open architecture for automotive software.

Γ

Туре:	Valid
Description:	AUTOSAR shall define an open architecture for automotive software
	which can be maintained, adapted and extended.
Rationale:	Findings from the application of AUTOSAR require maintaining AUTOSAR.
	Future requirements will increase the necessity to further evolve AUTOSAR.
	Only common functionality will be standardized by AUTOSAR. Therefore the architecture shall be extendable without comprising fundamental principles of the architecture.
Use Case:	Adaption to new technologies e.g. from silicon industry and software industry,
	Integration of drivers for specific hardware.
Dependencies:	RS_PO_00001, RS_PO_00005
Supporting Material:	

」()

3.6 [RS_PO_00005] AUTOSAR shall support the development of dependable systems.

Г

Туре:	Valid
Description:	 Dependable systems are characterized by the following attributes: Availability: readiness for correct service Reliability: continuity of correct service Safety: absence of unreasonable risk Integrity: mechanisms to inhibit improper system alteration Maintainability: ability to undergo modifications and repairs Security: protecting automotive software systems from unauthorized access, use, disclosure, disruption, modification, perusal, inspection, recording or destruction
Rationale:	Numerous functions in the automotive domain have requirements on functional safety and/or availability. Automotive systems are characterized by long product life cycles and short reaction times when the need for updates and upgrades comes up.



Use Case:	Software updates and upgrades. Exchange of hardware platforms.
Dependencies:	RS_PO_00004
Supporting Material:	ISO 26262, SOTIF ISO-PAS 21448, SAE J3061, ISO/SAE 21434 UN/ECE/TRANS/WP-29

」()

3.7 [RS_PO_00007] AUTOSAR shall enable the collaboration between partners.

Γ

Туре:	Valid
Description:	AUTOSAR shall enable the collaboration between partners by standardized data exchange formats and support the integration of basic software and application software from various partners on a single ECU via a middleware and across the vehicle network.
Rationale:	The automotive domain is characterized by collaborations between various partners. Coordination of e.g. interface and parameter definitions is an ongoing challenge in distributed development projects. In many ECUs software from different suppliers has to be integrated.
Use Case:	Collaborations between partners (e.g. OEMs, System, Software, Hardware and Tool Suppliers).
Dependencies:	RS_PO_00001
Supporting Material:	

」()

3.8 [RS_PO_00009] AUTOSAR shall support applicable international automotive standards and state-of-the-art technologies.

Г	
Туре:	Valid
Description:	AUTOSAR results shall be compliant to existing and applicable international automotive standards and state-of-the-art technologies.
Rationale:	Enable AUTOSAR to be used in todays and future systems. Support is required to ensure interoperability with existing standards. AUTOSAR results should be compliant to relevant standards and applicable state-of-the-art-technologies.
Use Case:	Support of existing and future bus systems (CAN, FlexRay, etc.). Support of relevant ISO/SAE/IEC Standards and UN-ECE.
Dependencies:	
Supporting Material:	

」()



4 References

[Glossary]	AUTOSAR Glossary, AUTOSAR_TR_Glossary.pdf
[IEEEElecEng]	The Electrical Engineering Handbook, Editor R. C. Dorf, CRC Press
[ISO 11898]	Road vehicles — Controller area network (CAN)
[ISO 14229]	Road vehicles — Unified diagnostic services (UDS)
[ISO 15765]	Road vehicles Diagnostic communication over Controller Area Network (DoCAN)
[ISO 26262]	Road vehicles — Functional safety
[ISO 27145]	Road vehicles — Implementation of WWH-OBD communication requirements
[SAE J1939]	Recommended Practice for a Serial Control and Communications Vehicle Network
[TPS_STDT]	AUTOSAR Standardization Template, AUTOSAR_TPS_StandardizationTemplate.pdf