

Document Title	Specification of Communication
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	15

Document Status	published
Part of AUTOSAR Standard	Classic Platform
Part of Standard Release	R23-11

Document Change History			
Date	Release	Changed by	Description
2023-11-23	R23-11	AUTOSAR Release Management	<ul style="list-style-type: none"> • Minor corrections / clarifications / editorial changes
2022-11-24	R22-11	AUTOSAR Release Management	<ul style="list-style-type: none"> • Removed obsolete elements • Minor corrections / clarifications / editorial changes
2021-11-25	R21-11	AUTOSAR Release Management	<ul style="list-style-type: none"> • Removed I-PDU counter and I-PDU replication • Added support for independent development of CP Software Clusters • minor corrections / clarifications / editorial changes
2020-11-30	R20-11	AUTOSAR Release Management	<ul style="list-style-type: none"> • BSW Multicore Distribution (CONC_643) • minor corrections / clarifications / editorial changes
2019-11-28	R19-11	AUTOSAR Release Management	<ul style="list-style-type: none"> • MetaData handling above RTE (CONC_650) • BSW Multicore Distribution as draft (CONC_643) • minor corrections / clarifications / editorial changes • Changed Document Status from Final to published





2018-10-31	4.4.0	AUTOSAR Release Management	<ul style="list-style-type: none"> • minor corrections / clarifications / editorial changes; For details please refer to the ChangeDocumentation
2017-12-08	4.3.1	AUTOSAR Release Management	<ul style="list-style-type: none"> • reverted I-PDU group control APIs to AUTOSAR Release 3 style • minor corrections / clarifications / editorial changes; For details please refer to the ChangeDocumentation
2016-11-30	4.3.0	AUTOSAR Release Management	<ul style="list-style-type: none"> • updated TX-confirmation handling • revised Signal Based Gateway • Com-Stack API harmonization • minor corrections / clarifications / editorial changes; For details please refer to the ChangeDocumentation
2015-07-31	4.2.2	AUTOSAR Release Management	<ul style="list-style-type: none"> • minor corrections / clarifications / editorial changes; For details please refer to the ChangeDocumentation
2014-10-31	4.2.1	AUTOSAR Release Management	<ul style="list-style-type: none"> • added support for Sender/ Receiver Serialization • updated to support CAN FD • minor corrections
2014-03-31	4.1.3	AUTOSAR Release Management	<ul style="list-style-type: none"> • Several correction, clarifications and editorial changes • No major functional changes or improvements
2013-10-31	4.1.2	AUTOSAR Release Management	<ul style="list-style-type: none"> • Removed TP-restriction for dynamic length I-PDUs • Added parameter to globally enable or disable the cancellation support • Many bug fixes, clarifications and harmonization with the other COM Stack modules • Editorial changes • Removed chapter(s) on change documentation





2013-03-15	4.1.1	AUTOSAR Administration	<ul style="list-style-type: none"> • Reworked according to the new SWS BSW General • added support for postbuild loadable configuration • harmonization of COM-Stack APIs (TP-APIs & callouts) • many corrections and clarifications
2011-12-22	4.0.3	AUTOSAR Administration	<ul style="list-style-type: none"> • Several minor changes and bugfixes • Clarification and minor extensions of transmission mode usage and activation • Clarification and extension of transfer properties • Added retry mechanism for failed transmission requests
2010-09-30	3.1.5	AUTOSAR Administration	<ul style="list-style-type: none"> • corrections / clarifications / editorial changes; For details please refer to the ChangeDocumentation
2010-02-02	3.1.4	AUTOSAR Administration	<ul style="list-style-type: none"> • Added support for large data types • Added support for communication protection • Revised mode management interface • Many clarifications and corrections based on SWS improvement, validation and conformance test activities • Legal disclaimer revised
2008-08-13	3.1.1	AUTOSAR Administration	<ul style="list-style-type: none"> • Legal disclaimer revised
2008-02-01	3.0.2	AUTOSAR Administration	<ul style="list-style-type: none"> • Removed Figure 19, which was included twice



△

2007-12-21	3.0.1	AUTOSAR Administration	<ul style="list-style-type: none"> • Removal of Internal Communication feature • Revision of AUTOSAR COM MODULE configuration • Revision of Signal Gateway configuration • Enhanced maximal I-PDU length for FlexRay • Harmonization of callback-interface to RTE • Clarifications and bug fixes • Document meta information extended • Small layout adaptations made
2007-01-24	2.1.15	AUTOSAR Administration	<ul style="list-style-type: none"> • Clarifications of requirements throughout the whole document. Chapter 11 contains a detailed list of the made modifications. No new major features were added since release 2.0. • "Advice for users" revised • "Revision Information" added • Legal disclaimer revised
2006-05-16	2.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Document structure adapted to common Release 2.0 SWS Template. • Integration of signal gateway • Major updates in configuration, error handling, filtering, transmission mode switches, callouts, updatebits, deadline monitoring and initialization
2005-05-31	1.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Initial release

Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

Contents

1	Introduction and functional overview	11
2	Acronyms, Abbreviations, and Definitions	12
2.1	Acronyms and Abbreviations	12
2.2	Definitions	13
3	Related documentation	14
3.1	Input documents & related standards and norms	14
3.2	Related specification	15
4	Constraints and assumptions	16
4.1	Limitations	16
4.2	Applicability to car domains	16
5	Dependencies to other modules	17
5.1	PDU Router	17
5.2	Com Users	18
5.2.1	Runtime Environment (RTE)	18
5.2.2	SwCluC	18
6	Requirements Tracing	19
7	Functional specification	25
7.1	Introduction	25
7.2	General Functionality	25
7.2.1	AUTOSAR COM basis	25
7.2.2	Signal Values	26
7.2.3	Endianness Conversion and Sign Extension	27
7.2.4	Filtering	28
7.2.5	Signal Gateway	31
7.3	Normal Operation	32
7.3.1	Start-Up Behavior	32
7.3.1.1	Preconditions	32
7.3.1.2	Initialization	32
7.3.1.3	Initialization of Not Used Areas of an I-PDU	32
7.3.1.4	Initialization of Signals and Update-Bits	33
7.3.1.5	Initialization of I-PDU Groups	33
7.3.2	De-Initialization	33
7.3.3	Communication Modes	33
7.3.3.1	Transfer Properties and I-PDU Transmission Mode	34
7.3.3.2	Selection of the Transmission Mode for one specific I-PDU	36
7.3.3.3	Signal Flow and Transmission Mode Selection	38
7.3.3.4	Replication of Signal Transmission Requests	40
7.3.3.5	Retry Failed Transmission Requests	41

7.3.4	Signal Invalidation	42
7.3.4.1	Transmission of an Invalidated Signal	42
7.3.4.2	Reception of an Invalidated Signal	42
7.3.5	Handling of I-PDUs	43
7.3.5.1	I-PDU Group Definitions	43
7.3.5.2	Starting of I-PDU Groups	44
7.3.5.3	Stopping of I-PDU Groups	46
7.3.5.4	Signal Indication (Unpacking of I-PDUs)	47
7.3.5.5	Minimum Delay Timer (MDT)	49
7.3.6	Deadline Monitoring	50
7.3.6.1	Reception Deadline Monitoring	50
7.3.6.2	Transmission Deadline Monitoring	53
7.3.7	Notification handling	55
7.4	Signal Groups - Complex Data Types	55
7.4.1	Initialization	56
7.4.2	Transmission	56
7.4.3	Reception	57
7.4.4	Notifications	57
7.4.5	Attributes of a Signal Group	57
7.4.6	UINT8-array based access to signal groups	58
7.4.6.1	Basic functionality	59
7.4.6.2	Initialization	60
7.4.6.3	Transmission	60
7.4.6.4	Reception	60
7.5	Large Data Types	60
7.5.1	Transmission of Large Signals / I-PDUs	61
7.5.2	Reception of Large Signals / I-PDUs	62
7.6	Dynamic Length Signals	62
7.6.1	Transmission of Dynamic Length Signals / I-PDUs	63
7.6.2	Reception of Dynamic Length Signals / I-PDUs	64
7.7	MetaData Handling	64
7.8	Interface between AUTOSAR COM Module and the PDU Router	64
7.9	Update-Bits	65
7.9.1	Sender Side	66
7.9.2	Receiver Side	67
7.10	Signal Gateway	67
7.10.1	Dealing with Signals	68
7.10.2	Dealing with Group Signals	68
7.10.3	Routing of Out-Timed Signals and Signal Groups	69
7.10.4	Handling of Update-Bits	69
7.10.5	Decoupling Signal Gateway	70
7.11	Error Classification	71
7.11.1	Development Errors	71
7.11.2	Runtime Errors	71
7.11.3	Transient Faults	71
7.11.4	Production Errors	72

7.11.5	Extended Production Errors	72
7.12	AUTOSAR COM Module's Interaction Model	72
7.13	Multicore Distribution	75
7.14	Software Cluster Connection Layer (SwCluC)	76
7.15	Security Events	78
8	API specification	79
8.1	Imported types	79
8.2	Type definitions	79
8.2.1	Com_StatusType	79
8.2.2	Com_SignalIdType	80
8.2.3	Com_SignalGroupIdType	80
8.2.4	Com_IpduGroupIdType	80
8.2.5	Com_ConfigType	81
8.3	Function definitions	81
8.3.1	Return Codes	81
8.3.2	Start-Up and Control Services	82
8.3.2.1	Com_Init	82
8.3.2.2	Com_Delnit	83
8.3.2.3	Com_IpduGroupStart	83
8.3.2.4	Com_IpduGroupStop	84
8.3.2.5	Com_EnableReceptionDM	84
8.3.2.6	Com_DisableReceptionDM	85
8.3.2.7	Com_GetStatus	85
8.3.2.8	Com_GetVersionInfo	86
8.3.3	Communication Services	86
8.3.3.1	Com_SendSignal	86
8.3.3.2	Com_SendDynSignal	87
8.3.3.3	Com_ReceiveSignal	88
8.3.3.4	Com_ReceiveDynSignal	89
8.3.3.5	Com_SendSignalGroup	89
8.3.3.6	Com_ReceiveSignalGroup	90
8.3.3.7	Com_SendSignalGroupArray	91
8.3.3.8	Com_ReceiveSignalGroupArray	92
8.3.3.9	Com_ReceiveSignalWithMetaData	93
8.3.3.10	Com_ReceiveDynSignalWithMetaData	93
8.3.3.11	Com_ReceiveSignalGroupWithMetaData	94
8.3.3.12	Com_ReceiveSignalGroupArrayWithMetaData	95
8.3.3.13	Com_SendSignalWithMetaData	95
8.3.3.14	Com_SendDynSignalWithMetaData	96
8.3.3.15	Com_SendSignalGroupWithMetaData	97
8.3.3.16	Com_SendSignalGroupArrayWithMetaData	97
8.3.3.17	Com_InvalidateSignal	98
8.3.3.18	Com_InvalidateSignalGroup	99
8.3.3.19	Com_TriggerIPDUSend	99
8.3.3.20	Com_TriggerIPDUSendWithMetaData	100

8.3.3.21	Com_SwitchIpduTxMode	101
8.4	Callback Functions and Notifications	102
8.4.1	Com_TriggerTransmit	102
8.4.2	Com_RxIndication	103
8.4.3	Com_TpRxIndication	104
8.4.4	Com_TxConfirmation	105
8.4.5	Com_TpTxConfirmation	105
8.4.6	Com_StartOfReception	106
8.4.7	Com_CopyRxData	107
8.4.8	Com_CopyTxData	108
8.5	Scheduled functions	109
8.5.1	Com_MainFunctionRx	109
8.5.2	Com_MainFunctionTx	109
8.5.3	Com_MainFunctionRouteSignals	110
8.6	Expected interfaces	111
8.6.1	Mandatory interfaces	111
8.6.2	Optional interfaces	111
8.6.3	Configurable interfaces	112
8.6.3.1	Callback / Notification Functions	112
8.6.3.2	I-PDU Callout Functions	116
9	Sequence diagrams	119
9.1	Interface between the AUTOSAR COM Module and the PDU Router	119
9.2	Confirmation Handling between the PDU Router, the AUTOSAR COM Module and the RTE	120
9.3	Indication Handling between the PDU Router, the AUTOSAR COM Module and the RTE	121
10	Configuration specification	122
10.1	How to read this chapter	122
10.2	Containers and configuration parameters	122
10.2.1	Configuration of the AUTOSAR COM Module	122
10.2.2	Com	124
10.2.3	ComGeneral	125
10.2.4	ComConfig	129
10.2.5	ComMainFunctionRx	130
10.2.6	ComMainFunctionTx	131
10.2.7	ComMainFunctionRouteSignals	133
10.2.8	ComFilter	135
10.2.9	ComIPdu	139
10.2.10	ComTxIPdu	146
10.2.11	ComMetaDataDefaultItem	147
10.2.12	ComIPduGroup	149
10.2.13	ComSignal	151
10.2.14	ComSignalGroup	161
10.2.15	ComGroupSignal	167
10.2.16	ComTxMode	173

10.2.17	ComTxModeTrue	176
10.2.18	ComTxModeFalse	176
10.2.19	ComGwMapping	177
10.2.20	ComGwSource	178
10.2.21	ComGwSourceDescription	178
10.2.22	ComGwDestination	182
10.2.23	ComGwDestinationDescription	182
10.2.24	ComGwSignal	185
10.2.25	ComUserModule	186
10.2.26	ComUserUriDefSet	186
10.2.27	ComUserModuleCnf	187
10.2.28	ComUserSignal	188
10.2.29	ComUserSignalGroup	189
10.2.30	ComUserCallback	191
10.3	Configuration Rules	192
10.3.1	General Rules	192
10.3.2	Signal Configuration	193
10.3.3	Signal Group Configuration	194
10.3.4	Transmission Mode Configuration	195
10.3.5	Signal Gateway Configuration	195
10.3.6	Filter Configuration	195
10.3.7	Post Build Configuration	195
10.3.8	Dynamic Length I-PDU Configuration	196
10.3.9	Meta Data Configuration	196
10.3.10	I-PDU Group Configuration	196
10.3.11	Configuration of Com Users	196
10.3.11.1	ECUC Partition Specific Com User	198
10.3.11.2	ECUC Partition Unspecific Com User	198
10.3.11.3	Relation to SwCluC Com Proxy	199
10.4	Published Information	199
A	Not applicable requirements	200
B	Appendix	201
B.1	Use Case 1	201
B.2	Use Case 2	202
B.3	Use Case 3	203
B.4	Use Case 4	204
B.5	Use Case 5	206
B.6	Use Case 6	207
B.7	Use Case 7	208

1 Introduction and functional overview

This specification is the AUTOSAR COM module Software Specification. It is based on the AUTOSAR COM SRS [1]. It specifies how the requirements of the AUTOSAR COM SRS shall be realized. That means that the functionality and the API of the AUTOSAR COM module are described in this document.

Within the AUTOSAR Layered Architecture the AUTOSAR COM module is placed between its users (e.g. RTE, SwCluC) and the PDU Router, see [2].

The AUTOSAR COM module is derived from [3]. For details, see Chapter 7.2.1. The AUTOSAR COM module provides signal gateway functionality. For details, see Chapter 7.2.5.

Main Features:

- Provision of signal oriented data interface for the users (e.g. RTE, SwCluC)
- Packing of AUTOSAR signals to I-PDUs to be transmitted
- Unpacking of received I-PDUs and provision of received signals to the users (e.g. RTE, SwCluC)
- Routing of signals from received I-PDUs into I-PDUs to become transmitted
- Routing of signal groups from received I-PDUs into I-PDUs to become transmitted
- Communication transmission control (start / stop of I-PDU groups)
- Replications of send requests
- Guarantee of minimum distances between transmit I-PDUs
- Monitoring of receive signals (signals timeout)
- Filter mechanisms for incoming signals
- Different notification mechanisms
- Provision of init values and update indications
- Byte order conversion
- Sign extension
- Support of two different transmission modes per I-PDU
- Signal based gateway
- Support of large and dynamic length data types

2 Acronyms, Abbreviations, and Definitions

2.1 Acronyms and Abbreviations

The glossary below includes acronyms and abbreviations relevant to the COM module that are not included in the [4, AUTOSAR glossary].

Acronym	Description
AUTOSAR COM	The AUTOSAR COM module is derived from [3]. For details, see Chapter 7.2.1.
DM	Deadline Monitoring, for details see Chapter 7.3.6
I-PDU	Interaction Layer Protocol Data Unit. An I-PDU carries signals, it is defined in [3].
L-PDU	Data Link Layer Protocol Data Unit. In AUTOSAR, the Data Link Layer is equivalent to the Communication Hardware Abstraction and Microcontroller Abstraction Layer.
MDT	A detailed description of the Minimum Delay Timer (MDT) can be found in [3]. See also Chapter 7.3.5.5.
PDU Router	The PDU Router is a module transferring I-PDUs from one module to another module. The PDU Router can be utilized for gateway operations and for internal routing purposes.
SDU	Service Data Unit. For a description see [2] Chapter 4.
TM	Transmission Mode
TMC	Transmission Mode Condition, see Chapter 7.3.3.2
TMS	Transmission Mode Selector, see Chapter 7.3.3.2

Table 2.1: Acronyms used in the scope of this Document

2.2 Definitions

Term	Description
Confirmation	With a Confirmation, the PDU Router reports that a request by the AUTOSAR COM module has been completed successfully. It is a reaction to a request of COM. E.g. when a PDU has been successfully transmitted.
Data Invalid Value	Value sent by the AUTOSAR COM module to indicate that the sender side AUTOSAR Software Component is not able to provide a valid value.
Dynamic Length Signal	A dynamic length signal is a signal which length can vary at run-time.
Dynamic Length I-PDU	A dynamic length I-PDU is an I-PDU containing a dynamic length signal. Its length varies depending on the length of the included dynamic length signal.
Group signal	A group signal is a signal that is contained in a signal group.
Indication	An Indication is asynchronous information from PDU Router to COM, e.g. to acknowledge that something has been received.
Init Value	I-PDUs and signals are set to the Init Value by the AUTOSAR COM module after start-up. This value is used until it is overwritten.
I-PDU group	An I-PDU Group is an arbitrary collection of I-PDUs of the same direction (i.e. send or receive) in the COM module.
Inter-ECU -communication	Communication between two or more ECUs for example via a CAN network.
Intra-ECU -communication	Communication between Software components that reside on the same ECU.
Large Signal	A large signal is a signal that is too large to fit into a single L-PDU of the underlying communication protocol.
Large I-PDU	<p>Large I-PDUs are I-Signal-I-PDUs which do not fit into a single L-PDU of the underlying communication protocol. Large I-PDUs will be handled like other I-PDUs by COM, but are transmitted / received via the TP API.</p> <p>Please note that large I-PDUs can also be handled in a more efficient way by LargeDataCOM if they contain just one signal, or if the signals can be (de-)serialized by the RTE. But if the signals have to be treated separately or have to be routed, the large I-PDUs have to be handled by COM.</p>
Message	[3] uses always the synonym <i>message</i> . In AUTOSAR, <i>message</i> is replaced by <i>signal</i> but with the same meaning.
Metadata	For some I-PDUs, e.g. J1939 I-PDUs, the payload is extended with additional metadata containing for example the CAN-ID.
Notification	Information by the AUTOSAR COM module to its users (e.g. RTE, SwCluC), e.g. when new data is available, an error occurred.
Signal	A signal in the AUTOSAR COM module's context is equal to a message in [3]; see also [1].
Signal group	<p>In AUTOSAR, so called complex data types are used. Inside a complex data type, there are one or more data elements (primitive data types), like in a C struct. The data consistency of such complex data types must be ensured.</p> <p>The user (e.g. RTE or SwCluC) decomposes the complex data type in single signals and sends them to the AUTOSAR COM module. As these signals altogether need to be treated consistently, they are called <i>signal group</i>.</p> <p>See also [1].</p>
Update-bit	A mechanism supported by the AUTOSAR COM module with that the receiver of a signal / signal group could identify whether the sender has updated the data in this signal / signal group before sending. See Chapter 7.9.

Table 2.2: Terms used in the scope of this Document

3 Related documentation

3.1 Input documents & related standards and norms

- [1] Requirements on Communication
AUTOSAR_CP_SRS_COM
- [2] Layered Software Architecture
AUTOSAR_CP_EXP_LayeredSoftwareArchitecture
- [3] ISO 17356-4:Road vehicles – Open interface for embedded automotive applications – Part 4:OSEK/VDX Communication (COM)
- [4] Glossary
AUTOSAR_FO_TR_Glossary
- [5] General Specification of Basic Software Modules
AUTOSAR_CP_SWS_BSWGeneral
- [6] Specification of PDU Router
AUTOSAR_CP_SWS_PDURouter
- [7] Specification of RTE Software
AUTOSAR_CP_SWS_RTE
- [8] Specification of Software Cluster Connection module
AUTOSAR_CP_SWS_SoftwareClusterConnection
- [9] General Requirements on Basic Software Modules
AUTOSAR_CP_SRS_BSWGeneral
- [10] Requirements on Gateway
AUTOSAR_CP_SRS_Gateway
- [11] System Template
AUTOSAR_CP_TPS_SystemTemplate
- [12] ISO 11898-1:2015 – Road vehicles – Controller area network (CAN)
- [13] Specification of CAN Transport Layer
AUTOSAR_CP_SWS_CANTransportLayer
- [14] Specification of FlexRay ISO Transport Layer
AUTOSAR_CP_SWS_FlexRayISOTransportLayer
- [15] Specification of Standard Types
AUTOSAR_CP_SWS_StandardTypes
- [16] ISO 17356-6:Road vehicles – Open interface for embedded automotive applications – Part 6:OSEK/VDX Implementation Language (OIL)
- [17] Generic Structure Template
AUTOSAR_FO_TPS_GenericStructureTemplate

[18] Specification of ECU Configuration
AUTOSAR_CP_TPS_ECUConfiguration

3.2 Related specification

AUTOSAR provides a General Specification on Basic Software modules [5, SWS BSW General], which is also valid for COM.

Thus, the specification SWS BSW General shall be considered as additional and required specification for COM.

4 Constraints and assumptions

4.1 Limitations

The AUTOSAR COM module is based on [3]. Nevertheless not all features of [3] are included and some features are different. See [[SWS_Com_00013](#)] for a list of not included features.

4.2 Applicability to car domains

No restrictions.

5 Dependencies to other modules

This chapter lists all the features from other modules that are used by the AUTOSAR COM module and functionalities that are provided by the AUTOSAR COM module to other modules. For the placement of the AUTOSAR COM module in the communication stack, see Figure 5.1.




Figure 5.1: AUTOSAR COM module's context view

5.1 PDU Router

The AUTOSAR COM module uses the union of both sets of PDU Router's upper layer module APIs. That is the APIs for upper layer modules that uses TP and the APIs for upper layer modules that do not use TP. This is necessary since the AUTOSAR COM module transports I-PDUs either unfragmented via simple L-PDUs or fragmented via TP.

The following summarizes the functionality of the AUTOSAR COM module needs from the underlying layer PDU Router:

- Indication of incoming I-PDUs
- Sending interface for outgoing I-PDUs including the confirmation if an I-PDU has been sent by the communication controller
- Trigger interface to enable the PDU Router to cause a transmission from the AUTOSAR COM module
- Buffer handling for TP communication

Chapter [7.5](#) and Chapter [9.1](#) include a detailed description of the interfaces to the PDU Router. For further information, see [\[6\]](#).

5.2 Com Users

5.2.1 Runtime Environment (RTE)

The RTE uses the capabilities of the AUTOSAR COM module to send and receive signals. In AUTOSAR, the RTE is the higher layer above the AUTOSAR COM module. For further information, see [\[7\]](#).

5.2.2 SwCluC

SwCluC establishes inter-Software Cluster connection for exchanging (both providing and consuming) signals and signal groups. The Com users in Application Software Clusters can access the signals and signal groups via the SwCluC Com High Proxy. In the Host Software Cluster the SwCluC Com Low Proxy has the interface to the COM module.

Hence, the SwCluC Com Low Proxy provides callbacks for Signal- and Signal Group reception and transmission. It can also invoke the COM APIS for Signal reception and transmission. The existence of the SwCluC callbacks is configuration dependent. For further information, see [\[8\]](#).

6 Requirements Tracing

The following tables reference the requirements specified in [9], [1], and [10] and links to the fulfillment of these. Requirements that are not fulfilled by this document are linked to [SWS_Com_NA_00999].

Requirement	Description	Satisfied by
[SRS_BSW_00003]	All software modules shall provide version and identification information	[SWS_Com_00426]
[SRS_BSW_00101]	The Basic Software Module shall be able to initialize variables and hardware in a separate initialization function	[SWS_Com_00015] [SWS_Com_00059] [SWS_Com_00098] [SWS_Com_00117] [SWS_Com_00128] [SWS_Com_00217] [SWS_Com_00432] [SWS_Com_00484] [SWS_Com_00850]
[SRS_BSW_00167]	All AUTOSAR Basic Software Modules shall provide configuration rules and constraints to enable plausibility checks	[SWS_Com_00497]
[SRS_BSW_00301]	All AUTOSAR Basic Software Modules shall only import the necessary information	[SWS_Com_00609]
[SRS_BSW_00312]	Shared code shall be reentrant	[SWS_Com_00321]
[SRS_BSW_00327]	Error values naming convention	[SWS_Com_00442]
[SRS_BSW_00331]	All Basic Software Modules shall strictly separate error and status information	[SWS_Com_00194]
[SRS_BSW_00335]	Status values naming convention	[SWS_Com_00819]
[SRS_BSW_00336]	Basic SW module shall be able to shutdown	[SWS_Com_00129] [SWS_Com_00130]
[SRS_BSW_00337]	Classification of development errors	[SWS_Com_91014]
[SRS_BSW_00344]	BSW Modules shall support link-time configuration	[SWS_Com_00432]
[SRS_BSW_00348]	All AUTOSAR standard types and constants shall be placed and organized in a standard type header file	[SWS_Com_00865]
[SRS_BSW_00358]	The return type of init() functions implemented by AUTOSAR Basic Software Modules shall be void	[SWS_Com_00432]
[SRS_BSW_00359]	All AUTOSAR Basic Software Modules callback functions shall avoid return types other than void if possible	[SWS_Com_91016] [SWS_Com_91017] [SWS_Com_91018] [SWS_Com_91019] [SWS_Com_91020] [SWS_Com_91021]
[SRS_BSW_00360]	AUTOSAR Basic Software Modules callback functions are allowed to have parameters	[SWS_Com_91016] [SWS_Com_91017] [SWS_Com_91018] [SWS_Com_91019] [SWS_Com_91020] [SWS_Com_91021]
[SRS_BSW_00369]	All AUTOSAR Basic Software Modules shall not return specific development error codes via the API	[SWS_Com_00442]
[SRS_BSW_00377]	A Basic Software Module can return a module specific types	[SWS_Com_00865]
[SRS_BSW_00384]	The Basic Software Module specifications shall specify at least in the description which other modules they require	[SWS_Com_00669] [SWS_Com_00670]
[SRS_BSW_00385]	List possible error notifications	[SWS_Com_00442]





Requirement	Description	Satisfied by
[SRS_BSW_00404]	BSW Modules shall support post-build configuration	[SWS_Com_00432] [SWS_Com_00825]
[SRS_BSW_00405]	BSW Modules shall support multiple configuration sets	[SWS_Com_00432]
[SRS_BSW_00407]	Each BSW module shall provide a function to read out the version information of a dedicated module implementation	[SWS_Com_00426]
[SRS_BSW_00414]	Init functions shall have a pointer to a configuration structure as single parameter	[SWS_Com_00432] [SWS_Com_91014]
[SRS_BSW_00425]	The BSW module description template shall provide means to model the defined trigger conditions of schedulable objects	[SWS_Com_00359] [SWS_Com_00398] [SWS_Com_00399] [SWS_Com_00400] [SWS_Com_00664] [SWS_Com_00665] [SWS_Com_00666]
[SRS_BSW_00432]	Modules should have separate main processing functions for read/receive and write/transmit data path	[SWS_Com_00359] [SWS_Com_00398] [SWS_Com_00399] [SWS_Com_00400] [SWS_Com_00466]
[SRS_BSW_00441]	Naming convention for type, macro and function	[SWS_Com_00820] [SWS_Com_00821] [SWS_Com_00822] [SWS_Com_00825] [SWS_Com_00865]
[SRS_BSW_00452]	Classification of runtime errors	[SWS_Com_91015]
[SRS_Com_00177]	AUTOSAR COM and LargeDataCOM shall support multiple configuration stages	[SWS_Com_00853] [SWS_Com_00856]
[SRS_Com_00192]	The AUTOSAR COM module shall support enabling and disabling reception deadline monitoring of I-PDU groups	[SWS_Com_00224] [SWS_Com_00225] [SWS_Com_00486] [SWS_Com_00534] [SWS_Com_00772] [SWS_Com_91003] [SWS_Com_91004]
[SRS_Com_00218]	The AUTOSAR COM module shall support starting and stopping multiple I-PDU groups during runtime	[SWS_Com_00114] [SWS_Com_00115] [SWS_Com_00222] [SWS_Com_00223] [SWS_Com_00228] [SWS_Com_00229] [SWS_Com_00334] [SWS_Com_00444] [SWS_Com_00479] [SWS_Com_00684] [SWS_Com_00685] [SWS_Com_00713] [SWS_Com_00714] [SWS_Com_00733] [SWS_Com_00771] [SWS_Com_00777] [SWS_Com_00782] [SWS_Com_00783] [SWS_Com_00787] [SWS_Com_00800] [SWS_Com_00822] [SWS_Com_00840] [SWS_Com_00871] [SWS_Com_00877] [SWS_Com_91001] [SWS_Com_91002]
[SRS_Com_02030]	The AUTOSAR COM module shall support to detect if a received signal or signal group was updated by the sender	[SWS_Com_00055] [SWS_Com_00059] [SWS_Com_00061] [SWS_Com_00062] [SWS_Com_00067] [SWS_Com_00117] [SWS_Com_00310] [SWS_Com_00324] [SWS_Com_00577] [SWS_Com_00578] [SWS_Com_00702] [SWS_Com_00703] [SWS_Com_00704] [SWS_Com_00705] [SWS_Com_00706] [SWS_Com_00801] [SWS_Com_00802]





Requirement	Description	Satisfied by
[SRS_Com_02037]	AUTOSAR COM module shall be based on the functionality and APIs of ISO-17356-4	[SWS_Com_00010] [SWS_Com_00011] [SWS_Com_00012] [SWS_Com_00013] [SWS_Com_00132] [SWS_Com_00138] [SWS_Com_00197] [SWS_Com_00198] [SWS_Com_00231] [SWS_Com_00273] [SWS_Com_00302] [SWS_Com_00303] [SWS_Com_00304] [SWS_Com_00325] [SWS_Com_00346] [SWS_Com_00348] [SWS_Com_00380] [SWS_Com_00381] [SWS_Com_00388] [SWS_Com_00395] [SWS_Com_00396] [SWS_Com_00439] [SWS_Com_00445] [SWS_Com_00469] [SWS_Com_00471] [SWS_Com_00481] [SWS_Com_00492] [SWS_Com_00603] [SWS_Com_00604] [SWS_Com_00624] [SWS_Com_00625] [SWS_Com_00631] [SWS_Com_00694] [SWS_Com_00695] [SWS_Com_00696] [SWS_Com_00697] [SWS_Com_00698] [SWS_Com_00700] [SWS_Com_00719] [SWS_Com_00762] [SWS_Com_00764] [SWS_Com_00766] [SWS_Com_00773] [SWS_Com_00774] [SWS_Com_00775] [SWS_Com_00776] [SWS_Com_00789] [SWS_Com_00793] [SWS_Com_00812] [SWS_Com_00816] [SWS_Com_00820] [SWS_Com_00828] [SWS_Com_00835] [SWS_Com_00836] [SWS_Com_00858] [SWS_Com_00861] [SWS_Com_00862] [SWS_Com_00866] [SWS_Com_00867] [SWS_Com_00868] [SWS_Com_00878] [SWS_Com_00879] [SWS_Com_00880]
[SRS_Com_02040]	AUTOSAR COM and LargeDataCOM shall be configured by using XML as configuration language	[SWS_Com_00006]
[SRS_Com_02041]	The AUTOSAR module shall handle complex data types as a consistent set of data	[SWS_Com_00050] [SWS_Com_00051] [SWS_Com_00200] [SWS_Com_00201] [SWS_Com_00461] [SWS_Com_00513] [SWS_Com_00635] [SWS_Com_00637] [SWS_Com_00638] [SWS_Com_00639] [SWS_Com_00676] [SWS_Com_00677] [SWS_Com_00678] [SWS_Com_00679] [SWS_Com_00821] [SWS_Com_00851] [SWS_Com_00852] [SWS_Com_00854] [SWS_Com_00855] [SWS_Com_00857] [SWS_Com_00882]
[SRS_Com_02042]	The AUTOSAR COM module shall fill unused areas/ bits within an I-PDU with a configurable value	[SWS_Com_00015]
[SRS_Com_02043]	AUTOSAR COM and LargeDataCOM shall provide a receive indication function	[SWS_Com_00123]
[SRS_Com_02044]	AUTOSAR COM and LargeDataCOM shall provide a transmit confirmation function	[SWS_Com_00124]
[SRS_Com_02045]	AUTOSAR COM and LargeDataCOM shall provide a function to request the transmit buffer data for lower layer triggered transmission	[SWS_Com_00001] [SWS_Com_00475] [SWS_Com_00647] [SWS_Com_00869] [SWS_Com_00884]





Requirement	Description	Satisfied by
[SRS_Com_02046]	The AUTOSAR COM module shall support immediate and deferred signal based notification to its users (e.g. RTE, SwCluCComProxy)	[SWS_Com_00300] [SWS_Com_00301] [SWS_Com_00574] [SWS_Com_00575] [SWS_Com_00794] [SWS_Com_00870] [SWS_Com_00883]
[SRS_Com_02058]	The AUTOSAR COM module shall support deadline monitoring for updated signals/signal groups on receiver side	[SWS_Com_00117] [SWS_Com_00290] [SWS_Com_00291] [SWS_Com_00292] [SWS_Com_00715] [SWS_Com_00716]
[SRS_Com_02067]	AUTOSAR COM and LargeDataCOM shall define rules for checking the consistency of configuration data	[SWS_Com_00102] [SWS_Com_00105] [SWS_Com_00310] [SWS_Com_00365] [SWS_Com_00373] [SWS_Com_00384] [SWS_Com_00401] [SWS_Com_00402] [SWS_Com_00443] [SWS_Com_00465] [SWS_Com_00535] [SWS_Com_00553] [SWS_Com_00732] [SWS_Com_00785] [SWS_Com_00790]
[SRS_Com_02077]	The AUTOSAR COM module shall support invalidation of signals at sender side	[SWS_Com_00099] [SWS_Com_00203] [SWS_Com_00557] [SWS_Com_00642] [SWS_Com_00643] [SWS_Com_00645]
[SRS_Com_02078]	The AUTOSAR COM module shall support endianness conversion	[SWS_Com_00007] [SWS_Com_00221] [SWS_Com_00352] [SWS_Com_00472] [SWS_Com_00580] [SWS_Com_00674] [SWS_Com_00675] [SWS_Com_00810]
[SRS_Com_02079]	The AUTOSAR COM module shall support an optional notification when receiving invalidated data	[SWS_Com_00680] [SWS_Com_00681] [SWS_Com_00682] [SWS_Com_00717] [SWS_Com_00718] [SWS_Com_00859] [SWS_Com_00860] [SWS_Com_91021]
[SRS_Com_02080]	The AUTOSAR COM module shall cancel outstanding repetitions in case of a new send request	[SWS_Com_00279]
[SRS_Com_02082]	The AUTOSAR COM module shall support defining two different transmission modes for each I-PDU	[SWS_Com_00032] [SWS_Com_00238] [SWS_Com_00239] [SWS_Com_00244] [SWS_Com_00495] [SWS_Com_00582] [SWS_Com_00784] [SWS_Com_00799] [SWS_Com_00881]
[SRS_Com_02083]	The AUTOSAR COM module shall support multiple transmission modes	[SWS_Com_00135] [SWS_Com_00305] [SWS_Com_00308] [SWS_Com_00330] [SWS_Com_00392] [SWS_Com_00467] [SWS_Com_00478] [SWS_Com_00494] [SWS_Com_00602] [SWS_Com_00734] [SWS_Com_00739] [SWS_Com_00741] [SWS_Com_00742] [SWS_Com_00743] [SWS_Com_00767] [SWS_Com_00768] [SWS_Com_00769] [SWS_Com_00770]
[SRS_Com_02084]	The AUTOSAR COM module shall support a configurable signal data based selection mechanism of the two transmission modes	[SWS_Com_00032] [SWS_Com_00245] [SWS_Com_00605] [SWS_Com_00677] [SWS_Com_00678] [SWS_Com_00679] [SWS_Com_00763] [SWS_Com_00799] [SWS_Com_00813]
[SRS_Com_02086]	The AUTOSAR COM module shall support sign-extension	[SWS_Com_00008] [SWS_Com_00352] [SWS_Com_00579] [SWS_Com_00723] [SWS_Com_00829]
[SRS_Com_02087]	The AUTOSAR COM module shall support an optional substitution of received invalidated data	[SWS_Com_00470] [SWS_Com_00500] [SWS_Com_00681] [SWS_Com_00683] [SWS_Com_00859] [SWS_Com_00860]





Requirement	Description	Satisfied by
[SRS_Com_02088]	The AUTOSAR COM module shall support substituting the last received value by the init value in case of a signal timeout	[SWS_Com_00470] [SWS_Com_00875] [SWS_Com_00876]
[SRS_Com_02089]	The AUTOSAR COM module shall provide two configurable options to handle signal timeouts	[SWS_Com_00290] [SWS_Com_00291] [SWS_Com_00292] [SWS_Com_00333] [SWS_Com_00738] [SWS_Com_00744]
[SRS_Com_02091]	AUTOSAR COM and LargeDataCOM shall not support splitting of large signals into different I-PDUs	[SWS_Com_00754] [SWS_Com_00755] [SWS_Com_00756]
[SRS_Com_02092]	The AUTOSAR COM module shall support at most one dynamic length signal per I-PDU	[SWS_Com_00690] [SWS_Com_00711] [SWS_Com_00712] [SWS_Com_00724] [SWS_Com_00754]
[SRS_Com_02093]	Dynamic length signal must be placed last in I-PDU	[SWS_Com_00755] [SWS_Com_00757] [SWS_Com_00758] [SWS_Com_00832]
[SRS_Com_02094]	Dynamic length signals must be of type UINT8n	[SWS_Com_00675] [SWS_Com_00753]
[SRS_Com_02095]	AUTOSAR COM and LargeDataCOM shall use the TP to fragment and reassemble large signals	[SWS_Com_00627] [SWS_Com_00628] [SWS_Com_00629] [SWS_Com_00630] [SWS_Com_00650] [SWS_Com_00654] [SWS_Com_00655] [SWS_Com_00657] [SWS_Com_00662] [SWS_Com_00690] [SWS_Com_00691] [SWS_Com_00692] [SWS_Com_00693] [SWS_Com_00720] [SWS_Com_00721] [SWS_Com_00725] [SWS_Com_00818] [SWS_Com_00838] [SWS_Com_00839] [SWS_Com_00863] [SWS_Com_00874]
[SRS_Com_02096]	The AUTOSAR COM module shall not support fragmentation towards its users(RTE, SwCluCComProxy)	[SWS_Com_00759] [SWS_Com_00760]
[SRS_Com_02097]	AUTOSAR COM and LargeDataCOM shall support dynamical signals with a static maximum length	[SWS_Com_00756]
[SRS_Com_02098]	The AUTOSAR COM module shall distinct normal and large signals via its configuration	[SWS_Com_00753]
[SRS_Com_02107]	The AUTOSAR COM module shall cancel transmission requests in case of expired transmissions	[SWS_Com_00708]
[SRS_Com_02112]	AUTOSAR COM shall provide a uint8-array based API for signal groups	[SWS_Com_00841] [SWS_Com_00842] [SWS_Com_00843] [SWS_Com_00844] [SWS_Com_00845] [SWS_Com_00846] [SWS_Com_00847] [SWS_Com_00848] [SWS_Com_00849] [SWS_Com_00850] [SWS_Com_00851] [SWS_Com_00852] [SWS_Com_00854] [SWS_Com_00855]
[SRS_Com_02114]	AUTOSAR COM and LargeDataCOM shall support independent development of CP Software Clusters	[SWS_Com_00892] [SWS_Com_91016] [SWS_Com_91017] [SWS_Com_91018] [SWS_Com_91019] [SWS_Com_91020] [SWS_Com_91021]
[SRS_GTW_06002]	The Routing Configuration shall be updateable at post-build time	[SWS_Com_00357] [SWS_Com_00361] [SWS_Com_00373]
[SRS_GTW_06055]	The signal gateway shall provide a mechanism to route individual signals between I-PDUs in a 1:n fashion	[SWS_Com_00377] [SWS_Com_00539] [SWS_Com_00598] [SWS_Com_00872] [SWS_Com_00873]





Requirement	Description	Satisfied by
[SRS_GTW_06056]	Signal Groups shall be routed	[SWS_Com_00361] [SWS_Com_00383] [SWS_Com_00735] [SWS_Com_00833]
[SRS_GTW_06061]	Routers shall map only signals	[SWS_Com_00360] [SWS_Com_00361] [SWS_Com_00362]
[SRS_GTW_06064]	The signal gateway shall be scalable to zero size and zero resource usage when signal routing is not required	[SWS_Com_00370]
[SRS_GTW_06089]	The timeout of a deadline monitored signal shall be ignored by the Signal Gateway	[SWS_Com_00377] [SWS_Com_00701] [SWS_Com_00872] [SWS_Com_00873]
[SRS_GTW_06098]	Signal Gateway Error shall be handled with signal routing	[SWS_Com_00442]
[SRS_GTW_06099]	Signal Gateway Error shall be handled with signal group routing	[SWS_Com_00442]

Table 6.1: RequirementsTracing

7 Functional specification

7.1 Introduction

7.2 General Functionality

7.2.1 AUTOSAR COM basis

The ISO 17356-4:2005 Road vehicles – Open interface for embedded automotive applications – Part 4: OSEK / VDX Communication (COM) is the functional basis of the AUTOSAR COM module. In this document, it is referenced as [3].

[SWS_Com_00010] [The AUTOSAR COM module shall implement all the functionality and all the APIs of [3] except the features and APIs mentioned in [SWS_Com_00013].] ([SRS_Com_02037](#))

[SWS_Com_00011] [If this AUTOSAR COM specification defines functionality in a different way compared to definitions in [3], the AUTOSAR COM module shall implement the functionality defined in this AUTOSAR COM specification.] ([SRS_Com_02037](#))

[SWS_Com_00012] [The AUTOSAR COM module shall in addition implement all those features, that are defined in this AUTOSAR COM specification and that are not part of [3].] ([SRS_Com_02037](#))

[SWS_Com_00013] [The AUTOSAR COM module may implement the following features of [3]. If they are implemented in a specific AUTOSAR COM module, the configuration shall disable them by default. This also applies for all other additional features a specific implementation may provide.] ([SRS_Com_02037](#))

Feature in [3]	Rationale	Related API in [3]
Mapping of a received network message (within an I-PDU) to more than one message data objects (1:n splitting mechanism)	not required, done by the RTE, see [7]	none
Mapping of an internal message to more than one message data objects (1:n splitting mechanism)	not required, done by the RTE, see [7]	none
Mapping an only locally send message to both an external send message object and an internal receive message object (1:n splitting mechanism)	not required, done by the RTE, see [7]	none
M:1 sending; mapping of messages from multiple senders to one and the same message object	not required, ensured by RTE, see [7]	SendMessage
Queued messages	not required, done by the RTE, see [7]	GetMessageStatus
Zero size messages	it is possible to set up communication without them functionality is partly covered by Com_TriggerTransmit	SendZeroMessage





Feature in [3]	Rationale	Related API in [3]
Notification mechanisms TASK, FLAG and EVENT	not required, done by the RTE, see [7]	none
Overlapping messages in an I-PDU	no use case, dangerous concept	none
Usage of OIL	OIL is not used to configure the AUTOSAR COM module.	none
Application modes	not needed	GetComApplicationMode
Start-up behavior	replaced by <ul style="list-style-type: none"> • Com_Init • Com_DeInit • Com_IpduGroupStart • Com_IpduGroupStop 	StartCOM, StopCOM, StartCOMExtensions, InitMessage
Start and stop of periodic messages	no use case, is realized by I-PDU group mechanism	StartPeriodic, StopPeriodic
Reentrancy	Not all of the AUTOSAR API calls are reentrant. See Chapter 8.3.	See Chapter 8.3.
Interface to indirect NM	not needed	I_MessageTransfer, I_MessageTimeOut
Sender side filtering	no use case, the filter conditions are still used in the selection of the transmission mode but there is no signal filtering	none
Network-order message callout CPU-order message callout	Only I-PDU callouts with a defined AUTOSAR interface are supported by the AUTOSAR COM module. This is to avoid proprietary solutions.	none
Error hook routine	The AUTOSAR COM module defines an own interface for error reporting instead of using error hooks	COMErrorHook COMError_Name1_Name2 macros COMErrorGetServiceId
Interface for callback routines	The signatures for the used callback function of the AUTOSAR COM module will be explicitly defined within the AUTOSAR COM module's specification.	COMCallback
Internal communication	not required, ensured by RTE, see [7]	SendMessage, ReceiveMessage

Table 7.1: Excluded features of [3] in the AUTOSAR COM module

7.2.2 Signal Values

The signals sent by the AUTOSAR COM module respectively received by the AUTOSAR COM module could have the values defined in Table 7.2.

Signal value	Remark
init value	See Chapter 7.3.1.4 for details.
data invalid value	See Chapter 7.3.4 for details.
<value>	This is the normal case: A valid value after initialization phase, which is sent by the AUTOSAR COM module respectively, received by AUTOSAR COM module.

Table 7.2: Possible signal values

7.2.3 Endianness Conversion and Sign Extension

[SWS_Com_00675] [The AUTOSAR COM module shall support the following data types:

- boolean
- uint8
- uint16
- uint32
- uint64
- sint8
- sint16
- sint32
- sint64
- uint8[n]
- float32
- float64

The type uint8[n] is mapped to either `ComSignalType` UINT8_N or UINT8_DYN.] ([SRS_Com_02078](#), [SRS_Com_02094](#))

[SWS_Com_00007] [The AUTOSAR COM module shall support endianness conversion for all supported signed and unsigned integer data types (see [\[SWS_Com_00675\]](#)).] ([SRS_Com_02078](#))

[SWS_Com_00810] [The AUTOSAR COM module shall treat non-integer data types (e.g. uint8[n] or float32) either like integer data types of the matching size or leave their contents uninterpreted in case their `ComSignalEndianness` is configured to OPAQUE.] ([SRS_Com_02078](#))

[SWS_Com_00472] [The AUTOSAR COM module shall interpret opaque data as uint8[n] and shall always map it to an n-bytes sized signal.] ([SRS_Com_02078](#))

For opaque data endianness, conversion has to be configured to OPAQUE (see `ComSignalEndianness`).

[SWS_Com_00674] [The AUTOSAR COM module shall extend the endianness conversion defined in Chapter 2.4 of [\[3\]](#) to signed data types.] ([SRS_Com_02078](#))

Chapter 2.4 of [\[3\]](#) defines the endianness conversion for unsigned data types. The associated configurations can be found in Chapter 10. See also `ComSignalType` and `ComSignalEndianness`.

[SWS_Com_00829] [The AUTOSAR COM module shall extend the endianness conversion defined in Chapter 2.4 of [3] to signals of signal groups.] ([SRS_Com_02086](#))

AUTOSAR COM handles signals and group signals equally with respect to endianness conversion.

[SWS_Com_00008] [The AUTOSAR COM module shall extend received data to the size of the `ComSignalType` of the receive signal (sign extension).] ([SRS_Com_02086](#))

The platform specific representation of signed data has to be taken into account. Negative values of signed data will be mapped correctly.

Example: A 10-Bit signed signal is received and copied by `Com_ReceiveSignal` to a 16-Bit signed integer variable. If $(-3)_{\text{decimal}}$ is received, the received 10-Bit signal has a value of 1111111101b. While copying it to the 16-Bit integer variable the value will be extended to 1111111111111101b.

[SWS_Com_00723] [The AUTOSAR COM module shall extend the init value (`ComSignalInitValue`) of a signal to the size of its `ComSignalType`.] ([SRS_Com_02086](#))

Note that the AUTOSAR COM module will not need to perform sign extensions on sender side as it is guaranteed that the values to be transmitted will always be sign-extended. See also [[SWS_Com_00785](#)].

[SWS_Com_00579] [The AUTOSAR COM module shall not support sign extension for float32 and float64 data types.] ([SRS_Com_02086](#))

[SWS_Com_00221] [The AUTOSAR COM module shall perform endianness conversion before the I-PDU callout on sender side.] ([SRS_Com_02078](#))

For an overview, see Chapter [7.12](#).

[SWS_Com_00352] [The AUTOSAR COM module shall perform sign extensions and endianness conversion before performing filtering and notification detection on receiver side.] ([SRS_Com_02078](#), [SRS_Com_02086](#))

[SWS_Com_00580] [Beside endianness conversion, the AUTOSAR COM module shall not support further conversions for signals with `ComSignalType` FLOAT32 or FLOAT64. That is endianness conversion shall be supported but complex conversion or normalizations of fractions, exponents, signs or bias values shall not be supported.] ([SRS_Com_02078](#))

7.2.4 Filtering

[SWS_Com_00694] [The AUTOSAR COM module shall evaluate each filtering condition to either true or false.] ([SRS_Com_02037](#))

[SWS_Com_00695] [The AUTOSAR COM module shall filter out signals only at receiver side.] ([SRS_Com_02037](#))

[SWS_Com_00602] [The AUTOSAR COM module shall use filtering mechanisms on sender side for Transmission Mode Conditions (TMC) but it shall not filter out signals on sender side.] ([SRS_Com_02083](#))

For Transmission Mode Selection (TMS) see Chapters [7.3.3.2](#) and [7.3.3.3](#).

The AUTOSAR COM module only provides the following [ComFilterAlgorithm](#) of that which are defined in [\[3\]](#):

- ALWAYS
- NEVER
- MASKED_NEW_EQUALS_X
- MASKED_NEW_DIFFERS_X
- MASKED_NEW_DIFFERS_MASKED_OLD
- NEW_IS_WITHIN
- NEW_IS_OUTSIDE
- ONE EVERY_N

To reduce complexity the AUTOSAR COM module does not support all filters defined in [\[3\]](#). The not supported filters are either obsolete or special cases of other filters. For example, the filter NEW_IS_DIFFERENT is a special case of MASKED_NEW_DIFFERS_MASKED_OLD with a fully set mask.

[SWS_Com_00325] [The AUTOSAR COM module shall support all filter mechanisms listed in [ComFilterAlgorithm](#), considering the exceptions defined in [\[SWS_Com_00380\]](#) and [\[SWS_Com_00439\]](#).] ([SRS_Com_02037](#))

[SWS_Com_00380] [For signals with [ComSignalType](#) FLOAT32, FLOAT64, UINT8_N or UINT8_DYN, the AUTOSAR COM module shall only support [ComFilterAlgorithm](#) configured to ALWAYS, NEVER or ONE EVERY_N.] ([SRS_Com_02037](#))

[SWS_Com_00439] [For signals with [ComSignalType](#) configured to BOOLEAN, the AUTOSAR COM module shall only support [ComFilterAlgorithm](#) configured to:

- ALWAYS
- NEVER
- MASKED_NEW_EQUALS_X
- MASKED_NEW_DIFFERS_X
- MASKED_NEW_DIFFERS_MASKED_OLD
- ONE EVERY_N

] ([SRS_Com_02037](#))

[SWS_Com_00764] [For signals and group signals with `ComBitSize` configured to 0, the AUTOSAR COM module shall not support the filter algorithm `MASKED_NEW_DIFFERS_MASKED_OLD`.] ([SRS_Com_02037](#))

[SWS_Com_00866] [In case the configured filter condition is `MASKED_NEW_DIFFERS_X`, `MASKED_NEW_EQUALS_X`, `NEW_IS_OUTSIDE` or `NEW_IS_WITHIN`, the AUTOSAR COM module shall calculate the reception filter by using only the least significant `ComBitSize` bits of the filter parameters.] ([SRS_Com_02037](#))

[SWS_Com_00273] [If the AUTOSAR COM module filters out a signal on receiver side, i.e. filter condition evaluates to false, the AUTOSAR COM module shall discard that signal and shall not process it. See also [\[SWS_Com_00303\]](#).] ([SRS_Com_02037](#))

[SWS_Com_00836] [If the AUTOSAR COM module filters out a group signal on receiver side, i.e. filter condition evaluates to false, the AUTOSAR COM module shall discard the whole signal group and shall not process it.] ([SRS_Com_02037](#))

[SWS_Com_00132] [The AUTOSAR COM module shall support the filtering mechanisms as defined in `ComFilterAlgorithm` also for signed data types.] ([SRS_Com_02037](#))

In the case a filter is evaluated before a send-API has written the corresponding signal, there needs to be a way to determine the filter state of this signal. Some of the filters require a `new_value` to evaluate the filter. However, this is only available after the signal has been updated using a send-API. Therefore, it is necessary to define the value used by the filter for `new_value` in the period before the first send takes place.

[SWS_Com_00603] [The AUTOSAR COM module shall set the `old_value` of the filtering mechanisms for each signal to the `ComSignalInitValue` during start-up. See also [\[3\]](#).] ([SRS_Com_02037](#))

[SWS_Com_00604] [Until the application has not updated the `new_value` of the filtering mechanisms for a signal, the AUTOSAR COM module shall use the `ComSignalInitValue` as the `new_value` for that signal.] ([SRS_Com_02037](#))

The next two requirements clarify the definitions of [\[3\]](#) according to the update of the `old_value` of filters.

[SWS_Com_00302] [If the AUTOSAR COM module evaluates a filter for a signal to true, (value is not filtered out) then the AUTOSAR COM module shall place the value of that signal into `old_value` (as defined in [\[3\]](#)).] ([SRS_Com_02037](#))

[SWS_Com_00303] [When a value is being filtered, if the filter does not allow the passage of the value (i.e. the filter evaluates to false) then the AUTOSAR COM module shall not place that value into `old_value` (as defined in [\[3\]](#)).] ([SRS_Com_02037](#))

[SWS_Com_00231] [In the case of `ComFilterAlgorithm` is configured to `ONE EVERY_N`, the AUTOSAR COM module shall

- set `OCCURRENCE` to zero when `OCCURRENCE == PERIOD`
- set `FILTER` to true, when `OCCURRENCE == OFFSET`

- increment OCCURRENCE after filter processing

]([SRS_Com_02037](#))

For definition of OCCURRENCE, FILTER, OFFSET and PERIOD see [3].

Configuring `ComFilterAlgorithm` to `ONE EVERY N` for a signal has the effect that the signal is passed by the filter (i.e. the filter returns true) once every PERIOD calls of the filter. If the OFFSET parameter is zero then the first time the filter is used the signal is allowed to pass (i.e. filter returns true). If the OFFSET is greater than zero then more than one signal must pass through the filter before it returns true.

In case the I-PDU is started by `ComIpduGroupStart` with parameter `initialize` set to true, the OCCURRENCE is also set to zero, see [[SWS_Com_00787](#)].

This definition exists to clarify the description of the `ONE EVERY N` filter in [3].

The associated configuration items can be found in Chapter 10, see `ComFilter`.

[SWS_Com_00793] [For a signal with a configured reception filter `MASKED_NEW_DIFFERS_MASKED_OLD`, the AUTOSAR COM module shall treat the first value received for this signal after a reception deadline monitoring timeout occurred for this signal the same way as if the value has passed the filter criteria.]([SRS_Com_02037](#))

Hence, the AUTOSAR COM module will let pass any value for the filter `MASKED_NEW_DIFFERS_MASKED_OLD` after an RX deadline timeout for the associated I-PDU.

7.2.5 Signal Gateway

The AUTOSAR COM module provides an integrated Signal Gateway for forwarding signals and group signals in a 1:n manner.

The routing relations are be statically configured via the `ComGwMapping` configuration container.

As shown in Figure 7.3 and Figure 7.4, the integrated Signal Gateway acts as a receiver for all signals or group signals which are configured as a source for gatewayed signals.

After the Signal Gateway received signal or group signals for routing, it acts immediately as a sender for these signals or group signals respectively. This is shown in Figure 7.2 and Figure 7.4. The signal processing does not differ if the integrated Signal Gateway forwards a signal / group signal or if a Software Component sends it.

Since the gateway relations are statically configured, an optimized Signal Gateway might skip some processing stages for concrete configurations. For example, the endianness conversion is not necessary in certain cases. Of course, such optimizations should not lead to any different logical behavior or different representations on the target bus. Optimizations may only be introduced to increase the Signal Gateway's performance.

As shown in Figure 7.3 a received signal or group signal might be received on the local ECU and be a source for a gateway action at the same time.

Figure 7.2 and Figure 7.3 show shadow buffers only for group signals that are received by the RTE. The integrated Signal Gateway has of course to ensure to handle group signals consistently but there is no predetermined way in which this must be implemented.

[SWS_Com_00370] [The Signal Gateway of the AUTOSAR COM module shall scale down to no size if no signal routing functionality is needed.] ([SRS_GTW_06064](#))

7.3 Normal Operation

7.3.1 Start-Up Behavior

This chapter describes the actions that will be performed during [Com_Init](#).

[SWS_Com_00217] [The AUTOSAR COM module shall initialize each I-PDU during execution of [Com_Init](#), firstly byte wise with the [ComTxIPduUnusedAreasDefault](#) value and then bit wise according to initial values ([ComSignalInitValue](#)) of the contained signals and the update-bits (see [\[SWS_Com_00117\]](#)).] ([SRS_BSW_00101](#))

7.3.1.1 Preconditions

The C initialization code, also known as start-up code, initializes global and static variables with the initial values. It must be executed before any call of an AUTOSAR COM module's service.

7.3.1.2 Initialization

[SWS_Com_00128] [The AUTOSAR COM module's initialization function [Com_Init](#) shall initialize all internal data that is not yet initialized by the start-up code e.g. C-structs.] ([SRS_BSW_00101](#))

This initialization chapter is not complete. Details about initialization of some AUTOSAR COM module's features are described within the different feature chapters.

7.3.1.3 Initialization of Not Used Areas of an I-PDU

[SWS_Com_00015] [The AUTOSAR COM module shall fill not used areas within an I-PDU with a value determined by configuration parameter [ComTxIPduUnusedAreasDefault](#) e.g. 0xFF.] ([SRS_BSW_00101](#), [SRS_Com_02042](#))

7.3.1.4 Initialization of Signals and Update-Bits

[SWS_Com_00098] [The AUTOSAR COM module shall initialize each signal of n-bit sized signal type on sender and receiver side with the lower n-bits of its configuration parameter `ComSignalInitValue`.] (*SRS_BSW_00101*)

The configured `ComSignalInitValue` is also used for the initialization of the signal in the related I-PDU; see **[SWS_Com_00217]**.

The `ComSignalInitValue` of a signal can be identical to its `ComSignalDataInvalidValue`. These can be different for each signal.

[SWS_Com_00117] [The AUTOSAR COM module shall clear all update-bits during initialization. See also **[SWS_Com_00059]**.] (*SRS_BSW_00101*, *SRS_Com_02030*, *SRS_Com_02058*)

7.3.1.5 Initialization of I-PDU Groups

[SWS_Com_00444] [By default, all I-PDU groups shall be in the state stopped and they shall not be started automatically by a call to `Com_Init`.] (*SRS_Com_00218*)

7.3.2 De-Initialization

The AUTOSAR COM module provides the API function `Com_DeInit` for de-initialization of the COM layer. This means, after de-initialization of the layer, no communication via the AUTOSAR COM module is possible and all started I-PDU groups are stopped, see also **[SWS_Com_00129]**.

7.3.3 Communication Modes

This chapter defines the signal flow in the AUTOSAR COM module. It further defines the different transmission modes provided by the AUTOSAR COM module. Chapter [7.3.3.2](#) defines a mechanism to switch between two transmission modes for one I-PDU. The replication of signals is defined in Chapter [7.3.3.4](#).

Exemplary communication use cases that the AUTOSAR COM module can deal with are shown in Chapter [B](#).

7.3.3.1 Transfer Properties and I-PDU Transmission Mode

7.3.3.1.1 Signals

The AUTOSAR COM module supports several transfer properties for signals and several transmission modes for I-PDUs. The definitions in this chapters are based on and are to be completed with the definitions in Chapter 2.3.3 of [3].

[SWS_Com_00330] [At any send request of a signal with `ComTransferProperty` TRIGGERED assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate `ComTxModeNumberOfRepetitions` plus one transmissions of the assigned I-PDU.] (*SRS_Com_02083*)

[SWS_Com_00767] [At any send request of a signal with `ComTransferProperty` TRIGGERED_WITHOUT_REPETITION assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate one transmission of the assigned I-PDU.] (*SRS_Com_02083*)

[SWS_Com_00734] [At a send request of a signal with `ComTransferProperty` TRIGGERED_ON_CHANGE assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate `ComTxModeNumberOfRepetitions` plus one transmissions of the assigned I-PDU, if the new sent signal differs to the locally stored (last sent or init) in length or value.] (*SRS_Com_02083*)

[SWS_Com_00768] [At a send request of a signal with `ComTransferProperty` TRIGGERED_ON_CHANGE_WITHOUT_REPETITION assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate one transmission of the assigned I-PDU, if the new sent signal differs to the locally stored (last sent or init) in length or value.] (*SRS_Com_02083*)

[SWS_Com_00762] [The AUTOSAR COM module shall not support the transfer properties TRIGGERED_ON_CHANGE and TRIGGERED_ON_CHANGE_WITHOUT_REPETITION for signals and group signals with `ComBitSize` configured to 0.] (*SRS_Com_02037*)

The support of the transfer properties TRIGGERED_ON_CHANGE and TRIGGERED_ON_CHANGE_WITHOUT_REPETITION is not restricted to certain signal types. Hence, they are supported for all possible signal types. This includes even the byte array types, e.g. `UINT8_N`.

The details of the transmission replication mechanism are specified in Chapter 7.3.3.4.

[SWS_Com_00135] [The AUTOSAR COM module shall not initiate transmissions for I-PDUs that have the `ComTxModeMode` NONE.] (*SRS_Com_02083*)

It is possible to request I-PDUs with `ComTxModeMode` NONE via `Com_TriggerTransmit`.

A pending signal associated with an I-PDU is transmitted if the I-PDU's transmission is triggered for any reason. For example, if a signal with `ComTransferProperty` TRIGGERED within the same I-PDU is sent or the I-PDU sending is scheduled because of `ComTxModeMode` PERIODIC or MIXED.

The bus-timing of I-PDUs can be controlled by send requests of the users (e.g. RTE, SwCluC) in combination with the transmission mode and the transfer property as described above. Additionally, the PDU Router, especially in case of FlexRay and LIN, can control it with the service `Com_TriggerTransmit`. In the latter case, the PDU Router requests I-PDUs to be sent from the AUTOSAR COM module.

The function `Com_TriggerTransmit` can be called for any I-PDU regardless of its transmission mode. This allows LIN and FlexRay to use all the available transmission modes, particularly for sporadic communication. The NM also uses this mechanism to send user data.

7.3.3.1.2 Signal Groups

In AUTOSAR COM also signal groups and group signals may have a transfer property, defining in combination with the transmission mode, if the I-PDU is sent out in case of an update of a signal group or group signal, respectively.

[SWS_Com_00741] [At any send request of a signal group with `ComTransferProperty` TRIGGERED assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate `ComTxModeNumberOfRepetitions` plus one transmissions of the assigned I-PDU.] (*SRS_Com_02083*)

[SWS_Com_00769] [At any send request of a signal group with `ComTransferProperty` TRIGGERED_WITHOUT_REPETITION assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall initiate one transmission of the assigned I-PDU within the next main function at the latest.] (*SRS_Com_02083*)

[SWS_Com_00742] [Regarding signal groups with `ComTransferProperty` TRIGGERED_ON_CHANGE which do not contain any signals that have an own `ComTransferProperty` configured:

At any send request of such a signal group assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate `ComTxModeNumberOfRepetitions` plus one transmissions of the assigned I-PDU, if at least one new sent group signal differs to the locally stored (last sent or init) in length or value.] (*SRS_Com_02083*)

[SWS_Com_00743] [Regarding signal groups with `ComTransferProperty` TRIGGERED_ON_CHANGE which contain any signals that have an own `ComTransferProperty` configured:

At any send request of such a signal group assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate `ComTxModeNumberOfRepetitions` plus one transmissions of the assigned I-PDU, if at least one new sent group signal configured with `ComTransferProperty` TRIGGERED_ON_CHANGE differs to the locally stored (last sent or init) in length or value.]([SRS_Com_02083](#))

[SWS_Com_00770] [At a send request of a signal group with `ComTransferProperty` TRIGGERED_ON_CHANGE_WITHOUT_REPETITION assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, the AUTOSAR COM module shall immediately (within the next main function at the latest) initiate one transmission of the assigned I-PDU, if at least one new sent group signal differs to the locally stored (last sent or init) in length or value.]([SRS_Com_02083](#))

7.3.3.2 Selection of the Transmission Mode for one specific I-PDU

I-PDUs carry signals. Because an I-PDU can contain more than one signal, in the following, a method is defined to derive the I-PDU's transmission mode from the state of the signals that are contained in one specific I-PDU.

The AUTOSAR COM module allows configuring statically two different transmission modes for each I-PDU (see [[SWS_Com_00032](#)]). The transmission mode of an I-PDU that is valid at a specific point in time is selected using only the values of the signals that are mapped to this I-PDU.

The signals of one I-PDU that contribute to the selection of one of the two transmission modes as well as the conditions used for the selection of the transmission mode are configured statically, see [[SWS_Com_00676](#)].

For the selection of the transmission mode, the AUTOSAR COM module treats group signals like normal signals.

[SWS_Com_00676] [For the evaluation of a TMS, the AUTOSAR COM module shall take all those (group) signals into account whose configuration include a configured `ComFilter` container. See included containers of `ComSignal` and `ComGroupSignal`.]([SRS_Com_02041](#))

If a signal of an I-PDU with `ComIPduDirection` configured to SEND has a configuration container `ComFilter` included, the signal is named to contribute to the TMS of this I-PDU. If the configuration container for that signal has no assigned configuration container `ComFilter`, then it does not contribute to a TMS.

[SWS_Com_00677] [If no signal within an I-PDU contributes to the calculation of the TMS, then the AUTOSAR COM module shall evaluate the TMS of this I-PDU as true.]([SRS_Com_02084](#), [SRS_Com_02041](#))

[SWS_Com_00678] [If the AUTOSAR COM module evaluates the TMC of a contributing signal as true, then the AUTOSAR COM module shall evaluate the TMS as true.] ([SRS_Com_02084](#), [SRS_Com_02041](#))

[SWS_Com_00679] [If the AUTOSAR COM module evaluates no TMC of a contributing signal as true, then the AUTOSAR COM module shall evaluate the TMS as false.] ([SRS_Com_02084](#), [SRS_Com_02041](#))

[SWS_Com_00605] [The AUTOSAR COM module shall define a Transmission Mode Selector, for each I-PDU. See definition of TMS above.] ([SRS_Com_02084](#))

[SWS_Com_00245] [The AUTOSAR COM module shall re-calculate the TMS for an I-PDU, after a contained signal was updated by a call to [Com_SendSignal](#) or [Com_SendSignalGroup](#).] ([SRS_Com_02084](#))

[SWS_Com_00763] [For the calculation of the transmission mode with the configured condition [MASKED_NEW_DIFFERS_MASKED_OLD](#), the AUTOSAR COM module shall use the least significant [ComBitSize](#) bits only.] ([SRS_Com_02084](#))

[SWS_Com_00813] [For the calculation of the transmission mode with a configured condition [MASKED_NEW_DIFFERS_X](#), [MASKED_NEW_EQUALS_X](#), [NEW_IS_OUTSIDE](#) or [NEW_IS_WITHIN](#), the AUTOSAR COM module shall use all bits of the configured [ComSignalType](#).] ([SRS_Com_02084](#))

Note that a signal with [ComFilterAlgorithm](#) configured to [ALWAYS](#), will always set the TMS of the respective I-PDU to true. Therefore, care must be taken when defining the signals that contribute to the TMS.

[SWS_Com_00032] [If the TMS of an I-PDU evaluates to true, then the AUTOSAR COM module shall use the [ComTxModeMode](#) defined in configuration container [ComTxModeTrue](#) for that I-PDU.] ([SRS_Com_02082](#), [SRS_Com_02084](#))

[SWS_Com_00799] [If the TMS for an I-PDU evaluates to false, then the AUTOSAR COM module shall use the [ComTxModeMode](#) defined in configuration container [ComTxModeFalse](#) for that I-PDU.] ([SRS_Com_02082](#), [SRS_Com_02084](#))

[SWS_Com_00238] [In each of the two TMS states, the rules for combination of transfer properties of signals and transmission modes of I-PDUs shall apply as defined in Chapter 2.3 of [3].] ([SRS_Com_02082](#))

[SWS_Com_00239] [When the TMS state of an I-PDU changes, the AUTOSAR COM module shall use the now valid transmission mode immediately (within the next main function at the latest). That means, first the AUTOSAR COM module shall perform the mode change and after that, the AUTOSAR COM module shall execute any resulting calls to [PduR_ComTransmit](#) caused by mode change.] ([SRS_Com_02082](#))

[SWS_Com_00244] [If a change of the TMS causes a change of the transmission mode for an I-PDU, then the AUTOSAR COM module shall restart the timer for the cycle time of the transmission mode [PERIODIC](#) and [MIXED](#).] ([SRS_Com_02082](#))

[SWS_Com_00495] [When a call to [Com_SendSignal](#) or [Com_SendSignalGroup](#) results into a change of the transmission mode of a started I-PDU to the transmis-

sion mode PERIODIC or MIXED, then the AUTOSAR COM module shall start the new transmission cycle with a call to `PduR_ComTransmit` within the next main function at the latest. The transmission shall be initiated regardless of the transfer property of the signal or signal group that caused the transmission mode switch. The minimum delay time shall still be respected.] ([SRS_Com_02082](#))

See also Figure 7.3 The AUTOSAR COM module's interaction model for reception.

The `ComTxModeTimeOffset` is not respected. It is only respected by explicit I-PDU transmission mode switches, for example by `Com_IpduGroupStart` or `Com_SwitchIpduTxMode`.

[SWS_Com_00582] [If a change of the TMS causes a change to the transmission mode DIRECT, an immediate (within the next main function at the latest unless shifted due to the MDT) direct / n-times transmission to the underlying layer shall be initiated.] ([SRS_Com_02082](#))

The above requirement clarifies the behavior in case the TMS-switch to `ComTxModeMode` DIRECT was triggered by a signal with `ComTransferProperty` PENDING.

If the `ComTxModeMode` of an I-PDU is configured to NONE no transmission will be initiated by AUTOSAR COM. This can be used to prevent transmitting an I-PDU, for example in case the TMS evaluates to false.

[SWS_Com_00478] [The AUTOSAR COM module shall send out an I-PDU at most once within one call of `Com_MainFunctionTx`.] ([SRS_Com_02083](#))

7.3.3.3 Signal Flow and Transmission Mode Selection

After a send request from the user (e.g. RTE or SwCluC) for a specific signal, the signal is written to the appropriate I-PDU buffer as defined by configuration, and the selection of the transmission mode of the I-PDUs is done according to Chapter 7.3.3.2.

Figure 7.1 shows the signal flow (Conditions are the same as Filters in [3]):




Figure 7.1: Logical signal flow in the AUTOSAR COM module shown for two signals (Signal1 and Signal2) that are mapped to one I-PDU (IPDU_k)

7.3.3.4 Replication of Signal Transmission Requests

The number of repetitions of transmission requests in the `ComTxModeMode` DIRECT or MIXED for a send request by the user (e.g. RTE or SwCluC) is defined by configuration parameter `ComTxModeNumberOfRepetitions`.

[SWS_Com_00467] [If `ComRetryFailedTransmitRequests` is not set to true and an I-PDU with `ComTxModeMode` DIRECT or MIXED and `ComTxModeNumberOfRepetitions` set to 0 is triggered for sending, the AUTOSAR COM module shall invoke `PduR_ComTransmit` for this I-PDU just once, independently of the result of the confirmation.] (*SRS_Com_02083*)

Configuring `ComTxModeNumberOfRepetitions` to 0 imitates the original direct transmission mode of [3].

[SWS_Com_00279] [If a new send request is received from the user (e.g. RTE or SwCluC) while sending *n* transmissions belonging together (e.g. after the 3rd of 5 repetitions, see [SWS_Com_00305]) the AUTOSAR COM module shall cancel the outstanding transmission repetitions and start processing the new request within the next main function at the latest.] (*SRS_Com_02080*)

See also Use case B.4.

[SWS_Com_00305] [In case of sending an I-PDU with `ComTxModeMode` DIRECT or MIXED and `ComTxModeNumberOfRepetitions` greater than 0, the AUTOSAR COM module shall call `PduR_ComTransmit` periodically, with period `ComTxModeRepetitionPeriod` until `ComTxModeNumberOfRepetitions` plus one successful confirmations for this send-request are received.] (*SRS_Com_02083*)

[SWS_Com_00305] assumes that CAN does not have a queue for these I-PDUs. There is a race condition in the interaction between the CAN driver, interface and hardware that may cause an extra transmission to occur in certain unlikely circumstances.

If the underlying layer returns `E_NOT_OK` while an N-Times transmission is in progress, this error notification will be ignored, unless `ComRetryFailedTransmitRequests` is set to true (see also [SWS_Com_00773]). As [SWS_Com_00305] specifies, only confirmed transmissions are counted for the N-Times transmission, erroneous send request can safely be ignored.

If the N-Times transmission is requested in transmission mode MIXED after a cyclic transmission of the MIXED transmission mode with a pending confirmation, the confirmation of the cyclic transmission will be assigned to the N-Times transmission. In this case, only *n*-1 transmissions of the new value of the N-Times request are observed. The transmission deadline monitoring timer will then be reset earliest after the N-Times request is completed. This must be respected when configuring the transmission deadline monitoring timer in conjunction with the MIXED transmission mode and N-Times transmission.

[SWS_Com_00494] [If within the transmission mode MIXED an N-Times transmission request overlaps with the cyclic part of the mixed transmission the cyclic transmission

shall be counted as the corresponding transmission of the N-Times transmission request.]([SRS_Com_02083](#))

[SWS_Com_00392] [If a transmission deadline monitoring timeout occurs before the N-Times transmission is complete, then the AUTOSAR COM module shall not initiate further transmissions for this N-Times transmission.]([SRS_Com_02083](#))

The minimum delay time will always be taken into account as defined in Chapter 2.3.4 of [3].

To avoid bursts in start-up a time offset can be configured per I-PDU. See [ComTxModeTimeOffset](#) for details.

The time between two repetitions is configured by configuration parameter [ComTxModeRepetitionPeriod](#).

If the transmission mode change leads to the start of the MIXED transmission mode by sending a triggered signal and [ComTxModeNumberOfRepetitions](#) is configured greater than or equal to 1, then there will be at least [ComTxModeNumberOfRepetitions](#) plus one transmission requests to the PDU Router at the beginning of the MIXED transmission mode. See also [[SWS_Com_00305](#)].

7.3.3.5 Retry Failed Transmission Requests

[SWS_Com_00773] [If [ComRetryFailedTransmitRequests](#) is set to true, the return value of [PduR_ComTransmit](#) shall be evaluated. If the return value of [PduR_ComTransmit](#) is not equal to `E_OK`, the AUTOSAR COM Module shall invoke [PduR_ComTransmit](#) for the not sent I-PDU again within the next [Com_MainFunctionTx](#).]([SRS_Com_02037](#))

If the I-PDU is updated in between, the new data will be sent.

[[SWS_Com_00773](#)] may lead to multiple retries for the same failed transmission request. [[SWS_Com_00773](#)] is not affected by transmission mode changes. [[SWS_Com_00773](#)] has no influence on a potential repetition period. Any repetitions will occur as if no retry had taken place.

[SWS_Com_00774] [The AUTOSAR COM module shall start the transmission deadline monitoring independently of possible retries. Subsequent retries shall not affect transmission deadline monitoring.]([SRS_Com_02037](#))

[SWS_Com_00775] [If [ComRetryFailedTransmitRequests](#) is set to true and a transmission deadline monitoring timeout occurs for an I-PDU, the AUTOSAR COM module shall expire any pending transmission request for this I-PDU.]([SRS_Com_02037](#))

[SWS_Com_00776] [The cycle timer for a cyclic transmission shall always start with the first transmit attempt.]([SRS_Com_02037](#))

7.3.4 Signal Invalidation

The AUTOSAR COM module provides the possibility for the sender to indicate that it is not able to provide a valid value for a corresponding signal, for example in case a sensor is faulty. The AUTOSAR COM module allows defining a `ComSignalDataInvalidValue` during configuration.

7.3.4.1 Transmission of an Invalidated Signal

[SWS_Com_00099] [By a call to `Com_InvalidateSignal`, the AUTOSAR COM module shall perform internally a `Com_SendSignal` with the configured `ComSignalDataInvalidValue`.] (*SRS_Com_02077*)

The `ComTransferProperty` and the transmission mode determine the transmission of the `ComSignalDataInvalidValue` on the bus. The internally performed `Com_SendSignal` with the data invalid value leads to data invalid value to be used as current value for filters and TMS.

The data invalid values are configured per `ComGroupSignal`.

The VFB defines only one attribute for a complex data type. Therefore, the best mapping of an invalidated complex data type to an invalidated signal group is to invalidate all group signals of a signal group. Therefore, the user (e.g. RTE or SwCluC) can also request to invalidate the complete signal group by a call to `Com_InvalidateSignalGroup`.

7.3.4.2 Reception of an Invalidated Signal

[SWS_Com_00680] [If the configured `ComSignalDataInvalidValue` is received for a signal and the `ComDataInvalidAction` is configured to NOTIFY for this signal, the AUTOSAR COM module shall notify the users (e.g. RTE, SwCluC) via the configured `<ComUser_CbkInv>` function. In this case, no other signal processing like filtering or the normal signal indication shall take place.] (*SRS_Com_02079*)

The reception deadline monitoring timer is also restarted in case of receiving an invalid signal or signal group, see [*SWS_Com_00738*].

[SWS_Com_00681] [If the configured `ComSignalDataInvalidValue` is received for a signal and the `ComDataInvalidAction` is configured to REPLACE for this signal, the AUTOSAR COM module shall replace the signal's value by its configured `ComSignalInitValue`. After the replacement, the normal signal processing like filtering and notification shall take place as if the `ComSignalInitValue` would have been received instead of the `ComSignalDataInvalidValue`.] (*SRS_Com_02079*, *SRS_Com_02087*)

[SWS_Com_00682] [If the configured `ComSignalDataInvalidValue` is received for at least one group signal of a signal group and the `ComDataInvalidAction` is

configured to NOTIFY for this signal group, the AUTOSAR COM module shall notify the users (e.g. RTE, SwCluC) via the configured `<ComUser_CbkInv>` function. In this case, no other signal group / group signal processing like the normal indication shall take place.]([SRS_Com_02079](#))

[SWS_Com_00683] [If the configured `ComSignalDataInvalidValue` is received for at least one group signal of a signal group and the `ComDataInvalidAction` is configured to REPLACE for this signal group, the AUTOSAR COM module shall replace all group signals of this signal group by their configured `ComSignalInitValue` values. After the replacement, the normal signal group / group signal processing like reception notification shall take place as if the `ComSignalInitValue` would have been received for all group signals.]([SRS_Com_02087](#))

[SWS_Com_00717] [If the configured `ComSignalDataInvalidValue` is received for a signal and its `ComDataInvalidAction` is configured to NOTIFY, the AUTOSAR COM module shall not store the received `ComSignalDataInvalidValue` into the signal object.]([SRS_Com_02079](#))

The next call to `Com_ReceiveSignal` will return the last valid received signal or the `ComSignalInitValue` in case no signal was received yet respectively.

[SWS_Com_00718] [If the configured `ComSignalDataInvalidValue` is received for at least one group signal of a signal group and its `ComDataInvalidAction` is configured to NOTIFY, the AUTOSAR COM module shall not store any of the received group signals into the signal objects.]([SRS_Com_02079](#))

The next call to `Com_ReceiveSignalGroup` will copy the last valid received group signals or the `ComSignalInitValue` in case the signal group was not received yet respectively into the shadow buffer.

7.3.5 Handling of I-PDUs

7.3.5.1 I-PDU Group Definitions

For an I-PDU group the following rules apply:

1. An I-PDU can belong to any I-PDU group.
2. An I-PDU is active (started) if it belongs to a started I-PDU group (see [[SWS_Com_00771](#)]) or it does not belong to any I-PDU group and it was started implicitly (see [[SWS_Com_00840](#)]).
3. The maximum number of I-PDU groups is pre-compile configurable.
4. I-PDU groups may contain only I-PDUs of the same direction (i.e. send or receive), see [[SWS_Com_00871](#)].

Rules 1 and 3 are supported by the COM configuration. The maximum number of supported I-PDU groups can be configured via `ComSupportedIPduGroups`.

[SWS_Com_00771] [An I-PDU is active (started) if at least one I-PDU group is active (started) it belongs to.] ([SRS_Com_00218](#))

For the AUTOSAR COM module, the nesting of I-PDU groups is purely conceptual and must be resolved by an appropriate configuration and / or usage of the AUTOSAR COM module.

For example, if an I-PDU "BUS1 RX Function1" belongs to I-PDU group "BUS1 RX" and I-PDU group "BUS1 RX" is included in I-PDU group "BUS1" then I-PDU "BUS1 RX Function1" must also be included in I-PDU group "BUS1". Such dependencies need to be resolved at configuration time.

Once again, the COM module does not know or handle any grouping of I-PDUs. Any I-PDU grouping must be handled either via configuration or by the calling module.

Further, it is expected that the complete state handling of I-PDU groups is done outside of the AUTOSAR COM module, e.g. within the Basic Software Mode Manager. In case of a state change, the module managing the I-PDU group states consistently starts or stops the I-PDU groups via [Com_IpduGroupStart](#) and [Com_IpduGroupStop](#).

The state of I-PDUs that are not assigned to any I-PDU group cannot be changed, therefore they are started implicitly:

[SWS_Com_00840] [If an I-PDU is not assigned to any I-PDU group, the AUTOSAR COM shall start this I-PDU within [Com_Init](#) as if it would be started by [Com_IpduGroupStart](#) with parameter Initialize set to true.] ([SRS_Com_00218](#))

See also Chapter [7.3.5.2](#).

Since the AUTOSAR COM never stops such an I-PDU implicitly and it is not assigned to any I-PDU group, such an I-PDU can never be stopped.

7.3.5.2 Starting of I-PDU Groups

By default all I-PDU groups are stopped, see [\[SWS_Com_00444\]](#). A call to [Com_IpduGroupStart](#) starts an I-PDU group if it was previously stopped.

[SWS_Com_00114] [If an I-PDU is started by [Com_IpduGroupStart](#), the AUTOSAR COM module shall permit to transmit / receive its signals and signal groups.] ([SRS_Com_00218](#))

See also Table [7.4](#).

[SWS_Com_00787] [If an I-PDU is started by [Com_IpduGroupStart](#), the AUTOSAR COM module shall always initialize the following attributes of this I-PDU:

1. [ComMinimumDelayTime](#) of I-PDUs in transmission mode DIRECT or MIXED
2. restart all reception deadline monitoring timers for all signals with a non-zero configured [ComFirstTimeout](#)

3. cancel all transmission deadline monitoring timers and use `ComFirstTimeout` (if configured) as value when a transmission timer is started the first time after the I-PDU activation
4. all included update-bits shall be cleared
5. reset OCCURRENCE of filters with `ComFilterAlgorithm ONE EVERY N`

]([SRS_Com_00218](#))

[SWS_Com_00222] [If an I-PDU is started by `Com_IpduGroupStart` with parameter `Initialize` set to true, the AUTOSAR COM module shall additionally to [\[SWS_Com_00787\]](#) initialize the following attributes of this I-PDU:

1. the data of the I-PDU as defined in [\[SWS_Com_00217\]](#)
2. the shadow buffers of included signal groups
3. `old_value` of the filtering mechanisms for each signal to the `ComSignalInitValue`
4. `ComTxModeTimePeriod` and `ComTxModeTimeOffset` of I-PDUs in PERIODIC or MIXED transmission mode

]([SRS_Com_00218](#))

[SWS_Com_00223] [If an I-PDU is started by `Com_IpduGroupStart`, the AUTOSAR COM module shall determine its transmission mode according to its current data content.]([SRS_Com_00218](#))

[SWS_Com_00228] [In some cases, an I-PDU is started by `Com_IpduGroupStart` before all its contained signals have been written. In this case, the AUTOSAR COM module shall use the `ComSignalInitValue` for the missing signal data.]([SRS_Com_00218](#))

[SWS_Com_00229] [When an I-PDU is started and one or more signals in that I-PDU have already been written via one of the send APIs by the upper layer, the AUTOSAR COM module shall use the most recently obtained values to determine the TMS of the I-PDU.]([SRS_Com_00218](#))

[SWS_Com_00733] [If an I-PDU is started by `Com_IpduGroupStart` and the I-PDU contains signals that have deadline monitoring configured `ComFirstTimeout`, `ComTimeout`, the AUTOSAR COM module shall start the deadline monitoring for these signals independently of the value of the initialize parameter.]([SRS_Com_00218](#))

Note, in case an I-PDU is started by `Com_IpduGroupStart` and the parameter `initialize` is set to false, the internal buffers are not changed and the I-PDU contains the last the last set or init values. Particular, if the I-PDU is started for the first time and `initilaize` is set to false, the COM operates on the init-values set by `Com_Init`.

[SWS_Com_00877] [If an I-PDU is not part of any I-PDU Group, it is started during the initialization of COM. Its starting transmission mode shall be evaluated according to the `ComSignalInitValue` of the signals contributing to its TMS.]([SRS_Com_00218](#))

For this case, the evaluation can already be done at configuration time, since the signals cannot be written before the initialization of COM.

7.3.5.3 Stopping of I-PDU Groups

A call to `Com_IpduGroupStop` stops an I-PDU group, if it was previously started.

In order to disable the transmission of an I-PDU, all I-PDU groups containing this I-PDU needs to be stopped. Hence, to implement listen-only-mode, all I-PDU groups containing transmission I-PDUs needs to be stopped. Receiving of I-PDUs may also be stopped.

[SWS_Com_00334] [By a call to the functions: `Com_SendSignal`, `Com_SendSignalGroup`, or `Com_InvalidateSignal`, the AUTOSAR COM module shall update the values of its internal buffers even for stopped I-PDUs.] ([SRS_Com_00218](#))

See also Table [7.3](#).

If a signal written to a stopped I-PDU would trigger the transmission of this I-PDU if it were not stopped, then this trigger is not stored. After re-starting the corresponding I-PDU group, such an old trigger does not lead to an immediate transmission of the I-PDU.

[SWS_Com_00777] [If an I-PDU is stopped by `Com_IpduGroupStop`, the AUTOSAR COM module shall cancel any outstanding transmission requests for this I-PDU. This includes cancelling any potential retries with respect to `ComRetryFailedTransmitRequests`.] ([SRS_Com_00218](#))

[SWS_Com_00115] [If an I-PDU is stopped by `Com_IpduGroupStop`, the AUTOSAR COM module shall cancel the deadline monitoring for all pending confirmations.] ([SRS_Com_00218](#))

[SWS_Com_00800] [The AUTOSAR COM module shall ignore any transmit confirmations for a stopped I-PDU.] ([SRS_Com_00218](#))

The AUTOSAR COM module cannot prohibit the invocation of the `Com_TriggerTransmit` function. However, in case of a stopped I-PDU, the function `Com_TriggerTransmit` returns `E_NOT_OK`. See [\[SWS_Com_00884\]](#).

[SWS_Com_00684] [If an I-PDU is stopped by `Com_IpduGroupStop`, the AUTOSAR COM module shall disable its reception processing.] ([SRS_Com_00218](#))

[SWS_Com_00713] [If a large I-PDU is stopped by `Com_IpduGroupStop`, the AUTOSAR COM module shall stop the reception process and ignore the partly received I-PDU.] ([SRS_Com_00218](#))

[SWS_Com_00685] [If an I-PDU is stopped by `Com_IpduGroupStop`, the AUTOSAR COM module shall cancel its deadline monitoring.] ([SRS_Com_00218](#))

[SWS_Com_00479] [If an I-PDU is stopped by `Com_IpduGroupStop`, the AUTOSAR COM module shall immediately invoke the configured `<ComUser_CbkTxErr>`, for outstanding not confirmed transmitted signals / signal groups of the stopped I-PDU.] (*SRS_Com_00218*)

[SWS_Com_00714] [If a large I-PDU is stopped while its transmission is already in progress, the AUTOSAR COM module shall stop the transmission process immediately.] (*SRS_Com_00218*)

Table 7.3 gives an overview of the behavior of stopped I-PDUs:

Behavior of stopped I-PDUs	
Receiver side (RX)	Transmitter side (TX)
<ul style="list-style-type: none"> • Disable RX deadline monitoring • No action on a <code>Com_RxIndication</code> to users (e.g. RTE, SwCluC), no storing of the I-PDU • Return code <code>COM_SERVICE_NOT_AVAILABLE</code> on <code>Com_ReceiveSignal</code> and <code>Com_ReceiveSignalGroup</code> and the last known value (or init value) is given back as data 	<ul style="list-style-type: none"> • Disable sending • Disable TX deadline monitoring • Ignore <code>Com_TxConfirmation</code> • On a call of <code>Com_SendSignal</code>, <code>Com_SendSignalGroup</code>, <code>Com_InvalidateSignal</code> the values in the AUTOSAR COM module's internal buffers are still up-dated but the return code <code>COM_SERVICE_NOT_AVAILABLE</code> is returned • Outstanding transmission request (e.g. N-Times) will be cancelled • Return code <code>E_NOT_OK</code> on <code>Com_TriggerTransmit</code>
	For periodic (TX)
	Do not send any more

Table 7.3: Behavior of stopped I-PDUs

Table 7.4 gives an overview of the behavior of started I-PDUs:

Behavior of started I-PDUs	
Receiver side (RX)	Transmitter side (TX)
<ul style="list-style-type: none"> • Reinitialize timeouts if <code>Initialize==true</code> (<code>Com_FirstTimeout</code>, <code>Com_Timeout</code>) • Normal reaction on <code>Com_RxIndication</code> / <code>Com_TpRxIndication</code> • Normal reaction on <code>Com_ReceiveSignal</code>, and <code>Com_ReceiveSignalGroup</code> 	<ul style="list-style-type: none"> • Normal reaction on <code>Com_InvalidateSignal</code>, <code>Com_SendSignal</code>, and <code>Com_SendSignalGroup</code> • No transmission timeout notification until next send • Normal reaction on <code>Com_TxConfirmation</code> / <code>Com_TpTxConfirmation</code> • Normal reaction on <code>Com_TriggerTransmit</code>
	For periodic (TX)
	Start at 0

Table 7.4: Behavior of started I-PDUs

7.3.5.4 Signal Indication (Unpacking of I-PDUs)

In order to support both interrupt-driven and polled systems, it can be configured when the signal indication takes place. There are two configurable signal indication modes IMMEDIATE and DEFERRED configurable via `ComIPduSignalProcessing`.

[SWS_Com_00300] [If `ComIPduSignalProcessing` for an I-PDU is configured to IMMEDIATE, the AUTOSAR COM module shall invoke the configured `<ComUser_CbkRxAck>` for the included signals and signal groups within the `Com_RxIndication`, or `Com_TpRxIndication` function respectively.] (*SRS_Com_02046*)

[SWS_Com_00301] [If `ComIPduSignalProcessing` for an I-PDU is configured to DEFERRED, the AUTOSAR COM module shall first copy the relevant data (e.g. configured `ComSignal`) of the received I-PDU within the `Com_RxIndication` function or the related TP reception functions respectively from the PduR into COM. Then the AUTOSAR COM module shall invoke the configured `<ComUser_CbkRxAck>` for the included signals and signal groups asynchronously during the next call to `Com_MainFunctionRx`.] (*SRS_Com_02046*)

For signals with dynamic length, the AUTOSAR COM has to consider the configured length according to `ComSignalLength` for the buffer allocation.

If in DEFERRED mode a call to `Com_ReceiveSignal` is made before the deferred unpacking takes place, the previous not updated values are returned.

A sequence chart with both indication options can be found in Chapter 9.3. The configuration of these modes is defined in `ComIPduSignalProcessing`.

[SWS_Com_00574] [When unpacking an I-PDU, the AUTOSAR COM module shall check the received data length (`PduInfoPtr->SduLength`) and unpack and notify only completely received signals via `<ComUser_CbkRxAck>`.] (*SRS_Com_02046*)

[SWS_Com_00870] [In case of receiving a smaller I-PDU than the length derived via the parameter `ComPduIdRef`, signals with size 0 shall be received if and only if their configured position is less or equal to the received size of the partially received I-PDU.] (*SRS_Com_02046*)

[SWS_Com_00794] [In case of receiving of a smaller I-PDU than expected results into receiving a signal without its configured update-bit, the AUTOSAR COM module shall treat this signal as if its update bit was set and interpret such a signal as updated.] (*SRS_Com_02046*)

If the received I-PDU length is smaller than the configured / expected I-PDU length, it needs to be prevented that signals are updated partially. On the other hand all completely received signals should be received and notified to the upper layer.

[SWS_Com_00575] [When unpacking an I-PDU, the AUTOSAR COM module shall check the received data length (`PduInfoPtr->SduLength`) and in case a signal group is received only partially, such a signal group and all included group signals shall not be unpacked or notified via `<ComUser_CbkRxAck>`.] (*SRS_Com_02046*)

The above requirement prevents inconsistently received signal groups and therefore inconsistently received complex data types.

The AUTOSAR COM module does not copy or handle additional received data for not configured signals in case the received data length is greater than expected.

The AUTOSAR COM module only needs to copy and handle received data that is occupied by configured signals with respect to the expected length (expected length is the length of all configured dynamic or static signals including the gaps between the signals). Received data which exceeds the expected length does not need to be copied.

7.3.5.5 Minimum Delay Timer (MDT)

The AUTOSAR COM module inherits the minimum delay timer mechanism as defined [3]. This mechanism is clarified and detailed in this chapter.

When an I-PDU is started, the MDT is re-initialized. Therefore, the MDT can be violated by stopping and starting I-PDUs rapidly.

The behavior of the transmission deadline monitoring timer is not affected by any transmission delay caused by the minimum delay time supervision.

[SWS_Com_00471] [No minimum delay time monitoring shall take place, if `ComMinimumDelayTime` is omitted or configured to 0.] ([SRS_Com_02037](#))

[SWS_Com_00789] [If `ComEnableMDTForCyclicTransmission` is configured to false, the minimum delay timer shall not be (re)started in the following cases:

- I-PDUs with `ComTxModeMode` PERIODIC
- the cyclic part of I-PDUs with `ComTxModeMode` MIXED
- repeated transmissions for I-PDUs in case `ComTxModeNumberOfRepetitions` > 0

] ([SRS_Com_02037](#))

In case the minimum delay timer is currently not started, there is no way for the minimum delay timer to expire. Thus, optimized implementations might for example omit monitoring the minimum delay time for periodic I-PDUs completely in case `ComEnableMDTForCyclicTransmission` is configured to false, since the minimum delay timer never gets started.

[SWS_Com_00698] [If `ComMinimumDelayTime` of an I-PDU is configured greater than 0 and `ComRetryFailedTransmitRequests` is set to false, the AUTOSAR COM module shall load and start the minimum delay time counter upon transmission of that I-PDU to the PDU Router via `PduR_ComTransmit`.] ([SRS_Com_02037](#))

[SWS_Com_00828] [If `ComMinimumDelayTime` of an I-PDU is configured greater than 0 and `ComRetryFailedTransmitRequests` is set to true, the AUTOSAR COM module shall load and start the minimum delay time counter upon transmission of that I-PDU to the PDU Router via `PduR_ComTransmit` only in case `PduR_ComTransmit` returns `E_OK`.] ([SRS_Com_02037](#))

[SWS_Com_00469] [If `ComMinimumDelayTime` of an I-PDU is configured greater than 0, the AUTOSAR COM module shall (re-)load an already running and not yet elapsed minimum delay time counter of that I-PDU with `ComMinimumDelayTime` on a successful transmit confirmation.]([SRS_Com_02037](#))

The running minimum delay timer is reloaded upon the reception of a successful TX-confirmation of that I-PDU, unless the transmission was already delayed longer than `ComMinimumDelayTime` at the reception of the confirmation. In normal case, there will be no further transmission of that I-PDU by the AUTOSAR COM module unless the loaded and started minimum delay has expired. See also Figures 2-4, 2-5 and 2-7 in [3]. However, some exception exists: According to [[SWS_Com_00475](#)] `Com_TriggerTransmit` does not interfere with the minimum delay timer. Further, the minimum delay timer is reset if the transmission deadline monitoring timer expires; see Chapter 2.3.4 of [3]. In addition, starting an I-PDU group resets the minimum delay time timer of the included I-PDUs.

[SWS_Com_00812] [If the minimum delay timer of an I-PDU is reset because the transmission deadline monitoring timer expires and a postponed request for this I-PDU exists, the AUTOSAR COM module shall immediately transmit this I-PDU.]([SRS_Com_02037](#))

7.3.6 Deadline Monitoring

Deadline monitoring for signals is defined in [3].

In the context of deadline monitoring for a signal group, it is handled like a signal. The deadline monitoring parameters `ComFirstTimeout` and `ComTimeout` can be defined in the configuration container `ComSignal` or `ComSignalGroup`.

The corresponding timeout notification callback functions can be defined in parameter in the configuration container `ComUserCallback`.

[SWS_Com_00333] [If the configuration parameter `ComTimeout` for a signal or signal group is omitted or configured to 0, the AUTOSAR COM module shall not monitor this signal or signal group. It also shall ignore the `ComFirstTimeout`.]([SRS_Com_02089](#))

7.3.6.1 Reception Deadline Monitoring

The reception deadline monitoring can be enabled and disabled by the control of I-PDU groups analogous to Chapter 7.3.5.1.

[SWS_Com_00772] [The reception deadline monitoring of an I-PDU is enabled if and only if it is contained in an I-PDU group that has reception deadline monitoring enabled. Otherwise, the reception deadline monitoring of the I-PDU is disabled.]([SRS_Com_00192](#))

[SWS_Com_00292] [In the case where reception deadline monitoring is configured for signals with update-bits, the AUTOSAR COM module shall perform a separate reception deadline monitoring for each signal / signal group with an update-bit. For configuration, see [ComTimeout](#).] ([SRS_Com_02089](#), [SRS_Com_02058](#))

[SWS_Com_00290] [The AUTOSAR COM module shall perform an I-PDU based reception deadline monitoring for signals without an update-bit.] ([SRS_Com_02089](#), [SRS_Com_02058](#))

[SWS_Com_00291] [For all signals and signal groups without update-bits within the same I-PDU, the AUTOSAR COM module shall perform the reception deadline monitoring of the I-PDU using the smallest configured non-zero timeout parameter ([ComFirstTimeout](#), [ComTimeout](#)) of all these signals and signal groups which do not have an update-bit configured.] ([SRS_Com_02089](#), [SRS_Com_02058](#))

If all signals within an I-PDU with configured reception deadline monitoring have also an update-bit configured, no reception deadline monitoring on I-PDU base needs to be performed.

In case of an Rx-timeout, the [ComRxDataTimeoutAction](#) parameter determines whether the AUTOSAR COM module replaces the signal / signal group value with the initial value or substitute value or maintains the last received value.

[SWS_Com_00470] [If [ComRxDataTimeoutAction](#) is set to REPLACE, the AUTOSAR COM module shall replace the signal's value by its [ComSignalInitValue](#) when the reception deadline monitoring timer of a signal expires.] ([SRS_Com_02087](#), [SRS_Com_02088](#))

In case the [ComSignalInitValue](#) replaces the last received value, the last received value is overwritten and gets lost. Therefore, the AUTOSAR COM module returns the [ComSignalInitValue](#) for this signal until a new value is received.

[SWS_Com_00875] [If [ComRxDataTimeoutAction](#) is set to SUBSTITUTE, the AUTOSAR COM module shall replace the signal's value by its [ComTimeoutSubstitutionValue](#) when the reception deadline monitoring timer of a signal expires.] ([SRS_Com_02088](#))

[SWS_Com_00500] [If the reception deadline monitoring timer of a signal or signal group expires and the configuration parameter [ComRxDataTimeoutAction](#) for this signal or signal group is either omitted or configured to NONE, the AUTOSAR COM module shall not replace the signal or the signals of the signal groups respectively.] ([SRS_Com_02087](#))

[SWS_Com_00513] [If [ComRxDataTimeoutAction](#) is set to REPLACE, the AUTOSAR COM module shall replace the values of all included group signals by their [ComSignalInitValue](#), when the reception deadline monitoring timer of a signal group expires.] ([SRS_Com_02041](#))

The Rx-timeout-indication can be combined and configured separately from [ComRxDataTimeoutAction](#).

[SWS_Com_00876] [If `ComRxDataTimeoutAction` is set to SUBSTITUTE, the AUTOSAR COM module shall replace the values of all included group signals by their `ComTimeoutSubstitutionValue`, when the reception deadline monitoring timer of a signal group expires.] ([SRS_Com_02088](#))

[SWS_Com_00715] [When a (large) I-PDU with a configured reception deadline monitoring is received successfully, the AUTOSAR COM module shall reset the reception deadline monitoring timer for this (large) I-PDU at invocation of the function `Com_RxIndication` or `Com_TpRxIndication` respectively.] ([SRS_Com_02058](#))

[SWS_Com_00716] [If the configuration parameter `ComFirstTimeout` for a signal or signal group is omitted or configured to 0, the AUTOSAR COM module shall not monitor the reception of this signal or signal group respectively from the start of the corresponding I-PDU until the first reception.] ([SRS_Com_02058](#))

[SWS_Com_00738] [The I-PDU based reception deadline monitoring mechanism shall not take the values of the signals into account.] ([SRS_Com_02089](#))

[SWS_Com_00889] [If reception deadline monitoring timer expires, AUTOSAR Com module shall restart it.] ()

AUTOSAR COM follows the approach in Chapter 2.5.1 of [3], i.e. reception deadline monitoring timer is restarted. This also means that timeout notification is periodically reported if reception fails for a longer period.

7.3.6.1.1 En-/Disable Reception Deadline Monitoring

When reception deadline monitoring of an I-PDU is disabled and the timer expires, no error indication will be given to the users (e.g. RTE, SwCluC).

Disabling reception deadline monitoring does not stop the reception of an I-PDU.

[SWS_Com_00224] [If the reception deadline monitoring of an I-PDU is enabled by `Com_EnableReceptionDM`, the AUTOSAR COM module shall set the reception deadline monitoring timer for the included signals and signal groups to the configured `ComFirstTimeout` value.] ([SRS_Com_00192](#))

[SWS_Com_00486] [The AUTOSAR COM module shall silently ignore setting the reception deadline monitoring of an I-PDU to enabled by `Com_EnableReceptionDM`, in case the reception deadline monitoring is already enabled for this I-PDU.] ([SRS_Com_00192](#))

Enabling reception deadline monitoring implies that timeout notifications of deadline monitoring expiry are notified to the users (e.g. RTE, SwCluC) for signals or signal groups with a configured `<ComUser_CbkRxTOut>`.

[SWS_Com_00534] [If `Com_EnableReceptionDM` or `Com_DisableReceptionDM` is invoked on an I-PDU group containing Tx-I-PDUs, then the AUTOSAR COM module shall silently ignore this request.] ([SRS_Com_00192](#))

[SWS_Com_00225] [The AUTOSAR COM module shall silently ignore setting the reception deadline monitoring of an I-PDU to disabled by `Com_DisableReceptionDM`, in case the reception deadline monitoring is already disabled for this I-PDU.]([SRS_Com_00192](#))

7.3.6.2 Transmission Deadline Monitoring

The general idea of the AUTOSAR COM transmission deadline monitoring is to supervise the lower layers and the bus but not the COM module itself. Hence, the transmission monitoring timer is generally started, when the COM module sends an I-PDU to the lower layer. This is independent of a transmission mode, a transfer property or update-bits. In generally the transmission monitoring timer is not re-started or reset if it is currently running.

[SWS_Com_00481] [The AUTOSAR COM module shall perform the transmission deadline monitoring (if configured) for all signals and signal groups independently from the transfer property and independently from the transmission modes of the I-PDU the signal / signal group belongs to.]([SRS_Com_02037](#))

The AUTOSAR COM module makes no distinction between signals with `ComTransferProperty` PENDING or TRIGGERED with respect to transmission deadline monitoring.

[SWS_Com_00445] [If different `ComTimeout` parameters of the associated signals / signal groups of an I-PDU are configured, the AUTOSAR COM module shall use the smallest value as timeout parameter for the transmission deadline monitoring of the I-PDU.]([SRS_Com_02037](#))

Transmission deadline monitoring should only be configured in the AUTOSAR COM module for busses that support the generation of transmit confirmations. Otherwise, the transmission deadline monitoring would always notify a transmission error.

[SWS_Com_00878] [The AUTOSAR COM shall start a configured transmission deadline monitoring timer of a signal (group) if it is sent (within an I-PDU) to the lower layer, unless the timer is already running.]([SRS_Com_02037](#))

[\[SWS_Com_00878\]](#) does not consider a potential return code, thus the timer is started even if the sent request fails immediately.

If the timer is already running a new send request does not reset or restart a running timer, but the currently outstanding send request is monitored further on. Unless otherwise specified, the timer is started regardless of the trigger that lead to a potential I-PDU send request. Such triggers are for example a cyclic send request of a signal, a Transmission Mode Switch, or an explicit I-PDU sent request via `Com_TriggerIP-DUSend`.

[SWS_Com_00879] [The transmission deadline monitoring timer shall be started with the configured `ComFirstTimeout` value if the timer is started for the first time after a

(re-)start of the transmission deadline monitoring service for this I-PDU, otherwise the timer shall be started with `ComTimeout` value.]([SRS_Com_02037](#))

[SWS_Com_00880] [When the AUTOSAR COM receives a transmit confirmation for an I-PDU, it shall cancel all running transmission deadline monitoring timers for all contained signals and signal groups.]([SRS_Com_02037](#))

[SWS_Com_00696] [In case transmission deadline monitoring is configured for an I-PDU with transmission mode NONE only, the AUTOSAR COM module shall start the transmission deadline monitoring timer for this I-PDU upon the start of the I-PDU group to which the I-PDU belongs to.]([SRS_Com_02037](#))

[SWS_Com_00835] [In case transmission deadline monitoring is configured for an I-PDU with transmission mode NONE and another transmission mode, the transmission deadline monitoring shall be disabled whenever the transmission mode NONE is active.]([SRS_Com_02037](#))

[SWS_Com_00697] [In case transmission deadline monitoring is configured for an I-PDU with transmission mode NONE only, the AUTOSAR COM module shall reset the transmission deadline monitoring timer for this I-PDU when a successful transmit confirmation is received.]([SRS_Com_02037](#))

In case of a signal group, it is only possible to configure transmission deadline monitoring for the whole signal group and not for group signals, see [ComSignalGroup](#) and [ComGroupSignal](#).

[SWS_Com_00708] [In case the transmission deadline monitoring timer expires for an I-PDU with `ComIPduCancellationSupport` configured to true, the AUTOSAR COM module shall invoke `PduR_ComCancelTransmit` for that I-PDU.]([SRS_Com_02107](#))

The invocation of `PduR_ComCancelTransmit` is done in addition to the normal timeout handling of `Com`, which notifies the SW-C, if configured.

The AUTOSAR COM ignores the return code of `PduR_ComCancelTransmit`.

[SWS_Com_00304] [When a transmission deadline monitoring timer elapses, that is there was no successful transmit confirmation for an I-PDU in time, the AUTOSAR COM module shall notify the users (e.g. RTE, SwCluC) by invoking all configured `<ComUser_CbkTxTOut>` for contained signals or signal groups. Besides, transmission deadline monitoring timer shall not be restarted.]([SRS_Com_02037](#))

If the transmission deadline monitoring timer runs out, there will be a timeout notification regardless of the reason. For example, the notification will even take place, if the transmission was filtered out by an I-PDU callout.

AUTOSAR COM follows the approach in Chapter 2.5.2 of [3], i.e. transmission deadline monitoring timer is not restarted. This also means that timeout notification is reported only once if the transmission fails.

7.3.6.2.1 Transmission Deadline Monitoring with N-Times Transmission Mode

As defined in [3] the monitoring timer has to be started upon completion of a call to `Com_SendSignal` or `Com_SendSignalGroup` respectively if transmission deadline monitoring is configured for the corresponding signal or signal group respectively.

For the transmission mode DIRECT and MIXED, it should be ensured that all `ComTxModeNumberOfRepetitions` requests could be made within the configured period (see Chapter 7.3.3.4).

As defined in [3], if the monitoring timer expires the users (e.g. RTE, SwCluC) are notified with the configured notification mechanism about that failure.

[SWS_Com_00308] [For an I-PDU with `ComTxModeMode` DIRECT and `ComTxModeNumberOfRepetitions` > 0, the AUTOSAR COM module shall cancel the transmission deadline monitoring timer after `ComTxModeNumberOfRepetitions` plus one successfully received transmit confirmations.] (*SRS_Com_02083*)

If the timer is cancelled after `ComTxModeNumberOfRepetitions` plus one confirmations, the transmission was successful and then the transmission confirmation is sent to the users (e.g. RTE, SwCluC). See also [SWS_Com_00305].

[SWS_Com_00739] [For an I-PDU with `ComTxModeMode` DIRECT and `ComTxModeNumberOfRepetitions` > 0, the AUTOSAR COM module shall reset an already running transmission deadline monitoring timer in case another send request for this I-PDU is initiated.] (*SRS_Com_02083*)

7.3.7 Notification handling

The AUTOSAR COM inherits the notification classes 1, 2, 3 and 4 of [3]. The notifications are configurable via `ComUserCallback` and the definitions of the callbacks are given in Chapter 8.6.3.1.

[SWS_Com_00883] [For each `<ComUser_CbkTxAck>` / `<ComUser_CbkRxAck>` that is configured for a signal or signal group, the AUTOSAR COM shall indicate each successful transmission / reception via the configured notifications.] (*SRS_Com_02046*)

For example, for periodic transmissions each successful periodic transmission is notified. Note that for n-times transmission multiple transmissions on the bus are necessary before it is considered as successful, see also [SWS_Com_00305].

7.4 Signal Groups - Complex Data Types

To support the AUTOSAR concept of complex data types the AUTOSAR COM module provides signal groups. The AUTOSAR COM module transmits and receives signal groups consistently to provide the necessary consistency for complex data types.

Signal groups can be configured statically. For each signal group a symbolic name can be configured. See [ComSignalGroup](#) for the configuration details.

The AUTOSAR COM module achieves the consistency of a signal group by means of a shadow buffer mechanism, i.e. the user (e.g. RTE or SwCluC) accesses the group signals in the shadow buffer. If the shadow buffer needs to be synchronized with the I-PDU, the users can trigger this explicitly with [Com_SendSignalGroup](#) or [Com_ReceiveSignalGroup](#). The synchronization is performed atomically.

An alternative approach to signal group consistency is to enable the signal group array APIs [Com_SendSignalGroupArray](#) and [Com_ReceiveSignalGroupArray](#). The deviations of this approach are described in Chapter [7.4.6](#).

7.4.1 Initialization

[SWS_Com_00484] [By a call to [Com_Init](#), the AUTOSAR COM module shall initialize the shadow buffer of a signal group on sender-side.] ([SRS_BSW_00101](#))

Since it is not suspected that a well-formed SWC tries to read a group signal before a call to [Com_ReceiveSignalGroup](#), [\[SWS_Com_00484\]](#) applies to the sender side only.

7.4.2 Transmission

If [Com_SendSignal](#) or [Com_InvalidateSignal](#) is called for a signal that belongs to a signal group, then the AUTOSAR COM will only update the shadow buffer of this signal group. There is no need for any further I-PDU processing like TMS evaluation, unless the I-PDU contents changed.

[SWS_Com_00050] [If [Com_SendSignalGroup](#) is called for the signal group, the AUTOSAR COM module shall copy the shadow buffer atomically to the I-PDU buffer.] ([SRS_Com_02041](#))

Example with two group signals `signal_a` and `signal_b`, which belong to `group_x`:

```
/* copy a to shadow buffer */  
Com\_SendSignal (signal_a, &a);  
/* copy b to shadow buffer */  
Com\_SendSignal (signal_b, &b);  
/* copy shadow buffer to I-PDU */  
Com\_SendSignalGroup (group_x);
```


7.4.3 Reception

A group signal can be received from the shadow buffer by calling the function `Com_ReceiveSignal` after the signal group data has been copied to the shadow buffer by `Com_ReceiveSignalGroup`.

[SWS_Com_00051] [If `Com_ReceiveSignalGroup` is called for a signal group, the AUTOSAR COM module shall copy the data atomically from the I-PDU buffer to the shadow buffer.] (*SRS_Com_02041*)

Example with two group signals `signal_a` and `signal_b`, which belong to `group_x`:

```

/* copy I-PDU to shadow buffer */
Com_ReceiveSignalGroup (group_x);

/* copy a from shadow buffer */
Com_ReceiveSignal (signal_a, &a);

/* copy b from shadow buffer */
Com_ReceiveSignal (signal_b, &b);
    
```

7.4.4 Notifications

Table 7.5 shows that all notification functions are only configurable for signal groups but not for individual group signals. Chapter 7.3 defines the functional logic of the notification methods for signals and signal groups. The prototypes for the configurable notification functions are defined in Chapter 8.6.3.1.

7.4.5 Attributes of a Signal Group

Table 7.5 gives an overview of the attributes of a signal group:

Attribute	Per group signal	Per signal group
Update-bit	No	Yes, associated on the whole group (see Chapter 7.9)
Signal Notification (sender side)	No	Yes
Signal Notification (receiver side)	No	Yes
Error Notification (sender side)	No	Yes
Timeout Notification (sender side)	No	Yes
Timeout Notification (receiver side)	No	Yes
Invalid Notification (receiver side)	No	Yes
Data access (receiver side)	Yes	Yes, see [SWS_Com_00201]





Attribute	Per group signal	Per signal group
Data access (sender side)	Yes	Yes, see [SWS_Com_00200], [SWS_Com_00557]
Data Filtering (receiver side)	Yes, see Chapter 7.2.4	No
Data Filtering (sender side)	No	No
TMS on sender side	Each signal, according to TMS selection definition. (see Chapter 7.3.3.2)	No

Table 7.5: Attributes of signal groups

7.4.6 UINT8-array based access to signal groups

An alternative approach to signal group consistency is to enable the signal group array APIs `Com_SendSignalGroupArray` and `Com_ReceiveSignalGroupArray` via the COM configuration parameter `ComSignalGroupArrayAccess`. The serialization of the composite data is then done outside of the COM module but resulting in the same layout as COM would use to place the group signals in the I-PDU.

In this approach, no shadow buffer is used. The serialized data is directly provided to the COM module as a uint8-array representation of the signal group.

[SWS_Com_00841] [The UINT8-array based access to signal groups shall only be used if the following preconditions apply:

- uses only fix sized data types for the composite data
- signal groups, which are mapped byte aligned to the I-PDU
- signal groups, where the underlying byte array does not contain any other signals, but may contain gaps.

]([SRS_Com_02112](#))

[SWS_Com_00842] [In case a signal group has `ComSignalGroupArrayAccess` defined, no shadow buffer shall be allocated for that signal group.]([SRS_Com_02112](#))

[SWS_Com_00843] [In case a signal group has `ComSignalGroupArrayAccess` defined, the call to the following APIs is not supported for that signal group:

- `Com_SendSignal` and `Com_ReceiveSignal` for any of the group signals of that signal group
- `Com_SendSignalGroup` and `Com_ReceiveSignalGroup` for that signal group

]([SRS_Com_02112](#))

The above requirement defines that certain APIs are not supported for signal groups with array access. That is, these APIs must not be called for signal groups with array access. If they are called illegally, the behavior is undefined.

Since the signal group is provided in the uint8-array representation, reception filtering and transmission mode selection needs to cope with this data representation when evaluating the group signals.

In order to ease the filter evaluation only a subset of the filters from [SWS_Com_00602] is supported.

For signal group array access the following two filters are excluded from reception filtering and Transmission Mode Selection:

- NEW_IS_WITHIN
- NEW_IS_OUTSIDE

[SWS_Com_00848] [The signal group array processing functions `Com_SendSignalGroupArray` and `Com_ReceiveSignalGroupArray` shall support the following filters for reception filtering and Transmission Mode Selection:

- ALWAYS
- NEVER
- MASKED_NEW_EQUALS_X
- MASKED_NEW_DIFFERS_X
- MASKED_NEW_DIFFERS_MASKED_OLD
- ONE_EVERY_N

](SRS_Com_02112)

7.4.6.1 Basic functionality

In case the AUTOSAR Transformer approach is used the serialization and further data processing is already done in the transformer chain. Since the transformer chain already deals with a uint8-array representation of the communication data, the uint8-array based access to signal groups allows to use the already serialized data and to place it into the I-PDU without the need for COM to serialize the data again.

The AUTOSAR System Template [11] defines which signal group shall be handled in the uint8-array based approach. If the System Template enables the uint8-array based approach the Ecu configuration parameter `ComSignalGroupArrayAccess` is set to true.

[SWS_Com_00844] [The start position of the uint8-array representation of the communication data shall be the byte offset of the group signal in this signal group with the smallest `ComBitPosition`.](SRS_Com_02112)

[SWS_Com_00845] [The end position of the uint8-array representation of the communication data shall be the byte offset of the last byte occupied by the group signal in this signal group with the highest `ComBitPosition`.] (*SRS_Com_02112*)

7.4.6.2 Initialization

[SWS_Com_00850] [By a call to `Com_Init`, the AUTOSAR COM module shall initialize the respective I-PDU buffer section of a signal group, that has `ComSignalGroupArrayAccess` configured true, based on the `ComSignalInitValue` of all included group signals.] (*SRS_Com_02112*, *SRS_BSW_00101*)

7.4.6.3 Transmission

[SWS_Com_00846] [When `Com_SendSignalGroupArray` is called a data pointer to the uint8-array representation of the signal group is provided. The AUTOSAR COM module shall copy the data into the I-PDU based on the start position defined in [\[SWS_Com_00844\]](#) and the size defined in [\[SWS_Com_00845\]](#).] (*SRS_Com_02112*)

[SWS_Com_00847] [The AUTOSAR COM module shall handle a call of `Com_SendSignalGroupArray` equally to `Com_SendSignalGroup` with respect to transfer properties and I-PDU transmission mode.] (*SRS_Com_02112*)

See Chapters [7.3.3.1.2](#), [7.3.3.2](#), [7.3.3.3](#).

7.4.6.4 Reception

[SWS_Com_00849] [When `Com_ReceiveSignalGroupArray` is called a data pointer to the uint8-array representation of the signal group is provided. The AUTOSAR COM module shall copy the data to the data pointer position of the I-PDU based on the start position defined in [\[SWS_Com_00844\]](#) and the size defined in [\[SWS_Com_00845\]](#).] (*SRS_Com_02112*)

7.5 Large Data Types

A large signal is a signal that is too large to fit into a single L-PDU of the underlying communication protocol. For example, a large signal on CAN would exceed 8 bytes or 64 bytes for CAN FD [\[12\]](#). For FlexRay the situation is more complex, since one frame can contain several I-PDUs. Hence, a signal may be a large signal for FlexRay even if it does not exceed the size of a FlexRay frame.

Large signals in AUTOSAR require configuring a large I-PDU that will be transmitted via the transport protocol of the underlying bus. It is not imperative that a large I-PDU contains one or more large signals.

Using this concept the I-PDU length and hence the signal size will be limited according to the bus-specific transport protocol, see [ComSignalLength](#).

UINT8_N is the only signal type that supports signals of a static size larger than 8 bytes. For dynamic length signals see Chapter 7.6.

Since the AUTOSAR COM module is not aware of the underlying bus properties, it has to be configured if an I-PDU can be transmitted within a single L-PDU, e.g. one CAN frame, or if it needs to be transmitted via TP, see also [ComIPduType](#).

The AUTOSAR COM module is not able to prevent or to detect if too large I-PDUs are sent to a specific bus transport protocol, because the AUTOSAR COM module uses the bus-independent PDU Router interface. However, the AUTOSAR COM module allows that the maximum length of the N-SDU of the underlying TPs can be used and therefore the AUTOSAR COM module does not introduce any additional length restrictions.

7.5.1 Transmission of Large Signals / I-PDUs

The AUTOSAR COM module sends large I-PDUs via the generic PduR APIs for upper layer modules that use transport protocol. For details of the AUTOSAR COM module - PDU Router interface see Chapter 7.8. According to [6] the call-sequence is:

- PduR_ComTransmit: for initiating the send request
- one or more callbacks to [Com_CopyTxData](#): for copying the data
- callback to [Com_TpTxConfirmation](#): for confirming the transmission

[SWS_Com_00662] [After successful initiation of a transmission of a large I-PDU via PduR_ComTransmit, the AUTOSAR COM module shall not modify the data of its internal transmit buffer of this I-PDU unless the AUTOSAR COM module is notified about either the successful transmission or an error indicating that the transmission was aborted.] ([SRS_Com_02095](#))

The I-PDUs within the AUTOSAR COM module are statically configured. Therefore, the complete memory of the I-PDU, even for very large I-PDUs, will be allocated. This approach was taken in order to reduce the complexity of the large data type handling.

If the utilized transportation protocol is also used for diagnosis, or other services, it must support multiple users. This is at least supported by CAN TP [13] and FlexRay TP [14].

[SWS_Com_00863] [In case a large I-PDU is currently transmitted and the same I-PDU is triggered for transmission again, the AUTOSAR COM shall skip the additionally send request and report the runtime error [COM_E_SKIPPED_TRANSMISSION](#).] ([SRS_Com_02095](#))

This could for example happen in case a large I-PDU is sent out periodically and the transmission is delayed over the next cycle.

7.5.2 Reception of Large Signals / I-PDUs

The AUTOSAR COM module receives large I-PDUs via the generic PDU Router's APIs for upper layer modules that use transport protocol. For details of the AUTOSAR COM module - PDU Router interface see Chapter 7.8. According to [6] the call-sequence is:

- call to `Com_StartOfReception`: for initiating the RX request
- one or more callbacks to `Com_CopyRxData`: copying the receive data to the AUTOSAR COM module's internal receive buffer
- call to `Com_TpRxIndication`: indicating the correct, or incorrect, end of the reception process

[SWS_Com_00838] [In case `Com_TpRxIndication` is called with value `E_NOT_OK` for the parameter result, the AUTOSAR COM module shall treat all signals of the received large I-PDU exactly like invalidated signals. That is, the AUTOSAR COM module shall execute all configured `ComDataInvalidAction` for all included signals and signal groups.] (*SRS_Com_02095*)

When receiving large I-PDUs the internal I-PDU buffer is overwritten gradually. Thus, unless the old signal is not stored somewhere else (for example in a shadow buffer of a signal group), the COM module runs the risk to lose signal data information that might be needed in certain scenarios, for example:

- receiving a signal with an unset update-bit
- providing the last value in case the RX-filter is not passed
- providing the last value in case there is only an invalid notification (but no replacement) is defined and the invalid value is received

[SWS_Com_00882] [If the AUTOSAR COM module receives signals via large I-PDUs and these signals have features configured that need to keep the old value in certain cases, the AUTOSAR COM module shall correctly provide the old value for signals received via a large I-PDU in the same way as for signals received via normal I-PDUs.] (*SRS_Com_02041*)

It is open to the implementation to find efficient means for providing the old values and to derive from the configuration, which signals or I-PDUs need an additional handling (e.g. buffering).

This does not mean it is necessary to implement a queue.

7.6 Dynamic Length Signals

A dynamic length signal is a signal which length can vary at run-time. The maximal length of a dynamic length signal needs to be specified at configuration time. A dynamic length signal has to be transmitted in a dynamic length I-PDU.

[SWS_Com_00753] [For dynamic length signals, the AUTOSAR COM module shall only support the `ComSignalType` `UINT8_DYN`.] (*SRS_Com_02094*, *SRS_Com_02098*)

Restricting the type to a `UINT8`-array type also restricts the placement of the dynamic length signal to byte boundaries.

All other signals, potentially including large signals, must be packed in front of the dynamic length signal (see [\[SWS_Com_00754\]](#), [\[SWS_Com_00755\]](#) and [\[SWS_Com_00756\]](#)). Therefore, it is not required to encode the length of the dynamic length signal within the I-PDU. On receiver side, the length of the dynamic length signal can be calculated from the length of the received I-PDU.

It is allowed to configure an update-bit for a dynamic length signal. In this case, the update-bit must be located in front of the dynamic length signal, see also [\[SWS_Com_00755\]](#).

There is no restriction in the AUTOSAR COM module preventing the usage of signal groups in combination with large or dynamic length signals.

Dynamic length signals are not restricted to be sent via transport protocol. However, the maximum length of the I-PDU containing the dynamic length signal must respect the bus-specific restrictions.

In case of I-PDUs with dynamic length signals that shall be sent via CAN FD [\[12\]](#) it is recommended to use the Multi PDU Mapping feature of the `IpduM`. This avoids misinterpretation of the received length due to the discrete data lengths of CAN FD frames.

7.6.1 Transmission of Dynamic Length Signals / I-PDUs

For sending a dynamic length signal, the user (e.g. RTE or `SwCluC`) needs to specify the actual length at the send call. The corresponding API is `Com_SendDynSignal`.

[SWS_Com_00757] [At a call to `Com_SendDynSignal`, the AUTOSAR COM module shall set the length of the corresponding dynamic length I-PDU to the smallest length that includes the dynamic length signal. The length of the dynamic signal shall be equal to the value of input parameter "Length" passed in the API `Com_SendDynSignal`.] (*SRS_Com_02093*)

The AUTOSAR COM module is able to send dynamic length I-PDUs via normal or large I-PDUs. In any case, it needs to pass the length of the dynamic I-PDU to the lower layers.

[SWS_Com_00832] [When the AUTOSAR COM module invokes `PduR_ComTransmit` for a dynamic length I-PDU, the `SduLength` of the `PduInfoType` shall be set according the last update (or init value if not yet sent) of the included dynamic length signal.] (*SRS_Com_02093*)

7.6.2 Reception of Dynamic Length Signals / I-PDUs

For receiving a dynamic length signal, the users (e.g. RTE, SwCluC) need to be informed about the actual size.

[SWS_Com_00758] [At reception of a dynamic length I-PDU, the AUTOSAR COM module shall calculate the length of the contained dynamic length signal, by:

<dynamic signal length in bytes> = <received I-PDU length in bytes>

- <ComBitPosition of dynamic length signal> / 8] (*SRS_Com_02093*)

`Com_ReceiveDynSignal` returns the length of a dynamic length signal, calculated as defined above.

7.7 MetaData Handling

COM supports MetaData in PDUs received from and transmitted to PduR, and in Signals exchanged with the user (e.g. RTE or SwCluC). One possibility to use MetaData during transmission is to use `Com_TriggerIPDUWithMetaData` to trigger transmission of an I-PDU with a defined set of MetaData. The other is to use the APIs `Com_SendSignalWithMetaData`, `Com_SendDynSignalWithMetaData`, `Com_SendSignalGroupWithMetaData`, `Com_SendSignalGroupArrayWithMetaData` to provide MetaData for the next transmission of the I-PDU containing the signal. Received MetaData will be stored alongside the I-PDU and can be accessed using `Com_ReceiveDynSignalWithMetaData`, `Com_ReceiveSignalWithMetaData`, `Com_ReceiveSignalGroupWithMetaData`, `Com_ReceiveSignalGroupArrayWithMetaData`.

[SWS_Com_00887] [If MetaData is configured for a transmitted I-PDU, the I-PDU shall be transmitted with the MetaData last provided by the user (e.g. RTE or SwCluC), or, if no MetaData has been provided by the user, with the configured default values specified by `ComMetaDataDefaultItem` containers. MetaData provided by `Com_TriggerIPDUWithMetaData` shall just be used for the transmission triggered by this call.]()

[SWS_Com_00888] [If MetaData is configured for a received I-PDU, received MetaData shall be stored for access by the user (e.g. RTE or SwCluC).]()

7.8 Interface between AUTOSAR COM Module and the PDU Router

[3] leaves the interface between COM and the lower layers undefined. In AUTOSAR, the only lower layer that the AUTOSAR COM module interfaces to is the PDU Router.

The AUTOSAR COM module uses the PDU Router in two different modes, depending on the type of the I-PDU it will be transported with the bus-specific transport protocol

or without. If an I-PDU is supposed to be sent via TP, is configured per configuration parameter `ComIPduType`.

[SWS_Com_00138] [The AUTOSAR COM module shall send out I-PDUs by a calling the `PduR_ComTransmit` function.] (*SRS_Com_02037*)

[SWS_Com_00759] [If the AUTOSAR COM module sends out an I-PDU with `ComIPduType` configured to NORMAL, the AUTOSAR COM module shall expect to be called by the PDU Router using Com's interfaces for modules that do not use TP.] (*SRS_Com_02096*)

See column normal I-PDUs in Table 7.6.

[SWS_Com_00760] [If the AUTOSAR COM module sends out an I-PDU with `ComIPduType` configured to TP, the AUTOSAR COM module shall expect to be called by the PDU Router using Com's interfaces for modules that use TP.] (*SRS_Com_02096*)

See column TP I-PDUs in Table 7.6.

The interaction diagram in Chapter 9.1 shows the interaction between the PDU Router module and the AUTOSAR COM module for normal I-PDUs.

Table 7.6 gives an overview, which API between the AUTOSAR COM module and the PDU Router is used for a concrete I-PDU with respect to the configured value of `ComIPduType`. The API description itself is specified in Chapter 7.13.

API	normal I-PDUs	TP I-PDUs
<code>PduR_ComTransmit</code>	X	X
<code>Com_TxConfirmation</code>	X	-
<code>Com_RxIndication</code>	X	-
<code>Com_TriggerTransmit</code>	X	-
<code>Com_TpTxConfirmation</code>	-	X
<code>Com_TpRxIndication</code>	-	X
<code>Com_StartOfReception</code>	-	X
<code>Com_CopyRxData</code>	-	X
<code>Com_CopyTxData</code>	-	X

Table 7.6: API to PDU Router with respect to `ComIPduType`

7.9 Update-Bits

To enable the receiver of a signal / signal group to identify whether the sender has updated the data in this signal / signal group before sending, the AUTOSAR COM module supports update-bits.

The update-bits indicate whether the user (e.g. RTE or SwCluC) on sender-side has updated a signal value, before the I-PDU, containing that signal, was transmitted to the PDU Router.

Update-bits are not allowed if transmission mode DIRECT is used with `ComTxModeNumberOfRepetitions` greater or equal 1 (see [SWS_Com_00310]).

By configuration on sender- and on receiver-side, it is possible to add separately for each signal and / or separately for each signal group at most one update-bit.

The position of the update-bit is configurable by configuration parameter `ComUpdateBitPosition`. `ComUpdateBitPosition` is included within the configuration container `ComSignal`. Hence, it is ensured that the signal / signal group and the corresponding update-bit are always part of the same I-PDU.

[SWS_Com_00055] [The AUTOSAR COM module shall handle the update-bit only internally and not as part of the signal or signal group.](SRS_Com_02030)

The update-bits are not directly visible or accessible by AUTOSAR Software Components.

[SWS_Com_00059] [The AUTOSAR COM module shall interpret the update-bit as follows: 0 indicates "cleared / data has not been updated", 1 indicates "set / data has been updated".](SRS_BSW_00101, SRS_Com_02030)

7.9.1 Sender Side

The initialization of update-bits is defined by [SWS_Com_00117].

[SWS_Com_00061] [If the user (e.g. RTE or SwCluC) updates the value of a signal by calling `Com_SendSignal`, the AUTOSAR COM module shall set the update-bit of this signal.](SRS_Com_02030)

[SWS_Com_00801] [If the user (e.g. RTE or SwCluC) updates a signal group by calling `Com_SendSignalGroup`, the AUTOSAR COM module shall set the update-bit of this signal group.](SRS_Com_02030)

[SWS_Com_00062] [If the parameter `ComTxIPduClearUpdateBit` of an I-PDU is configured to Transmit, the AUTOSAR COM module shall clear all update-bits of all contained signals and signal groups after this I-PDU was sent out via `PduR_ComTransmit` and `PduR_ComTransmit` returned `E_OK`.](SRS_Com_02030)

[SWS_Com_00577] [If the parameter `ComTxIPduClearUpdateBit` of an I-PDU is configured to Confirmation, the AUTOSAR COM module shall clear all update-bits of all contained signals and signal groups after this I-PDU was sent out via `PduR_ComTransmit`, `PduR_ComTransmit` returned `E_OK` and the I-PDU was successfully confirmed.](SRS_Com_02030)

[SWS_Com_00578] [If the parameter `ComTxIPduClearUpdateBit` of an I-PDU is configured to TriggerTransmit, the AUTOSAR COM module shall clear all update-bits of all contained signals and signal groups after the contents of this I-PDU was successfully requested by `Com_TriggerTransmit`.](SRS_Com_02030)

7.9.2 Receiver Side

[SWS_Com_00324] [If a signal or signal group with an attached update bit is received, the AUTOSAR COM module shall only process this signal, i.e. filter, notification, signal based gateway, byte swapping, if the signal's update bit is set.] ([SRS_Com_02030](#))

[SWS_Com_00802] [If a signal or signal group with an attached update bit is received and the update-bit is not set, the AUTOSAR COM module shall discard this signal.] ([SRS_Com_02030](#))

If the signal has not been updated, the signal will not be routed via the signal gateway. It will only be discarded.

If the user (e.g. RTE or SwCluC) reads a signal with an associated cleared update-bit, the init value or the last received value is returned.

[SWS_Com_00067] [The AUTOSAR COM module shall interpret a signal / signal group as updated if the signal has an update-bit attached, and the value of the update-bit is set.] ([SRS_Com_02030](#))

For the behavior of reception deadline monitoring on signals with update-bits, see Chapter [7.3.6.1](#).

7.10 Signal Gateway

The signal gateway is an integrated part of the AUTOSAR COM module. Any external modules, except the cyclic task call, cannot access the signal gateway.

The AUTOSAR COM module's signal gateway works with signals and signal groups.

The AUTOSAR COM module's signal gateway supports only static routing for the [ComGwMapping](#) configuration container. It is only possible to configure routes independently of the contents of the routed signals and group signals.

The destination of a signal or group signal can be configured either per [ComGwDestinationDescription](#) container or via [ComGwSignal](#) reference. The transmission mode will be selected based on the TMCs of other associated signals of the I-PDU. In case no signal contributes to the TMS calculation, the transmission mode [ComTxModeTrue](#) [**[SWS_Com_00677]**] will be used.

[SWS_Com_00377] [The AUTOSAR COM module's signal gateway shall copy the value of routed signals / group signals to the signals / group signals for transmission according to configuration, see [ComGwMapping](#).] ([SRS_GTW_06055](#), [SRS_GTW_06089](#))

The [ComGwMapping](#) configuration allows to configure routing a signal / group signal from one source signal / group signal to zero (no signal gateway functionality) or more destinations (1:n).

The AUTOSAR COM module's signal gateway does not support to process signals or group signals that are contained within a large I-PDU, see [[SWS_Com_00598](#)].

[SWS_Com_00872] [The Signal Gateway shall support the following I-PDU / signal-processing stages on the receiver side:

1. reset reception deadline monitoring timer for I-PDU based monitoring
2. I-PDU callout
3. check of update-bits
4. endianness conversion and sign extension

]([SRS_GTW_06055](#), [SRS_GTW_06089](#))

[SWS_Com_00873] [The Signal Gateway shall support the following I-PDU / signal-processing stages on the sender side:

1. set of update-bits
2. endianness conversion and sign extension
3. I-PDU transmission mode selection
4. I-PDU callout

]([SRS_GTW_06055](#), [SRS_GTW_06089](#))

See also Figure [7.4](#).

7.10.1 Dealing with Signals

[SWS_Com_00357] [The AUTOSAR COM module shall forward signals to be routed from received I-PDUs to transmit I-PDUs. For configuration, see configuration container [ComGwMapping](#).]([SRS_GTW_06002](#))

Stopping the receive I-PDU after the signals to be routed have been forwarded to the transmit I-PDU will not prevent the transmit I-PDU from being transmitted unless it is stopped as well.

[SWS_Com_00360] [If the endianness of a received signal to be routed differs from the endianness of a related destination signal, the AUTOSAR COM module shall convert its endianness to the endianness of the destination signal.]([SRS_GTW_06061](#))

7.10.2 Dealing with Group Signals

[SWS_Com_00361] [The AUTOSAR COM module shall forward routed group signals from received I-PDUs to transmit I-PDUs. See also configuration container [ComGwMapping](#).]([SRS_GTW_06002](#), [SRS_GTW_06056](#), [SRS_GTW_06061](#))

Stopping the receive I-PDU after the group signals to be routed have been forwarded to the transmit I-PDU will not prevent the transmit I-PDU from being transmitted unless it is stopped as well.

[SWS_Com_00383] [The AUTOSAR COM module shall route all group signals belonging to the same signal group in a consistent manner. Therefore, the AUTOSAR COM module shall transfer the data of a signal group as one consistent (sub-)set of data during a routing operation.]([SRS_GTW_06056](#))

[SWS_Com_00735] [The AUTOSAR COM module shall support routing consistently a subset of group signals of a source signal group into a reduced target signal group.]([SRS_GTW_06056](#))

[SWS_Com_00833] [The AUTOSAR COM module shall support routing of individual group signals of a source signal group to a individual target signals (which are not part of signal group).]([SRS_GTW_06056](#))

[SWS_Com_00362] [If the endianness of a received group signal to be routed differs from the endianness of a related destination (group) signal, the AUTOSAR COM module shall convert its endianness to the endianness of the destination (group) signal.]([SRS_GTW_06061](#))

7.10.3 Routing of Out-Timed Signals and Signal Groups

[SWS_Com_00701] [The AUTOSAR COM module's signal gateway shall route signal and group signals even if any configured reception deadline monitoring timeout expired.]([SRS_GTW_06089](#))

In case of a not in time received signal or group signal the AUTOSAR COM module's signal gateway will route these signal or group signal anyway.

7.10.4 Handling of Update-Bits

The routing relations for signal groups are solely defined on the group signals. However, with respect to the update-bit the integrated signal gateway has to respect the update-bits of the enclosing signal groups. Hence, when update-bits of signal groups are referenced within this chapter the signal groups that include the configured group signals are meant.

[SWS_Com_00702] [If both, the received signal / signal group and the destination signal / signal group have an update-bit ([ComUpdateBitPosition](#)) configured and the update-bit of the received signal / signal group is set, the AUTOSAR COM module shall route the signal / signal group with the set update-bit and clear the update-bit of the destination signal / signal group after it was sent.]([SRS_Com_02030](#))

[SWS_Com_00703] [If the received signal / signal group and the destination signal / signal group have an update-bit ([ComUpdateBitPosition](#)) configured, and the

update-bit of the received signal / signal group is not set, the AUTOSAR COM module shall not route this signal / signal group.]([SRS_Com_02030](#))

[SWS_Com_00704] [If the received signal / signal group has an update-bit ([ComUpdateBitPosition](#)) configured, but the destination signal has no update-bit configured, and the update-bit is set, the AUTOSAR COM module shall route this signal / signal group without the update-bit.]([SRS_Com_02030](#))

[SWS_Com_00705] [If the received signal / signal group has an update-bit ([ComUpdateBitPosition](#)) configured, but the destination signal has no update-bit configured, and the update-bit is not set, the AUTOSAR COM module shall not route this signal / signal group.]([SRS_Com_02030](#))

[SWS_Com_00706] [If the received signal / signal group has no update-bit ([ComUpdateBitPosition](#)) configured and the destination signal / signal group has an update-bit configured, the AUTOSAR COM module shall set the update-bit of the destination signal when a new signal / signal group was received and clear it after sending of the destination signal / signal group.]([SRS_Com_02030](#))

7.10.5 Decoupling Signal Gateway

To protect interrupt routines used for I-PDU reception from incalculable and perhaps expensive time usage, it is necessary to decouple the AUTOSAR COM module's signal gateway from interrupt routines.

[SWS_Com_00359] [The AUTOSAR COM module shall execute all functions of its signal gateway during the function call [Com_MainFunctionRouteSignals](#). During this function call, the AUTOSAR COM module's signal gateway shall check received routed signals and group signals and copy them from the related receive I-PDUs to the related transmit I-PDUs.]([SRS_BSW_00425](#), [SRS_BSW_00432](#))

[SWS_Com_00466] [Within [Com_MainFunctionRouteSignals](#), the AUTOSAR COM module shall evaluate the transfer properties and transmission modes and perform its routing actions in the following sequence:

1. copy all gated signals from the source to the target I-PDUs
2. evaluate the TMC of all gated signals
3. evaluate the TMS for the target I-PDUs

]([SRS_BSW_00432](#))

See also Figure 7.1.

In the case, that a target I-PDU contains gated signals with [ComTransferProperty](#) TRIGGERED that are newly received, the sending may be performed in either [Com_MainFunctionTx](#) or [Com_MainFunctionRouteSignals](#).

[SWS_Com_00539] [The AUTOSAR COM module shall sent out an I-PDU at most once while one call to [Com_MainFunctionRouteSignals](#).] ([SRS_GTW_06055](#))

7.11 Error Classification

Section "Error Handling" of the document [5] "General Specification of Basic Software Modules" describes the error handling of the Basic Software in detail. Above all, it constitutes a classification scheme consisting of five error types which may occur in BSW modules.

Based on this foundation, the following section specifies particular errors arranged in the respective subsections below.

7.11.1 Development Errors

[SWS_Com_91014] Definiton of development errors in module Com [

Type of error	Related error code	Error value
API service called with wrong parameter	COM_E_PARAM	0x01
Error code if any API service (except Com_Get Status, Com_GetVersionInfo, Com_MainFunction Rx, Com_MainFunctionTx and Com_Main FunctionRouteSignals) is called before the AUTOSAR COM module was initialized with Com_Init or after a call to Com_DeInit	COM_E_UNINIT	0x02
NULL pointer checking	COM_E_PARAM_POINTER	0x03
Invalid configuration set selection	COM_E_INIT_FAILED	0x04

] ([SRS_BSW_00337](#), [SRS_BSW_00414](#))

7.11.2 Runtime Errors

[SWS_Com_91015] Definiton of runtime errors in module Com [

Type of error	Related error code	Error value
Transmission request was skipped	COM_E_SKIPPED_TRANSMISSION	0x05

] ([SRS_BSW_00452](#))

7.11.3 Transient Faults

There are no transient faults.

7.11.4 Production Errors

There are no production errors.

7.11.5 Extended Production Errors

There are no extended production errors.

7.12 AUTOSAR COM Module's Interaction Model

This chapter corresponds to the chapter Functional Model of Interaction Layer of [3]. The following figures illustrate the behavior of the Interaction layer for external reception and external transmission. The complete functionality is shown but it depends on the configuration what parts are present / used in a concrete implementation.

[SWS_Com_00396] [A received signal or signal group can be configured for various processing steps. The AUTOSAR COM module shall execute the configured processing steps in the following order:

1. reset reception deadline monitoring timer for I-PDU based monitoring
2. check update-bits
3. endianness conversion and sign extension
4. data invalidation
5. reception filtering
6. reset reception deadline monitoring timer for signal based monitoring
7. notification

]([SRS_Com_02037](#))

[SWS_Com_00744] [In case both [ComRxDataTimeoutAction](#) and [<ComUser_CbkRxTOut>](#) is configured for a [ComSignal](#) or a [ComSignalGroup](#), the AUTOSAR COM module shall first call the configured [ComRxDataTimeoutAction](#) and then call the configured [<ComUser_CbkRxTOut>](#).]([SRS_Com_02089](#))




Figure 7.2: The AUTOSAR COM module's interaction model for transmission




Figure 7.3: The AUTOSAR COM module's interaction model for reception




Figure 7.4: The AUTOSAR COM module's interaction model for integrated Signal Gateway

The endianness conversion and sign extension on receiver side are needed to feed the TMS with a correct data format. This endianness conversion is only necessary if the endianness of the Rx-bus differs from the endianness of the CPU. The endianness conversion on the sender side is only necessary if the endianness of the Rx-bus differs from the endianness of the Tx-bus.

7.13 Multicore Distribution

In order to provide a load distribution amongst different partitions (cores), the different parts of the Com-Stack shall be allocated to the different partitions. Hereby it shall be supported that such a partitioning happens on a per-network-type basis, i.e., the Flex Ray, CAN, and Ethernet part of the Com-Stack shall be locatable onto different distinct partitions (cores).

In order to support such a flexible allocation with reducing the amount of cross-partition communication (and thus (potentially blocking) synchronization) the main threads of execution in the Com module (namely the respective MainFunctions) can be split into different MainFunctions (at least one per partition). This way the flow of reception

/ transmission stays within the scope of a single network (and thus within a single partition) and therefore does not require special multi-partition capable communication and synchronization primitives. The only exception in the Com module is the signal gateway which needs special consideration.

In order to manage different timing requirements each MainFunction defines its time base individually.

[SWS_Com_00885] [ComIPdus shall be processed within the MainFunction, which is referenced via [ComIPduMainFunctionRef.](#)]()

[SWS_Com_00886] [If [ComPreparationNotification](#) is configured, the respective [Com_CbkTxPrep](#) shall be called within MainFunctionTx before I-PDU processing is started.]()

[SWS_Com_00890] [[Com_MainFunctionRouteSignals](#) shall only handle ComIPdus and their gateway signals routings which reference to the [Com_MainFunction-RouteSignals](#) via [ComMainFunctionRouteSignalsRef.](#)]()

7.14 Software Cluster Connection Layer (SwCluC)

SwCluC groups the AUTOSAR embedded software into cluster (SWCL). It describes Host- and Application Cluster. Per machine, there is one Host-Cluster which contains most of or even all the BSW modules. The Application Software Cluster contains mostly application SW-C.

From within a Software Cluster, the COM APIs are not accessed directly. Instead, accesses are done via a Proxy module ("Low Proxy"). For COM this means that it can have more than one upper layer users:

- The RTE (of the Host Software Cluster)
- The SwCluC Low Proxy
- User defined




Figure 7.5

For the callback-interface, COM can serve an arbitrary number of users, which each define their individual set of callback functions.

There is a Low proxy on every ECUC partition, where COM services are used by the Application Software Component. Proxies and COM only interact in the same partition scope. Any partition crossing of a signal or signal group has to be done within the the SWC or within the Low Proxy.




Figure 7.6

7.15 Security Events

The module does not report security events.

8 API specification

8.1 Imported types

In this chapter, all types included from the following files are listed:

[SWS_Com_00609] Definition of imported datatypes of module Com [

<i>Module</i>	<i>Header File</i>	<i>Imported Type</i>
ComStack_Types	ComStack_Types.h	BufReq_ReturnType
	ComStack_Types.h	CbkHandleIdType (draft)
	ComStack_Types.h	PduIdType
	ComStack_Types.h	PduInfoType
	ComStack_Types.h	PduLengthType
	ComStack_Types.h	RetryInfoType
	ComStack_Types.h	TpDataStateType
Std	Std_Types.h	Std_ReturnType
	Std_Types.h	Std_VersionInfoType

]([SRS_BSW_00301](#))

8.2 Type definitions

8.2.1 Com_StatusType

[SWS_Com_00819] Definition of datatype Com_StatusType [

Name	Com_StatusType		
Kind	Enumeration		
Range	COM_INIT	–	The AUTOSAR COM module is initialized and usable.
	COM_UNINIT	0x00	The AUTOSAR COM module is not initialized or not usable. This shall be the default value after reset. This status shall have the value 0.
Description	This is a status value returned by the API service Com_GetStatus().		
Available via	Com.h		

]([SRS_BSW_00335](#))

8.2.2 Com_SignalIdType

[SWS_Com_00820] Definition of datatype Com_SignalIdType [

Name	Com_SignalIdType		
Kind	Type		
Derived from	uint16		
Range	0..<SignalIdmax>	–	Zero-based integer number
Description	The AUTOSAR COM module's signal object identifier.		
Available via	Com.h		

] ([SRS_Com_02037](#), [SRS_BSW_00441](#))

8.2.3 Com_SignalGroupIdType

[SWS_Com_00821] Definition of datatype Com_SignalGroupIdType [

Name	Com_SignalGroupIdType		
Kind	Type		
Derived from	uint16		
Range	0..<SignalGroupIdmax>	–	Zero-based integer number
Description	The AUTOSAR COM module's signal group object identifier.		
Available via	Com.h		

] ([SRS_Com_02041](#), [SRS_BSW_00441](#))

8.2.4 Com_IpduGroupIdType

[SWS_Com_00822] Definition of datatype Com_IpduGroupIdType [

Name	Com_IpduGroupIdType		
Kind	Type		
Derived from	uint16		
Range	0..<IpduGroupId-max>	–	Zero-based integer number; where IpduGroupId-max < Com SupportedIPduGroups
Description	The AUTOSAR COM I-PDU module's group object identifier.		
Available via	Com.h		

] ([SRS_Com_00218](#), [SRS_BSW_00441](#))

8.2.5 Com_ConfigType

[SWS_Com_00825] Definition of datatype Com_ConfigType [

Name	Com_ConfigType	
Kind	Structure	
Elements	implementation specific	
	Type	–
	Comment	The content of the initialization data structure is implementation specific
Description	This is the type of the data structure containing the initialization data for COM.	
Available via	Com.h	

]([SRS_BSW_00404](#), [SRS_BSW_00441](#))

8.3 Function definitions

[SWS_Com_00321] [Non-reentrant functions do not have to check if they are called reentrant.] ([SRS_BSW_00312](#))

Most of the COM functions are non-reentrant with respect to a concrete object. E.g. [Com_SendSignal](#) is not reentrant for the same signal, but reentrant for different signals. Hence, if there are multiple callers of the AUTOSAR COM module they need to be synchronized on a system level, for example by using disjoint sets of signals and I-PDU groups.

8.3.1 Return Codes

The AUTOSAR COM module does not define a special COM return type. The API services return errors either by using the Std_ReturnType as defined in [15] or via a uint8 value mapped according to Table 8.1.

Return codes of the AUTOSAR COM module are defined in Table 8.1.

[SWS_Com_00865] [

Name	Description	Type	Value	Defined in
E_OK	the service has been accepted	#define	0x00	StandardTypes.h
E_NOT_OK	invocation of service failed	#define	0x01	StandardTypes.h
COM_SERVICE_NOT_AVAILABLE	the service is currently not available e.g. the corresponding I-PDU group is stopped	#define	0x80	Com.h





Name	Description	Type	Value	Defined in
COM_BUSY	Successful execution of this function is currently not possible, because a resource is currently in use. For example, the buffer of a large I-PDU is locked. COM_BUSY might, but must not, be returned whenever a signal of a large I-PDU is accessed.	#define	0x81	Com.h

Table 8.1: Mapping of AUTOSAR COM module's return codes

|(SRS_BSW_00348, SRS_BSW_00377, SRS_BSW_00441) Mapping of AUTOSAR COM module's return codes

8.3.2 Start-Up and Control Services

8.3.2.1 Com_Init

[SWS_Com_00432] Definition of API function Com_Init [

Service Name	Com_Init	
Syntax	<pre>void Com_Init (const Com_ConfigType* config)</pre>	
Service ID [hex]	0x01	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant	
Parameters (in)	config	Pointer to the AUTOSAR COM module's configuration data.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This service initializes internal and external interfaces and variables of the AUTOSAR COM module layer for the further processing. After calling this function the inter-ECU communication is still disabled. In configurations, in which Com is assigned to more than one partition (i.e. Com_Main Functions are mapped to partitions), Com may provide one init function per partition.	
Available via	Com.h	

|(SRS_BSW_00344, SRS_BSW_00404, SRS_BSW_00405, SRS_BSW_00101, SRS_BSW_00358, SRS_BSW_00414)

The behavior of the AUTOSAR COM module is unspecified until a correct call to `Com_Init` is made.

Caveats of `Com_Init`: It is not foreseen that `Com_Init` pre-empts any other AUTOSAR COM module's function. The AUTOSAR COM module can rely on the rest of the system that `Com_Init` is not called in such a way.

8.3.2.2 Com_DeInit

[SWS_Com_00130] Definition of API function Com_DeInit [

Service Name	Com_DeInit
Syntax	void Com_DeInit (void)
Service ID [hex]	0x02
Sync/Async	Synchronous
Reentrancy	Non Reentrant
Parameters (in)	None
Parameters (inout)	None
Parameters (out)	None
Return value	None
Description	This service stops the inter-ECU communication. All started I-PDU groups are stopped and have to be started again, if needed, after Com_Init is called. By a call to Com_DeInit the AUTOSAR COM module is put into an not initialized state.
Available via	Com.h

]([SRS_BSW_00336](#))

[SWS_Com_00129] [The AUTOSAR COM module's function `Com_DeInit` shall stop all started I-PDU groups.]([SRS_BSW_00336](#))

Caveats of `Com_DeInit`: It is not foreseen that `Com_DeInit` pre-empts any AUTOSAR COM module's function. The AUTOSAR COM module can relies on the rest of the system that `Com_DeInit` is not called in such a way.

8.3.2.3 Com_IpduGroupStart

[SWS_Com_91001] Definition of API function Com_IpduGroupStart [

Service Name	Com_IpduGroupStart	
Syntax	void Com_IpduGroupStart (Com_IpduGroupIdType IpduGroupId, boolean initialize)	
Service ID [hex]	0x03	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different I-PDU groups. Non reentrant for the same I-PDU group.	
Parameters (in)	IpduGroupId	Id of I-PDU group to be started
	initialize	flag to request initialization of the data in the I-PDUs of this I-PDU group
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	





Description	Starts a preconfigured I-PDU group. For example, cyclic I-PDUs will be sent out cyclically after the call of Com_IpduGroupStart(). If Initialize is true all I-PDUs of the I-PDU group shall be (re-)initialized before the I-PDU group is started. That is they shall behave like after a start-up of COM, for example the old_value of the filter objects and shadow buffers of signal groups have to be (re-)initialized.
Available via	Com.h

](SRS_Com_00218)

8.3.2.4 Com_IpduGroupStop

[SWS_Com_91002] Definition of API function Com_IpduGroupStop [

Service Name	Com_IpduGroupStop	
Syntax	<pre>void Com_IpduGroupStop (Com_IpduGroupIdType IpduGroupId)</pre>	
Service ID [hex]	0x04	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different I-PDU groups. Non reentrant for the same I-PDU group.	
Parameters (in)	IpduGroupId	Id of I-PDU group to be stopped
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	Stops a preconfigured I-PDU group. For example, cyclic I-PDUs will be stopped after the call of Com_IpduGroupStop().	
Available via	Com.h	

](SRS_Com_00218)

8.3.2.5 Com_EnableReceptionDM

[SWS_Com_91004] Definition of API function Com_EnableReceptionDM [

Service Name	Com_EnableReceptionDM	
Syntax	<pre>void Com_EnableReceptionDM (Com_IpduGroupIdType IpduGroupId)</pre>	
Service ID [hex]	0x06	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different I-PDU groups. Non reentrant for the same I-PDU group.	
Parameters (in)	IpduGroupId	Id of I-PDU group where reception DM shall be enabled.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	Enables the reception deadline monitoring for the I-PDUs within the given I-PDU group.	
Available via	Com.h	

](SRS_Com_00192)

8.3.2.6 Com_DisableReceptionDM

[SWS_Com_91003] Definition of API function Com_DisableReceptionDM [

Service Name	Com_DisableReceptionDM	
Syntax	void Com_DisableReceptionDM (Com_IpduGroupIdType IpduGroupId)	
Service ID [hex]	0x05	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different I-PDU groups. Non reentrant for the same I-PDU group.	
Parameters (in)	IpduGroupId	Id of I-PDU group where reception DM shall be disabled.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	Disables the reception deadline monitoring for the I-PDUs within the given I-PDU group.	
Available via	Com.h	

](SRS_Com_00192)

8.3.2.7 Com_GetStatus

[SWS_Com_00194] Definition of API function Com_GetStatus [

Service Name	Com_GetStatus	
Syntax	Com_StatusType Com_GetStatus (void)	
Service ID [hex]	0x07	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	None	
Parameters (inout)	None	
Parameters (out)	None	
Return value	Com_StatusType	COM_UNINIT: the AUTOSAR COM module is not initialized and not usable COM_INIT: the AUTOSAR COM module is initialized and usable
Description	Returns the status of the AUTOSAR COM module.	
Available via	Com.h	

](SRS_BSW_00331)

8.3.2.8 Com_GetVersionInfo

[SWS_Com_00426] Definition of API function Com_GetVersionInfo [

Service Name	Com_GetVersionInfo	
Syntax	<pre>void Com_GetVersionInfo (Std_VersionInfoType* versioninfo)</pre>	
Service ID [hex]	0x09	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	None	
Parameters (inout)	None	
Parameters (out)	versioninfo	Pointer to where to store the version information of this module.
Return value	None	
Description	Returns the version information of this module.	
Available via	Com.h	

]([SRS_BSW_00407](#), [SRS_BSW_00003](#)) For configuration of [Com_GetVersion-Info](#) see [ComVersionInfoApi](#).

8.3.3 Communication Services

8.3.3.1 Com_SendSignal

[SWS_Com_00197] Definition of API function Com_SendSignal [

Service Name	Com_SendSignal	
Syntax	<pre>uint8 Com_SendSignal (Com_SignalIdType SignalId, const void* SignalDataPtr)</pre>	
Service ID [hex]	0x0a	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be sent.
	SignalDataPtr	Reference to the signal data to be transmitted.
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_SendSignal updates the signal object identified by SignalId with the signal referenced by the SignalDataPtr parameter.	
Available via	Com.h	

]([SRS_Com_02037](#))

[SWS_Com_00624] [The service `Com_SendSignal` shall update the signal object identified by `SignalId` with the signal referenced by the `SignalDataPtr` parameter.] ([SRS_Com_02037](#))

[SWS_Com_00625] [If the updated signal has the `ComTransferProperty` TRIGGERED and it is assigned to an I-PDU with `ComTxModeMode` DIRECT or MIXED, then `Com_SendSignal` shall perform an immediate transmission (within the next main function at the latest) of that I-PDU, unless the sending is delayed or prevented by other COM mechanisms.] ([SRS_Com_02037](#))

A related mechanism is for example the minimum delay timer (`ComMinimumDelayTime`).

8.3.3.2 Com_SendDynSignal

[SWS_Com_00627] Definition of API function `Com_SendDynSignal` [

Service Name	Com_SendDynSignal	
Syntax	<pre>uint8 Com_SendDynSignal (Com_SignalIdType SignalId, const void* SignalDataPtr, uint16 Length)</pre>	
Service ID [hex]	0x21	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be sent.
	SignalDataPtr	Reference to the signal data to be transmitted.
	Length	Length of the dynamic length signal
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted E_NOT_OK: in case the Length is greater than the configured <code>ComSignalLength</code> of this sent signal COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked
Description	The service <code>Com_SendDynSignal</code> updates the signal object identified by <code>SignalId</code> with the signal referenced by the <code>SignalDataPtr</code> parameter.	
Available via	Com.h	

] ([SRS_Com_02095](#))

[SWS_Com_00628] [The service `Com_SendDynSignal` shall update the signal object identified by `SignalId` with the signal referenced by the `SignalDataPtr` parameter.] ([SRS_Com_02095](#))

[SWS_Com_00629] [If the updated signal (see [\[SWS_Com_00628\]](#)) has the `ComTransferProperty` TRIGGERED, then the function `Com_SendDynSignal` shall perform an immediate transmission (within the next main function at the latest) of the

I-PDU associated with the signal except when the signal is packed into an I-PDU with PERIODIC transmission mode.](SRS_Com_02095)

[SWS_Com_00630] [If the updated signal (see [SWS_Com_00628]) has the `Com-TransferProperty` PENDING, then the function `Com_SendDynSignal` shall not perform a transmission of the I-PDU associated with the signal.](SRS_Com_02095)

There is no restriction regarding the minimal length of a dynamic length signal. Hence, it is allowed that a dynamic length signal has zero length.

8.3.3.3 Com_ReceiveSignal

[SWS_Com_00198] Definition of API function `Com_ReceiveSignal` [

Service Name	Com_ReceiveSignal	
Syntax	<pre>uint8 Com_ReceiveSignal (Com_SignalIdType SignalId, void* SignalDataPtr)</pre>	
Service ID [hex]	0x0b	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be received.
Parameters (inout)	None	
Parameters (out)	SignalDataPtr	Reference to the location where the received signal data shall be stored
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	Com_ReceiveSignal copies the data of the signal identified by SignalId to the location specified by SignalDataPtr.	
Available via	Com.h	

](SRS_Com_02037)

[SWS_Com_00631] [The service `Com_ReceiveSignal` shall copy the data of the signal object identified by `SignalId` to the position referenced by `SignalDataPtr`.](SRS_Com_02037)

Caveats of `Com_ReceiveSignal`: The AUTOSAR COM module relies on the fact the `SignalDataPtr` is properly aligned with respect to the data type of the signal with the given `SignalId`. The caller of `Com_ReceiveSignal` has to ensure this.

8.3.3.4 Com_ReceiveDynSignal

[SWS_Com_00690] Definition of API function Com_ReceiveDynSignal [

Service Name	Com_ReceiveDynSignal	
Syntax	<pre>uint8 Com_ReceiveDynSignal (Com_SignalIdType SignalId, void* SignalDataPtr, uint16* Length)</pre>	
Service ID [hex]	0x22	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be received.
Parameters (inout)	Length	in: maximum length that could be received out: length of the dynamic length signal
Parameters (out)	SignalDataPtr	reference to the location where the received signal data shall be stored
Return value	uint8	E_OK: service has been accepted E_NOT_OK: in case the Length (as in-parameter) is smaller than the received length of the dynamic length signal COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked
Description	Com_ReceiveDynSignal copies the data of the signal identified by SignalId to the location specified by SignalDataPtr and stores the length of the dynamical length signal at the position given by the Length parameter.	
Available via	Com.h	

] ([SRS_Com_02092](#), [SRS_Com_02095](#))

[SWS_Com_00711] [The service [Com_ReceiveDynSignal](#) shall copy the data of the signal object identified by [SignalId](#) to the position referenced by [SignalDataPtr](#).] ([SRS_Com_02092](#))

[SWS_Com_00712] [The service [Com_ReceiveDynSignal](#) shall return the calculated length (see [[SWS_Com_00758](#)]) of the dynamic length signal identified by [SignalId](#) in parameter Length.] ([SRS_Com_02092](#))

[SWS_Com_00724] [In case, the Length (as in-parameter) is smaller than the received length of the dynamic length signal, [Com_ReceiveDynSignal](#) shall not copy any data to the position referenced by [SignalDataPtr](#).] ([SRS_Com_02092](#))

8.3.3.5 Com_SendSignalGroup

[SWS_Com_00200] Definition of API function Com_SendSignalGroup [

Service Name	Com_SendSignalGroup	
Syntax	<pre>uint8 Com_SendSignalGroup (Com_SignalGroupIdType SignalGroupId)</pre>	





Service ID [hex]	0x0d	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be sent.
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_SendSignalGroup copies the content of the associated shadow buffer to the associated I-PDU.	
Available via	Com.h	

]([SRS_Com_02041](#))

[SWS_Com_00635] [The service [Com_SendSignalGroup](#) shall copy the content of the shadow buffer referenced by parameter [SignalGroupId](#) to the associated I-PDU.]([SRS_Com_02041](#))

[SWS_Com_00637] [Configuration of [Com_SendSignalGroup](#): A signal group must be configured before this call. See [ComSignalGroup](#) for details.]([SRS_Com_02041](#))

8.3.3.6 Com_ReceiveSignalGroup

[SWS_Com_00201] Definition of API function Com_ReceiveSignalGroup [

Service Name	Com_ReceiveSignalGroup	
Syntax	uint8 Com_ReceiveSignalGroup (Com_SignalGroupIdType SignalGroupId)	
Service ID [hex]	0x0e	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be received.
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_ReceiveSignalGroup copies the received signal group from the I-PDU to the shadow buffer.	
Available via	Com.h	

]([SRS_Com_02041](#))

[SWS_Com_00638] [The service [Com_ReceiveSignalGroup](#) shall copy the received signal group from the I-PDU to the shadow buffer.]([SRS_Com_02041](#))

After this call, the group signals could be copied from the shadow buffer to the users (e.g. RTE, SwCluC) by calling `Com_ReceiveSignal`.

[SWS_Com_00639] [Configuration of `Com_ReceiveSignalGroup`: A signal group must be configured before this call. See `ComSignalGroup` for details.] ([SRS_Com_02041](#))

[SWS_Com_00461] [The AUTOSAR COM module shall always copy the last known data, or the `ComSignalInitValue` if not yet written, of the I-PDU to the shadow buffer by a call to `Com_ReceiveSignalGroup` even if the I-PDU is stopped and `COM_SERVICE_NOT_AVAILABLE` is returned.] ([SRS_Com_02041](#))

8.3.3.7 Com_SendSignalGroupArray

[SWS_Com_00851] Definition of API function `Com_SendSignalGroupArray` [

Service Name	Com_SendSignalGroupArray	
Syntax	<pre>uint8 Com_SendSignalGroupArray (Com_SignalGroupIdType SignalGroupId, const uint8* SignalGroupArrayPtr)</pre>	
Service ID [hex]	0x23	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be sent.
	SignalGroupArrayPtr	Reference to the signal group array.
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service <code>Com_SendSignalGroupArray</code> copies the content of the provided <code>SignalGroupArrayPtr</code> to the associated I-PDU. The provided data shall correspond to the array representation of the signal group.	
Available via	Com.h	

] ([SRS_Com_02112](#), [SRS_Com_02041](#))

[SWS_Com_00852] [The service `Com_SendSignalGroupArray` shall copy the content designated by the `SignalGroupArrayPtr` to the associated I-PDU.] ([SRS_Com_02112](#), [SRS_Com_02041](#))

[SWS_Com_00853] [The `Com_SendSignalGroupArray` API shall only be available when the configuration switch `ComEnableSignalGroupArrayApi` is enabled.] ([SRS_Com_00177](#))

8.3.3.8 Com_ReceiveSignalGroupArray

[SWS_Com_00854] Definition of API function Com_ReceiveSignalGroupArray [

Service Name	Com_ReceiveSignalGroupArray	
Syntax	<pre>uint8 Com_ReceiveSignalGroupArray (Com_SignalGroupIdType SignalGroupId, uint8* SignalGroupArrayPtr)</pre>	
Service ID [hex]	0x24	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be received.
Parameters (inout)	None	
Parameters (out)	SignalGroupArrayPtr	reference to the location where the received signal group array shall be stored
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_ReceiveSignalGroupArray copies the received signal group array representation from the PDU to the location designated by SignalGroupArrayPtr.	
Available via	Com.h	

]([SRS_Com_02112](#), [SRS_Com_02041](#))

[SWS_Com_00855] [The service [Com_ReceiveSignalGroupArray](#) shall copy the array representation of the received signal group from the I-PDU to the location designated by [SignalGroupArrayPtr](#).]([SRS_Com_02112](#), [SRS_Com_02041](#))

[SWS_Com_00856] [The [Com_ReceiveSignalGroupArray](#) API shall only be available when the configuration switch [ComEnableSignalGroupArrayApi](#) is enabled.]([SRS_Com_00177](#))

[SWS_Com_00857] [The AUTOSAR COM module shall always copy the last known data, or the [ComSignalInitValue](#) if not yet written, of the I-PDU to the [SignalGroupArrayPtr](#) by a call to [Com_ReceiveSignalGroupArray](#) even if the I-PDU is stopped and COM_SERVICE_NOT_AVAILABLE is returned.]([SRS_Com_02041](#))

8.3.3.9 Com_ReceiveSignalWithMetaData

[SWS_Com_91005] Definition of API function Com_ReceiveSignalWithMetaData

┌

Service Name	Com_ReceiveSignalWithMetaData	
Syntax	<pre>uint8 Com_ReceiveSignalWithMetaData (Com_SignalIdType SignalId, void* SignalDataPtr, uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x49	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be received.
Parameters (inout)	None	
Parameters (out)	SignalDataPtr	Reference to the location where the received signal data shall be stored
	MetaDataPtr	Pointer to the meta data of the signal
Return value	uint8	–
Description	Com_ReceiveSignalWithMetaData copies the data of the signal identified by SignalId to the location specified by SignalDataPtr. The received meta data is stored at the position given by the MetaDataPtr parameter.	
Available via	Com.h	

└()

8.3.3.10 Com_ReceiveDynSignalWithMetaData

[SWS_Com_91006] Definition of API function Com_ReceiveDynSignalWithMetaData

┌

Service Name	Com_ReceiveDynSignalWithMetaData	
Syntax	<pre>uint8 Com_ReceiveDynSignalWithMetaData (Com_SignalIdType SignalId, void* SignalDataPtr, uint16* Length, uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x4a	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be received.
Parameters (inout)	None	
Parameters (out)	SignalDataPtr	reference to the location where the received signal data shall be stored
	Length	–
	MetaDataPtr	Pointer to the meta data of the signal

▽



Return value	uint8	E_OK: service has been accepted E_NOT_OK: in case the Length (as in-parameter) is smaller than the received length of the dynamic length signal COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked
Description	Com_ReceiveDynSignalWithMetaData copies the data of the signal identified by SignalId to the location specified by SignalDataPtr and stores the length of the dynamical length signal at the position given by the Length parameter. The received meta data is stored at the position given by the MetaDataPtr parameter.	
Available via	Com.h	

]()

8.3.3.11 Com_ReceiveSignalGroupWithMetaData

[SWS_Com_91007] Definition of API function Com_ReceiveSignalGroupWithMetaData [

Service Name	Com_ReceiveSignalGroupWithMetaData	
Syntax	<pre>uint8 Com_ReceiveSignalGroupWithMetaData (Com_SignalGroupIdType SignalGroupId, uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x4b	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be received.
Parameters (inout)	None	
Parameters (out)	MetaDataPtr	Pointer to the meta data of the signal group
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_ReceiveSignalGroupWithMetaData copies the received signal group from the I-PDU to the shadow buffer. The received meta data is stored at the position given by the MetaDataPtr parameter.	
Available via	Com.h	

]()

8.3.3.12 Com_ReceiveSignalGroupArrayWithMetaData

[SWS_Com_91008] Definition of API function Com_ReceiveSignalGroupArrayWithMetaData

Service Name	Com_ReceiveSignalGroupArrayWithMetaData	
Syntax	<pre>void Com_ReceiveSignalGroupArrayWithMetaData (Com_SignalGroupIdType SignalGroupId, uint8* SignalGroupArrayPtr, uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x4c	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be received.
Parameters (inout)	None	
Parameters (out)	SignalGroupArrayPtr	reference to the location where the received signal group array shall be stored
	MetaDataPtr	Pointer to the meta data of the signal group.
Return value	None	
Description	The service Com_ReceiveSignalGroupArrayWithMetaData copies the received signal group array representation from the PDU to the location designated by SignalGroupArrayPtr. The received meta data is stored at the position given by the MetaDataPtr parameter.	
Available via	Com.h	

]()

8.3.3.13 Com_SendSignalWithMetaData

[SWS_Com_91009] Definition of API function Com_SendSignalWithMetaData

Service Name	Com_SendSignalWithMetaData	
Syntax	<pre>uint8 Com_SendSignalWithMetaData (Com_SignalIdType SignalId, const void* SignalDataPtr, const uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x4d	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be sent.
	SignalDataPtr	Reference to the signal data to be transmitted.
	MetaDataPtr	Pointer to the meta data of the signal
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling





Description	The service Com_SendSignalWithMetaData updates the signal object identified by SignalId with the signal referenced by the SignalDataPtr parameter. The meta data is provided via the MetaDataPtr parameter.
Available via	Com.h

]()

8.3.3.14 Com_SendDynSignalWithMetaData

[SWS_Com_91010] Definition of API function Com_SendDynSignalWithMetaData

[

Service Name	Com_SendDynSignalWithMetaData	
Syntax	<pre>uint8 Com_SendDynSignalWithMetaData (Com_SignalIdType SignalId, const void* SignalDataPtr, uint16 Length, const uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x4e	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be sent.
	SignalDataPtr	Reference to the signal data to be transmitted.
	Length	Length of the dynamic length signal
	MetaDataPtr	Pointer to the meta data of the signal
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted E_NOT_OK: in case the Length is greater than the configured ComSignalLength of this sent signal COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked
Description	The service Com_SendDynSignalWithMetaData updates the signal object identified by SignalId with the signal referenced by the SignalDataPtr parameter. The meta data is provided via the MetaDataPtr parameter.	
Available via	Com.h	

]()

8.3.3.15 Com_SendSignalGroupWithMetaData

[SWS_Com_91011] Definition of API function Com_SendSignalGroupWithMetaData

Service Name	Com_SendSignalGroupWithMetaData	
Syntax	<pre>uint8 Com_SendSignalGroupWithMetaData (Com_SignalGroupIdType SignalGroupId, const uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x4f	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be sent.
	MetaDataPtr	Pointer to the meta data of the signal group
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_SendSignalGroupWithMetaData copies the content of the associated shadow buffer to the associated I-PDU. The meta data is provided via the MetaDataPtr parameter.	
Available via	Com.h	

]()

8.3.3.16 Com_SendSignalGroupArrayWithMetaData

[SWS_Com_91012] Definition of API function Com_SendSignalGroupArrayWithMetaData

Service Name	Com_SendSignalGroupArrayWithMetaData	
Syntax	<pre>uint8 Com_SendSignalGroupArrayWithMetaData (Com_SignalGroupIdType SignalGroupId, const uint8* SignalGroupArrayPtr, const uint8* MetaDataPtr)</pre>	
Service ID [hex]	0x50	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be sent.
	SignalGroupArrayPtr	Reference to the signal group array.
	MetaDataPtr	Pointer to the meta data of the signal group.
Parameters (inout)	None	
Parameters (out)	None	



△

Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group was stopped COM_BUSY: in case the TP-Buffer is locked for large data types handling
Description	The service Com_SendSignalGroupArrayWithMetaData copies the content of the provided SignalGroupArrayPtr to the associated I-PDU. The provided data shall correspond to the array representation of the signal group. The meta data is provided via the MetaDataPtr parameter.	
Available via	Com.h	

]()

8.3.3.17 Com_InvalidateSignal

[SWS_Com_00203] Definition of API function Com_InvalidateSignal [

Service Name	Com_InvalidateSignal	
Syntax	uint8 Com_InvalidateSignal (Com_SignalIdType SignalId)	
Service ID [hex]	0x10	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalId	Id of signal to be invalidated.
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group is stopped, no ComSignalDataInvalidValue is configured for the given signalId COM_BUSY: in case the TP-Buffer is locked
Description	The service Com_InvalidateSignal invalidates the signal with the given SignalId by setting its value to its configured ComSignalDataInvalidValue.	
Available via	Com.h	

](SRS_Com_02077)

See Chapter 7.3.4 for further information about the signal invalidation mechanism.

[SWS_Com_00642] [After invaliding the signal data, the function Com_InvalidateSignal shall perform a call of Com_SendSignal internally, for details see [SWS_Com_00099].](SRS_Com_02077)

[SWS_Com_00643] [Com_InvalidateSignal shall return COM_SERVICE_NOT_AVAILABLE in case no ComSignalDataInvalidValue is configured for the signal with the given SignalId.](SRS_Com_02077)

8.3.3.18 Com_InvalidateSignalGroup

[SWS_Com_00557] Definition of API function Com_InvalidateSignalGroup [

Service Name	Com_InvalidateSignalGroup	
Syntax	uint8 Com_InvalidateSignalGroup (Com_SignalGroupIdType SignalGroupId)	
Service ID [hex]	0x1b	
Sync/Async	Asynchronous	
Reentrancy	Reentrant	
Parameters (in)	SignalGroupId	Id of signal group to be invalidated.
Parameters (inout)	None	
Parameters (out)	None	
Return value	uint8	E_OK: service has been accepted COM_SERVICE_NOT_AVAILABLE: corresponding I-PDU group is stopped, no ComSignalDataInvalidValue is configured for any of the group signals COM_BUSY: in case the TP-Buffer is locked
Description	The service Com_InvalidateSignalGroup invalidates all group signals of the signal group with the given SignalGroupId by setting their values to their configured ComSignalDataInvalidValues.	
Available via	Com.h	

](SRS_Com_02077)

For further information about the signal invalidation mechanism, see Chapter 7.3.4.

[SWS_Com_00645] [After invaliding the signal group data, the function Com_InvalidateSignalGroup shall perform a call of Com_SendSignalGroup internally.] (SRS_Com_02077)

8.3.3.19 Com_TriggerIPDUSend

[SWS_Com_00348] Definition of API function Com_TriggerIPDUSend [

Service Name	Com_TriggerIPDUSend	
Syntax	Std_ReturnType Com_TriggerIPDUSend (PduIdType PduId)	
Service ID [hex]	0x17	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant	
Parameters (in)	PduId	The I-PDU-ID of the I-PDU that shall be triggered for sending
Parameters (inout)	None	
Parameters (out)	None	
Return value	Std_ReturnType	E_OK: I-PDU was triggered for transmission E_NOT_OK: I-PDU is stopped, the transmission could not be triggered
Description	By a call to Com_TriggerIPDUSend the I-PDU with the given ID is triggered for transmission.	
Available via	Com.h	

](SRS_Com_02037)

[SWS_Com_00861] [By a call to `Com_TriggerIPDUSend`, the AUTOSAR COM shall trigger the I-PDU with the given ID for transmission only if the I-PDU is started.]([SRS_Com_02037](#))

In case a stopped I-PDU is triggered for transmission, just `E_NOT_OK` is returned. For stopped I-PDUs no triggers are stored for a later execution after a potential (re-) starting of the I-PDU.

[SWS_Com_00388] [When an I-PDU is transmitted because of the function `Com_TriggerIPDUSend` or `Com_TriggerIPDUSendWithMetaData`, the AUTOSAR COM module shall only take the minimum delay time into account. That is the AUTOSAR COM module shall postpone transmissions if necessary and reset the minimum delay timer in case of transmissions. The AUTOSAR COM module shall not take into account all other transmission mode related parameters like `ComTxModeNumberOfRepetitions`.]([SRS_Com_02037](#))

[SWS_Com_00492] [If an I-PDU triggered by `Com_TriggerIPDUSend` or `Com_TriggerIPDUSendWithMetaData` has a configured `ComIPduCallout`, then the function `Com_TriggerIPDUSend` or `Com_TriggerIPDUSendWithMetaData` respectively shall also call this I-PDU-Callout.]([SRS_Com_02037](#))

If within the `Com_TriggerIPDUSend` function, another call to `Com_TriggerIPDUSend` is invoked the application programmer must take care to not create infinite recursions. Both, direct recursions by invoking `Com_TriggerIPDUSend` with the same `ComPduId` again and indirect recursions with longer recursion paths are theoretically possible.

The previous paragraph is also true for `Com_TriggerIPDUSendWithMetaData` as well as for combinations of these two I-PDU triggering functions.

[SWS_Com_00867] [In case a large I-PDU is triggered for transmission by `Com_TriggerIPDUSend` and the buffer of the large I-PDU is currently locked, the AUTOSAR COM shall store the transmit request and transmit the I-PDU when the buffer is available again.]([SRS_Com_02037](#))

8.3.3.20 `Com_TriggerIPDUSendWithMetaData`

[SWS_Com_00858] Definition of API function `Com_TriggerIPDUSendWithMetaData`

Service Name	<code>Com_TriggerIPDUSendWithMetaData</code>
Syntax	<code>Std_ReturnType Com_TriggerIPDUSendWithMetaData (</code> <code>PduIdType PduId,</code> <code>const uint8* MetaData</code> <code>)</code>
Service ID [hex]	<code>0x28</code>
Sync/Async	Synchronous





Reentrancy	Non Reentrant	
Parameters (in)	PdulId	The I-PDU-ID of the I-PDU that shall be triggered for sending
	MetaData	Pointer to the meta data of the signal
Parameters (inout)	None	
Parameters (out)	None	
Return value	Std_ReturnType	E_OK: I-PDU was triggered for transmission E_NOT_OK: I-PDU is stopped, the transmission could not be triggered
Description	By a call to Com_TriggerIPDUWithMetaData the AUTOSAR COM module updates its internal metadata for the I-PDU with the given ID by copying the metadata from the given position and with respect to length of the globally configured MetaDataType of this I-PDU. Then the I-PDU is triggered for transmission.	
Available via	Com.h	

]([SRS_Com_02037](#))

[SWS_Com_00862] [By a call to [Com_TriggerIPDUWithMetaData](#), the AUTOSAR COM shall trigger the I-PDU with the given ID for transmission only if the I-PDU is started.]([SRS_Com_02037](#))

In case a stopped I-PDU is triggered for transmission, just E_NOT_OK is returned. There is no mechanism in COM to store the triggering and to execute it after a potential (re-)starting of the I-PDU.

[SWS_Com_00868] [In case a large I-PDU is triggered for transmission by [Com_TriggerIPDUWithMetaData](#) and the buffer of the large I-PDU is currently locked, the AUTOSAR COM shall store the transmit request with the given [MetaData](#) and transmit the I-PDU when the buffer is available again.]([SRS_Com_02037](#))

8.3.3.21 Com_SwitchIpduTxMode

[SWS_Com_00784] Definition of API function [Com_SwitchIpduTxMode](#) [

Service Name	Com_SwitchIpduTxMode	
Syntax	<pre>void Com_SwitchIpduTxMode (PduIdType PduId, boolean Mode)</pre>	
Service ID [hex]	0x27	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different Pdulds. Non reentrant for the same PdulId.	
Parameters (in)	PdulId	Id of the I-PDU of which the transmission mode shall be changed.
	Mode	the transmission mode that shall be set.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	





Description	The service <code>Com_SwitchIpduTxMode</code> sets the transmission mode of the I-PDU referenced by <code>PduId</code> to <code>Mode</code> . In case the transmission mode changes, the new mode shall immediately be effective (see <code>SWS_Com_00239</code>). In case the requested transmission mode was already active for this I-PDU, the call will have no effect.
Available via	<code>Com.h</code>

]([SRS_Com_02082](#))

[SWS_Com_00881] [When the transmission mode of an I-PDU is explicitly set by `Com_SwitchIpduTxMode`, the AUTOSAR COM shall defer the cyclic transmissions of this I-PDU by `ComTxModeTimeOffset`.]([SRS_Com_02082](#))

By mixing the signal based TMS and explicit TMS by `Com_SwitchIpduTxMode` for the same I-PDU, it must be noted that the signal base TMS might switch back the manual set mode during a call to `Com_SendSignal` or `Com_SendSignalGroup` for this I-PDU. Therefore, mixing explicit and manual TMS for one I-PDU must be carefully designed, if used at all.

The new transmission mode is immediately effective (within the next main function at the latest), however, ongoing TP transmission will be finished. In this case if the new transmission mode would necessitate a new transmission then `COM_E_SKIPPED_TRANSMISSION` runtime error will be reported (see [[SWS_Com_00863](#)]).

8.4 Callback Functions and Notifications

8.4.1 Com_TriggerTransmit

[SWS_Com_00001] Definition of callback function `Com_TriggerTransmit` [

Service Name	<code>Com_TriggerTransmit</code>	
Syntax	<pre>Std_ReturnType Com_TriggerTransmit (PduIdType TxPduId, PduInfoType* PduInfoPtr)</pre>	
Service ID [hex]	0x41	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different Pdulds. Non reentrant for the same PduId.	
Parameters (in)	<code>TxPduId</code>	ID of the SDU that is requested to be transmitted.
Parameters (inout)	<code>PduInfoPtr</code>	Contains a pointer to a buffer (<code>SduDataPtr</code>) to where the SDU data shall be copied, and the available buffer size in <code>SduLength</code> . On return, the service will indicate the length of the copied SDU data in <code>SduLength</code> .
Parameters (out)	None	
Return value	<code>Std_ReturnType</code>	<p><code>E_OK</code>: SDU has been copied and <code>SduLength</code> indicates the number of copied bytes.</p> <p><code>E_NOT_OK</code>: No SDU data has been copied. <code>PduInfoPtr</code> must not be used since it may contain a NULL pointer or point to invalid data.</p>





Description	Within this API, the upper layer module (called module) shall check whether the available data fits into the buffer size reported by <code>PduInfoPtr->SduLength</code> . If it fits, it shall copy its data into the buffer provided by <code>PduInfoPtr->SduDataPtr</code> and update the length of the actual copied data in <code>PduInfoPtr->SduLength</code> . If not, it returns <code>E_NOT_OK</code> without changing <code>PduInfoPtr</code> .
Available via	Com.h

]([SRS_Com_02045](#))

[SWS_Com_00647] [Within the function `Com_TriggerTransmit`, the AUTOSAR COM module shall copy the contents of its I-PDU transmit buffer to the L-PDU buffer given by `PduInfoPtr->SduDataPtr` and update `PduInfoPtr->SduLength` with length of the copied data accordingly.]([SRS_Com_02045](#))

[SWS_Com_00869] [In case the given `PduInfoPtr->SduLength` is smaller than the actual PDU-length, `Com_TriggerTransmit` shall not copy any data and return `E_NOT_OK`.]([SRS_Com_02045](#))

[SWS_Com_00884] [`Com_TriggerTransmit` shall not copy any data and return `E_NOT_OK` if the I-PDU is stopped.]([SRS_Com_02045](#))

[SWS_Com_00475] [`Com_TriggerTransmit` is not interfered by the I-PDU minimum delay time and shall not reset the minimum delay timer, see `ComMinimumDelayTime`.]([SRS_Com_02045](#))

The function `Com_TriggerTransmit` behaves independent of the configured transmission mode.

Use case: This function is used e.g. by the LIN Master for sending out a LIN frame. In this case, the trigger transmit can be initiated by the Master schedule table itself or a received LIN header. The FlexRay Interface for requesting PDUs to be sent in static part (synchronous to the FlexRay global time) also uses this function.

Once the PDU Router has successfully sent the I-PDU, the PDU Router will call `Com_TxConfirmation`.

Caveats of `Com_TriggerTransmit`: This function might be called in interrupt context.

8.4.2 Com_RxIndication

[SWS_Com_00123] Definition of callback function `Com_RxIndication` [

Service Name	<code>Com_RxIndication</code>
Syntax	<pre>void Com_RxIndication (PduIdType RxPduId, const PduInfoType* PduInfoPtr)</pre>
Service ID [hex]	0x42
Sync/Async	Synchronous



△

Reentrancy	Reentrant for different PduIds. Non reentrant for the same PduId.	
Parameters (in)	RxPduId	ID of the received PDU.
	PduInfoPtr	Contains the length (SduLength) of the received PDU, a pointer to a buffer (SduDataPtr) containing the PDU, and the MetaData related to this PDU.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	Indication of a received PDU from a lower layer communication interface module.	
Available via	Com.h	

](SRS_Com_02043)

 Caveats of `Com_RxIndication`: This function might be called in interrupt context.

8.4.3 Com_TpRxIndication

 [SWS_Com_00650] Definition of callback function `Com_TpRxIndication` [

Service Name	Com_TpRxIndication	
Syntax	<pre>void Com_TpRxIndication (PduIdType id, Std_ReturnType result)</pre>	
Service ID [hex]	0x45	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	id	Identification of the received I-PDU.
	result	E_OK: The PDU was received. E_NOT_OK: Reception of the PDU failed.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	Called after an I-PDU has been received via the TP API, the result indicates whether the transmission was successful or not.	
Available via	Com.h	

](SRS_Com_02095)

 Caveats of `Com_TpRxIndication`: This function might be called in interrupt context.

8.4.4 Com_TxConfirmation

[SWS_Com_00124] Definition of callback function Com_TxConfirmation [

Service Name	Com_TxConfirmation	
Syntax	<pre>void Com_TxConfirmation (PduIdType TxPduId, Std_ReturnType result)</pre>	
Service ID [hex]	0x40	
Sync/Async	Synchronous	
Reentrancy	Reentrant for different Pdulds. Non reentrant for the same PduId.	
Parameters (in)	TxPduId	ID of the PDU that has been transmitted.
	result	E_OK: The PDU was transmitted. E_NOT_OK: Transmission of the PDU failed.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	The lower layer communication interface module confirms the transmission of a PDU, or the failure to transmit a PDU.	
Available via	Com.h	

]([SRS_Com_02044](#))

Caveats of [Com_TxConfirmation](#): This function might be called in interrupt context, e.g. from transmit interrupt.

8.4.5 Com_TpTxConfirmation

[SWS_Com_00725] Definition of callback function Com_TpTxConfirmation [

Service Name	Com_TpTxConfirmation	
Syntax	<pre>void Com_TpTxConfirmation (PduIdType id, Std_ReturnType result)</pre>	
Service ID [hex]	0x48	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	id	Identification of the transmitted I-PDU.
	result	E_OK: The PDU was transmitted. E_NOT_OK: Transmission of the PDU failed.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This function is called after the I-PDU has been transmitted on its network, the result indicates whether the transmission was successful or not.	
Available via	Com.h	

]([SRS_Com_02095](#))

8.4.6 Com_StartOfReception

[SWS_Com_00691] Definition of callback function Com_StartOfReception [

Service Name	Com_StartOfReception	
Syntax	<pre>BufReq_ReturnType Com_StartOfReception (PduIdType id, const PduInfoType* info, PduLengthType TpSduLength, PduLengthType* bufferSizePtr)</pre>	
Service ID [hex]	0x46	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	id	Identification of the I-PDU.
	info	Pointer to a PduInfoType structure containing the payload data (without protocol information) and payload length of the first frame or single frame of a transport protocol I-PDU reception, and the MetaData related to this PDU. If neither first/single frame data nor MetaData are available, this parameter is set to NULL_PTR.
	TpSduLength	Total length of the N-SDU to be received.
Parameters (inout)	None	
Parameters (out)	bufferSizePtr	Available receive buffer in the receiving module. This parameter will be used to compute the Block Size (BS) in the transport protocol module.
Return value	BufReq_ReturnType	<p>BUFREQ_OK: Connection has been accepted. bufferSizePtr indicates the available receive buffer; reception is continued. If no buffer of the requested size is available, a receive buffer size of 0 shall be indicated by bufferSizePtr.</p> <p>BUFREQ_E_NOT_OK: Connection has been rejected; reception is aborted. bufferSizePtr remains unchanged.</p> <p>BUFREQ_E_OVFL: No buffer of the required length can be provided; reception is aborted. bufferSizePtr remains unchanged.</p>
Description	This function is called at the start of receiving an N-SDU. The N-SDU might be fragmented into multiple N-PDUs (FF with one or more following CFs) or might consist of a single N-PDU (SF). The service shall provide the currently available maximum buffer size when invoked with TpSduLength equal to 0.	
Available via	Com.h	

](SRS_Com_02095)

[SWS_Com_00654] [If `id` corresponds to a large I-PDU and `TpSduLength` is greater than the configured length of this I-PDU then the function `Com_StartOfReception` shall return `BUFREQ_E_OVFL`.](SRS_Com_02095)

[SWS_Com_00655] [If `id` corresponds to a dynamic length I-PDU and `TpSduLength` is greater than the configured maximum length of this I-PDU then the function `Com_StartOfReception` shall return `BUFREQ_E_OVFL`.](SRS_Com_02095)

[SWS_Com_00657] [If the internal AUTOSAR COM module's buffer is currently not locked and the parameter `TpSduLength` does not exceed the (maximum) expected length, the function `Com_StartOfReception` shall write the complete size of the AUTOSAR COM module's internal I-PDU buffer of the I-PDU with handle `id` to the position given by `bufferSizePtr`.](SRS_Com_02095)

[SWS_Com_00721] [`Com_StartOfReception` shall return `BUFREQ_E_NOT_OK`, in case `id` refers to a stopped I-PDU.](SRS_Com_02095)

[SWS_Com_00818] [In case `Com_StartOfReception` returns `BUFREQ_E_NOT_OK` or `BUFREQ_E_OVFL`, the AUTOSAR COM module shall not expect a call to `Com_TpRxIndication` and hence shall not lock its internal buffer.]([SRS_Com_02095](#))

[SWS_Com_00874] [In case `Com_StartOfReception` is called with `TpSduLength` equal to 0, the AUTOSAR COM module shall return the configured (maximum) length of this I-PDU via the `bufferSizePtr`.]([SRS_Com_02095](#))

A `TpSduLength` equal to 0 indicates an unknown message length.

8.4.7 Com_CopyRxData

[SWS_Com_00692] Definition of callback function `Com_CopyRxData` [

Service Name	Com_CopyRxData	
Syntax	<pre>BufReq_ReturnType Com_CopyRxData (PduIdType id, const PduInfoType* info, PduLengthType* bufferSizePtr)</pre>	
Service ID [hex]	0x44	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	id	Identification of the received I-PDU.
	info	Provides the source buffer (<code>SduDataPtr</code>) and the number of bytes to be copied (<code>SduLength</code>). An <code>SduLength</code> of 0 can be used to query the current amount of available buffer in the upper layer module. In this case, the <code>SduDataPtr</code> may be a <code>NULL_PTR</code> .
Parameters (inout)	None	
Parameters (out)	<code>bufferSizePtr</code>	Available receive buffer after data has been copied.
Return value	<code>BufReq_ReturnType</code>	<code>BUFREQ_OK</code> : Data copied successfully <code>BUFREQ_E_NOT_OK</code> : Data was not copied because an error occurred.
Description	This function is called to provide the received data of an I-PDU segment (N-PDU) to the upper layer. Each call to this function provides the next part of the I-PDU data. The size of the remaining buffer is written to the position indicated by <code>bufferSizePtr</code> .	
Available via	Com.h	

]([SRS_Com_02095](#))

Caveats of `Com_CopyRxData`: This function might be called in interrupt context. Therefore, data consistency must be ensured.

[SWS_Com_00782] [`Com_CopyRxData` shall copy no data and return `BUFREQ_E_NOT_OK` in case the given `id` refers to a stopped I-PDU.]([SRS_Com_00218](#))

8.4.8 Com_CopyTxData

[SWS_Com_00693] Definition of callback function Com_CopyTxData [

Service Name	Com_CopyTxData	
Syntax	<pre>BufReq_ReturnType Com_CopyTxData (PduIdType id, const PduInfoType* info, const RetryInfoType* retry, PduLengthType* availableDataPtr)</pre>	
Service ID [hex]	0x43	
Sync/Async	Synchronous	
Reentrancy	Reentrant	
Parameters (in)	id	Identification of the transmitted I-PDU.
	info	Provides the destination buffer (SduDataPtr) and the number of bytes to be copied (SduLength). If not enough transmit data is available, no data is copied by the upper layer module and BUFREQ_E_BUSY is returned. The lower layer module may retry the call. An SduLength of 0 can be used to indicate state changes in the retry parameter or to query the current amount of available data in the upper layer module. In this case, the SduDataPtr may be a NULL_PTR.
	retry	<p>This parameter is used to acknowledge transmitted data or to retransmit data after transmission problems.</p> <p>If the retry parameter is a NULL_PTR, it indicates that the transmit data can be removed from the buffer immediately after it has been copied. Otherwise, the retry parameter must point to a valid RetryInfoType element.</p> <p>If TpDataState indicates TP_CONFPENDING, the previously copied data must remain in the TP buffer to be available for error recovery. TP_DATACONF indicates that all data that has been copied before this call is confirmed and can be removed from the TP buffer. Data copied by this API call is excluded and will be confirmed later. TP_DATARETRY indicates that this API call shall copy previously copied data in order to recover from an error. In this case TxTpDataCnt specifies the offset in bytes from the current data copy position.</p>
Parameters (inout)	None	
Parameters (out)	availableDataPtr	Indicates the remaining number of bytes that are available in the upper layer module's Tx buffer. availableDataPtr can be used by TP modules that support dynamic payload lengths (e.g. FrIsoTp) to determine the size of the following CFs.
Return value	BufReq_ReturnType	<p>BUFREQ_OK: Data has been copied to the transmit buffer completely as requested.</p> <p>BUFREQ_E_BUSY: Request could not be fulfilled, because the required amount of Tx data is not available. The lower layer module may retry this call later on. No data has been copied.</p> <p>BUFREQ_E_NOT_OK: Data has not been copied. Request failed.</p>
Description	This function is called to acquire the transmit data of an I-PDU segment (N-PDU). Each call to this function provides the next part of the I-PDU data unless retry->TpDataState is TP_DATARETRY. In this case the function restarts to copy the data beginning at the offset from the current position indicated by retry->TxTpDataCnt. The size of the remaining data is written to the position indicated by availableDataPtr.	
Available via	Com.h	

]([SRS_Com_02095](#))

Caveats of [Com_CopyTxData](#): This function might be called in interrupt context.

[SWS_Com_00783] [[Com_CopyTxData](#) shall copy no data and return `BUFREQ_E_NOT_OK` in case the given `id` refers to a stopped I-PDU.] ([SRS_Com_00218](#))

8.5 Scheduled functions

8.5.1 Com_MainFunctionRx

[SWS_Com_00398] Definition of API function [Com_MainFunctionRx](#) [

Service Name	Com_MainFunctionRx
Syntax	void Com_MainFunctionRx (void)
Service ID [hex]	0x18
Sync/Async	Synchronous
Reentrancy	Reentrant for different instances. Non reentrant for the same instance.
Parameters (in)	None
Parameters (inout)	None
Parameters (out)	None
Return value	None
Description	This function performs the processing of the AUTOSAR COM module's receive processing that are not directly handled within the COM's functions invoked by the PDU-R, for example <code>Com_RxIndication</code> . Per configured <code>ComMainFunctionRx</code> instance one <code>Com_MainFunctionRx_<shortName></code> shall be implemented. Hereby <code><shortName></code> is the short name of the <code>ComMainFunctionRx</code> configuration container in the ECU configuration.
Available via	SchM_Com.h

] ([SRS_BSW_00425](#), [SRS_BSW_00432](#))

[SWS_Com_00664] [A call to [Com_MainFunctionRx](#) shall simply return if the AUTOSAR COM module was not previously initialized with a call to [Com_Init](#).] ([SRS_BSW_00425](#))

Configuration of [Com_MainFunctionRx](#): see [ComMainFunctionRx](#).

8.5.2 Com_MainFunctionTx

[SWS_Com_00399] Definition of API function [Com_MainFunctionTx](#) [

Service Name	Com_MainFunctionTx
Syntax	void Com_MainFunctionTx (void)
Service ID [hex]	0x19
Sync/Async	Synchronous
Reentrancy	Reentrant for different instances. Non reentrant for the same instance.





Parameters (in)	None
Parameters (inout)	None
Parameters (out)	None
Return value	None
Description	<p>This function performs the processing of the AUTOSAR COM module's transmission activities that are not directly handled within the COM's function invoked by the users (e.g. RTE, SwCluC), for example Com_SendSignal.</p> <p>Per configured ComMainFunctionTx instance one Com_MainFunctionTx_<shortName> shall be implemented. Hereby <shortName> is the short name of the ComMainFunctionTx configuration container in the ECU configuration.</p>
Available via	SchM_Com.h

]([SRS_BSW_00425](#), [SRS_BSW_00432](#))

[SWS_Com_00665] [A call to [Com_MainFunctionTx](#) shall simply return if the AUTOSAR COM module was not previously initialized with a call to [Com_Init](#).]([SRS_BSW_00425](#))

Configuration of [Com_MainFunctionTx](#): see [ComMainFunctionTx](#).

8.5.3 Com_MainFunctionRouteSignals

[SWS_Com_00400] Definition of API function Com_MainFunctionRouteSignals [

Service Name	Com_MainFunctionRouteSignals
Syntax	<pre>void Com_MainFunctionRouteSignals (void)</pre>
Service ID [hex]	0x1a
Sync/Async	Synchronous
Reentrancy	Reentrant for different instances. Non reentrant for the same instance.
Parameters (in)	None
Parameters (inout)	None
Parameters (out)	None
Return value	None
Description	<p>Calls the signal gateway part of the AUTOSAR COM module to forward received signals to be routed.</p> <p>Per configured ComMainFunctionRouteSignals instance one Com_MainFunctionRouteSignals_<shortName> shall be implemented. Hereby <shortName> is the short name of the ComMainFunctionRouteSignals configuration container in the ECU configuration.</p>
Available via	SchM_Com.h

]([SRS_BSW_00425](#), [SRS_BSW_00432](#))

[SWS_Com_00666] [A call to [Com_MainFunctionRouteSignals](#) shall simply return if the AUTOSAR COM module was not previously initialized with a call to [Com_Init](#).]([SRS_BSW_00425](#))

Caveats of [Com_MainFunctionRouteSignals](#):

- The time between two consecutive calls (perhaps the related task/thread cycle) affects directly the signal gateway latency.
- The insertion of this call is necessary for decoupling receive interrupts and signal gateway tasks.
- Normally a cyclic task / thread to call this function is configured. The cycle of this task / thread directly affects the latency of the signal gateway.

8.6 Expected interfaces

In this chapter all interfaces required from other modules are listed.

8.6.1 Mandatory interfaces

This chapter defines all interfaces, which are required to fulfill the core functionality of the module.

[SWS_Com_00669] Definition of mandatory interfaces in module Com [

API Function	Header File	Description
PduR_ComTransmit	PduR_Com.h	Requests transmission of a PDU.

]([SRS_BSW_00384](#))

8.6.2 Optional interfaces

This chapter defines all interfaces that are required to fulfill an optional functionality of the module.

[SWS_Com_00670] Definition of optional interfaces in module Com [

API Function	Header File	Description
Det_ReportError	Det.h	Service to report development errors.
Det_ReportRuntimeError	Det.h	Service to report runtime errors. If a callout has been configured then this callout shall be called.
PduR_ComCancelTransmit	PduR_Com.h	Requests cancellation of an ongoing transmission of a PDU in a lower layer communication module.

]([SRS_BSW_00384](#))

The associated configuration parameter for API function Det_ReportError is [ComConfigurationUseDet](#).

[SWS_Com_00442] [When a development error is detected, the function Det_ReportError of the Default Error Tracer shall be called with:

- 50 as the AUTOSAR COM's ModuleId

- 0 as InstanceId
- the service ID of the AUTOSAR COM module's API in which the error was detected as ApId
- the error ID

|(SRS_BSW_00369, SRS_BSW_00385, SRS_BSW_00327, SRS_GTW_06098, SRS_GTW_06099)

See also Chapter 7.11.1 for error IDs.

The API function PduR_ComCancelTransmit must be included if at least one I-PDU has configured ComIPduCancellationSupport to true.

8.6.3 Configurable interfaces

8.6.3.1 Callback / Notification Functions

Caveats of configurable interfaces: A callback routine runs either on interrupt level or on task level. Thus, the OS restrictions of usage of system functions for interrupt service routines as well as for tasks apply.

Callbacks are configured per Com user. It is possible that one Com user has a specific type of callback whereas another Com user does not have it. Examples of Com users are the RTE and the SwCluC Com Proxy.

[SWS_Com_91016]{DRAFT} Definition of configurable interface <ComUser_CbkTxAck> [

Service Name	<ComUser_CbkTxAck> (draft)	
Syntax	void <ComUser_CbkTxAck> (CbkJHandleIdType ComUserCbkHandleId)	
Sync/Async	Synchronous	
Reentrancy	don't care	
Parameters (in)	ComUserCbkHandleId	Com user callback handle Id of the signal/signal group, which transmission is acknowledged
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This callback represents notification class 2 of [17]. It is called immediately after successful transmission of the I-PDU containing the message. Tags: atp.Status=draft	
Available via	Configuration parameter ComUserHeaderInclude	

|(SRS_BSW_00359, SRS_BSW_00360, SRS_Com_02114)

<ComUser_CbkTxAck> is called on sender side only. It can be configured for signals and signal groups. This callback function corresponds to Rte_COMCbkTack or SwCluC_ComProxy_COMCbkTack respectively.

The callback function type (COM_TX_ACK) and name must be configured in [ComUserCallback](#).

[SWS_Com_91017]{DRAFT} Definition of configurable interface <ComUser_CbkTxErr> [

Service Name	<ComUser_CbkTxErr> (draft)	
Syntax	void <ComUser_CbkTxErr> (CbkJHandleIdType ComUserCbkHandleId)	
Sync/Async	Synchronous	
Reentrancy	don't care	
Parameters (in)	ComUserCbkHandleId	Com user callback handle Id of the signal/signal group, which could not be transmitted.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This callback corresponds to notification class 4 of [17]. It is called in case the transmission is not possible because the corresponding I-PDU group is stopped. Tags: atp.Status=draft	
Available via	Configuration parameter ComUserHeaderInclude	

]([SRS_BSW_00359](#), [SRS_BSW_00360](#), [SRS_Com_02114](#))

<ComUser_CbkTxErr> is called on sender side only. This callback function corresponds to Rte_COMCbkTErr or SwCluC_ComProxy_COMCbkTErr respectively.

The callback function type (COM_TX_ERR) and name must be configured in [ComUserCallback](#).

[SWS_Com_91018]{DRAFT} Definition of configurable interface <ComUser_CbkTxTOut> [

Service Name	<ComUser_CbkTxTOut> (draft)	
Syntax	void <ComUser_CbkTxTOut> (CbkJHandleIdType ComUserCbkHandleId)	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant don't care	
Parameters (in)	ComUserCbkHandleId	Com user callback handle Id of the signal/signal group, for which a transmission deadline violation has occurred.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This callback corresponds to notification class 4 of [17]. It is called immediately after a message transmission error has been detected by the deadline monitoring mechanism. Tags: atp.Status=draft	
Available via	Configuration parameter ComUserHeaderInclude	

]([SRS_BSW_00359](#), [SRS_BSW_00360](#), [SRS_Com_02114](#))

[<ComUser_CbkTxTOut>](#) is called on sender side only. It can be configured for signals and signal groups. This callback function corresponds to `Rte_COMCbkTxTOut` or `SwCluC_ComProxy_COMCbkTxTOut`.

The callback function type (`COM_TX_TOUT`) and name must be configured in [ComUserCallback](#).

[SWS_Com_91019]{DRAFT} Definition of configurable interface <ComUser_CbkRxAck> [

Service Name	<ComUser_CbkRxAck> (draft)	
Syntax	<pre>void <ComUser_CbkRxAck> (CbkHandleIdType ComUserCbkHandleId)</pre>	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant don't care	
Parameters (in)	ComUserCbkHandleId	Com user callback handle Id of the signal/signal group, which has been received.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This callback represents notification class 1 of [17]. It is called immediately after the message has been stored in the receiving message object. Tags: atp.Status=draft	
Available via	Configuration parameter ComUserHeaderInclude	

]([SRS_BSW_00359](#), [SRS_BSW_00360](#), [SRS_Com_02114](#))

[<ComUser_CbkRxAck>](#) is called on receiver side only. It can be configured for signals and signal groups. This callback function corresponds to `Rte_COMCbk` or `SwCluC_ComProxy_COMCbk`.

The callback function type (`COM_RX_ACK`) and name must be configured in [ComUserCallback](#).

[SWS_Com_91020]{DRAFT} Definition of configurable interface <ComUser_CbkRxTOut> [

Service Name	<ComUser_CbkRxTOut> (draft)	
Syntax	<pre>void <ComUser_CbkRxTOut> (CbkHandleIdType ComUserCbkHandleId)</pre>	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant don't care	
Parameters (in)	ComUserCbkHandleId	Com user callback handle Id of the signal/signal group, for which a reception deadline violation has occurred.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	





Description	This callback corresponds to notification class 3 of [17]. It is called immediately after a message reception error has been detected by the deadline monitoring mechanism. Tags: atp.Status=draft
Available via	Configuration parameter ComUserHeaderInclude

]([SRS_BSW_00359](#), [SRS_BSW_00360](#), [SRS_Com_02114](#))

<ComUser_CbkRxTOut> is called on receiver side only. It can be configured for signals and signal groups. This callback function corresponds to Rte_COMCbKRxTOut or SwCluC_ComProxy_COMCbKRxTOut.

The callback function name and type (COM_RX_TOUT) must be configured in [ComUserCallback](#).

[SWS_Com_91021]{DRAFT} Definition of configurable interface <ComUser_CbkInv> [

Service Name	<ComUser_CbkInv> (draft)	
Syntax	<pre>void <ComUser_CbkInv> (CbkHandleIdType ComUserCbKHandleId)</pre>	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant don't care	
Parameters (in)	ComUserCbKHandleId	Com user callback handle Id of the invalid signal/signal group.
Parameters (inout)	None	
Parameters (out)	None	
Return value	None	
Description	This callback function corresponds to SWS_Com_00680. It is called after reception of an invalid signal or signal group respectively. Tags: atp.Status=draft	
Available via	Configuration parameter ComUserHeaderInclude	

]([SRS_BSW_00359](#), [SRS_BSW_00360](#), [SRS_Com_02079](#), [SRS_Com_02114](#))

<ComUser_CbkInv> is called on receiver side only. It can be configured for signals and signal groups. This callback function corresponds to Rte_COMCbKInv or SwCluC_ComProxy_COMCbKInv.

The callback function type (COM_RX_INV) name must be configured in [ComUser-Callback](#).

[SWS_Com_91013] Definition of configurable interface Com_CbkTxPrep [

Service Name	Com_CbkTxPrep	
Syntax	<pre>void Com_CbkTxPrep (void)</pre>	
Sync/Async	Synchronous	
Reentrancy	Non Reentrant	





Parameters (in)	None
Parameters (inout)	None
Parameters (out)	None
Return value	None
Description	This callback function indicates that the signals/signal groups of a dedicated Com_Main FunctionTx instance will now be prepared for transmission.
Available via	Configuration parameter ComUserHeaderInclude

}]()

[Com_CbkTxPrep](#) is called on sender side only. It can be configured per [Com_MainFunctionTx](#) instance. This callback function corresponds to `Rte_COMCbkTack_<mn>`.

8.6.3.2 I-PDU Callout Functions

As stated in [[SWS_Com_00013](#)] Network-order message callout and CPU-order message callout are not supported by the AUTOSAR COM module. The only callout method supported by the AUTOSAR COM module therefore is the I-PDU callout. The AUTOSAR COM module supports I-PDU callouts on sender and on receiver side.

As specified in [[3](#)], if the I-PDU callout returns false the I-PDU will not be processed any further.

[[SWS_Com_00700](#)] Definition of configurable interface `Com_RxIpduCallout` [

Service Name	Com_RxIpduCallout	
Syntax	<pre>boolean Com_RxIpduCallout (PduIdType PduId, const PduInfoType* PduInfoPtr)</pre>	
Service ID [hex]	0x2A	
Sync/Async	Synchronous	
Reentrancy	don't care	
Parameters (in)	PduId	ID of the received I-PDU.
	PduInfoPtr	Contains the length (SduLength) of the received I-PDU and a pointer to the data of the I-PDU (SduDataPtr).
Parameters (inout)	None	
Parameters (out)	None	
Return value	boolean	true: I-PDU will be processed normal false: I-PDU will not be processed any further
Description	The I-PDU callout on receiver side can be configured to implement user-defined receive filtering mechanisms.	
Available via	Configuration parameter ComUserCbkJHeaderFile	

]([SRS_Com_02037](#))

The callout function name must be configured by [ComIPduCallout](#).

[SWS_Com_00816] [The AUTOSAR COM module shall forward all data of the received I-PDU (i.e. the complete I-PDU as provided by the PduR) in the [Com_RxIpduCallout](#).] ([SRS_Com_02037](#))

[SWS_Com_00346] Definition of configurable interface Com_TxIpduCallout [

Service Name	Com_TxIpduCallout	
Syntax	<pre>boolean Com_TxIpduCallout (PduIdType PduId, PduInfoType* PduInfoPtr)</pre>	
Service ID [hex]	0x29	
Sync/Async	Synchronous	
Reentrancy	don't care	
Parameters (in)	PduId	ID of the transmitted I-PDU.
Parameters (inout)	PduInfoPtr	Contains the length (SduLength) of the transmitted I-PDU and a pointer to the data of the I-PDU (SduDataPtr).
Parameters (out)	None	
Return value	boolean	true: I-PDU will be processed normal false: I-PDU will not be processed any further
Description	The I-PDU callout on sender side can be configured for example to implement user-defined transmission filtering or user-defined pre-transmission-processing of the outgoing I-PDU.	
Available via	Configuration parameter ComUserCbHeaderFile	

] ([SRS_Com_02037](#))

The callout function name must be configured either by [ComIPduCallout](#) or by [ComIPduTriggerTransmitCallout](#).

The AUTOSAR COM module implements no means to detect or prevent possible recursions that may occur when I-PDUs are triggered by actions within an I-PDU callout. It is solely in the responsibility of the implementer of an I-PDU callout and the system integrator that unwanted or endless chains of I-PDU callouts are avoided.

[SWS_Com_00381] [The AUTOSAR COM module shall not support that other AUTOSAR COM module's APIs than [Com_TriggerIPDUSend](#), [Com_TriggerIPDUSendWithMetaData](#), [Com_SendSignal](#) and [Com_SendSignalGroup](#) can be called out of an I-PDU callout.] ([SRS_Com_02037](#))

[SWS_Com_00766] [In case [ComIPduTriggerTransmitCallout](#) is configured for an I-PDU and the I-PDU is started, the AUTOSAR COM module shall invoke this I-PDU callout within every execution of [Com_TriggerTransmit](#) for this I-PDU.] ([SRS_Com_02037](#))

[SWS_Com_00395] [When [Com_TriggerTransmit](#) is called, the AUTOSAR COM module shall ignore the return value from the [ComIPduTriggerTransmitCallout](#).] ([SRS_Com_02037](#))

[SWS_Com_00719] [In case a [ComIPduCallout](#) is configured for an I-PDU with [ComIPduDirection](#) configured to SEND, the AUTOSAR COM module shall invoke this I-PDU callout directly before the I-PDU is transmitted via [PduR_ComTransmit](#).] ([SRS_Com_02037](#))

For TP I-PDUs, the I-PDU callout functions are handled similar to the I-PDU callout functions of normal I-PDUs and are supported both on transmitter and receiver side. Note that for example the requirement [SWS_Com_00719] does not consider the configured `ComIPduType`.

[SWS_Com_00720] [When a large I-PDU is received successfully via the TP interface, the I-PDU callout shall take place within the invocation of `Com_TpRxIndication`.] (*SRS_Com_02095*)

[SWS_Com_00839] [When the I-PDU callout in context of `Com_TpRxIndication` returns false, the I-PDU shall be considered as incorrectly received and therefore all included signals shall be treated exactly like invalidated signals. That is, the AUTOSAR COM module shall execute all configured `ComDataInvalidAction` for all included signals and signal groups.] (*SRS_Com_02095*)

9 Sequence diagrams

A sequence diagram of the underlying communication stack can be found in [3].

9.1 Interface between the AUTOSAR COM Module and the PDU Router

The following chart shows the communication between the AUTOSAR COM module and the PDU Router.




Figure 9.1: Interactions between the AUTOSAR COM module and the PDU Router

9.2 Confirmation Handling between the PDU Router, the AUTOSAR COM Module and the RTE

The following chart shows the confirmation handling with respect to the two different IPDU-processing modes. (See also Chapter 7.3.5.4.)




Figure 9.2: Confirmation handling between the PDU Router, the AUTOSAR COM module and the RTE

9.3 Indication Handling between the PDU Router, the AUTOSAR COM Module and the RTE

The following chart shows the indication handling with respect to the two different unpacking modes. (See also Chapter 7.3.5.4.)




Figure 9.3: Indication handling between the PDU Router, the AUTOSAR COM module and the RTE

10 Configuration specification

In general, this chapter defines configuration parameters and their clustering into containers. In order to support the specification Chapter 10.1 describes fundamentals. It also specifies a template (table) you shall use for the parameter specification. We intend to leave Chapter 10.1 in the specification to guarantee comprehension.

Chapter 10.2 specifies the structure (containers) and the parameters of the module COM.

Chapter 10.4 specifies published information of the module COM.

10.1 How to read this chapter

For details refer to the chapter 10.1 "Introduction to configuration specification" in [5, SWS BSW General].

10.2 Containers and configuration parameters

The following chapters summarize all configuration parameters. The detailed meanings of the parameters are described in Chapter 7 and Chapter 8.

[SWS_Com_00006] [The configuration parameters are based on [16]. All parameters shall be stored in an XML format.] (*SRS_Com_02040*)

10.2.1 Configuration of the AUTOSAR COM Module

For an overview of the AUTOSAR COM module's configuration, see Figure 10.1.




Figure 10.1: The AUTOSAR COM module's Configuration Overview




Figure 10.2: Com

10.2.2 Com

SWS Item	[ECUC_Com_00540]
Module Name	Com
Description	Configuration of the AUTOSAR COM module.
Post-Build Variant Support	true
Supported Config Variants	VARIANT-LINK-TIME, VARIANT-POST-BUILD, VARIANT-PRE-COMPILE

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComConfig	1	This container contains the configuration parameters and sub containers of the AUTOSAR COM module.
ComGeneral	1	Contains the general configuration parameters of the AUTOSAR COM module.




Figure 10.3: ComGeneral

10.2.3 ComGeneral

SWS Item	[ECUC_Com_00541]
Container Name	ComGeneral
Parent Container	Com
Description	Contains the general configuration parameters of the module.
Configuration Parameters	

SWS Item	[ECUC_Com_10000]		
Parameter Name	ComCancellationSupport		
Parent Container	ComGeneral		
Description	This parameter enables/disables the cancellation feature: true: enabled false: disabled		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	true		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants





	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00141]		
Parameter Name	ComConfigurationUseDet		
Parent Container	ComGeneral		
Description	The error hook shall contain code to call the Det. If this parameter is configured COM_DEV_ERROR_DETECT shall be set to ON as output of the configuration tool. (as input for the source code).		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00788]		
Parameter Name	ComEnableMDTForCyclicTransmission		
Parent Container	ComGeneral		
Description	Enables globally for the whole Com module the minimum delay time monitoring for cyclic and repeated transmissions (ComTxModeMode=PERIODIC or ComTxModeMode=MIXED for the cyclic transmissions, ComTxModeNumberOfRepetitions > 0 for repeated transmissions).		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	true		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10002]		
Parameter Name	ComEnableSignalGroupArrayApi		
Parent Container	ComGeneral		
Description	<p>Activate/Deactivate the signal group array access APIs (Com_SendSignalGroupArray, Com_ReceiveSignalGroupArray).</p> <p>true: signal group array access APIs activated false: signal group array access APIs deactivated</p>		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10004]		
Parameter Name	ComMetaDataSupport		
Parent Container	ComGeneral		
Description	<p>This parameter enables/disables the support of meta-data feature including the API Com_TriggerIPDUSendWithMetaData. true: enabled false: disabled</p>		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00780]		
Parameter Name	ComRetryFailedTransmitRequests		
Parent Container	ComGeneral		
Description	<p>If this Parameter is set to true, retry of failed transmission requests is enabled. If this Parameter is not present, the default value is assumed.</p>		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants





	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00710]		
Parameter Name	ComSupportedIPduGroups		
Parent Container	ComGeneral		
Description	Defines the maximum number of supported I-PDU groups.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	–		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10001]		
Parameter Name	ComUserCbkHeaderFile		
Parent Container	ComGeneral		
Description	Defines the header files for callback functions which shall be included by the COM module.		
Multiplicity	0..*		
Type	EcucStringParamDef		
Default value	–		
Length	1-32		
Regular Expression	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00438]		
Parameter Name	ComVersionInfoApi		
Parent Container	ComGeneral		
Description	Activate/Deactivate the version information API (Com_GetVersionInfo). True: version information API activated False: version information API deactivated		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Value	false		





Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

No Included Containers

10.2.4 ComConfig

SWS Item	[ECUC_Com_00337]
Container Name	ComConfig
Parent Container	Com
Description	This container contains the configuration parameters and sub containers of the AUTOSAR COM module.
Configuration Parameters	

SWS Item	[ECUC_Com_00783]		
Parameter Name	ComDataMemSize		
Parent Container	ComConfig		
Description	Size of internal Com data in units of bytes (static memory allocation) - memory required by post-build configuration must be smaller than this constant. This parameter is needed only in case of post-build loadable implementation using static memory allocation.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 18446744073709551615		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00782]
Parameter Name	ComMaxIPduCnt
Parent Container	ComConfig
Description	Maximum number of IPdus. This parameter is needed only in case of post-build loadable implementation using static memory allocation.
Multiplicity	0..1
Type	EcucIntegerParamDef





Range	0 .. 18446744073709551615		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComGwMapping	0..*	Each instance of this container defines one mapping of the integrated Signal Gateway.
ComIPdu	0..*	See ECUC_Com_00340, if there is no ComIPdu container included no IPDUs are defined. In this case no communication via the AUTOSAR COM module is possible.
ComIPduGroup	0..*	See ECUC_Com_00341, if there is no ComIPduGroup container included then no IPDU group is defined. In this case no communication via the AUTOSAR COM module is possible.
ComMainFunctionRouteSignals	0..*	Each element of this container defines one instance of Com_MainFunctionRouteSignals.
ComMainFunctionRx	0..*	Each element of this container defines one instance of Com_MainFunctionRx.
ComMainFunctionTx	0..*	Each element of this container defines one instance of Com_MainFunctionTx.
ComSignal	0..*	See ECUC_Com_00344, if there is no ComSignal container included no single signals are defined.
ComSignalGroup	0..*	See ECUC_Com_00345, if there is no ComSignalGroup container included no signal groups are defined.
ComUserModule	0..*	Contains the configuration parameters of the Com user modules. Tags: atp.Status=draft

10.2.5 ComMainFunctionRx

SWS Item	[ECUC_Com_10011]		
Container Name	ComMainFunctionRx		
Parent Container	ComConfig		
Description	Each element of this container defines one instance of Com_MainFunctionRx.		
Post-Build Variant Multiplicity	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	





Configuration Parameters

SWS Item	[ECUC_Com_10018]		
Parameter Name	ComMainRxTimeBase		
Parent Container	ComMainFunctionRx		
Description	<p>The period between successive calls to according instance of Com_MainFunctionRx in seconds. This parameter may be used by the COM generator to transform the values of the reception related timing configuration parameters of the COM module to internal implementation specific counter or tick values. The COM module's internal timing handling is implementation specific.</p> <p>The COM module (generator) may rely on the fact that Com_MainFunctionRx is scheduled according to the value configured here.</p>		
Multiplicity	1		
Type	EcucFloatParamDef		
Range]0 .. INF[
Default value	-		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10017]		
Parameter Name	ComMainRxPartitionRef		
Parent Container	ComMainFunctionRx		
Description	Reference to EcucPartition, where the according Com_MainFunction instance is assigned to.		
Multiplicity	0..1		
Type	Reference to EcucPartition		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: local		

No Included Containers

10.2.6 ComMainFunctionTx

SWS Item	[ECUC_Com_10014]		
Container Name	ComMainFunctionTx		
Parent Container	ComConfig		





Description	Each element of this container defines one instance of Com_MainFunctionTx.		
Post-Build Variant Multiplicity	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Configuration Parameters			

SWS Item	[ECUC_Com_10010]		
Parameter Name	ComMainTxTimeBase		
Parent Container	ComMainFunctionTx		
Description	<p>The period between successive calls to according instance of Com_MainFunctionTx in seconds. This parameter may be used by the COM generator to transform the values of the reception related timing configuration parameters of the COM module to internal implementation specific counter or tick values. The COM module's internal timing handling is implementation specific.</p> <p>The COM module (generator) may rely on the fact that Com_MainFunctionTx is scheduled according to the value configured here.</p>		
Multiplicity	1		
Type	EcucFloatParamDef		
Range]0 .. INF[
Default value	–		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10020]		
Parameter Name	ComPreparationNotification		
Parent Container	ComMainFunctionTx		
Description	<p>This callback function indicates that the signals/signal groups to be sent via a dedicated Com_MainFunctionTx instance will now be prepared for transmission.</p> <p>If this parameter is omitted no notification shall take place.</p>		
Multiplicity	0..1		
Type	EcucFunctionNameDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10019]		
Parameter Name	ComMainTxPartitionRef		
Parent Container	ComMainFunctionTx		
Description	Reference to EcucPartition, where the according Com_MainFunction instance is assigned to.		
Multiplicity	0..1		
Type	Reference to EcucPartition		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

No Included Containers

10.2.7 ComMainFunctionRouteSignals

SWS Item	[ECUC_Com_10013]		
Container Name	ComMainFunctionRouteSignals		
Parent Container	ComConfig		
Description	Each element of this container defines one instance of Com_MainFunctionRoute Signals.		
Post-Build Variant Multiplicity	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Configuration Parameters			

SWS Item	[ECUC_Com_10016]		
Parameter Name	ComMainRouteSignalsTimeBase		
Parent Container	ComMainFunctionRouteSignals		
Description	<p>The period between successive calls to according instance of Com_MainFunction RouteSignals in seconds. This parameter may be used by the COM generator to transform the values of the reception related timing configuration parameters of the COM module to internal implementation specific counter or tick values. The COM module's internal timing handling is implementation specific.</p> <p>The COM module (generator) may rely on the fact that Com_MainFunctionRoute Signals is scheduled according to the value configured here.</p>		
Multiplicity	1		
Type	EcucFloatParamDef		
Range]0 .. INF[
Default value	–		





Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10015]		
Parameter Name	ComMainRouteSignalsPartitionRef		
Parent Container	ComMainFunctionRouteSignals		
Description	Reference to EcucPartition, where the according Com_MainFunction instance is assigned to.		
Multiplicity	0..1		
Type	Reference to EcucPartition		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

No Included Containers




Figure 10.4: ComFilter

10.2.8 ComFilter

SWS Item	[ECUC_Com_00339]
Container Name	ComFilter
Parent Container	ComGroupSignal, ComGwDestinationDescription, ComSignal
Description	This container contains the configuration parameters of the AUTOSAR COM module's Filters. Note: On sender side the container is used to specify the transmission mode conditions.
Configuration Parameters	

SWS Item	[ECUC_Com_00146]
Parameter Name	ComFilterAlgorithm
Parent Container	ComFilter
Description	The range of values is specified in the [17] specification, chapter 2.2.2, Reception Filtering.





Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	ALWAYS	–	
	MASKED_NEW_DIFFERS_MASKED_OLD	–	
	MASKED_NEW_DIFFERS_X	–	
	MASKED_NEW_EQUALS_X	–	
	NEVER	–	
	NEW_IS_OUTSIDE	–	
	NEW_IS_WITHIN	–	
	ONE EVERY N	–	
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00235]		
Parameter Name	ComFilterMask		
Parent Container	ComFilter		
Description	The name of this attribute corresponds to the parameter name in the [17] specification of Reception Filtering.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	-2147483648 .. 4294967295		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00317]		
Parameter Name	ComFilterMax		
Parent Container	ComFilter		
Description	The name of this attribute corresponds to the parameter name in the [17] specification of Reception Filtering.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	-2147483648 .. 4294967295		
Default value	–		





Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00318]		
Parameter Name	ComFilterMin		
Parent Container	ComFilter		
Description	The name of this attribute corresponds to the parameter name in the [17] specification of Reception Filtering.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	-2147483648 .. 4294967295		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00313]		
Parameter Name	ComFilterOffset		
Parent Container	ComFilter		
Description	The name of this attribute corresponds to the parameter name in the [17] specification of Reception Filtering. Range = 0..(ComFilterPeriod-1)		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967294		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	






Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: local dependency: ECUC_Com_00312		

SWS Item	[ECUC_Com_00312]		
Parameter Name	ComFilterPeriod		
Parent Container	ComFilter		
Description	This parameter defines the period of the ComFilterAlgorithm ONE_EVERY_N.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	2 .. 4294967295		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00147]		
Parameter Name	ComFilterX		
Parent Container	ComFilter		
Description	The name of this attribute corresponds to the parameter name in the [17] specification of Reception Filtering.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	-2147483648 .. 4294967295		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: local		

No Included Containers


Figure 10.5: ComIPdu

10.2.9 ComIPdu

SWS Item	[ECUC_Com_00340]		
Container Name	ComIPdu		
Parent Container	ComConfig		
Description	Contains the configuration parameters of the AUTOSAR COM module's I-PDUs.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_00387]		
Parameter Name	ComIPduCallout		
Parent Container	ComIPdu		
Description	This parameter defines the existence and the name of a callout function for the corresponding I-PDU. If this parameter is omitted no I-PDU callout shall take place for the corresponding I-PDU.		
Multiplicity	0..1		
Type	EcucFunctionNameDef		
Default value	-		
Regular Expression	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants





	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00709]		
Parameter Name	ComIPduCancellationSupport		
Parent Container	ComIPdu		
Description	Defines for I-PDUs with ComIPduType NORMAL: If the underlying IF-modul supports cancellation of transmit requests. Defines for I-PDUs with ComIPduType TP: If the underlying TP-module supports RX and TX cancellation of ongoing requests.		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU dependency: This parameter shall not be set to true if ComCancellationSupport is set to false		

SWS Item	[ECUC_Com_00493]		
Parameter Name	ComIPduDirection		
Parent Container	ComIPdu		
Description	The direction defines if this I-PDU, and therefore the contributing signals and signal groups, shall be sent or received.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	RECEIVE	–	
	SEND	–	
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local dependency: If configured to Sent also a ComTxIpdu container shall be included, see ECUC_Com_00496		

SWS Item	[ECUC_Com_00175]		
Parameter Name	ComIPduHandleId		
Parent Container	ComIPdu		
Description	The numerical value used as the ID of this I-PDU. The ComIPduHandleId is required by the API calls Com_RxIndication, Com_TpRxIndication, Com_StartOfReception and Com_CopyRxData to receive I-PDUs from the PduR (ComIP-duDirection: Receive), as well as the PduId passed to an Rx-I-PDU-callout. For Tx-I-PDUs (ComIPduDirection: Send), this handle Id is used for the APIs calls Com_TxConfirmation, Com_TriggerTransmit, Com_TriggerIPDUSend or Com_TriggerIPDUSendWithMetaData, Com_CopyTxData and Com_TpTxConfirmation to transmit respectively confirm transmissions of I-PDUs, as well as the PduId passed to the Tx-I-PDU-callout configured with ComIPduCallout and/or ComIPduTriggerTransmitCallout.		
Multiplicity	0..1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: ECU withAuto = true		

SWS Item	[ECUC_Com_00119]		
Parameter Name	ComIPduSignalProcessing		
Parent Container	ComIPdu		
Description	For the definition of the two modes Immediate and Deferred.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	DEFERRED	signal indication / confirmations are deferred for example to a cyclic task	
	IMMEDIATE	the signal indications / confirmations are performed in Com_RxIndication/ Com_Tx Confirmation	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00765]		
Parameter Name	ComIPduTriggerTransmitCallout		
Parent Container	ComIPdu		
Description	If there is a trigger transmit callout defined for this I-PDU this parameter contains the name of the callout function.		
Multiplicity	0..1		





Type	EcucFunctionNameDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00761]		
Parameter Name	ComIPduType		
Parent Container	ComIPdu		
Description	Defines if this I-PDU is a normal I-PDU that can be sent unfragmented or if this is a large I-PDU that shall be sent via the Transport Protocol of the underlying bus.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	NORMAL	sent or received via normal L-PDU	
	TP	sent or received via TP	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00206]		
Parameter Name	ComIPduGroupRef		
Parent Container	ComIPdu		
Description	Reference to the I-PDU groups this I-PDU belongs to.		
Multiplicity	0..*		
Type	Reference to ComIPduGroup		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10012]		
Parameter Name	ComIPduMainFunctionRef		
Parent Container	ComIPdu		





Description	Reference to the Com_MainFunctionRx/Com_MainFunctionTx this I-PDU belongs to. Mandatory, if multiple main functions of the relevant type are defined.		
Multiplicity	0..1		
Type	Choice reference to [ComMainFunctionRx , ComMainFunctionTx]		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00519]		
Parameter Name	ComIPduSignalGroupRef		
Parent Container	ComIPdu		
Description	References to all signal groups contained in this I-Pdu		
Multiplicity	0..*		
Type	Reference to ComSignalGroup		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00518]		
Parameter Name	ComIPduSignalRef		
Parent Container	ComIPdu		
Description	References to all signals contained in this I-PDU.		
Multiplicity	0..*		
Type	Reference to ComSignal		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10021]		
Parameter Name	ComMainFunctionRouteSignalsRef		
Parent Container	ComIPdu		
Description	Reference to ComMainFunctionRouteSignals which performs signal gateway related activities.		
Multiplicity	0..1		
Type	Reference to ComMainFunctionRouteSignals		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00711]		
Parameter Name	ComPduIdRef		
Parent Container	ComIPdu		
Description	Reference to the "global" Pdu structure to allow harmonization of handle IDs in the COM-Stack.		
Multiplicity	1		
Type	Reference to Pdu		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency			

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComTxIPdu	0..1	This container must be included if COM_IPDU_DIRECTION is configured to SEND.

[SWS_Com_00497] [A [ComTxIPdu](#) container must be included if [ComIPduDirection](#) is configured to SEND.] (*SRS_BSW_00167*)




Figure 10.6: ComTxIPdu

10.2.10 ComTxIPdu

SWS Item	[ECUC_Com_00496]
Container Name	ComTxIPdu
Parent Container	ComIPdu
Description	This container contains additional transmission related configuration parameters of the AUTOSAR COM module's I-PDUs.
Configuration Parameters	

SWS Item	[ECUC_Com_00181]		
Parameter Name	ComMinimumDelayTime		
Parent Container	ComTxIPdu		
Description	Defines the Minimum Delay Time (MDT) between successive transmissions of this I-PDU in seconds. The MDT is independent of the possible different transmission modes. There is only one minimum delay time parameter for one I-PDU. The minimum delay timer is not reset by changing the transmission mode. Hence, it is not allowed to violate the minimum delay time by transmission mode changes. It is not possible to monitor the minimum delay time for I-PDUs that are requested using the Com_Trigger Transmit API.		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00576]		
Parameter Name	ComTxIPduClearUpdateBit		
Parent Container	ComTxIPdu		
Description	Defines when the update-bits of signals or signal groups, contained in this I-PDU, will be cleared.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	Confirmation		The update-bits are cleared when the transmission of the I-PDU was confirmed. In case of Direct/N-Times transmission mode the update bits will be cleared with respect to the confirmation behaviour of SWS_Com_00305.
	Transmit		The update-bits are cleared directly after the invocation of PduR_ComTransmit.
	TriggerTransmit		The update-bits are cleared after the I-PDU was fetched via Com_TriggerTransmit.
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE





Value Configuration Class	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00017]		
Parameter Name	ComTxIPduUnusedAreasDefault		
Parent Container	ComTxIPdu		
Description	The AUTOSAR COM module fills not used areas of an I-PDU with this byte pattern. This attribute is mandatory to avoid undefined behaviour. This byte-pattern will be repeated throughout the I-PDU before any init-values or update-bits were set.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 255		
Default value	-		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComMetaDataDefaultItem	0..*	Defines a default value for a meta data item. Used for sending an I-PDU with meta data when it is triggered spontaneously (and not by Com_TriggerIPDUSendWithMetaData), and no meta data has been provided by the RTE. It represents a MetaDataItem of the referenced global PDU.
ComTxModeFalse	0..1	The referenced transmission mode object that is used when the filtering state for this I-PDU evaluates to false. The default is transmission mode None.
ComTxModeTrue	0..1	The referenced transmission mode object that is used when the filtering state for this I-PDU evaluates to true.

10.2.11 ComMetaDataDefaultItem

SWS Item	[ECUC_Com_10022]		
Container Name	ComMetaDataDefaultItem		
Parent Container	ComTxIPdu		
Description	Defines a default value for a meta data item. Used for sending an I-PDU with meta data when it is triggered spontaneously (and not by Com_TriggerIPDUSendWithMetaData), and no meta data has been provided by the RTE. It represents a MetaDataItem of the referenced global PDU.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE





	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_10023]		
Parameter Name	ComMetaDataDefaultValue		
Parent Container	ComMetaDataDefaultItem		
Description	Default value for MetaDataItem of the global PDU.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 18446744073709551615		
Default value	-		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10024]		
Parameter Name	ComMetaDataItemRef		
Parent Container	ComMetaDataDefaultItem		
Description	Reference to a MetaDataItem of the global PDU.		
Multiplicity	1		
Type	Reference to MetaDataItem		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

No Included Containers




Figure 10.7: ComIPduGroup

10.2.12 ComIPduGroup

SWS Item	[ECUC_Com_00341]		
Container Name	ComIPduGroup		
Parent Container	ComConfig		
Description	Contains the configuration parameters of the AUTOSAR COM module's I-PDU groups.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_00184]		
Parameter Name	ComIPduGroupHandleId		
Parent Container	ComIPduGroup		
Description	The numerical value used as the ID of this I-PDU Group . The ComIPduGroupHandleId is required by the API calls to start and stop I-PDU Groups. Range: 0 .. (ComSupportedIPduGroups-1)		
Multiplicity	1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	-		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: ECU withAuto = true		

SWS Item	[ECUC_Com_00185]		
Parameter Name	ComIPduGroupGroupRef		
Parent Container	ComIPduGroup		
Description	References to all I-PDU groups that includes this I-PDU group. If this reference is omitted this I-PDU group does not belong to another I-PDU group.		
Multiplicity	0..*		
Type	Reference to ComIPduGroup		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

No Included Containers




Figure 10.8: ComSignal

10.2.13 ComSignal

SWS Item	[ECUC_Com_00344]		
Container Name	ComSignal		
Parent Container	ComConfig		
Description	Contains the configuration parameters of the AUTOSAR COM module's signals.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_00259]		
Parameter Name	ComBitPosition		
Parent Container	ComSignal		
Description	Starting position within the I-PDU. This parameter refers to the position in the I-PDU and not in the shadow buffer. If the endianness conversion is configured to Opaque the parameter ComBitPosition shall define the bit0 of the first byte like in little endian byte order		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00158]		
Parameter Name	ComBitSize		
Parent Container	ComSignal		
Description	Size in bits, for integer signal types. For ComSignalType UINT8_N and UINT8_DYN the size shall be configured by ComSignalLength. For ComSignalTypes FLOAT32 and FLOAT64 the size is already defined by the signal type and therefore may be omitted.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 64		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00314]		
Parameter Name	ComDataInvalidAction		
Parent Container	ComSignal		
Description	This parameter defines the action performed upon reception of an invalid signal. Relating to signal groups the action in case if one of the included signals is an invalid signal. If Replace is used the ComSignalInitValue will be used for the replacement.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	NOTIFY	–	
	REPLACE	Literal for DataInvalidAction	
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00183]		
Parameter Name	ComFirstTimeout		
Parent Container	ComSignal		
Description	Defines the length of the first deadline monitoring timeout period in seconds. This timeout is used immediately after start (or restart) of the deadline monitoring service. The timeout period of the successive periods is configured by ECUC_Com_00263.		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00165]		
Parameter Name	ComHandleId		
Parent Container	ComSignal		
Description	The numerical value used as the ID. This ID identifies signals and signal groups in the COM APIs using Com_SignalIdType or Com_SignalGroupIdType parameter respectively.		
Multiplicity	0..1		





Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: ECU withAuto = true		

SWS Item	[ECUC_Com_00811]		
Parameter Name	ComInitialValueOnly		
Parent Container	ComSignal		
Description	This parameter defines that the respective signal's initial value shall be put into the respective PDU but there will not be any update of the value through the users (e.g. RTE, SwCluC). Thus the Com implementation does not need to expect any API calls for this signal (group).		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00412]		
Parameter Name	ComRxDataTimeoutAction		
Parent Container	ComSignal		
Description	This parameter defines the action performed upon expiration of the reception deadline monitoring timer.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	NONE	no replacement shall take place	
	REPLACE	signals shall be replaced by their ComSignalInit Value	
	SUBSTITUTE	signals shall be replaced by their ComTimeout SubstitutionValue	
Post-Build Variant Multiplicity	false		





Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00391]		
Parameter Name	ComSignalDataInvalidValue		
Parent Container	ComSignal		
Description	<p>Defines the data invalid value of the signal.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification. In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification. In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification. In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0(lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local dependency: In case of UINT8_N the length of ComSignalDataInvalidValue has to be the same as ComSignalLength.		

SWS Item	[ECUC_Com_00157]		
Parameter Name	ComSignalEndianness		
Parent Container	ComSignal		
Description	Defines the endianness of the signal's network representation.		
Multiplicity	1		
Type	EcucEnumerationParamDef		





Range	BIG_ENDIAN	–	
	LITTLE_ENDIAN	–	
	OPAQUE	–	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00170]		
Parameter Name	ComSignalInitValue		
Parent Container	ComSignal		
Description	<p>Initial value for this signal. In case of UINT8_N the default value is a string of length ComSignalLength with all bytes set to 0x00. In case of UINT8_DYN the initial size shall be 0.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification. In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification. In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification. In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0(lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	0		
Regular Expression	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local dependency: In case of UINT8_N the length of ComSignalInitValue has to be the same as ComSignalLength.		

SWS Item	[ECUC_Com_00437]		
Parameter Name	ComSignalLength		
Parent Container	ComSignal		





Description	Description: For ComSignalType UINT8_N this parameter specifies the length n in bytes. For ComSignalType UINT8_DYN it specifies the maximum length in bytes. For all other types this parameter shall be ignored. The supported maximum length is restricted by the used transportation system. For non TP-PDUs the maximum size of a PDU, and therefore also of any included signal, is limited by the concrete bus characteristic. For example, the limit is 8 bytes for CAN and LIN, 64 bytes for CAN FD and 254 for FlexRay.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00127]		
Parameter Name	ComSignalType		
Parent Container	ComSignal		
Description	The AUTOSAR type of the signal. Whether or not the signal is signed or unsigned can be found by examining the value of this attribute. This type could also be used to reserved appropriate storage in AUTOSAR COM.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	BOOLEAN	–	
	FLOAT32	–	
	FLOAT64	–	
	SINT16	–	
	SINT32	–	
	SINT64	–	
	SINT8	–	
	UINT16	–	
	UINT32	–	
	UINT64	–	
	UINT8	–	
	UINT8_DYN	–	
	UINT8_N	–	
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00263]		
Parameter Name	ComTimeout		
Parent Container	ComSignal		
Description	Defines the length of the deadline monitoring timeout period in seconds. The period for the first timeout period can be configured separately by ECUC_Com_00183.		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10006]		
Parameter Name	ComTimeoutSubstitutionValue		
Parent Container	ComSignal		
Description	<p>The signal substitution value will be used in case of a timeout and ComRxDataTimeout Action is set to SUBSTITUTE. In case of UINT8_N the default value is a string of length ComSignalLength with all bytes set to 0x00.</p> <p>In case of UINT8_DYN the initial size shall be 0.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification.</p> <p>In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification.</p> <p>In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification.</p> <p>In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0(lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME





	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00232]		
Parameter Name	ComTransferProperty		
Parent Container	ComSignal		
Description	Defines if a write access to this signal can trigger the transmission of the corresponding I-PDU. If the I-PDU is triggered, depends also on the transmission mode of the corresponding I-PDU.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	PENDING	A write access to this signal never triggers the transmission of the corresponding I-PDU.	
	TRIGGERED	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU.	
	TRIGGERED_ON_CHANGE	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU, but only in case the written value is different to the locally stored (last sent or initial value) in length or value.	
	TRIGGERED_ON_CHANGE_WITHOUT_REPETITION	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU just once without a repetition, but only in case the written value is different to the locally stored (last sent or initial value) in length or value.	
	TRIGGERED_WITHOUT_REPETITION	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU just once without a repetition.	
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00257]		
Parameter Name	ComUpdateBitPosition		
Parent Container	ComSignal		
Description	Bit position of update-bit inside I-PDU. If this attribute is omitted then there is no update-bit. This setting must be consistently on sender and on receiver side. Range: 0..63 for CAN and LIN, 0..511 for CAN FD, 0..2031 for FlexRay, 0..4294967295 for TP.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		





Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00002]		
Parameter Name	ComSystemTemplateSystemSignalRef		
Parent Container	ComSignal		
Description	Reference to the ISignalToIPduMapping that contains a reference to the ISignal (System Template) which this ComSignal (or ComGroupSignal) represents.		
Multiplicity	0..1		
Type	Foreign reference to I-SIGNAL-TO-I-PDU-MAPPING		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComFilter	0..1	This container contains the configuration parameters of the AUTOSAR COM module's Filters. Note: On sender side the container is used to specify the transmission mode conditions.




Figure 10.9: ComSignalGroup

10.2.14 ComSignalGroup

SWS Item	[ECUC_Com_00345]		
Container Name	ComSignalGroup		
Parent Container	ComConfig		
Description	Contains the configuration parameters of the AUTOSAR COM module's signal groups.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_00314]		
Parameter Name	ComDataInvalidAction		
Parent Container	ComSignalGroup		
Description	This parameter defines the action performed upon reception of an invalid signal. Relating to signal groups the action in case if one of the included signals is an invalid signal. If Replace is used the ComSignalInitValue will be used for the replacement.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	NOTIFY	–	
	REPLACE	Literal for DataInvalidAction	
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00183]		
Parameter Name	ComFirstTimeout		
Parent Container	ComSignalGroup		
Description	Defines the length of the first deadline monitoring timeout period in seconds. This timeout is used immediately after start (or restart) of the deadline monitoring service. The timeout period of the successive periods is configured by ECUC_Com_00263.		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD





Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00165]		
Parameter Name	ComHandleId		
Parent Container	ComSignalGroup		
Description	The numerical value used as the ID. This ID identifies signals and signal groups in the COM APIs using Com_SignalIdType or Com_SignalGroupIdType parameter respectively.		
Multiplicity	0..1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: ECU withAuto = true		

SWS Item	[ECUC_Com_00811]		
Parameter Name	ComInitialValueOnly		
Parent Container	ComSignalGroup		
Description	This parameter defines that the respective signal's initial value shall be put into the respective PDU but there will not be any update of the value through the users (e.g. RTE, SwCluC). Thus the Com implementation does not need to expect any API calls for this signal (group).		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00412]		
Parameter Name	ComRxDataTimeoutAction		
Parent Container	ComSignalGroup		
Description	This parameter defines the action performed upon expiration of the reception deadline monitoring timer.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	NONE	no replacement shall take place	
	REPLACE	signals shall be replaced by their ComSignalInit Value	
	SUBSTITUTE	signals shall be replaced by their ComTimeout SubstitutionValue	
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10003]		
Parameter Name	ComSignalGroupArrayAccess		
Parent Container	ComSignalGroup		
Description	Defines whether the uint8-array based access shall be used for this ComSignalGroup.		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency			

SWS Item	[ECUC_Com_00263]		
Parameter Name	ComTimeout		
Parent Container	ComSignalGroup		
Description	Defines the length of the deadline monitoring timeout period in seconds. The period for the first timeout period can be configured separately by ECUC_Com_00183.		
Multiplicity	0..1		
Type	EcucFloatParamDef		





Range	[0 .. 3600]		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00232]		
Parameter Name	ComTransferProperty		
Parent Container	ComSignalGroup		
Description	Defines if a write access to this signal can trigger the transmission of the corresponding I-PDU. If the I-PDU is triggered, depends also on the transmission mode of the corresponding I-PDU.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	PENDING	A write access to this signal never triggers the transmission of the corresponding I-PDU.	
	TRIGGERED	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU.	
	TRIGGERED_ON_CHANGE	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU, but only in case the written value is different to the locally stored (last sent or initial value) in length or value.	
	TRIGGERED_ON_CHANGE_WITHOUT_REPETITION	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU just once without a repetition, but only in case the written value is different to the locally stored (last sent or initial value) in length or value.	
	TRIGGERED_WITHOUT_REPETITION	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU just once without a repetition.	
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00257]		
Parameter Name	ComUpdateBitPosition		
Parent Container	ComSignalGroup		
Description	Bit position of update-bit inside I-PDU. If this attribute is omitted then there is no update-bit. This setting must be consistently on sender and on receiver side. Range: 0..63 for CAN and LIN, 0..511 for CAN FD, 0..2031 for FlexRay, 0..4294967295 for TP.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00001]		
Parameter Name	ComSystemTemplateSignalGroupRef		
Parent Container	ComSignalGroup		
Description	Reference to the ISignalToIPduMapping that contains a reference to the ISignalGroup (SystemTemplate) which this ComSignalGroup represents.		
Multiplicity	0..1		
Type	Foreign reference to I-SIGNAL-TO-I-PDU-MAPPING		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComGroupSignal	0..*	This container contains the configuration parameters of group signals. I.e. signals that are included within a signal group.




Figure 10.10: ComGroupSignal

10.2.15 ComGroupSignal

SWS Item	[ECUC_Com_00520]		
Container Name	ComGroupSignal		
Parent Container	ComSignalGroup		
Description	This container contains the configuration parameters of group signals. I.e. signals that are included within a signal group.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_00259]		
Parameter Name	ComBitPosition		
Parent Container	ComGroupSignal		
Description	Starting position within the I-PDU. This parameter refers to the position in the I-PDU and not in the shadow buffer. If the endianness conversion is configured to Opaque the parameter ComBitPosition shall define the bit0 of the first byte like in little endian byte order		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00158]		
Parameter Name	ComBitSize		
Parent Container	ComGroupSignal		
Description	Size in bits, for integer signal types. For ComSignalType UINT8_N and UINT8_DYN the size shall be configured by ComSignalLength. For ComSignalTypes FLOAT32 and FLOAT64 the size is already defined by the signal type and therefore may be omitted.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 64		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00165]		
Parameter Name	ComHandleId		
Parent Container	ComGroupSignal		
Description	<p>The numerical value used as the ID.</p> <p>This ID identifies signals and signal groups in the COM APIs using Com_SignalIdType or Com_SignalGroupIdType parameter respectively.</p>		
Multiplicity	0..1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: ECU withAuto = true		

SWS Item	[ECUC_Com_00391]		
Parameter Name	ComSignalDataInvalidValue		
Parent Container	ComGroupSignal		
Description	<p>Defines the data invalid value of the signal.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification. In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification. In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification. In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0(lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	-		
Regular Expression	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	





Scope / Dependency	scope: local dependency: In case of UINT8_N the length of ComSignalDataInvalidValue has to be the same as ComSignalLength.
---------------------------	---

SWS Item	[ECUC_Com_00157]		
Parameter Name	ComSignalEndianness		
Parent Container	ComGroupSignal		
Description	Defines the endianness of the signal's network representation.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	BIG_ENDIAN	–	
	LITTLE_ENDIAN	–	
	OPAQUE	–	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00170]		
Parameter Name	ComSignalInitValue		
Parent Container	ComGroupSignal		
Description	<p>Initial value for this signal. In case of UINT8_N the default value is a string of length ComSignalLength with all bytes set to 0x00. In case of UINT8_DYN the initial size shall be 0.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification. In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification. In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification. In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0(lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	0		
Regular Expression	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD





Scope / Dependency	scope: local dependency: In case of UINT8_N the length of ComSignalInitValue has to be the same as ComSignalLength.
---------------------------	--

SWS Item	[ECUC_Com_00437]		
Parameter Name	ComSignalLength		
Parent Container	ComGroupSignal		
Description	<p>Description: For ComSignalType UINT8_N this parameter specifies the length n in bytes. For ComSignalType UINT8_DYN it specifies the maximum length in bytes. For all other types this parameter shall be ignored.</p> <p>The supported maximum length is restricted by the used transportation system. For non TP-PDUs the maximum size of a PDU, and therefore also of any included signal, is limited by the concrete bus characteristic. For example, the limit is 8 bytes for CAN and LIN, 64 bytes for CAN FD and 254 for FlexRay.</p>		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00127]		
Parameter Name	ComSignalType		
Parent Container	ComGroupSignal		
Description	The AUTOSAR type of the signal. Whether or not the signal is signed or unsigned can be found by examining the value of this attribute. This type could also be used to reserved appropriate storage in AUTOSAR COM.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	BOOLEAN	-	
	FLOAT32	-	
	FLOAT64	-	
	SINT16	-	
	SINT32	-	
	SINT64	-	
	SINT8	-	
	UINT16	-	
	UINT32	-	
	UINT64	-	
UINT8	-		





	UINT8_DYN	–	
	UINT8_N	–	
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_10006]		
Parameter Name	ComTimeoutSubstitutionValue		
Parent Container	ComGroupSignal		
Description	<p>The signal substitution value will be used in case of a timeout and ComRxDataTimeout Action is set to SUBSTITUTE. In case of UINT8_N the default value is a string of length ComSignalLength with all bytes set to 0x00.</p> <p>In case of UINT8_DYN the initial size shall be 0.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification.</p> <p>In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification.</p> <p>In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification.</p> <p>In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0 (lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00560]		
Parameter Name	ComTransferProperty		
Parent Container	ComGroupSignal		
Description	<p>Optionally defines whether this group signal shall contribute to the TRIGGERED_ON_CHANGE transfer property of the signal group. If at least one group signal of a signal group has the "ComTransferProperty" configured all other group signals of that signal group shall have the attribute configured as well.</p>		





Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	PENDING	A change of the value of this group signal shall not be considered in the evaluation of the signal groups ComTransferProperty.	
	TRIGGERED_ON_CHANGE	A change of the value of this group signal shall be considered in the evaluation of the signal groups ComTransferProperty.	
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00002]		
Parameter Name	ComSystemTemplateSystemSignalRef		
Parent Container	ComGroupSignal		
Description	Reference to the ISignalToIPduMapping that contains a reference to the ISignal (System Template) which this ComSignal (or ComGroupSignal) represents.		
Multiplicity	0..1		
Type	Foreign reference to I-SIGNAL-TO-I-PDU-MAPPING		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComFilter	0..1	This container contains the configuration parameters of the AUTOSAR COM module's filters. Note: On sender side the container is used to specify the transmission mode conditions.




Figure 10.11: ComTxMode

10.2.16 ComTxMode

SWS Item	[ECUC_Com_00351]
Container Name	ComTxMode
Parent Container	ComTxModeFalse, ComTxModeTrue
Description	This container contains the configuration parameters of the AUTOSAR COM module's transmission modes.
Configuration Parameters	

SWS Item	[ECUC_Com_00137]
Parameter Name	ComTxModeMode
Parent Container	ComTxMode
Description	The available transmission modes described in [18] shall be extended by the additional mode None. The transmission mode None shall not have any further sub-attributes in the ComTx Mode object.
Multiplicity	1
Type	EcucEnumerationParamDef





Range	DIRECT	–	
	MIXED	–	
	NONE	Literal for TxMode	
	PERIODIC	–	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00281]		
Parameter Name	ComTxModeNumberOfRepetitions		
Parent Container	ComTxMode		
Description	Defines the number of repetitions for the transmission mode DIRECT and the event driven part of transmission mode MIXED.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 255		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00282]		
Parameter Name	ComTxModeRepetitionPeriod		
Parent Container	ComTxMode		
Description	Defines the repetition period in seconds of the multiple transmissions in case ComTxModeNumberOfRepetitions is configured greater than or equal to 1 and ComTxModeMode is configured to DIRECT or MIXED. In case of the mixed transmission mode only the event driven part is affected.		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD





Scope / Dependency	scope: local
---------------------------	--------------

SWS Item	[ECUC_Com_00180]		
Parameter Name	ComTxModeTimeOffset		
Parent Container	ComTxMode		
Description	<p>Defines the period in seconds between the start of the I-PDU by Com_IpduGroupStart and the first transmission request in case ComTxModeMode is configured to PERIODIC or MIXED. In case of the mixed transmission mode only the periodic part is affected.</p> <p>In case ComTxModeTimeOffset is omitted or configured to 0, the first periodic transmission shall be transmitted within the next invocation of Com_MainFunctionTx.</p>		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00178]		
Parameter Name	ComTxModeTimePeriod		
Parent Container	ComTxMode		
Description	<p>Defines the repetition period in seconds of the periodic transmission requests in case ComTxModeMode is configured to PERIODIC or MIXED. In case of the mixed transmission mode only the periodic part is affected.</p>		
Multiplicity	0..1		
Type	EcucFloatParamDef		
Range	[0 .. 3600]		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

No Included Containers

10.2.17 ComTxModeTrue

SWS Item	[ECUC_Com_00455]
Container Name	ComTxModeTrue
Parent Container	ComTxIPdu
Description	This container contains the configuration parameters of the AUTOSAR COM module's transmission modes in the case the ComFilter evaluates to true.
Configuration Parameters	

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComTxMode	1	This container contains the configuration parameters of the AUTOSAR COM module's transmission modes.

10.2.18 ComTxModeFalse

SWS Item	[ECUC_Com_00454]
Container Name	ComTxModeFalse
Parent Container	ComTxIPdu
Description	This container contains the configuration parameters of the AUTOSAR COM module's transmission modes in the case the ComFilter evaluates to false.
Configuration Parameters	

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComTxMode	1	This container contains the configuration parameters of the AUTOSAR COM module's transmission modes.




Figure 10.12: ComGwMapping

10.2.19 ComGwMapping

SWS Item	[ECUC_Com_00544]
Container Name	ComGwMapping
Parent Container	ComConfig
Description	Each instance of this container defines one mapping of the integrated Signal Gateway.





Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComGwDestination	1..*	Each instance of this choice container allows to define one routing destination either by reference to an already configured COM signal / group signal or by a destination description container.
ComGwSource	1	This choice container allows the definition of the gateway source signal either by reference to an already configured COM signal / group signal or by a source description container.

10.2.20 ComGwSource

SWS Item	[ECUC_Com_00545]
Choice Container Name	ComGwSource
Parent Container	ComGwMapping
Description	This choice container allows the definition of the gateway source signal either by reference to an already configured COM signal / group signal or by a source description container.

Container Choices		
Container Name	Multiplicity	Scope / Dependency
ComGwSignal	0..1	This container allows specifying a gateway source or destination respectively with a reference to a ComSignal or a ComGroup Signal.
ComGwSourceDescription	0..1	Description of a gateway source. This container allows defining a gateway source without the configuration of a complete COM signal. This allows adding / changing gateway relations post build without the configuration of new signals.

10.2.21 ComGwSourceDescription

SWS Item	[ECUC_Com_00548]
Container Name	ComGwSourceDescription
Parent Container	ComGwSource
Description	Description of a gateway source. This container allows defining a gateway source without the configuration of a complete COM signal. This allows adding / changing gateway relations post build without the configuration of new signals.
Configuration Parameters	

SWS Item	[ECUC_Com_00259]		
Parameter Name	ComBitPosition		
Parent Container	ComGwSourceDescription		
Description	Starting position within the I-PDU. This parameter refers to the position in the I-PDU and not in the shadow buffer. If the endianness conversion is configured to Opaque the parameter ComBitPosition shall define the bit0 of the first byte like in little endian byte order		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	–		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00158]		
Parameter Name	ComBitSize		
Parent Container	ComGwSourceDescription		
Description	Size in bits, for integer signal types. For ComSignalType UINT8_N and UINT8_DYN the size shall be configured by ComSignalLength. For ComSignalTypes FLOAT32 and FLOAT64 the size is already defined by the signal type and therefore may be omitted.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 64		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00157]		
Parameter Name	ComSignalEndianness		
Parent Container	ComGwSourceDescription		
Description	Defines the endianness of the signal's network representation.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	BIG_ENDIAN	–	
	LITTLE_ENDIAN	–	
	OPAQUE	–	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE





	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00437]		
Parameter Name	ComSignalLength		
Parent Container	ComGwSourceDescription		
Description	<p>Description: For ComSignalType UINT8_N this parameter specifies the length n in bytes. For ComSignalType UINT8_DYN it specifies the maximum length in bytes. For all other types this parameter shall be ignored.</p> <p>The supported maximum length is restricted by the used transportation system. For non TP-PDUs the maximum size of a PDU, and therefore also of any included signal, is limited by the concrete bus characteristic. For example, the limit is 8 bytes for CAN and LIN, 64 bytes for CAN FD and 254 for FlexRay.</p>		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00127]		
Parameter Name	ComSignalType		
Parent Container	ComGwSourceDescription		
Description	The AUTOSAR type of the signal. Whether or not the signal is signed or unsigned can be found by examining the value of this attribute. This type could also be used to reserved appropriate storage in AUTOSAR COM.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	BOOLEAN	-	
	FLOAT32	-	
	FLOAT64	-	
	SINT16	-	
	SINT32	-	
	SINT64	-	
	SINT8	-	
	UINT16	-	
	UINT32	-	
	UINT64	-	
UINT8	-		





	UINT8_DYN	–	
	UINT8_N	–	
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME, VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00257]		
Parameter Name	ComUpdateBitPosition		
Parent Container	ComGwSourceDescription		
Description	Bit position of update-bit inside I-PDU. If this attribute is omitted then there is no update-bit. This setting must be consistently on sender and on receiver side. Range: 0..63 for CAN and LIN, 0..511 for CAN FD, 0..2031 for FlexRay, 0..4294967295 for TP.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00550]		
Parameter Name	ComGwIPduRef		
Parent Container	ComGwSourceDescription		
Description	Reference to an I-PDU of a Signal Gateway source or destination description.		
Multiplicity	1		
Type	Reference to ComIPdu		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency			

No Included Containers

10.2.22 ComGwDestination

SWS Item	[ECUC_Com_00546]		
Choice Container Name	ComGwDestination		
Parent Container	ComGwMapping		
Description	Each instance of this choice container allows to define one routing destination either by reference to an already configured COM signal / group signal or by a destination description container.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD

Container Choices		
Container Name	Multiplicity	Scope / Dependency
ComGwDestinationDescription	0..1	Description of a gateway destination. This container allows defining a gateway destination without the configuration of a complete COM signal. This allows adding / changing gateway relations post build without the configuration of new signals.
ComGwSignal	0..1	This container allows specifying a gateway source or destination respectively with a reference to a ComSignal or a ComGroup Signal.

10.2.23 ComGwDestinationDescription

SWS Item	[ECUC_Com_00549]		
Container Name	ComGwDestinationDescription		
Parent Container	ComGwDestination		
Description	Description of a gateway destination. This container allows defining a gateway destination without the configuration of a complete COM signal. This allows adding / changing gateway relations post build without the configuration of new signals.		
Configuration Parameters			

SWS Item	[ECUC_Com_00259]		
Parameter Name	ComBitPosition		
Parent Container	ComGwDestinationDescription		
Description	Starting position within the I-PDU. This parameter refers to the position in the I-PDU and not in the shadow buffer. If the endianness conversion is configured to Opaque the parameter ComBitPosition shall define the bit0 of the first byte like in little endian byte order		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD





Scope / Dependency	scope: local
---------------------------	--------------

SWS Item	[ECUC_Com_00157]		
Parameter Name	ComSignalEndianness		
Parent Container	ComGwDestinationDescription		
Description	Defines the endianness of the signal's network representation.		
Multiplicity	1		
Type	EcucEnumerationParamDef		
Range	BIG_ENDIAN	–	
	LITTLE_ENDIAN	–	
	OPAQUE	–	
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00170]		
Parameter Name	ComSignalInitValue		
Parent Container	ComGwDestinationDescription		
Description	<p>Initial value for this signal. In case of UINT8_N the default value is a string of length ComSignalLength with all bytes set to 0x00. In case of UINT8_DYN the initial size shall be 0.</p> <p>In case the ComSignalType is UINT8, UINT16, UINT32, UINT64, SINT8, SINT16, SINT32, SINT64 the string shall be interpreted as defined in the chapter Integer Type in the AUTOSAR EcuC specification. In case the ComSignalType is FLOAT32, FLOAT64 the string shall be interpreted as defined in the chapter Float Type in the AUTOSAR EcuC specification. In case the ComSignalType is BOOLEAN the string shall be interpreted as defined in the chapter Boolean Type in the AUTOSAR EcuC specification. In case the ComSignal is a UINT8_N, UINT8_DYN the string shall be interpreted as a decimal representation of the characters separated by blanks, e.g. "97 98 100" means a string "abd", where the char "a" is in byte 0(lowest address), "b" is in byte 1, and "d" is in byte 2 and (highest address). For the ComSignalType UINT8_DYN the dynamic length shall be set to the number of configured characters. An empty string "" shall be interpreted as 0-sized dynamic signal.</p>		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	0		
Regular Expression	–		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local dependency: In case of UINT8_N the length of ComSignalInitValue has to be the same as ComSignalLength.		

SWS Item	[ECUC_Com_00232]		
Parameter Name	ComTransferProperty		
Parent Container	ComGwDestinationDescription		
Description	Defines if a write access to this signal can trigger the transmission of the corresponding I-PDU. If the I-PDU is triggered, depends also on the transmission mode of the corresponding I-PDU.		
Multiplicity	0..1		
Type	EcucEnumerationParamDef		
Range	PENDING	A write access to this signal never triggers the transmission of the corresponding I-PDU.	
	TRIGGERED	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU.	
	TRIGGERED_ON_CHANGE	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU, but only in case the written value is different to the locally stored (last sent or initial value) in length or value.	
	TRIGGERED_ON_CHANGE_WITHOUT_REPETITION	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU just once without a repetition, but only in case the written value is different to the locally stored (last sent or initial value) in length or value.	
	TRIGGERED_WITHOUT_REPETITION	Depending on the transmission mode, a write access to this signal can trigger the transmission of the corresponding I-PDU just once without a repetition.	
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00257]		
Parameter Name	ComUpdateBitPosition		
Parent Container	ComGwDestinationDescription		
Description	Bit position of update-bit inside I-PDU. If this attribute is omitted then there is no update-bit. This setting must be consistently on sender and on receiver side. Range: 0..63 for CAN and LIN, 0..511 for CAN FD, 0..2031 for FlexRay, 0..4294967295 for TP.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 4294967295		
Default value	-		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE





Value Configuration Class	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	[ECUC_Com_00550]		
Parameter Name	ComGwIPduRef		
Parent Container	ComGwDestinationDescription		
Description	Reference to an I-PDU of a Signal Gateway source or destination description.		
Multiplicity	1		
Type	Reference to ComIPdu		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency			

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComFilter	0..1	This container contains the configuration parameters of the AUTOSAR COM module's Filters. Note: On sender side the container is used to specify the transmission mode conditions.

10.2.24 ComGwSignal

SWS Item	[ECUC_Com_00551]		
Container Name	ComGwSignal		
Parent Container	ComGwDestination , ComGwSource		
Description	This container allows specifying a gateway source or destination respectively with a reference to a ComSignal or a ComGroupSignal.		
Configuration Parameters			

SWS Item	[ECUC_Com_00547]		
Parameter Name	ComGwSignalRef		
Parent Container	ComGwSignal		
Description	Reference to an object of a gateway relation. Either to a ComSignal or a ComGroupSignal.		
Multiplicity	1		
Type	Choice reference to [ComGroupSignal , ComSignal]		
Post-Build Variant Value	true		
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-LINK-TIME





	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency			

No Included Containers

10.2.25 ComUserModule

SWS Item	[ECUC_Com_10031]		
Container Name	ComUserModule		
Parent Container	ComConfig		
Description	Contains the configuration parameters of the Com user modules. Tags: atp.Status=draft		
Post-Build Variant Multiplicity	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Configuration Parameters			

SWS Item	[ECUC_Com_10029]		
Parameter Name	ComUserModuleCnfRef		
Parent Container	ComUserModule		
Description	Reference to the Com user module configuration.		
Multiplicity	1		
Type	Reference to destinationUri ComUserUriDefSet/ComUser		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: ECU		

No Included Containers

10.2.26 ComUserUriDefSet

SWS Item	[ECUC_Com_10039]		
EcucDestinationUriDefSet Name	ComUserUriDefSet		
Description	Defines the set of DestinationUriDefs for the Com module.		
Included EcucDestinationUriDefs			
Name	Description		
ComUser	Defines the configuration container content of the Com user modules relevant settings.		

SWS Item	[ECUC_Com_10040]
EcucDestinationUriDef Name	ComUser
Destination Uri Definition Set	ComUserUriDefSet
Description	Defines the configuration container content of the Com user modules relevant settings.
destinationUriNestingContract	vertexOfTargetContainer
Configuration Parameters	

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComUserModuleCnf	0..1	Contains the configuration parameters of the Com user module.

10.2.27 ComUserModuleCnf

SWS Item	[ECUC_Com_10030]		
Container Name	ComUserModuleCnf		
Parent Container	RteComUser, SwCluCComProxyBaseSocket		
Destination Uri Definition	ComUser		
Description	Contains the configuration parameters of the Com user module.		
Post-Build Variant Multiplicity	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Configuration Parameters			

SWS Item	[ECUC_Com_10032]		
Parameter Name	ComUserHeaderInclude		
Parent Container	ComUserModuleCnf		
Description	Defines the header file where the Com user provides the function declarations for configured callbacks.		
Multiplicity	0..1		
Type	EcucStringParamDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
ComUserCallback	0..*	This container defines a Com callback function for signals and signal groups.
ComUserSignal	0..*	Contains the configuration parameters of a signal inside a Com user module. Please note that it is valid to define ComUserSignal without any callback function.
ComUserSignalGroup	0..*	Contains the configuration parameters of a signal group inside a Com user module. Please note that it is valid to define ComUserSignalGroup without any callback function.

10.2.28 ComUserSignal

SWS Item	[ECUC_Com_10028]		
Container Name	ComUserSignal		
Parent Container	ComUserModuleCnf		
Description	Contains the configuration parameters of a signal inside a Com user module. Please note that it is valid to define ComUserSignal without any callback function.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_10033]		
Parameter Name	ComUserCbkJHandleId		
Parent Container	ComUserSignal		
Description	The numerical value used as the Com user callback handle Id. This ID identifies signals and signal groups in the COM callbacks using ComUserCbkJHandleId parameter respectively.		
Multiplicity	0..1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	–	
	Post-build time	–	
Scope / Dependency	scope: ECU		

SWS Item	[ECUC_Com_10035]		
Parameter Name	ComUserCallbackRef		
Parent Container	ComUserSignal		





Description	Reference(s) to all callback(s) of this signal or signal group.		
Multiplicity	0..*		
Type	Reference to ComUserCallback		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: ECU		

SWS Item	[ECUC_Com_10025]		
Parameter Name	ComUserSystemTemplateSystemSignalRef		
Parent Container	ComUserSignal		
Description	Reference to the ISignalToIPduMapping that contains a reference to the ISignal (System Template) which this ComUserSignal (or ComUserGroupSignal) represents.		
Multiplicity	0..1		
Type	Foreign reference to I-SIGNAL-TO-I-PDU-MAPPING		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

No Included Containers

10.2.29 ComUserSignalGroup

SWS Item	[ECUC_Com_10027]		
Container Name	ComUserSignalGroup		
Parent Container	ComUserModuleCnf		
Description	Contains the configuration parameters of a signal group inside a Com user module. Please note that it is valid to define ComUserSignalGroup without any callback function.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Configuration Parameters			

SWS Item	[ECUC_Com_10033]		
Parameter Name	ComUserCbkJandleId		
Parent Container	ComUserSignalGroup		
Description	The numerical value used as the Com user callback handle Id. This ID identifies signals and signal groups in the COM callbacks using ComUserCbkJandleId parameter respectively.		
Multiplicity	0..1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	-		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	-	
	Post-build time	-	
Scope / Dependency	scope: ECU		

SWS Item	[ECUC_Com_10035]		
Parameter Name	ComUserCallbackRef		
Parent Container	ComUserSignalGroup		
Description	Reference(s) to all callback(s) of this signal or signal group.		
Multiplicity	0..*		
Type	Reference to ComUserCallback		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	-	
	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	-	
Scope / Dependency	scope: ECU		

SWS Item	[ECUC_Com_10026]		
Parameter Name	ComUserSystemTemplateSignalGroupRef		
Parent Container	ComUserSignalGroup		
Description	Reference to the ISignalToIPduMapping that contains a reference to the ISignalGroup (SystemTemplate) which this ComUserSignalGroup represents.		
Multiplicity	0..1		
Type	Foreign reference to I-SIGNAL-TO-I-PDU-MAPPING		
Post-Build Variant Multiplicity	true		
Post-Build Variant Value	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	-	





	Post-build time	X	VARIANT-POST-BUILD
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	–	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

No Included Containers

10.2.30 ComUserCallback

SWS Item	[ECUC_Com_10038]		
Container Name	ComUserCallback		
Parent Container	ComUserModuleCnf		
Description	This container defines a Com callback function for signals and signal groups.		
Post-Build Variant Multiplicity	true		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	–	
Configuration Parameters			

SWS Item	[ECUC_Com_10036]		
Parameter Name	ComUserCallbackName		
Parent Container	ComUserCallback		
Description	The name of the callback function to be called.		
Multiplicity	1		
Type	EcucFunctionNameDef		
Default value	–		
Regular Expression	–		
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: ECU		

SWS Item	[ECUC_Com_10034]		
Parameter Name	ComUserCallbackType		
Parent Container	ComUserCallback		
Description	The type of the Com callback		
Multiplicity	1		
Type	EcucEnumerationParamDef		





Range	COM_RX_ACK	Com_CbkRxAck callback which is called immediately after the message has been stored in the receiving message object. This type of callback represents a ComNotification.	
	COM_RX_INV	Com_CbkInv callback which is called after reception of an invalid signal or signal group respectively. This type of callback represents a ComInvalidNotification.	
	COM_RX_TOUT	Com_CbkRxTOut callback which is called immediately after a message reception error has been detected by the deadline monitoring mechanism. This type of callback represents a ComTimeoutNotification.	
	COM_TX_ACK	Com_CbkTxAck callback which is called immediately after successful transmission of the I-PDU containing the message. This type of callback represents a ComNotification.	
	COM_TX_ERR	Com_CbkTxErr callback which is called in case the transmission is not possible because the corresponding I-PDU group is stopped. This type of callback represents a ComErrorNotification.	
	COM_TX_TOUT	Com_CbkTxTOut callback which is called immediately after a message transmission error has been detected by the deadline monitoring mechanism. This type of callback represents a ComTimeoutNotification.	
Post-Build Variant Multiplicity	false		
Post-Build Variant Value	false		
Multiplicity Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	–	
Value Configuration Class	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	X	VARIANT-POST-BUILD
	Post-build time	–	
Scope / Dependency	scope: ECU		

No Included Containers

10.3 Configuration Rules

10.3.1 General Rules

[SWS_Com_00401] [It is illegal for any two of the following parameters to have the same value:

- shortName of a [ComSignal](#)
- shortName of a [ComSignalGroup](#)
- shortName of a [ComGroupSignal](#)
- shortName of a [ComIPdu](#)

- shortName of a [ComIPduGroup](#)

]([SRS_Com_02067](#))

[SWS_Com_00732] [It is illegal for any of the [ComUserCallbackName](#) parameters in all [ComUserCallback](#) containers to have the same value as any of the following five parameters

- Com_<shortName of a [ComSignal](#)>
- Com_<shortName of a [ComSignalGroup](#)>
- Com_<shortName of a [ComGroupSignal](#)>
- Com_<shortName of a [ComIPdu](#)>
- Com_<shortName of a [ComIPduGroup](#)>

]([SRS_Com_02067](#))

[SWS_Com_00402] [It is illegal for any of the following parameters not to be formulated according to C's identifier rules:

- shortName of a [ComSignal](#)
- shortName of a [ComSignalGroup](#)
- shortName of a [ComGroupSignal](#)
- shortName of a [ComIPdu](#)
- shortName of a [ComIPduGroup](#)
- [ComUserCallbackName](#)

]([SRS_Com_02067](#))

10.3.2 Signal Configuration

More than one signal can be packed into an I-PDU as long as the following packing rules are fulfilled:

[SWS_Com_00102] [[ComSignal](#) / [ComGroupSignal](#) are not allowed to overlap each other.]([SRS_Com_02067](#))

It is explicitly allowed that a [ComSignal](#) / [ComGroupSignal](#) may have the size 0, see [ComBitSize](#).

A signal of size 0 never overlaps other signals. Therefore, it can be configured to an arbitrary position within the I-PDU. The position of a zero sized signal is only relevant in case receiving an I-PDU partially.

[SWS_Com_00105] [ComSignal / ComGroupSignal of ComSignalType UINT8_N and UINT8_DYN shall be byte aligned (ComBitPosition is a multiple of 8).] (SRS_Com_02067)

[SWS_Com_00443] [A ComSignal / ComGroupSignal of type uint8[n] shall always be mapped to an n-bytes sized ComSignal / ComGroupSignal.] (SRS_Com_02067)

[SWS_Com_00553] [A ComSignal / ComGroupSignal of type uint8[n] shall be configured to have OPAQUE endianness.] (SRS_Com_02067)

[SWS_Com_00754] [A dynamic length I-PDU shall contain at most one dynamic length signal.] (SRS_Com_02091, SRS_Com_02092)

[SWS_Com_00755] [The dynamic length signal shall be placed last in a dynamic length I-PDU.] (SRS_Com_02091, SRS_Com_02093)

[SWS_Com_00756] [The ComSignalLength parameter shall be configured to the maximum size / length for dynamic length signals.] (SRS_Com_02091, SRS_Com_02097)

[SWS_Com_00310] [For I-PDUs with transmission mode DIRECT or MIXED with ComTxModeNumberOfRepetitions greater or equal 1 no update-bit (ComUpdateBitPosition) shall be configured.] (SRS_Com_02067, SRS_Com_02030)

[SWS_Com_00785] [The ComBitSize of a (group) signal shall not extend past the size of its configured ComSignalType.] (SRS_Com_02067)

For example, the ComBitSize of a signal with ComSignalType UINT8 shall not exceed 8 bits.

[SWS_Com_00790] [The configured string of ComSignalInitValue / ComSignalDataInvalidValue shall be interpreted according to the definitions of [17] for the boolean and all numerical types.] (SRS_Com_02067)

[SWS_Com_00859] [In case a ComSignalDataInvalidValue is configured for a ComSignal that is included in a ComIPdu with ComIPduDirection RECEIVE, the ComDataInvalidAction shall also be configured for this ComSignal.] (SRS_Com_02079, SRS_Com_02087)

10.3.3 Signal Group Configuration

[SWS_Com_00365] [It shall not be allowed to configure signal groups for routing with data type differences between receive and transmit signal group. A sub-setting of signal groups (as defined in [SWS_Com_00735]) shall be supported.] (SRS_Com_02067)

How the signals of signal groups are placed within an I-PDU is not restricted. It is allowed to define interlaced signal groups, or to place other signals within the holes of a signal group.

[SWS_Com_00860] [In case a `ComSignalDataInvalidValue` is configured for at least one `ComGroupSignal` of a `ComSignalGroup` that is included in a `ComIPdu` with `ComIPduDirection` RECEIVE, the `ComDataInvalidAction` shall also be configured for this `ComSignalGroup`.] ([SRS_Com_02079](#), [SRS_Com_02087](#))

10.3.4 Transmission Mode Configuration

[SWS_Com_00465] [Every `ComTxModeTrue` or `ComTxModeFalse` that is a potential result of the configured / calculated TMS must be configured. Within the `ComTxIPdu`, at least one of the containers `ComTxModeTrue` or `ComTxModeFalse` has to be included.] ([SRS_Com_02067](#))

10.3.5 Signal Gateway Configuration

[SWS_Com_00384] [The `ComBitSize` of a received and to be routed `ComSignal` shall not differ.] ([SRS_Com_02067](#))

[SWS_Com_00598] [A signal or signal group contained in an I-PDU with `ComIPduType` configured as TP shall not be configured as source or destination within the `ComGwMapping` configuration container.] ([SRS_GTW_06055](#))

Additionally to reception deadline monitoring of a `ComSignal`, to be routed by the Signal Gateway, it is possible to configure update-bits via `ComUpdateBitPosition`, for the transmit signal. In this case, the receiving node can detect if the sender has really updated the signal or it is just repeated by the Signal Gateway. If this is necessary depends on the use-case.

10.3.6 Filter Configuration

[SWS_Com_00535] [For the `ComFilterAlgorithm` ONE_EVERY_N, the `ComFilterOffset` shall be configured to a value lesser than `ComFilterPeriod`.] ([SRS_Com_02067](#))

10.3.7 Post Build Configuration

[SWS_Com_00373] [The post-build time configuration part (post-compile and post-link time) can only be updated when it is not in use.] ([SRS_Com_02067](#), [SRS_GTW_06002](#))

10.3.8 Dynamic Length I-PDU Configuration

Since the FlexRay Interface only supports even values for the I-PDU length, it is not recommended to configure dynamic length I-PDU to be sent via FrIf. Instead, the FlexRay TP module should be used to transport dynamic length I-PDUs via FlexRay.

10.3.9 Meta Data Configuration

[SWS_Com_00891] [The number of [ComMetaDataDefaultItem](#) containers of a [ComTxIPdu](#) shall match the globally configured number of [MetaDataItems](#) of this I-PDU.]()

10.3.10 I-PDU Group Configuration

[SWS_Com_00871] [All I-PDUs that are contained within one I-PDU group shall have the same [ComIPduDirection](#).] ([SRS_Com_00218](#))

Since the nesting of I-PDU groups is only conceptual (see Chapter [7.3.5.1](#)), the above requirements restricts also all nested I-PDU groups to have the same [ComIPduDirection](#).

10.3.11 Configuration of Com Users

To support Com's most prominent users, the RTE and the SwCluC Com Proxy but also additional users, not known yet, Com uses Uri References (see [\[18\]](#), section Uri Reference) to generically link Com to its users in the model.

To ensure, that a Com user's configuration is compatible to the Com and vice versa, the required parameters and containers are defined by the [ComUserUriDefSet](#).

For a Com user this means, that it must have a [ComUserModuleCnf](#) container (including its sub-containers) as part of its configuration.

Each Com user gets registered once with a [ComUserModuleCnfRef](#) reference being part of the Com modules configuration values.

The [ComUserModuleCnf](#) container holds the configuration of the signals and signal groups, which are produced- and consumed by the Com user as well as the signal- and signal group callbacks (compare to chapter [8.4](#)) it provides.

Those signal and signal group callbacks are generic for each Com user and the signal / signal group for which the notification applies gets differentiated by the Com user callback handle Id value defined by the parameter [ComUserCbkJHandleId](#).

With this means each user can be notified on a set of signal and signal groups with user specific handle id values. Those handle id values can be directly used to index Com user specific data structures in its implementation when the notification occurs.

Please note that for the RX case the Com module can notify multiple Com users for the same signal or signal group.

The matching between `ComUserSignal` / `ComUserSignalGroup` containers and the related `ComSignal` / `ComSignalGroup` containers is done indirectly via the matching pair of:

```
ComUserSystemTemplateSystemSignalRef <-> ComSystemTemplateSystemSignalRef
```

```
ComUserSystemTemplateSignalGroupRef <-> ComSystemTemplateSignalGroupRef
```

pointing to the identical `ISignalToIPduMapping`.

This way of configuration avoids circular dependencies between a Com configuration and a Com user configuration. Both sides can independently derive their configurations via upstream template information.

Please note that RTE already uses a similar approach based on `ComSystemTemplateSystemSignalRef` / `ComSystemTemplateSignalGroupRef` to identify the according `ComSignal` / `ComSignalGroup` container for dataElements implementing inter ECU communication.

A Com user may span over one or multiple ECUC partitions. How this is achieved by the Com user is implementation specific. There are two different architecture patterns, which the Com user can implement. It is Com user dependent, which one is suited better to the Com user's requirements.

Even if the concept of Com user provides a lot of flexibility to support access by multiple users including their notifications some limitations need to be considered.

In general, multiple writers can cause race conditions if the writers are not coordinated. In addition, the required sequence of `Com_SendSignal` (of group signals) and `Com_SendSignalGroup` calls cause the risk of data inconsistency in case of preemption by multiple writers

Since such a coordination is hardly to achieve in different Software Clusters, the following restriction apply:

[SWS_Com_00892] DRAFT [Sent signals or signal groups shall be owned by a single Software Cluster only and consequently either by Com users of RTE, or SwCluC, or one CDD.]([SRS_Com_02114](#))

Nevertheless, reading a signal or signal group by several Com Users in the same or different Software Clusters is possible.

10.3.11.1 ECUC Partition Specific Com User




Figure 10.13: Partition specific Com users and their interaction with partition specific Com instances

In this architecture pattern, the Com user module provides dedicated instances for every configured partition, on which Com API or Callback invocation shall take place. As precondition, the Com must provide multiple main functions, that are bound to the relevant partitions. The Com user’s callbacks get called in the context of only one partition. Identification of the current partition context hence can be done with a simple "callback function -> partition" lookup table.

10.3.11.2 ECUC Partition Unspecific Com User




Figure 10.14: A partition unspecific Com user and its interaction with partition specific Com instances

In this architecture pattern, the com user is partition unspecific and needs to provide a reentrant implementation of its callbacks for different signals and signal groups on different ECUC partitions. The Com user needs to provide one common set of callbacks, that gets called in the context of multiple partitions.

10.3.11.3 Relation to SwCluC Com Proxy

A Com user has one or several SwCluCComBaseSockets [8]. A Base Socket is required for each partition, in which the Com user either requires access to the Com APIs for [ComSignal](#) / [ComSignalGroup](#) transmission / reception or provides signal- and signal group callbacks.

A Base Socket binds the Com callbacks- and a set of Com signals / Com signal groups of the Com in the Host Software Cluster to a EcucPartition. This means, that the Com in the Host Software Cluster invokes the callbacks in the context of this EcucPartition and provides the Com signals / Com signal groups only in this EcucPartition.

This requires the following preconditions to be fulfilled:

- The Com IPdus that contain the Com signals / Com signal groups of a Base Socket shall be assigned to a Com main function on the same EcucPartition as configured for the Base Socket. Details on the EcucPartition mapping in Com is described in [ComIPduMainFunctionRef](#), Chapter 7.13
- The system shall provide the required ECUC partitions in the Application and the Host Software Cluster. This is a requirement which must be considered during system design
- The Com user shall be either of the following variants:
 - The Com user is partition unspecific and provide a common instance, which APIs can be called on multiple partitions
 - The Com user is partition specific and provides dedicated instances for the configured EcuCPartitions

10.4 Published Information

For details refer to the chapter 10.3 "Published Information" in [5, SWS BSW General].

A Not applicable requirements

[SWS_Com_NA_00999] [These requirements are not applicable to this specification.] (*SRS_BSW_00171, SRS_BSW_00170, SRS_BSW_00383, SRS_BSW_00375, SRS_BSW_00416, SRS_BSW_00437, SRS_BSW_00168, SRS_BSW_00423, SRS_BSW_00424, SRS_BSW_00426, SRS_BSW_00427, SRS_BSW_00428, SRS_BSW_00429, SRS_BSW_00433, SRS_BSW_00417, SRS_BSW_00409, SRS_BSW_00386, SRS_BSW_00161, SRS_BSW_00162, SRS_BSW_00005, SRS_BSW_00164, SRS_BSW_00325, SRS_BSW_00413, SRS_BSW_00347, SRS_BSW_00307, SRS_BSW_00410, SRS_BSW_00314, SRS_BSW_00353, SRS_BSW_00302, SRS_BSW_00328, SRS_BSW_00006, SRS_BSW_00378, SRS_BSW_00306, SRS_BSW_00308, SRS_BSW_00309, SRS_BSW_00009, SRS_BSW_00010, SRS_BSW_00333, SRS_BSW_00321, SRS_BSW_00341, SRS_BSW_00334*)

B Appendix

This appendix contains use cases with different transmission modes and the necessary configuration for these. Table B.1 and Figures B.1, B.2, B.3 show the notation of the use case diagrams.

Notation	Description
t_c, t_{c1}, t_{c2}	cycle times
t_d	cycle time of N-Times sent signals
t_r	minimum SW reaction time of COM-Layer due to internal main cycle time
V	Value: x stands for an arbitrary value/ value range, a...w for specific values / value ranges, defined by the user, with a <> b, range a is disjoint from range b.
dt	minimum delay time: minimum distance between two requests to PDU Router
without TMS switch	without switching of the TMS (see Chapter 7.3.3.2) from true to false or vice versa
with TMS switch	with switching of the TMS (see Chapter 7.3.3.2) from true to false or vice versa (from TM 1 to TM 2); one TM is named before the "+" and one behind in the description

Table B.1: Legend for use case diagrams.



Figure B.1: Request from RTE to the COM-Layer



Figure B.2: Request from COM-Layer to PDU Router



Figure B.3: Potential but skipped request from COM-Layer to PDU Router (e.g. because of a new send request by the RTE or delayed due to minimum delay time)

B.1 Use Case 1

Use case 1 shows an I-PDU that is sent out cyclically with a cycle time t_c . This I-PDU consists of signals that all have the `ComTransferProperty` PENDING. It is configured that the transmission takes place when the TMS evaluates to true.




Figure B.4: Use case 1, TM periodic (without TMS switch)

<code>ComTransferProperty</code>	PENDING or TRIGGERED (TRIGGERED has no influence)
<code>ComFilterAlgorithm</code>	ALWAYS
<code>ComIPduDirection</code>	SEND
<code>ComTxModeTrue / ComTxModeMode</code>	PERIODIC
<code>ComTxModeTrue / ComTxModeTimePeriod</code>	t_c
<code>ComMinimumDelayTime</code>	0 or omitted

Table B.2: Relevant I-PDU transmission configuration for use case 1

Because of the configuration of the parameter `ComFilterAlgorithm` ALWAYS of the `ComFilter`, there is no need to configure a transmission mode for the case that the TMS evaluates to false.

It does not make any difference in the behavior whether the `ComFilterAlgorithm` parameter of the `ComFilter` is set for all the signals within the I-PDU to ALWAYS or if the `ComFilter` is not defined (does not contribute to the evaluation of the TMS).

B.2 Use Case 2

Use case 2 shows an I-PDU which is sent out three times whenever a value is given by the upper (`Com_SendSignal` or `Com_SendSignalGroup`). The time between two transmissions is t_d . This I-PDU consists of signals, which all have the `ComTransferProperty`. It is configured that the transmission takes place when the TMS evaluates to true.




Figure B.5: Use case 2, TM DIRECT (N-Times) here n = 2 (without TMS switch)

ComEnableMDTForCyclicTransmission	true
ComTransferProperty	TRIGGERED
ComFilterAlgorithm	ALWAYS
ComIPduDirection	SEND
ComTxModeTrue / ComTxModeMode	DIRECT
ComTxModeTrue / ComTxModeNumberOfRepetitions	2
ComTxModeTrue / ComTxModeRepetitionPeriod	t _d
ComMinimumDelayTime	dt

Table B.3: Relevant I-PDU transmission configuration for use case 2

If there is a new send request by the RTE before the ongoing repetition cycle is completed, the new repetition cycle is started and the rest of the last one is discarded.

B.3 Use Case 3

Use case 3 shows an I-PDU which is sent out cyclically with a cycle time t_{c1} if value v = a (TMS evaluates to true) and with a cycle time t_{c2} if value v = b (TMS evaluates to false). The I-PDU consists of signals, which all have the ComTransferProperty PENDING.




Figure B.6: Use case 3, TM periodic + periodic (with TMS switch)

ComEnableMDTForCyclicTransmission	true
ComTransferProperty	PENDING or TRIGGERED (TRIGGERED has no influence)
ComFilterAlgorithm	any filter mapping value a to true and value b to false
ComIPduDirection	SEND
ComTxModeTrue / ComTxModeMode	PERIODIC
ComTxModeTrue / ComTxModeTimePeriod	t_{c1}
ComTxModeFalse / ComTxModeMode	PERIODIC
ComTxModeFalse / ComTxModeTimePeriod	t_{c2}
ComMinimumDelayTime	dt

Table B.4: Relevant I-PDU transmission configuration for use case 3

The TMS switch caused by the new value $v = b$, starts a new cycle within the next main function and the new value is sent out. Nevertheless, the minimum delay time dt has to be taken into account, since [ComEnableMDTForCyclicTransmission](#) is set to true.

For the parameter [ComFilterAlgorithm](#), the following filters defined in [3] can be used for this use-case:

- MASKED_NEW_EQUALS_X
- MASKED_NEW_DIFFERS_X
- MASKED_NEW_DIFFERS_MASKED_OLD
- NEW_IS_WITHIN
- NEW_IS_OUTSIDE

B.4 Use Case 4

Use case 4 shows an I-PDU which is sent out cyclically with a cycle time t_c if value $v = a$ (TMS evaluates to true) and if value $v = b$ (TMS evaluates to false) it is sent out three times whenever the value is given by the RTE. The time between two transmissions is t_d . The I-PDU consists of signals that all have the [ComTransferProperty](#) TRIGGERED.




Figure B.7: Use case 4 scenario a, TM periodic + DIRECT/N-Times, here n = 2 (with TMS switch)




Figure B.8: Use case 4 scenario b, TM periodic + DIRECT/N-Times, here n = 2 (with TMS switch)

ComEnableMDTForCyclicTransmission	true
ComTransferProperty	TRIGGERED
ComFilterAlgorithm	any filter mapping value a to true and value b to false
ComIPduDirection	SEND
ComTxModeTrue / ComTxModeMode	PERIODIC
ComTxModeTrue / ComTxModeTimePeriod	t_c
ComTxModeFalse / ComTxModeMode	DIRECT
ComTxModeFalse / ComTxModeNumberOfRepetitions	2
ComTxModeFalse / ComTxModeTimePeriod	t_d
ComMinimumDelayTime	dt

Table B.5: Relevant I-PDU transmission configuration for use case 4

After the switch from `ComTxModeMode` DIRECT to PERIODIC the cycle is started within the next main function and the new value a is sent out with respect to `ComMinimumDelayTime` dt .

B.5 Use Case 5

Use case 5 shows an I-PDU which is sent out cyclically with a cycle time t_c and if the value (the same or a new one) is given by the RTE it is also sent out directly three times. The time between two of these three transmissions is always t_d . The I-PDU consists of signals that all have the `ComTransferProperty` TRIGGERED.




Figure B.9: Use case 5 scenario a, TM MIXED, here $n = 2$ (without TMS switch)




Figure B.10: Use case 5 scenario b, TM MIXED, here $n = 2$ (without TMS switch)

<code>ComEnableMDTForCyclicTransmission</code>	true
<code>ComTransferProperty</code>	TRIGGERED
<code>ComFilterAlgorithm</code>	ALWAYS
<code>ComIPduDirection</code>	SEND
<code>ComTxModeTrue / ComTxModeMode</code>	MIXED
<code>ComTxModeTrue / ComTxModeTimePeriod</code>	t_c
<code>ComTxModeTrue / ComTxModeNumberOfRepetitions</code>	2
<code>ComTxModeTrue / ComTxModeRepetitionPeriod</code>	t_d
<code>ComMinimumDelayTime</code>	dt

Table B.6: Relevant I-PDU transmission configuration for use case 5

If the next transmission caused by the periodic part of the `ComTxModeMode` MIXED should take place within the timeout dt (`ComMinimumDelayTime`) after a transmission of the DIRECT (N-Times) part, this sent out is delayed until the minimum delay time is

elapsed. However, after that the next period of the periodic part is shortened so that there is only an intermediate phase shift of the periodic part but no continuous one.

B.6 Use Case 6

Use case 6 shows an I-PDU which is sent out cyclically with a cycle time t_{c2} if value $v = b$ (TMS evaluates to false). If value $v = a$ (TMS evaluates to true) it is sent out cyclically with a cycle time t_{c1} and whenever the value $v = a$ is given by the RTE it is also sent out directly three times. The time between two of these three transmissions is always t_d . The I-PDU consists of signals that all have the `ComTransferProperty` TRIGGERED.




Figure B.11: Use Case 6, TM MIXED, here $n = 2 + \text{periodic}$ (with TMS switch)

<code>ComEnableMDTForCyclicTransmission</code>	true
<code>ComTransferProperty</code>	TRIGGERED
<code>ComFilterAlgorithm</code>	any filter mapping value a to true and value b to false
<code>ComIPduDirection</code>	SEND
<code>ComTxModeTrue / ComTxModeMode</code>	MIXED
<code>ComTxModeTrue / ComTxModeTimePeriod</code>	t_{c1}
<code>ComTxModeTrue / ComTxModeNumberOfRepetitions</code>	2
<code>ComTxModeTrue / ComTxModeRepetitionPeriod</code>	t_d
<code>ComTxModeFalse / ComTxModeMode</code>	PERIODIC
<code>ComTxModeTrue / ComTxModeTimePeriod</code>	t_{c2}
<code>ComMinimumDelayTime</code>	dt

Table B.7: Relevant I-PDU transmission configuration for use case 6

A usage of this in practice is for example the signal of the button that controls the window-lift motor. If the button is not pressed, there is a long cycle time t_{c1} with this information. If it is pressed this information is distributed with a short cycle time t_{c2} . If the button is released again, starting with the next main function this information is distributed three times with t_d and after that, again the long cycle time is used.

B.7 Use Case 7

Use case 7 is similar to use case 5 but with `ComEnableMDTForCyclicTransmission` disabled and `ComTxModeNumberOfRepetitions` set to one.




Figure B.12: Use case 7 scenario a, TM MIXED, here n = 1 (without TMS switch)




Figure B.13: Use case 7 scenario b, TM MIXED, here n = 1 (without TMS switch)




Figure B.14: Use case 7 scenario c, TM MIXED, here n = 1 (without TMS switch)

ComEnableMDTForCyclicTransmission	false
ComTransferProperty	TRIGGERED
ComFilterAlgorithm	ALWAYS
ComIPduDirection	SEND
ComTxModeTrue / ComTxModeMode	MIXED
ComTxModeTrue / ComTxModeTimePeriod	t_c
ComTxModeTrue / ComTxModeNumberOfRepetitions	1
ComTxModeTrue / ComTxModeRepetitionPeriod	t_d
ComMinimumDelayTime	dt

Table B.8: Relevant I-PDU transmission configuration for use case 7

In contrary to use case 5, here the minimum delay timer is neither started for the periodic transmissions of the cyclic part nor for the repeated transmissions of the direct part of the MIXED mode. This can result in two consecutive transmissions within the timespan dt as shown in the scenarios b and c.