

Part of Release

Revision

Document Title	Specification of Memory	
	Mapping	
Document Owner	AUTOSAR	
Document Responsibility	AUTOSAR	
Document Identification No	128	
Document Classification	Standard	
Document Version	1.2.0	
Document Status	Final	

4.0

1

Document Change History			
Date	Version		Change Description
04.12.2009	1.2.0	AUTOSAR Administration	<ul> <li>Typo errors are corrected throughout the document</li> <li>Memory Mapping section has been extended for application SWC</li> <li>Common Published information has been updated</li> <li>Legal disclaimer revised</li> </ul>
23.06.2008	1.1.1	AUTOSAR Administration	Legal disclaimer revised
12.12.2007	1.1.0	AUTOSAR Administration	<ul> <li>In MEMMAP004,all size postfixes for memory segment names were listed, the keyword 'BOOLEAN was added, taking into account the particular cases where boolean data need to be mapped in a particular segment.</li> <li>In MEMMAP004 and MEMMAP021,tables are defining the mapping segments associated to #pragmas instructions, adding some new segments to take into account some implementation cases</li> <li>Document meta information extended</li> <li>Small layout adaptations made</li> </ul>
13.02.2006	1.0.0	AUTOSAR Administration	Initial release



#### Disclaimer

This specification and the material contained in it, as released by AUTOSAR is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the specification.

The material contained in this specification is protected by copyright and other types of Intellectual Property Rights. The commercial exploitation of the material contained in this specification requires a license to such Intellectual Property Rights.

This specification may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only.

For any other purpose, no part of the specification may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The AUTOSAR specifications have been developed for automotive applications only. They have neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

#### Advice for users:

AUTOSAR Specification Documents may contain exemplary items (exemplary reference models, "use cases", and/or references to exemplary technical solutions, devices, processes or software).

Any such exemplary items are contained in the Specification Documents for illustration purposes only, and they themselves are not part of the AUTOSAR Standard. Neither their presence in such Specification Documents, nor any later documentation of AUTOSAR conformance of products actually implementing such exemplary items, imply that intellectual property rights covering such exemplary items are licensed under the same rules as applicable to the AUTOSAR Standard.



# **Table of Contents**

1	1 Introduction and functional overview	v 4
2	2 Acronyms and abbreviations	
3	3 Related documentation	
4	4 Constraints and assumptions	
	4.2 Applicability to car domains	
5	5 Dependencies to other modules	
	5.1.1 Code file structure	
6	6 Requirements traceability	
7	7 Analysis	
	7.2 Memory allocation of constant	
8	8 Functional specification	
	8.2 Mapping of variables and code 8.2.1 Requirements on impleme for BSW Modules and Software Co	19 
9	9 API specification	
1(	10 Sequence diagrams	
1	11 Configuration specification	
	11.1 Published Information	



## **1** Introduction and functional overview

This document specifies mechanisms for the mapping of code and data to specific memory sections via memory mapping files. For many ECUs and microcontroller platforms it is of utmost necessity to be able to map code, variables and constants module wise to specific memory sections. Selection of important use cases:

#### Avoidance of waste of RAM

If different variables (8, 16 and 32 bit) are used within different modules on a 32 bit platform, the linker will leave gaps in RAM when allocating the variables in the RAM. This is because the microcontroller platform requires a specific alignment of variables and some linkers do not allow an optimization of variable allocation.

This wastage of memory can be circumvented if the variables are mapped to specific memory sections depending on their size. This minimizes unused space in RAM.

#### Usage of specific RAM properties

Some variables (e.g. the RAM mirrors of the NVRAM Manager) must not be initialized after a power-on reset. It shall be possible to map them to a RAM section that is not initialized after a reset.

For some variables (e.g. variables that are accessed via bit masks) it improves both performance and code size if they are located within a RAM section that allows for bit manipulation instructions of the compiler. Those RAM sections are usually known as 'Near Page' or 'Zero Page'.

#### Usage of specific ROM properties

In large ECUs with external flash memory there is the requirement to map modules with functions that are called very often to the internal flash memory that allows for fast access and thus higher performance. Modules with functions that are called rarely or that have lower performance requirements are mapped to external flash memory that has slower access.

#### Usage of the same source code of a module for boot loader and application

If a module shall be used both in boot loader and application, it is necessary to allow the mapping of code and data to different memory sections.

A mechanism for mapping of code and data to memory sections that is supported by all compilers listed in chapter 3.1 is the usage of pragmas. As pragmas are very compiler specific, a mechanism that makes use of those pragmas in a standardized way has to be specified.

#### Support of Memory Protection

1. The usage of hardware memory protection requires a separation of the modules variables into different memory areas. Internal variables are mapped into protected memory, buffers for data exchange are mapped into unprotected memory.



# 2 Acronyms and abbreviations

Abbreviation / Acronym:	Description:
BSW	Basic Software
ISR	Interrupt Service Routine
NVRAM	Non-Volatile RAM



## **3** Related documentation

### 3.1 Input documents

- [1] List of Basic Software Modules, AUTOSAR\_TR\_BSWModuleList.pdf
- [2] General Requirements on Basic Software Modules, AUTOSAR\_SRS\_BSWGeneral.pdf
- [3] Basic Software Module Description Template, AUTOSAR\_TPS\_BSWModuleDescriptionTemplate.pdf
- [4] Cosmic C Cross Compiler User's Guide for Motorola MC68HC12, V4.5
- [5] ARM ADS compiler manual
- [6] GreenHills MULTI for V850 V4.0.5: Building Applications for Embedded V800, V4.0, 30.1.2004
- [7] TASKING for ST10 V8.5:
   C166/ST10 v8.5 C Cross-Compiler User's Manual, V5.16
   C166/ST10 v8.5 C Cross-Assembler, Linker/Locator, Utilities User's Manual, V5.16
- [8] Wind River (Diab Data) for PowerPC Version 5.2.1:
   Wind River Compiler for Power PC Getting Started, Edition 2, 8.5.2004
   Wind River Compiler for Power PC User's Guide, Edition 2, 11.5.2004
- [9] TASKING for TriCore TC1796 V2.0R1: TriCore v2.0 C Cross-Compiler, Assembler, Linker User's Guide, V1.2
- [10] Metrowerks CodeWarrior 4.0 for Freescale HC9S12X/XGATE (V5.0.25): Motorola HC12 Assembler, 2.6.2004 Motorola HC12 Compiler, 2.6.2004 Smart Linker, 2.4.2004

## 3.2 Related standards and norms

Not applicable.



## 4 Constraints and assumptions

## 4.1 Limitations

During specification of abstraction and validation of concept the compilers listed in chapter 3.1 have been considered. If any other compiler requires keywords that cannot be mapped to the mechanisms described in this specification this compiler will not be supported by AUTOSAR. In this case, the compiler vendor has to adapt its compiler.

The concepts described in this document do only apply to C compilers. C++ is not in scope of this version.

A dedicated pack-control of structures is not supported. Hence global set-up passed via compiler / linker parameters has to be used.

A dedicated alignment control of code, variables and constants is not supported. Hence affected objects shall be assigned to different sections or a global setting passed via compiler / linker parameters has to be used.

## 4.2 Applicability to car domains

No restrictions.

#### 4.3 Applicability to safety related environments

No restrictions. The memory mapping files do not implement any functionality, only symbols and macros.





## **5** Dependencies to other modules

**MEMMAP020**: The SWS Memory Mapping is applicable for each AUTOSAR basic software module and software component. Therefore the implementation of memory mapping files shall fulfill the implementation and configuration specific needs of each software module in a specific build scenario. See also <u>MEMMAP004</u>, <u>MEMMAP003</u>, <u>MEMMAP018</u> and <u>MEMMAP001</u>.


## 5.1 File structure


#### 5.1.1 Code file structure





## 5.1.2 Header file structure







# 6 Requirements traceability

Document: AUTOSAR General Requirements on Basic Software Modules

Requirement	Satisfied by
	Not applicable
[BSW00344] Reference to link-time configuration	(Memory Mapping is specific per build
	scenario)
	Not applicable
[BSW00404] Reference to post build time configuration	(Memory Mapping is specific per build
	scenario)
	Not applicable
[BSW00405] Reference to multiple configuration sets	(Memory Mapping is specific per build
[B3W00405] Reference to multiple configuration sets	
	scenario)
IDOM/000451 Dre serve ile time service	Not applicable
[BSW00345] Pre-compile-time configuration	(Memory Mapping is specific per build
	scenario)
	Not applicable
[BSW159] Tool-based configuration	(Memory Mapping is specific per build
	scenario)
	Not applicable
[BSW167] Static configuration checking	(Memory Mapping is specific per build
	scenario)
	Not applicable
[BSW171] Configurability of optional functionality	(Memory Mapping is specific per build
	scenario)
	Not applicable
[BSW170] Data for reconfiguration of AUTOSAR SW-	(Memory Mapping is specific per build
Components	scenario)
	Not applicable
[BSW00380] Separate C-Files for configuration	
parameters	(Memory Mapping is specific per build
	scenario)
[BSW00419] Separate C-Files for pre-compile time	Not applicable
configuration parameters	(Memory Mapping is specific per build
5	scenario)
[BSW00381] Separate configuration header file for pre-	Not applicable
compile time parameters	(Memory Mapping is specific per build
	scenario)
[BSW00412] Separate H-File for configuration	Not applicable
parameters	(Memory Mapping is specific per build
parameters	scenario)
	Not applicable
[BSW00383] List dependencies of configuration files	(Memory Mapping is specific per build
· · · ·	scenario)
[BSW00384] List dependencies to other modules	MEMMAP020
	Not applicable
[BSW00387] Specify the configuration class of callback	(Memory Mapping is specific per build
function	scenario)
	Not applicable
[BSW00388] Introduce containers	(Memory Mapping is specific per build
	scenario)
	,
	Not applicable
[BSW00389] Containers shall have names	(Memory Mapping is specific per build
	scenario)
[BSW00390] Parameter content shall be unique within	Not applicable
the module	(Memory Mapping is specific per build



Requirement	Satisfied by
	scenario)
[BSW00391] Parameter shall have unique names	Not applicable (Memory Mapping is specific per build scenario)
[BSW00392] Parameters shall have a type	Not applicable (Memory Mapping is specific per build scenario)
[BSW00393] Parameters shall have a range	Not applicable (Memory Mapping is specific per build scenario)
[BSW00394] Specify the scope of the parameters	Not applicable (Memory Mapping is specific per build scenario)
[BSW00395] List the required parameters (per parameter)	Not applicable (Memory Mapping is specific per build scenario)
[BSW00396] Configuration classes	Not applicable (Memory Mapping is specific per build scenario)
[BSW00397] Pre-compile-time parameters	Not applicable (Memory Mapping is specific per build scenario)
[BSW00398] Link-time parameters	Not applicable (Memory Mapping is specific per build scenario)
[BSW00399] Loadable Post-build time parameters	Not applicable (Memory Mapping is specific per build scenario)
[BSW00400] Selectable Post-build time parameters	Not applicable (Memory Mapping is specific per build scenario)
[BSW00402] Published information	MEMMAP019
[BSW00375] Notification of wake-up reason	Not applicable (Memory Mapping is not a BSW module)
[BSW101] Initialization interface	Not applicable (Memory Mapping is not a BSW module)
[BSW00416] Sequence of Initialization	Not applicable (Memory Mapping is not a BSW module)
[BSW00406] Check module initialization	Not applicable (Memory Mapping is not a BSW module)
[BSW168] Diagnostic Interface of SW components	Not applicable (Memory Mapping is not a BSW module)
[BSW00407] Function to read out published parameters	Not applicable (Memory Mapping is not a BSW module)
[BSW00423] Usage of SW-C template to describe BSW modules with AUTOSAR Interfaces	Not applicable (Memory Mapping is not a BSW module)
[BSW00424] BSW main processing function task allocation	Not applicable (Memory Mapping is not a BSW module)
[BSW00425] Trigger conditions for schedulable objects	Not applicable (Memory Mapping is not a BSW module)
[BSW00426] Exclusive areas in BSW modules	Not applicable (Memory Mapping is not a BSW module)
[BSW00427] ISR description for BSW modules	Not applicable (Memory Mapping is not a BSW module)
[BSW00428] Execution order dependencies of main processing functions	Not applicable (Memory Mapping is not a BSW module)
[BSW00429] Restricted BSW OS functionality access	Not applicable (Memory Mapping is not a BSW module)
10 of 28	Document ID 128: ALITOSAR SWS MemoryManning

Document ID 128: AUTOSAR\_SWS\_MemoryMapping



Requirement	Satisfied by
[BSW00431] The BSW Scheduler module implements	Not applicable
task bodies	(Memory Mapping is not a BSW module)
[BSW00432] Modules should have separate main	
processing functions for read/receive and write/transmit	Not applicable
data path	(Memory Mapping is not a BSW module)
[BSW00433] Calling of main processing functions	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00434] The Schedule Module shall provide an API	Not applicable
for exclusive areas	(Memory Mapping is not a BSW module)
[BSW00336] Shutdown interface	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00337] Classification of errors	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00338] Detection and Reporting of development	Not applicable
errors	(Memory Mapping is not a BSW module)
[BSW00369] Do not return development error codes via	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00339] Reporting of production relevant error	Not applicable
status	(Memory Mapping is not a BSW module)
[BSW00421] Reporting of production relevant error	Not applicable
events	(Memory Mapping is not a BSW module)
[BSW00422] Debouncing of production relevant error	Not applicable
status [BSW00420] Production relevant error event rate	(Memory Mapping is not a BSW module) Not applicable
detection	(Memory Mapping is not a BSW module)
[BSW00417] Reporting of Error Events by Non-Basic	Not applicable,
Software	(Memory Mapping does not report errors)
	Not applicable
[BSW00323] API parameter checking	(Memory Mapping is not a BSW module)
	Not applicable
[BSW004] Version check	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00409] Header files for production code error IDs	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00385] List possible error notifications	(Memory Mapping is not a BSW module)
[BSW00386] Configuration for detecting an error	Not applicable
	(Memory Mapping is not a BSW module)
[BSW161] Microcontroller abstraction	Not applicable
	(non-functional requirement)
[BSW162] ECU layout abstraction	Not applicable
	(non-functional requirement)
[BSW00324] Do not use HIS I/O Library	Not applicable
· · · ·	(non-functional requirement)
[BSW005] No hard coded horizontal interfaces within	Not applicable
MCAL	(non-functional requirement)
[BSW00415] User dependent include files	Not applicable
	(non-functional requirement)
[BSW164] Implementation of interrupt service routines	Not applicable
	(non-functional requirement)
[BSW00325] Runtime of interrupt service routines	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00326] Transition from ISRs to OS tasks	Not applicable
	(Memory Mapping is not a BSW module) Not applicable
[BSW00342] Usage of source code and object code	(non-functional requirement)



Requirement	Satisfied by
[BSW00343] Specification and configuration of time	Not applicable
	(Memory Mapping is not a BSW module)
[BSW160] Human-readable configuration data	Not applicable
	(Memory Mapping is not a BSW module) Not applicable,
[BSW007] HIS MISRA C	(Memory Mapping is the C-language
	extension header)
	Not applicable
[BSW00300] Module naming convention	(Memory Mapping is not a BSW module)
IPS/M/00/11/21 Accessing instances of PS/M modules	Not applicable
[BSW00413] Accessing instances of BSW modules	(Memory Mapping is not a BSW module)
[BSW00347] Naming separation of different instances	Not applicable
of BSW drivers	(Memory Mapping is not a BSW module)
[BSW00305] Self-defined data types naming convention	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00307] Global variables naming convention	Not applicable
	(Memory Mapping is not a BSW module) Not applicable
[BSW00310] API naming convention	(Memory Mapping is not a BSW module)
[BSW00373] Main processing function naming	Not applicable
convention	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00327] Error values naming convention	(Memory Mapping is not a BSW module)
[PSW00225] Status values paming convention	Not applicable
[BSW00335] Status values naming convention	(Memory Mapping is not a BSW module)
[BSW00350] Development error detection keyword	Not applicable
· · · ·	(Memory Mapping is not a BSW module)
[BSW00408] Configuration parameter naming	Not applicable
convention	(Memory Mapping is not a BSW module)
[BSW00410] Compiler switches shall have defined values	Not applicable (Memory Mapping is not a BSW module)
	Not applicable
[BSW00411] Get version info keyword	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00346] Basic set of module files	(Memory Mapping is not a BSW module)
[BSW158] Separation of configuration from	Not applicable
implementation	(Memory Mapping is not a BSW module)
[BSW00314] Separation of interrupt frames and service	Not applicable
routines	(Memory Mapping is not a BSW module)
[BSW00370] Separation of callback interface from API	Not applicable
	(Memory Mapping is not a BSW module) Not applicable
BSW00348] Standard type header	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00353] Platform specific type header	(Memory Mapping is a C-language
	extension header)
[BSW00361] Compiler specific language extension	<i>i</i>
header	MEMMAP002
[BSW00301] Limit imported information	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00302] Limit exported information	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00328] Avoid duplication of code	supported by: MEMMAP001, MEMMAP005
	Not applicable
[BSW00312] Shared code shall be reentrant	(Memory Mapping is not a BSW module)
[BSW006] Platform independency	supported by:
	/



Requirement	Satisfied by
	MEMMAP010, MEMMAP004,
	<u>MEMMAP003, MEMMAP005,</u>
	<u>MEMMAP006, MEMMAP007,</u>
	MEMMAP011, MEMMAP013
[BSW00357] Standard API return type	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00377] Module specific API return types	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00304] AUTOSAR integer data types	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00355] Do not redefine AUTOSAR integer data	Not applicable
types	(Memory Mapping is not a BSW module)
[BSW00378] AUTOSAR boolean type	Not applicable
	(Memory Mapping is not a BSW module)
	supported by:
[BSW00306] Avoid direct use of compiler and platform	MEMMAP010, MEMMAP004,
specific keywords	MEMMAP003, MEMMAP005,
	MEMMAP006, MEMMAP007,
	MEMMAP011, MEMMAP013
[BSW00308] Definition of global data	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00309] Global data with read-only constraint	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00371] Do not pass function pointers via API	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00358] Return type of init() functions	Not applicable
	(Memory Mapping is not a BSW module)
[BSW00414] Parameter of init function	Not applicable
	(Memory Mapping is not a BSW module) Not applicable
[BSW00414] Parameter of init function	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00359] Return type of callback functions	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00360] Parameters of callback functions	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00329] Avoidance of generic interfaces	(Memory Mapping is not a BSW module)
[BSW00330] Usage of macros / inline functions instead	Not applicable
of functions	(Memory Mapping is not a BSW module)
	Not applicable
[BSW00331] Separation of error and status values	(Memory Mapping is not a BSW module)
	Not applicable
[BSW009] Module User Documentation	(Memory Mapping is not a BSW module)
[BSW00401] Documentation of multiple instances of	Not applicable
configuration parameters	(Memory Mapping is not a BSW module)
[BSW172] Compatibility and documentation of	Not applicable
scheduling strategy	(Memory Mapping is not a BSW module)
	Not applicable
[BSW010] Memory resource documentation	(Memory Mapping is not a BSW module)
[BSW00333] Documentation of callback function	Not applicable
context	(Memory Mapping is not a BSW module)
[BSW00374] Module vendor identification	MEMMAP019
[BSW00379] Module identification	MEMMAP019
[BSW003] Version identification	MEMMAP019
[BSW00318] Format of module version numbers	MEMMAP019



Requirement	Satisfied by
[BSW00321] Enumeration of module version numbers	MEMMAP019
[BSW00341] Microcontroller compatibility	Not applicable
documentation	(Memory Mapping is not a BSW module)
[BSW00334] Provision of XML file	Not applicable
	(Memory Mapping is not a BSW module)



# 7 Analysis

This chapter does not contain requirements. It just gives an overview to used keywords and their syntax within different compilers. This analysis is required for a correct and complete specification of methods and keywords.

## 7.1 Memory allocation of variables

Compiler analysis for starting/stopping a memory section for variables:

Compiler	Required syntax	
Cosmic, S12X	Initialized variables:	
	<pre>#pragma section {name}</pre>	
	<pre>#pragma section {}</pre>	
	Non Initialized variables:	
	<pre>#pragma section [name]</pre>	
	<pre>#pragma section []</pre>	
Metrowerks, S12X	<pre>#pragma DATA_SEG" (<modif> <name>   "DEFAULT")</name></modif></pre>	
	<modif>: Some of the following strings may be used:</modif>	
	SHORT,SHORT_SEG,	
	DIRECT,DIRECT_SEG,	
	NEAR,NEAR_SEG,	
	FAR,FAR_SEG,	
	DPAGE,DPAGE_SEG,	
	RPAGE,RPAGE_SEG	
	Pragma shall be used in definition and declaration.	
Tasking, ST10	#pragma class mem=name	
	#pragma combine mem=ctype	
	#pragma align mem=atype	
	#pragma noclear	
	<pre>#pragma default_attributes #pragma alega</pre>	
	#pragma clear	
	atype is one of the following align types:	
	B Byte alignment	
	W Word alignment	
	P Page alignment	
	S Segment alignment	
	C PEC addressable	
	I IRAM addressable	
	ctype is one of the following combine types:	
	L private ('Local')	
	P Public	
	C Common	
	G Global	
	S Sysstack	
	U Usrstack	
	A address Absolute section AT constant address	
	(decimal, octal or hexadecimal number)	
Tasking, TC1796	<pre>#pragma pack 0 / 2</pre>	
<u>.</u>	packing of structs. Shall be visible at type declaration	



Compiler	Required syntax
	#pragma section type "string" #pragma noclear
	#pragma clear
	<pre>#pragma for_extern_data_use_memory #pragma for_initialized_data_use_memory #pragma for_uninitialized_data_use_memory</pre>
GreenHills, V850	<pre>#pragma align (n) #pragma alignvar (n) #pragma ghs section sect="name" #pragma ghs section sect =default</pre>
	Section Keyword: data, sdata, tdata, zdata, bss, sbss, zbss
ADS, ST30	<pre>#pragma arm section [sort_type[[=]"name"]] [,sort_type="name"]* sort_type="rwdata, zidata alignment control via key words:packed,align()</pre>
DIABDATA, MPC5554	<pre>#pragma section class_name [init_name] [uninit_name] [address_mode] [access] #pragma section class_name Pragma shall be used before declaration. class_name for variables: BSS, DATA, SDATA</pre>

## 7.2 Memory allocation of constant variables

Compiler analysis for starting/stopping a memory section for constant variables:

Compiler	Required syntax
Cosmic, S12X	<pre>#pragma section const {name}</pre>
	<pre>#pragma section const {}</pre>
Metrowerks, S12X	<pre>#pragma CONST_SEG" (<modif> <name>   "DEFAULT")</name></modif></pre>
	<modif>: Some of the following strings may be used:</modif>
	PPAGE,PPAGE_SEG,
	GPAGE,GPAGE_SEG
	Pragma shall be used in definition and declaration.
Tasking, ST10	<pre>#pragma class mem=name</pre>
-	<pre>#pragma align mem=atype</pre>
	<pre>#pragma combine mem=ctype</pre>
	<pre>#pragma default_attributes</pre>
	atype is one of the following align types:
	B Byte alignment
	W Word alignment
	P Page alignment
	S Segment alignment
	C PEC addressable
	I IRAM addressable
	ctype is one of the following combine types:
	L private ('Local')
	P Public
	C Common
	1



Compiler	Required syntax	
	G Global	
	S Sysstack	
	U Usrstack	
	A address Absolute section AT constant address	
	(decimal, octal or hexadecimal number)	
Tasking, TC1796	#pragma pack 0 / 2	
	Packing of structs. Shall be visible at type declaration	
	<pre>#pragma section type "string"</pre>	
	<pre>#pragma for_constant_data_use_memory</pre>	
GreenHills, V850	<pre>#pragma ghs section sect="name"</pre>	
	<pre>#pragma ghs section sect =default</pre>	
	Section Keyword: rodata, rozdata, rosdata	
ADS, ST30	<pre>#pragma arm section [sort_type[[=]"name"]]</pre>	
	[,sort_type="name"]*	
	sort_type="rodata	
	alignment control via kov worde:	
	alignment control via key words: packed,align()	
DIABDATA, MPC5554	<pre>#pragma section class_name [init_name]</pre>	
DIADDATA, MPC5554	[uninit name] [address mode] [access]	
	<pre>#pragma section class name</pre>	
	··· 5 —	
	Pragma shall be used before declaration.	
	class_name for constant variables:	
	CONST, SCONST, STRING	

# 7.3 Memory allocation of code

Compiler analysis for starting/stopping a memory section for code::

Compiler	Required syntax			
Cosmic, S12X	<pre>#pragma section ( name )</pre>			
	<pre>#pragma section ()</pre>			
Metrowerks, S12X	<pre>#pragma CODE_SEG" (<modif> <name>   "DEFAULT")</name></modif></pre>			
	<modif>: Some of the following strings may be used:</modif>			
	DIRECT,DIRECT_SEG,			
	NEAR,NEAR_SEG,			
	CODE,CODE_SEG,			
	FAR,FAR_SEG,			
	PPAGE,PPAGE_SEG,			
	PIC,PIC_SEG			
	Pragma shall be used in definition and declaration.			
Tasking, ST10	#pragma class mem=name			
	<pre>#pragma combine mem=ctype</pre>			
	<pre>#pragma default_attributes</pre>			
	ctype is one of the following combine types:			
	L private ('Local')			
	P Public			
	C Common			
	G Global			
	S Sysstack			
	U Usrstack			
	A address Absolute section AT constant address			



Compiler	Required syntax		
Tasking, TC1796	<pre>#pragma section code "string"</pre>		
	<pre>#pragma section code_init</pre>		
	<pre>#pragma section const_init</pre>		
	<pre>#pragma section vector_init</pre>		
	<pre>#pragma section data_overlay</pre>		
	<pre>#pragma section type[=]"name"</pre>		
	#pragma section all		
GreenHills, V850	<pre>#pragma ghs section sect="name"</pre>		
	<pre>#pragma ghs section sect =default</pre>		
	Section Keyword: text		
ADS, ST30	<pre>#pragma arm section [sort_type[[=]"name"]]</pre>		
	[,sort_type="name"]*		
	<pre>sort_type="code"</pre>		
DIABDATA, MPC5554	<pre>#pragma section class_name [init_name]</pre>		
	[uninit_name] [address_mode] [access]		
	<pre>#pragma section class_name</pre>		
	Pragma shall be used before declaration.		
	class_name for code:		
	CODE		



# 8 Functional specification

### 8.1 General issues

The memory mapping files include the compiler and linker specific keywords for memory allocation into header and source files. These keywords control the assignment of variables and functions to specific sections. Thereby implementations are independent from compiler and microcontroller specific properties.

The assignment of the sections to dedicated memory areas / address ranges is not the scope of the memory mapping file and is typically done via linker control files.

**MEMMAP001**: For each build scenario (e.g. Boot loader, ECU Application) an own set of memory mapping files has to be provided.

MEMMAP002: The memory mapping file name shall be 'MemMap.h' for basic software modules and "<SWC> MemMap.h" for software components where <SWC> is the name of the software component type.

**MEMMAP010**: If a compiler/linker does not require or support requisite functionality of SWS Memory Mapping, the memory allocation keyword defines shall be undefined without further effect.

For instance: #ifdef EEP\_START\_SEC\_VAR\_16BIT #undef EEP START SEC VAR 16BIT #endif

## 8.2 Mapping of variables and code

#### 8.2.1 Requirements on implementations using memory mapping header files for BSW Modules and Software Components

MEMMAP004: Each AUTOSAR basic software module and software component shall support the configuration of at least the following different memory types.

It is allowed to add module specific sections as they are mapped and thus are configurable within the module's configuration file. The shortcut '<SIZE>' means the variable size. Possible SIZE postfixes are

BOOLEAN, used for variables and constants of size 1 bit 8BIT, used for variables and constants of size 8 bit 16BIT, used for variables and constants of size 16 bit 32BIT, used for variables and constants of size 32 bit UNSPECIFIED, used for variables and constants of unknown size



**MEMMAP022**: The keywords to be used before inclusion of the memory mapping header file shall use the templates <PREFIX>\_START\_<NAME> or <PREFIX>\_STOP\_<NAME>

Where:

- <PREFIX> is the Module Abbreviation, from the BSW Module list (e.g. 'EEP' or 'CAN'), for basic software modules or name of the software component type for software components
- <NAME> is the section name (see the tables below)

Memory type	Syntax of memory allocation keyword	Comments
Code	PREFIX_START_SEC_CODE	To be used for mapping code to application block,
	PREFIX_STOP_SEC_CODE	boot block, external flash etc.
Code	PREFIX_START_SEC_CALLOUT_CODE	To be used for mapping
l	PREFIX_STOP_SEC_CALLOUT_CODE	callouts of the BSW
Variables	PREFIX_START_SEC_VAR_NOINIT_ <size></size>	To be used for all global or
l	PREFIX_STOP_SEC_VAR_NOINIT_ <size></size>	static variables that are never initialized
Variables	PREFIX_START_SEC_VAR_POWER_ON_INIT_ <size></size>	To be used for all global or static variables that are
l	PREFIX_STOP_SEC_VAR_POWER_ON_INIT_ <size></size>	initialized only after power on reset
Variables	PREFIX_START_SEC_VAR_FAST_ <size></size>	To be used for all global or static variables that have at
	PREFIX_STOP_SEC_VAR_FAST_ <size></size>	least one of the following properties:
		<ul><li>accessed bitwise</li><li>frequently used</li></ul>
		high number of
		accesses in source code
l		Some platforms allow the
l		use of bit instructions for variables located in this
		specific RAM area as well
		as shorter addressing
l		instructions. This saves
Variables	PREFIX_START_SEC_INTERNAL_VAR_ <size></size>	code and runtime. To be used for global or
	PREFIX STOP SEC INTERNAL VAR <size></size>	static variables accessible
l	TREFTS_DIOL_DEC_INTERNAL_VAR_VDIAEV	from a calibration tool.
Variables	PREFIX_START_SEC_VAR_SAVED_ZONE <x>_<size></size></x>	To be used for RAM
	PREFIX_STOP_SEC_VAR_SAVED_ZONE <x>_<size></size></x>	buffers of variables saved in non volatile memory.
Variables	<pre>PREFIX_START_SEC_VAR_SAVED_RECOVERY_ZONE<x></x></pre>	To be used for ROM
	PREFIX_STOP_SEC_VAR_SAVED_RECOVERY_ZONE <x></x>	buffers of variables saved in non volatile memory.
Variables	PREFIX_START_SEC_VAR_ <size></size>	To be used for global or static variables that are
		initialized after every reset
	PREFIX_STOP_SEC_VAR_ <size></size>	(the normal case).

Document ID 128: AUTOSAR\_SWS\_MemoryMapping



Memory type	Syntax of memory allocation keyword	Comments
	PREFIX_STOP_SEC_CONST_ <size></size>	
Constants	PREFIX_START_SEC_CALIB_ <size></size>	To be used for calibration
	PREFIX_STOP_SEC_CALIB_ <size></size>	constants.
Constants	PREFIX_START_SEC_CARTO_ <size></size>	To be used for cartography
	PREFIX_STOP_SEC_CARTO_ <size></size>	constants.
Configurati on data	PREFIX_START_CONFIG_DATA_ <size> PREFIX_STOP_CONFIG_DATA_<size></size></size>	Constants with attributes that show that they reside
		in one segment for module configuration.

**MEMMAP021**: There are different kinds of execution code sections. This code sections shall be identified with dedicated keywords. If a section is not supported by the integrator and micro controller then be aware that the keyword is ignored. The table below defines the keyword to be used for each code section:

Memory type	Syntax of memory allocation keyword	Comments
Fast code	PREFIX_START_SEC_CODE_FAST_ <num></num>	To be used for code that shall go into
	PREFIX_STOP_SEC_CODE_FAST_ <num></num>	fast code memory segments.
Slow code	PREFIX_START_SEC_CODE_SLOW	To be used for code that shall go into
	PREFIX_STOP_SEC_CODE_SLOW	slow code memory segments.
Library code	PREFIX_START_SEC_CODE_LIB	To be used for code that shall go into
-	PREFIX_STOP_SEC_CODE_LIB	library segments for BSW module or
		Software Component.

MEMMAP003: Each AUTOSAR basic software module and software component shall wrap declaration and definition of code, variables and constants using the following mechanism:

- 1. Definition of start symbol for module memory section
- 2. Inclusion of the memory mapping header file
- 3. Declaration/definition of code, variables or constants belonging to the specified section
- 4. Definition of stop symbol for module memory section
- 5. Inclusion of the memory mapping header file

The inclusion of the memory mapping header files within the code is a MISRA violation. As neither executable code nor symbols are included (only pragmas) this violation is an approved exception without side effects.

The start and stop symbols for section control are configured with section identifiers defined in the inclusion of memory mapping header file. For details on configuring sections see "Configuration specification"

For example (BSW Module):



#define EEP\_START\_SEC\_VAR\_16BIT
#include "MemMap.h"
static uint16 EepTimer;
static uint16 EepRemainingBytes;
#define EEP\_STOP\_SEC\_VAR\_16BIT
#include "MemMap.h"

For example (SWC):
#define ABC\_START\_SEC\_CODE
#include "ABC\_MemMap.h"
/\* --- Write a Code here \*/
#define ABC\_STOP\_SEC\_CODE
#include "ABC\_MemMap.h"

**MEMMAP018**: Each AUTOSAR basic software module and software component shall support, for all C-objects, the configuration of the assignation to one of the memory types (code, variables and constants).

#### Application hint:

An implicit assignment of object to default sections is not allowed because properties of default sections are platform and tool depended and therefore these implementations are not platform independent.

MEMMAP023: Memory mapping header files shall not be included inside the body of a function.

The goal of this requirement is to support compiler which do not support #pragma inside the body of a function. To force a special memory mapping of a function's static variable, this variable must be moved to file static

#### 8.2.2 Requirements on memory mapping header files

**MEMMAP005**: The memory mapping header files shall provide a mechanism to select different code, variable or constant sections by checking the definition of the module specific memory allocation key words for starting a section (see <u>MEMMAP004</u>). Code, variables or constants declared after this selection shall be mapped to this section.

**MEMMAP015**: The selected section shall be activated, if the section macro is defined before include of the memory mapping header file.

**MEMMAP016**: The selection of a section shall only influence the linker's behavior for one of the three different object types code, variables or constants concurrently.

#### Application hint:

On one side the creation of combined sections (for instance code and constants) is not allowed. For the other side the set-up of the compiler / linker must be done in a way, that only the settings of the selected section type is changed. For instance the



set-up of the code section shall not influence the configuration of the constant section and other way around.

```
For instance:
#ifdef EEP_START_SEC_VAR_16BIT
    #undef EEP_START_SEC_VAR_16BIT
    #define START SECTION DATA 16BIT
#elif
/*
   additional mappings of modules sections into project
   sections
* /
. . .
#endif
#ifdef START SECTION DATA 16BIT
    #pragma section data "sect_data16"
    #undef START SECTION DATA 16BIT
    #undef MEMMAP_ERROR
#elif
/*
   additional statements for switching the project sections
*/
. . .
#endif
```

## Application hint:

Those code or variables sections can be used for the allocation of objects from more than one module.

Those code or variables sections can be used for the allocation of objects from different module specific code or variable sections of one module.

**MEMMAP006**: The memory mapping header files shall provide a mechanism to deselect different code and variable sections by checking the definition of the module specific memory allocation key words for stopping a section (see <u>MEMMAP004</u>). Code or variables declared after this selection shall be mapped to default section. The selected section shall be deactivated, if the section macro is defined before include of the memory mapping header file.



```
For instance:
#ifdef EEP_STOP_SEC_CODE
    #undef EEP_STOP_SEC_CODE
    #define STOP SECTION COMMON CODE
#elif
/*
   additional mappings of modules sections into project
   sections
* /
#endif
/* additional module specific mappings */
. . .
#ifdef STOP_SECTION_COMMON_CODE
    #pragma section code restore
    #undef STOP_SECTION_COMMON_CODE
    #undef MEMMAP ERROR
#elif
/*
  additional statements for switching the project sections
* /
#endif
```

**MEMMAP007**: The file memory mapping header files shall check if they have been included with a valid memory mapping symbol and in a valid sequence (no START preceded by a START, no STOP without the corresponding START). This shall be done by a preprocessor check.

```
For instance:
#define MEMMAP_ERROR
/*
    mappings of modules sections into project sections and
    statements for switching the project sec
*/
...
#elif STOP_SECTION_COMMON_CODE
    #pragma section code restore
    #undef STOP_SECTION_COMMON_CODE
    #undef MEMMAP_ERROR
#endif
#ifdef MEMMAP_ERROR
    #error "MemMap.h, wrong pragma command"
#endif
```



**MEMMAP011**: The memory mapping header files shall undefine the module or software component specific memory allocation key words for starting or stopping a section.

```
For instance:
#ifdef EEP_STOP_SEC_CODE
#undef EEP_STOP_SEC_CODE
```

**MEMMAP013**: The memory mapping header files shall use if-else structures to reduce the compilation effort.

For instance:

```
#define MEMMAP_ERROR
...
/* module and ECU specific section mappings */
#if defined START_SECTION_COMMON_CODE
    #pragma section ftext
    #undef START_SECTION_COMMON_CODE
    #undef MEMMAP_ERROR
#elif defined START_SECTION_UNBANKED_CODE
    #pragma section code text
    #undef START_SECTION_UNBANKED_CODE
    #undef START_SECTION_UNBANKED_CODE
    #undef MEMMAP_ERROR
#elif defined ...
...
```

#endif



Specification of Memory Mapping V1.2.0 R4.0 Rev 1

# 9 API specification

Not applicable.



Specification of Memory Mapping V1.2.0 R4.0 Rev 1

# 10 Sequence diagrams

Not applicable.



## 11 Configuration specification

The memory mapping header files are specific for each build scenario. Therefore there is no standardized configuration interface specified.

## **11.1 Published Information**

[MEMMAP001\_PI] The standardized common published parameters as required by BSW00402 in the General Requirements on Basic Software Modules [2] shall be published within the header file of this module and need to be provided in the BSW Module Description. The according module abbreviation can be found in the List of Basic Software Modules [1].

Additional module-specific published parameters are listed below if applicable.