

Document Title Specification of Compiler	
	Abstraction
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	051
Document Classification	Standard
Document Version	3.3.0
Document Status	Final
Part of Release	4.1
Revision	1

Document Change History			
Date	Version	Changed by	Change Description
27.02.2013	3.3.0	AUTOSAR Administration	 Added abstraction macro CONSTP2FUNC for a constant pointer to a function Improved consistency to Memory Mapping (several MemMap.h files) Reworked Configuration Specification
14.11.2011	3.2.0	AUTOSAR Administration	 Added macros ,FUNC_P2CONST' and 'FUNC_P2VAR' Added pointer class 'REGSPACE' (for register access) Updated the compiler symbols list
29.10.2010	3.1.0	AUTOSAR Administration	 Put more emphasize on SwComponentType's name in SWS_COMPILER_00054, COMPILER044 Corrected compiler used in the example (chapter 12.4) Corrected include structure in the example (chapter 12.4)
02.12.2009	3.0.0	AUTOSAR Administration	 Compiler Abstraction has been extended to be suitable for Software Components "STATIC" declaration keyword has been removed The declaration keyword "LOCAL_INLINE" has been added for implementation of "static inline"-functions Legal disclaimer revised
23.06.2008	2.0.1	AUTOSAR Administration	Legal disclaimer revised



Document Change History			
Date	Version	Changed by	Change Description
27.11.2007	2.0.0	AUTOSAR Administration	 Keyword "_STATIC_" has been renamed to "STATIC"
			 Keyword "_INLINE_" has been renamed to "INLINE"
			 Keyword "TYPEDEF" has been added as empty memory qualifier for use in type definitions
			 Document meta information extended
			 Small layout adaptations made
31.01.2007	1.1.0	AUTOSAR	Add: <u>COMPILER058</u>
		Administration	Add: <u>COMPILER057</u>
			Change: <u>SWS_COMPILER_00040</u>
			Legal disclaimer revised
			Release Notes added
			 "Advice for users" revised
			 "Revision Information" added
27.04.2006	1.0.0	AUTOSAR	Initial Release
		Administration	



Disclaimer

This specification and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the specification.

The material contained in this specification is protected by copyright and other types of Intellectual Property Rights. The commercial exploitation of the material contained in this specification requires a license to such Intellectual Property Rights.

This specification may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only.

For any other purpose, no part of the specification may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The AUTOSAR specifications have been developed for automotive applications only. They have neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

Advice for users

AUTOSAR specifications may contain exemplary items (exemplary reference models, "use cases", and/or references to exemplary technical solutions, devices, processes or software).

Any such exemplary items are contained in the specifications for illustration purposes only, and they themselves are not part of the AUTOSAR Standard. Neither their presence in such specifications, nor any later documentation of AUTOSAR conformance of products actually implementing such exemplary items, imply that intellectual property rights covering such exemplary items are licensed under the same rules as applicable to the AUTOSAR Standard.



Table of Contents

1	Introduction and functional overview6
2	Acronyms and abbreviations7
3	Related documentation8
	 3.1 Input documents
4	Constraints and assumptions11
	 4.1 Limitations
5	Dependencies to other modules12
	5.1Code file structure125.2Header file structure125.3Connections to other modules125.3.1Compiler Abstraction125.3.2Memory Mapping135.3.3Linker-Settings13
6	Requirements traceability14
7	Analysis19
	7.1 Keywords for functions
8	Functional specification25
	 8.1 General issues
9	API specification27
	9.1 Definitions 27 9.1.1 Memory class AUTOMATIC 27 9.1.2 Memory class TYPEDEF. 27 9.1.3 NULL_PTR 27 9.1.4 INLINE 28 9.1.5 LOCAL_INLINE 28 9.2 Macros for functions 28 9.2.1 FUNC 28 9.2.2 FUNC_P2CONST 29 9.2.3 FUNC_P2VAR 30
	9.3 Macros for pointers
	9.3.2 P2CONST
4 c	47 Document ID 051: AUTOSAR_SWS_CompilerAbstraction - AUTOSAR confidential -



9.3.4 CONSTP2CONST	
9.3.6 CONSTP2FUNC	
9.4 Keywords for constants	
9.4.1 CONST	4
9.5 Keywords for variables	5
9.5.1 VAR	
10 Sequence diagrams	7
11 Configuration specification	8
11.1 How to read this chapter	8
11.2 Containers and configuration parameters	
11.2.1 Variants	
11.2.2 Module-Specific Memory Classes	9
11.2.3 Global Memory Classes	9
11.3 Published Information	9
12 Annex	0
12.1 List of Compiler symbols4	0
12.2 Requirements on implementations using compiler abstraction	
12.3 Proposed process	
12.4 Comprehensive example4	
13 Not applicable requirements4	7
13.1 Deleted SWS Items:4	7



1 Introduction and functional overview

This document specifies macros for the abstraction of compiler specific keywords used for addressing data and code within declarations and definitions.

Mainly compilers for 16-bit platforms (e.g. Cosmic and Metrowerks for S12X or Tasking for ST10) are using special keywords to cope with properties of the microcontroller architecture caused by the limited 16 bit addressing range. Features like paging and extended addressing (to reach memory beyond the 64k border) are not chosen automatically by the compiler, if the memory model is not adjusted to 'large' or 'huge'. The location of data and code has to be selected explicitly by special keywords. Those keywords, if directly used within the source code, would make it necessary to port the software to each new microcontroller family and would prohibit the requirement of platform independency of source code.

If the memory model is switched to 'large' or 'huge' by default (to circumvent these problems) the project will suffer from an increased code size.

This document specifies a three-step concept:

- 1. The file Compiler.h provides macros for the encapsulation of definitions and declarations.
- 2. Each single module has to distinguish between at least the following different memory classes and pointer classes. Each of these classes is represented by a define (e.g. EEP_CODE).
- 3. The file Compiler_Cfg.h allows to configure these defines with the appropriate compiler specific keywords according to the modules description and memory set-up of the build scenario.



2 Acronyms and abbreviations

Acronyms and abbreviations that have a local scope are not contained in the AUTOSAR glossary. These must appear in a local glossary.

Acronym:	Description:
Large, huge	Memory model configuration of the microcontroller's compiler. By default, all access mechanisms are using extended/paged addressing.
	Some compilers are using the term 'huge' instead of 'far'.
Tiny, small	Memory model configuration of the microcontroller's compiler. By default, all access mechanisms are using normal addressing.
	Only data and code within the addressing range of the platform's architecture is reachable (e.g. 64k on a 16 bit architecture).
far	Compiler keyword for extended/paged addressing scheme (for data and code that may be outside the normal addressing scheme of the platform's architecture).
near	Compiler keyword for normal addressing scheme (for data and code that is within the addressing range of the platform's architecture).
C89	ANSI X3.159-1989 Programming Language C
C90	ISO/IEC 9899:1990
C99	ISO/IEC 9899:1999, 2nd edition, 1. December 1999
EmbeddedC	ISO/IEC DTR 18037, draft standard, 24. September 2003



3 Related documentation

3.1 Input documents

- [1] List of Basic Software Modules, AUTOSAR_TR_BSWModuleList.pdf
- [2] General Requirements on Basic Software Modules, AUTOSAR_SRS_BSWGeneral.pdf
- [3] Layered Software Architecture, AUTOSAR_EXP_LayeredSoftwareArchitecture.pdf
- [4] Specification of ECU Configuration, AUTOSAR_TPS_ECUConfiguration.pdf
- [5] Cosmic C Cross Compiler User's Guide for Motorola MC68HC12,V4.5
- [6] ARM ADS compiler manual
- [7] GreenHills MULTI for V850 V4.0.5: Building Applications for Embedded V800, V4.0, 30.1.2004
- [8] TASKING for ST10 V8.5: C166/ST10 v8.5 C Cross-Compiler User's Manual, V5.16 C166/ST10 v8.5 C Cross-Assembler, Linker/Locator, Utilities User's Manual, V5.16
- [9] Wind River (Diab Data) for PowerPC Version 5.2.1:
 Wind River Compiler for Power PC Getting Started, Edition 2, 8.5.2004
 Wind River Compiler for Power PC User's Guide, Edition 2, 11.5.2004
- [10] TASKING for TriCore TC1796 V2.0R1: TriCore v2.0 C Cross-Compiler, Assembler, Linker User's Guide, V1.2
- [11] Metrowerks CodeWarrior 4.0 for Freescale HC9S12X/XGATE (V5.0.25): Motorola HC12 Assembler, 2.6.2004 Motorola HC12 Compiler, 2.6.2004 Smart Linker, 2.4.2004
- [12] General Specification of Basic Software Modules AUTOSAR_SWS_BSWGeneral.pdf
- [13] Specification of Memory Mapping AUTOSAR_SWS_MemoryMapping.pdf



3.2 Related standards and norms

- [14] ANSI X3.159-1989 Programming Language C
- [15] ISO/IEC 9899:1990
- [16] ISO/IEC 9899:1999, 2nd edition, 1. December 1999
- [17] ISO/IEC DTR 18037, draft standard, 24. September 2003



3.3 Related specification

AUTOSAR provides a General Specification on Basic Software modules [12] (SWS BSW General), which is also valid for Compiler Abstraction.

Thus, the specification SWS BSW General shall be considered as additional and required specification for Compiler Abstraction.



4 Constraints and assumptions

4.1 Limitations

During specification of abstraction and validation of concept, the compilers listed in chapter 3.1 have been considered. If any other compiler requires keywords that cannot be mapped to the mechanisms described in this specification this compiler will not be supported by AUTOSAR. In this case, the compiler vendor has to adapt its compiler.

The concepts described in this document do only apply to C compilers according the standard C90. C++ is not in scope of this version.

In contradiction to the C-standard, some extensions are required:

- keywords for interrupt declaration
- keywords for hardware specific memory modifier
- uninitialized variables

If the physically existing memory is larger than the logically addressable memory in either code space or data space and more than the logically addressable space is used, logical addresses have to be reused. The C language (and other languages as well) can not cope with this situation.

4.2 Applicability to car domains

No restrictions.

4.3 Applicability to safety related environments

No restrictions. The compiler abstraction file does not implement any functionality, only symbols and macros.



5 Dependencies to other modules

[SWS_COMPILER_00048] □ The SWS Compiler Abstraction is applicable for each AUTOSAR basic software module and application software components. Therefore, the implementation of the memory class (memclass) and pointer class (ptrclass) macro parameters (see <u>SWS_COMPILER_00040</u>) shall fulfill the implementation and configuration specific needs of each software module in a specific build scenario.

5.1 Code file structure

Not applicable

5.2 Header file structure




Figure 1: Include structure of Compiler.h

5.3 Connections to other modules

The following shall describe the connections to modules, which are indirectly linked to each other.

5.3.1 Compiler Abstraction

As described in this document, the compiler abstraction is used to configure the reachability of elements (pointers, variables, function etc.)



5.3.2 Memory Mapping

This module is used to do the sectioning of memory. The user can define sections for optimizing the source code.

5.3.3 Linker-Settings

The classification which elements are assigned to which memory section can be done by linker-settings.



6 Requirements traceability

Document: AUTOSAR requirements on Basic Software, general

Requirement	Satisfied by
[SRS_BSW_00003] Version identification	SWS_COMPILER_00001
[SRS_BSW_00300] Module naming convention	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00301] Limit imported information	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00302] Limit exported information	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00304] AUTOSAR integer data types	Not applicable (Compiler Abstraction is not a BSW module)
[SRS_BSW_00305] Self-defined data types naming	Not applicable
convention	(Compiler Abstraction is not a BSW module)
	supported by:
	COMPILER001, COMPILER006,
	SWS_COMPILER_00010,
	SWS COMPILER 00012, COMPILER013,
[SRS_BSW_00306] Avoid direct use of compiler and	COMPILER015, COMPILER023,
platform specific keywords	COMPILER026, COMPILER031,
	COMPILER032, COMPILER033,
	SWS_COMPILER_00035,
	SWS_COMPILER_00036, COMPILER039,
	COMPILER044, COMPILER046
[SRS_BSW_00307] Global variables naming	Not applicable
convention	(Compiler Abstraction is not a BSW module) Not applicable
[SRS_BSW_00308] Definition of global data	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00309] Global data with read-only	Not applicable
constraint	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00310] API naming convention	(Compiler Abstraction is not a BSW module)
ISPS RSW 002121 Shared and shall be reantrant	Not applicable
[SRS_BSW_00312] Shared code shall be reentrant	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00314] Separation of interrupt frames and	Not applicable
service routines	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00318] Format of module version numbers	SWS COMPILER 00001
[SRS_BSW_00321] Enumeration of module version	SWS COMPILER 00001
numbers	Neteralizable
[SRS_BSW_00323] API parameter checking	Not applicable (Compiler Abstraction is not a BSW module)
	Not applicable
[BSW00324] Do not use HIS I/O Library	(non-functional requirement)
[SRS BSW 00325] Runtime of interrupt service	Not applicable
routines	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00326] Transition from ISRs to OS tasks	(Compiler Abstraction is not a BSW module)
ISBS BSW/ 002271 Error voluce noming convention	Not applicable
[SRS_BSW_00327] Error values naming convention	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00328] Avoid duplication of code	supported by: SWS COMPILER 00048
[SRS_BSW_00329] Avoidance of generic interfaces	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00330] Usage of macros / inline functions	Not applicable
instead of functions	(Compiler Abstraction is not a BSW module)

Document ID 051: AUTOSAR_SWS_CompilerAbstraction



Requirement	Satisfied by
[SRS_BSW_00331] Separation of error and status	Not applicable
values	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00333] Documentation of callback function	Not applicable
context [SRS_BSW_00334] Provision of XML file	(Compiler Abstraction is not a BSW module) Not applicable
	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00335] Status values naming convention	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00336] Shutdown interface	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00337] Classification of errors	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00338] Detection and Reporting of development errors	Not applicable (Compiler Abstraction is not a BSW module)
[SRS_BSW_00339] Reporting of production relevant	Not applicable
error status	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00341] Microcontroller compatibility	Not applicable
documentation	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00342] Usage of source code and object	Not applicable
code	(non-functional requirement)
[SRS_BSW_00343] Specification and configuration of	Not applicable
time	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00344] Reference to link-time configuration	Not applicable (Compiler Abstraction is specific per build
	scenario)
[SRS_BSW_00345] Pre-compile-time configuration	Chapter 11.2.1
	Not applicable
[SRS_BSW_00346] Basic set of module files	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00347] Naming separation of different	Not applicable
instances of BSW drivers	(Compiler Abstraction is not a BSW module)
	SWS COMPILER 00003,
[SRS_BSW_00348] Standard type header	SWS_COMPILER_00004, SWS_COMPILER_00052
[SRS_BSW_00350] Development error detection	Not applicable
keyword	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00353] Platform specific type header	(Compiler Abstraction is the C-language
	extension header)
[SRS_BSW_00355] Do not redefine AUTOSAR integer	Not applicable
data types	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00357] Standard API return type	Not applicable
	(Compiler Abstraction is not a BSW module) Not applicable
[SRS_BSW_00358] Return type of init() functions	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00359] Return type of callback functions	(Compiler Abstraction is not a BSW module)
ISPS PSW/ 002601 Perometers of collback functions	Not applicable
[SRS_BSW_00360] Parameters of callback functions	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00361] Compiler specific language	SWS COMPILER 00003,
extension header	SWS_COMPILER_00004
[SRS_BSW_00369] Do not return development error	Not applicable
codes via API [SRS_BSW_00370] Separation of callback interface	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00370] Separation of caliback interface	Not applicable (Compiler Abstraction is not a BSW module)
[SRS_BSW_00371] Do not pass function pointers via	Not applicable
API	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00373] Main processing function naming	Not applicable
convention	(Compiler Abstraction is not a BSW module)

Document ID 051: AUTOSAR_SWS_CompilerAbstraction



Requirement	Satisfied by
[SRS_BSW_00374] Module vendor identification	SWS COMPILER 00001
	Not applicable
[SRS_BSW_00375] Notification of wake-up reason	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00376] Return type and parameters of	Not applicable
main processing functions	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00377] Module specific API return types	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00378] AUTOSAR boolean type	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00379] Module identification	SWS_COMPILER_00001 Not applicable
[SRS_BSW_00380] Separate C-Files for configuration	(Compiler Abstraction is specific per build
parameters	scenario)
[SRS_BSW_00381] Separate configuration header file	/
for pre-compile time parameters	SWS COMPILER 00052
[SRS_BSW_00383] List dependencies of configuration	Figure 1: Include structure of
files	Compiler.h
[SRS_BSW_00384] List dependencies to other modules	SWS_COMPILER_00048
• • ·	Not applicable
[SRS_BSW_00385] List possible error notifications	(Compiler Abstraction is not a BSW module)
ISPS PSW/ 002961 Configuration for datasting on error	Not applicable
[SRS_BSW_00386] Configuration for detecting an error	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00387] Specify the configuration class of	Not applicable
callback function	(Compiler Abstraction is specific per build
	scenario)
[SRS_BSW_00388] Introduce containers	Chapter 11.2
[SRS_BSW_00389] Containers shall have names	COMPILER044 Not applicable
[SRS_BSW_00390] Parameter content shall be unique	(Compiler Abstraction is specific per build
within the module	scenario)
	Not applicable
[SRS_BSW_00391] Parameter shall have unique	(Compiler Abstraction is specific per build
names	scenario)
	Not applicable
[SRS_BSW_00392] Parameters shall have a type	(Compiler Abstraction is specific per build
	scenario)
ISPS PSW/ 002021 Peremeters shall have a range	Not applicable
[SRS_BSW_00393] Parameters shall have a range	(Compiler Abstraction is specific per build scenario)
	Not applicable
[SRS_BSW_00394] Specify the scope of the	(Compiler Abstraction is specific per build
parameters	scenario)
[SRS_BSW_00395] List the required parameters (per	Not applicable
parameter)	(Compiler Abstraction is specific per build
· · ·	scenario)
[SRS_BSW_00396] Configuration classes	COMPILER044
[SRS_BSW_00397] Pre-compile-time parameters	COMPILER044
SRS BSW 003081 Link-time parameters	Not applicable (Compiler Abstraction is specific per build
[SRS_BSW_00398] Link-time parameters	scenario)
	Not applicable
[SRS_BSW_00399] Loadable Post-build time	(Compiler Abstraction is specific per build
parameters	scenario)
ISBS BSW 000041 Version shock	Not applicable
[SRS_BSW_00004] Version check	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00400] Selectable Post-build time	Not applicable
parameters	(Compiler Abstraction is specific per build
	scenario)



Requirement	Satisfied by
[SRS_BSW_00401] Documentation of multiple	Not applicable
instances of configuration parameters	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00402] Published information	SWS_COMPILER_00001
[SRS_BSW_00404] Reference to post build time	Not applicable
configuration	(Compiler Abstraction is specific per build
	scenario)
[SRS_BSW_00405] Reference to multiple configuration	Not applicable
sets	(Compiler Abstraction is specific per build
	scenario)
[SRS_BSW_00406] Check module initialization	Not applicable
ISPS RSW 004071 Eurotian to road out published	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00407] Function to read out published	Not applicable (Compiler Abstraction is not a BSW module)
parameters [SRS_BSW_00408] Configuration parameter naming	Not applicable
convention	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00409] Header files for production code	Not applicable
error IDs	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00410] Compiler switches shall have	Not applicable
defined values	(Compiler Abstraction is not a BSW module)
ICDC DOW 004441 Oct consists into hermond	Not applicable
[SRS_BSW_00411] Get version info keyword	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00412] Separate H-File for configuration	
parameters	SWS COMPILER 00052
[SRS_BSW_00413] Accessing instances of BSW	Not applicable
modules	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00414] Parameter of init function	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00415] User dependent include files	Not applicable
	(non-functional requirement)
[SRS_BSW_00416] Sequence of Initialization	Not applicable
[SRS_BSW_00417] Reporting of Error Events by Non-	(Compiler Abstraction is not a BSW module) Not applicable
Basic Software	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00419] Separate C-Files for pre-compile	(Compiler Abstraction is specific per build
time configuration parameters	scenario)
[BSW00420] Production relevant error event rate	Not applicable
detection	(Compiler Abstraction is not a BSW module)
[BSW00421] Reporting of production relevant error	Not applicable
events	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00422] Debouncing of production relevant	Not applicable
error status	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00423] Usage of SW-C template to	Not applicable
describe BSW modules with AUTOSAR Interfaces	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00424] BSW main processing function task	Not applicable
allocation	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00425] Trigger conditions for schedulable	Not applicable
objects	(Compiler Abstraction is not a BSW module) Not applicable
[SRS_BSW_00426] Exclusive areas in BSW modules	(Compiler Abstraction is not a BSW module)
	Not applicable
[SRS_BSW_00427] ISR description for BSW modules	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00428] Execution order dependencies of	Not applicable
main processing functions	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00429] Restricted BSW OS functionality	Not applicable
access	(Compiler Abstraction is not a BSW module)
	· · · · / ·



Requirement	Satisfied by
[BSW00431] The BSW Scheduler module implements	Not applicable
task bodies	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00432] Modules should have separate	Not applicable
main processing functions for read/receive and	(Compiler Abstraction is not a BSW module)
write/transmit data path	
[SRS_BSW_00433] Calling of main processing	Not applicable
functions	(Compiler Abstraction is not a BSW module)
[BSW00434] The Schedule Module shall provide an API	Not applicable
for exclusive areas	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00005] No hard coded horizontal interfaces	Not applicable
within MCAL	(non-functional requirement)
	supported by:
	COMPILER001, COMPILER006,
	SWS COMPILER 00010,
	SWS COMPILER 00012, COMPILER013,
[SRS_BSW_00006] Platform independency	COMPILER015, COMPILER023,
	COMPILER026, COMPILER031,
	COMPILER032, COMPILER033,
	SWS COMPILER 00035,
	SWS COMPILER 00036, COMPILER039,
	COMPILER044, COMPILER046
	Not applicable
[SRS_BSW_00007] HIS MISRA C	(Compiler Abstraction is the C-language
	extension header)
[SRS_BSW_00009] Module User Documentation	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00010] Memory resource documentation	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00101] Initialization interface	Not applicable
	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00158] Separation of configuration from	Not applicable
implementation	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00159] Tool-based configuration	Chapter 0
[SRS_BSW_00160] Human-readable configuration data	COMPILER044
[SRS_BSW_00161] Microcontroller abstraction	Not applicable
	(non-functional requirement)
[SRS_BSW_00162] ECU layout abstraction	Not applicable
	(non-functional requirement)
[SRS_BSW_00164] Implementation of interrupt service	Not applicable
routines	(non-functional requirement)
ICRO DOW 004071 Otatia configuration should be	Not applicable
[SRS_BSW_00167] Static configuration checking	(Compiler Abstraction is specific per build
ISDS DSW 004691 Diagnostic Interface of SW	scenario)
[SRS_BSW_00168] Diagnostic Interface of SW	Not applicable
components	(Compiler Abstraction is not a BSW module)
[SRS_BSW_00170] Data for reconfiguration of	Not applicable
AUTOSAR SW-Components	(Compiler Abstraction is specific per build
	scenario)
[SRS_BSW_00171] Configurability of optional	Not applicable
functionality	(Compiler Abstraction is specific per build
	scenario)
[SRS_BSW_00172] Compatibility and documentation of	Not applicable
scheduling strategy	(Compiler Abstraction is not a BSW module)



7 Analysis

This chapter does not contain requirements. It just gives an overview of used keywords and their syntax within different compilers. This analysis is required for a correct and complete specification of methods and keywords and as rationale for those people who doubt the necessity of a compiler abstraction in AUTOSAR. This chapter is no complete overview of existing compilers and platforms and their usage in AUTOSAR. However, it shows examples that cover most use cases, from which the concepts specified in the consecutive chapters are derived.

7.1 Keywords for functions

On platforms with memory exceeding the addressable range of the architecture (e.g. S12X with 512k of Flash) the compiler needs to know if a called function is reachable within normal addressing commands ('near') or extended/paged addressing commands ('far').

Compiler	Required syntax
Cosmic, S12X	<pre>@near void MyNearFunction(void);</pre>
	Call of a near function results in a local page call or to a call into
	direct page.
	Dependent of compiler settings the compiler controls only the
	calling convention or allocation and calling convention.
Metrowerks, S12X	<pre>voidnear MyNearFunction(void);</pre>
	Call of a near function results in a local page call or to a call into
	direct page.
IAR, HCS12 C/C++	<pre>voidnon_banked MyNearFunction (void);</pre>
Tasking, ST10	<pre>void _near MyNearFunction (void);</pre>
	_near void MyNearFunction (void);
	Call of a near function results in a local segment code access
	(relevant in large model).
Tasking, TC1796	<pre>void MyNearFunction (void);</pre>
	(No keywords required)
Greenhills, V850	<pre>void MyNearFunction (void);</pre>
	(No keywords required)
ADS, ST30	<pre>void MyNearFunction (void);</pre>
	(No keywords required)
DIABDATA, MPC5554	<pre>void MyNearFunction (void);</pre>
	(No keywords required)

Compiler analysis for near functions:



Compiler analysis for far functions:

Compiler	Required syntax
Cosmic, S12X	<pre>@far void MyFarFunction(void);</pre>
	Dependent of compiler settings the compiler controls only the calling convention or allocation and calling convention.
Metrowerks, S12X	<pre>voidfar MyFarFunction(void);</pre>
IAR, HCS12 C/C++	<pre>voidbanked MyFarFunction (void);</pre>
Tasking, ST10	<pre>void _huge MyFarFunction (void);</pre>
-	_huge_void MyFarFunction (void);
Tasking, TC1796	void MyFarFunction (void);
_	(No keywords required)
Greenhills, V850	void MyFarFunction (void);
	(No keywords required)
ADS, ST30	void MyFarFunction (void);
	(No keywords required)
DIABDATA, MPC5554	<pre>void MyFarFunction (void);</pre>
	(No keywords required)

7.2 Keywords for pointers

On platforms with memory exceeding the addressable range of the architecture (e.g. S12X with 512k of Flash) the compiler needs to know if data referenced by a pointer is accessible by normal addressing commands ('near') or extended/paged addressing commands ('far').

Compiler analysis for near pointers pointing to variable_data in RAM (use case: pointer to data buffer where data has to be copied to):

Compiler	Required syntax
Cosmic, S12X	<pre>@near uint8* MyNearPointer;</pre>
Metrowerks, S12X	<pre>uint8*near MyNearPointer;</pre>
IAR, HCS12 C/C++	<pre>uint8*data16 MyNearPointer;</pre>
Tasking, ST10	_near uint8* MyNearPointer;
Tasking, TC1796	uint8* MyNearPointer;
_	(No keywords required)
Greenhills, V850	uint8* MyNearPointer
	(No keywords required)
ADS, ST30	uint8* MyNearPointer
	(No keywords required)
DIABDATA, MPC5554	uint8* MyNearPointer
	(No keywords required)



Compiler analysis for far pointers pointing to variable data in RAM:

Compiler	Required syntax
Cosmic, S12X	@far uint8* MyFarPointer;
Metrowerks, S12X	uint8*far MyFarPointer;
IAR, HCS12 C/C++	(Information not available yet)
Tasking, ST10	_far uint8* MyFarPointer; /*14 bit arithmetic*/
	<pre>_huge uint8* MyFarPointer; /*24 bit arithmetic*/</pre>
	/* My personal note: CRAZY */
Tasking, TC1796	<pre>uint8* MyFarPointer;</pre>
_	(No keywords required)
Greenhills, V850	uint8* MyFarPointer
	(No keywords required)
ADS, ST30	uint8* MyFarPointer
	(No keywords required)
DIABDATA, MPC5554	uint8* MyFarPointer
	(No keywords required)

Compiler analysis for near pointers pointing to constant data in RAM (use case pointer to data buffer where data has to be read from):

Compiler	Required syntax
Cosmic, S12X	@near uint8* MyNearPointer;
	(Results in access of direct memory area)
Metrowerks, S12X	<pre>const uint8*near MyNearPointer;</pre>
	(Results in access of direct memory area)
IAR, HCS12 C/C++	<pre>const uint8* MyNearPointer;</pre>
	(Results in access of direct memory area)
Tasking, ST10	<pre>const _near uint8* MyNearPointer;</pre>
Tasking, TC1796	<pre>const _near uint8* MyNearPointer;</pre>
Greenhills, V850	const uint8* MyNearPointer
	(No additional keywords required)
ADS, ST30	const uint8* MyNearPointer
	(No additional keywords required)
DIABDATA, MPC5554	const uint8* MyNearPointer
	(No additional keywords required)

Compiler analysis for far pointers pointing to constant data in RAM:

Compiler	Required syntax
Cosmic, S12X	<pre>@far uint8* MyFarPointer;</pre>
Metrowerks, S12X	<pre>const uint8*far MyFarPointer;</pre>
IAR, HCS12 C/C++	(Information not available yet)
Tasking, ST10	<pre>const _far uint8* MyFarPointer;</pre>
Tasking, TC1796	uint8* MyFarPointer;
	(No keywords required)
Greenhills, V850	const uint8* MyFarPointer
	(No additional keywords required)
ADS, ST30	const uint8* MyFarPointer
	(No additional keywords required)
DIABDATA, MPC5554	const uint8* MyFarPointer
	(No additional keywords required)



Compiler analysis for near pointers pointing to data in ROM (use case pointer to display data in ROM passed to SPI Driver):

Compiler	Required syntax
Cosmic, S12X	<pre>const uint8* MyNearPointer;</pre>
	(Without near keyword because this is by default near!)
Metrowerks, S12X	<pre>const uint8*near MyNearPointer;</pre>
IAR, HCS12 C/C++	const uint8* MyNearPointer;
	(Without near keyword because this is by default near!)
Tasking, ST10	<pre>const _near uint8* MyNearPointer;</pre>
Tasking, TC1796	<pre>const uint8* MyNearPointer;</pre>
	(No keywords required)
Greenhills, V850	const uint8* MyNearPointer
	(No additional keywords required)
ADS, ST30	const uint8* MyNearPointer
	(No additional keywords required)
DIABDATA, MPC5554	const uint8* MyNearPointer
	(No additional keywords required)

Compiler analysis for far pointers pointing to constant data in ROM:

Compiler	Required syntax
Cosmic, S12X	not possible
Metrowerks, S12X	const uint8*far MyFarPointer;
IAR, HCS12 C/C++	Access function and the banked constant data are located in the same
	bank:
	const uint8* MyFarPointer;
	but caller shall use theaddress_24_of macro
	Access function is located in non-banked memory: PPAGE register has to be handled manually
	Access function and the banked constant data are located in different
	banks:
	Not possible
Tasking, ST10	const _far uint8* MyFarPointer;
Tasking, TC1796	const uint8* MyFarPointer;
_	(No keywords required)
Greenhills, V850	const uint8* MyFarPointer
	(No additional keywords required)
ADS, ST30	const uint8* MyFarPointer
	(No additional keywords required)
DIABDATA, MPC5554	const uint8* MyFarPointer
	(No additional keywords required)

The HW architecture of the S12X supports different paging mechanisms with different limitations e.g. supported instruction set or pointer distance. Therefore the IAR, HCS12 C/C++ and the Cosmic, S12X compilers are limited in the usage of generic pointers applicable for the whole memory area because of the expected code overhead.



Conclusion: These vendors should adapt their compilers, because a generic SW architecture as described by AUTOSAR cannot be adjusted in every case to the platform specific optimal solution.

Compiler analysis for pointers, where the symbol of the pointer itself is placed in near-memory:

Compiler	Required syntax
Cosmic, S12X	uint8* @near MyPointerInNear;
Metrowerks, S12X	near uint8* MyPointerInNear;
Tasking, ST10	uint8* _near MyPointerInNear;
Tasking, TC1796	uint8* MyPointerInNear;
	(No keywords required)
Greenhills, V850	uint8* MyPointerInNear
	(No keywords required)
ADS, ST30	uint8* MyPointerInNear
	(No keywords required)
DIABDATA, MPC5554	uint8* MyPointerInNear
	(No keywords required)

Compiler analysis for pointers, where the symbol of the pointer itself is placed in farmemory:

Compiler	Required syntax
Cosmic, S12X	uint8* @far MyPointerInFar;
Metrowerks, S12X	far uint8* MyPointerInFar;
Tasking, ST10	uint8* _far MyPointerInFar;
Tasking, TC1796	uint8* MyPointerInFar;
	(No keywords required)
Greenhills, V850	uint8* MyPointerInFar
	(No keywords required)
ADS, ST30	uint8* MyPointerInFar
	(No keywords required)
DIABDATA, MPC5554	uint8* MyPointerInFar
	(No keywords required)

The examples above lead to the conclusion, that for definition of a pointer it is not sufficient to specify only one memory class. Instead, a combination of two memory classes, one for the pointer's 'distance' and one for the pointer's symbol itself, is possible, e.g.:

```
/* Tasking ST10, far-pointer in near memory
 * (both content and pointer in RAM)
 */
far uint8* near MyFarPointerInNear;
```

Compiler analysis for function pointers:

Compiler	Required syntax
Cosmic, S12X	<pre>@near void (* const Irq_InterruptVectorTable[]) (void) Call of a near function results in an interpage call or to a call into direct page:</pre>



Compiler	Required syntax
Metrowerks, S12X	<pre>void (*constnear Irq_InterruptVectorTable[]) (void)</pre>
	Call of a near function results in an interpage call or to a call into direct
	page:
	Near functions and far functions are not compatible because of other ret-
	statements:
IAR, HCS12 C/C++	non_banked void (* const
	<pre>Irq_InterruptVectorTable[]) (void)</pre>
	Casting fromnon_banked tobanked is performed through zero
	extension:
	Casting frombanked tonon_banked is an illegal operation.
Tasking, ST10	_far void (*NvM_AsyncCbkPtrType)
	(NvM_ModuleIdType ModuleId,
	NvM_ServiceIdType ServiceId)
	Call of a near function results in a local segment code access (relevant in
	large model):
Tasking, TC1796	<pre>void (*NvM_AsyncCbkPtrType)</pre>
	(NvM_ModuleIdType ModuleId,
	NvM_ServiceIdType ServiceId)
	(No additional keywords required)
Greenhills, V850	<pre>void (*NvM_AsyncCbkPtrType)</pre>
	(NvM_ModuleIdType ModuleId,
	NvM_ServiceIdType ServiceId)
	(No additional keywords required)
ADS, ST30	<pre>void (*NvM_AsyncCbkPtrType)</pre>
	(NvM_ModuleIdType ModuleId,
	NvM_ServiceIdType ServiceId)
	(No additional keywords required)
DIABDATA, MPC5554	<pre>void (*NvM_AsyncCbkPtrType)</pre>
	(NvM_ModuleIdType ModuleId,
	NvM_ServiceIdType ServiceId)
	(No additional keywords required)



8 Functional specification

8.1 General issues

[SWS_COMPILER_00003] For each compiler and platform an own compiler abstraction has to be provided. (SRS_BSW_00348, SRS_BSW_00361)

8.2 Contents of Compiler.h

[SWS_COMPILER_00004] The file name of the compiler abstraction shall be 'Compiler.h'.] (SRS_BSW_00348, SRS_BSW_00361)

[SWS_COMPILER_00053] The file Compiler.h shall contain the definitions and macros specified in chapter 9. Those are fix for one specific compiler and platform. ()

[SWS_COMPILER_00005] If a compiler does not require or support the usage of special keywords; the corresponding macros specified by this specification shall be provided as empty definitions or definitions without effect. Example:

#define FUNC(type, memclass) type
/* not required for DIABDATA */]()

[SWS_COMPILER_00010]
The compiler abstraction shall define a symbol for the target compiler according to the following naming convention: _<COMPILERNAME>_C_<PLATFORMNAME>_

Note: These defines can be used to switch between different implementations for different compilers, e.g.

- inline assembler fragments in drivers
- special pragmas for memory alignment control
- localization of function calls
- adaptions to memory models _ (BWS00306, SRS_BSW_00006)

List of symbols: see <u>SWS_COMPILER_00012</u>

[SWS_COMPILER_00030] 「 "Compiler.h" shall provide information of the supported compiler vendor and the applicable compiler version. 」 ()



[SWS_COMPILER_00035] The macro parameters memclass and ptrclass shall not be filled with the compiler specific keywords but with one of the configured values in <u>SWS_COMPILER_00040</u>. J (BWS00306, SRS_BSW_00006)

The rationale is that the module's implementation shall not be affected when changing a variable's, a pointer's or a function's storage class.

[SWS_COMPILER_00036] □ C forbids the use of the far/near-keywords on function local variables (auto-variables). For this reason when using the macros below to allocate a pointer on stack, the memclass-parameter shall be set to AUTOMATIC. ↓ (BWS00306, SRS BSW 00006)

```
For instance:
#ifndef COMPILER_H
   #define COMPILER_H
   /* implementation of Compiler.h */
   ...
   #endif /* COMPILER_H */
```

There may be only comments outside of the ifndef - endif bracket. ()

[SWS_COMPILER_00050] It is allowed to extend the Compiler Abstraction header with vendor specific extensions. Vendor specific extended elements shall contain the AUTOSAR Vendor ID in the name. ()

8.3 Contents of Compiler_Cfg.h

[SWS_COMPILER_00055] Gamma The file Compiler_Cfg.h shall contain the module/component specific parameters (ptrclass and memclass) that are passed to the macros defined in Compiler.h. See <u>SWS_COMPILER_00040</u> for memory types and required syntax. ()

[SWS_COMPILER_00054] Module specific extended elements shall contain the module abbreviation of the BSW module in the name. Application software component specific extended elements shall contain the Software Component Type's name. ()



9 API specification

9.1 Definitions

9.1.1 Memory class AUTOMATIC

[SWS_COMPILER_00046]

Define:	AUTOMATIC
Range:	"empty"
Description:	The memory class AUTOMATIC shall be provided as empty definition, used for the declaration of local pointers.
Caveats:	SWS_COMPILER_00040

」()

9.1.2 Memory class TYPEDEF

[SWS_COMPILER_00059][

Define:	TYPEDEF	
Range:	"empty"	
Description:	The memory class TYPEDEF shall be provided as empty definition. This memory class shall be used within type definitions, where no memory qualifier can be specified. This can be necessary for defining pointer types, with e.g. P2VAR, where the macros require two parameters. First parameter can be specified in the type definition (distance to the memory location referenced by the pointer), but the second one (memory allocation of the pointer itself) cannot be defined at this time. Hence, memory class TYPEDEF shall be applied.	
Caveats:	SWS_COMPILER_00040	

」()

9.1.3 NULL_PTR

[SWS_COMPILER_00051]

Define:	NULL_PTR
Range:	void pointer ((void *)0)
Description:	The compiler abstraction shall provide the NULL_PTR define with a void pointer
-	to zero definition.
Caveats:	SWS COMPILER 00040

J()



9.1.4 INLINE

[SWS_COMPILER_00057]

Define:	INLINE	
Range:	inline/"empty"	
Description:	The compiler abstraction shall provide the INLINE define for abstraction of the keyword inline.	
Caveats:	SWS COMPILER 00040	

」()

9.1.5 LOCAL_INLINE

[SWS_COMPILER_00060]

Define:	LOCAL_INLINE
Range:	static inline/"empty"
Description:	The compiler abstraction shall provide the LOCAL_INLINE define for abstraction of the keyword inline in functions with "static" scope.
Caveats:	Different compilers may require a different sequence of the keywords "static" and "inline" if this is supported at all.

J()

9.2 Macros for functions

9.2.1 FUNC

[SWS_COMPILER_00001]

Macro name:	FUNC	
Syntax:	<pre>#define FUNC(ret</pre>	type, memclass)
Parameters	retype	return type of the function
(in):	memclass	classification of the function itself
Parameters (out):	None	
Return value:	None	
Description:	The compiler abstraction shall define the FUNC macro for the declaration and definition of functions that ensures correct syntax of function declarations as required by a specific compiler.	
Caveats:		
Configuration:		

」()



Example (Cosmic, S12X): #define @near #define FUNC(rettype, memclass) memclass rettype

Required usage for function declaration and definition: FUNC(void,) ExampleFunction (void);

[SWS_COMPILER_00058] In the parameter list of this macro no further Compiler Abstraction macros shall be nested. Instead, use a previously defined type as return type or use FUNC_P2CONST/FUNC_P2VAR.

」()

Example:

```
typedef P2VAR(uint8, AUTOMATIC, ) NearDataType;
FUNC(NearDataType, ) FarFuncReturnsNearPtr(void);
```

9.2.2 FUNC_P2CONST

[SWS_COMPILER_00061]

Macro name:	FUNC_P2CONST		
Syntax:	<pre>#define FUNC_P2CONST(rettype, ptrclass, memclass)</pre>		
Parameters	rettype	return type of the function	
(in):	ptrclass	defines the classification of the pointer's distance	
	memclass	classification of the function itself	
Parameters	none		
(out):			
Return value:	none		
Description:	The compiler abstraction shall define the FUNC_P2CONST macro for the declaration and definition of functions returning a pointer to a constant. This shall ensure the correct syntax of function declarations as required by a specific compiler.		
Caveats:			
Configuration:			

」()

Example (Cosmic, S12X):
#define <PREFIX>_PBCFG @far
#define @near
#define FUNC_P2CONST(rettype, ptrclass, memclass)\
const ptrclass rettype * memclass

Required usage for function declaration and definition: FUNC_P2CONST(uint16, <PREFIX>_PBCFG,) ExampleFunction (void);

[SWS_COMPILER_00062] In the parameter list of the FUNC_P2CONST, no further Compiler Abstraction macros shall be nested.



9.2.3 FUNC_P2VAR

[SWS_COMPILER_00063]

Macro name:	FUNC_P2VAR	
Syntax:	<pre>#define FUNC_P2VAR(rettype, ptrclass, memclass)</pre>	
Parameters	rettype	return type of the function
(in):	ptrclass	defines the classification of the pointer's distance
	memclass	classification of the function itself
Parameters	none	
(out):		
Return value:	none	
Description:	The compiler abstraction shall define the FUNC_P2VAR macro for the declaration and definition of functions returning a pointer to a variable. This shall ensure the correct syntax of function declarations as required by a specific compiler.	
Caveats:		
Configuration:		

」()

Example (Cosmic, S12X):

#define <PREFIX>_PBCFG @far
#define @near
#define FUNC_P2VAR(rettype, ptrclass, memclass)\
ptrclass rettype * memclass

Required usage for function declaration and definition: FUNC P2VAR(uint16, <PREFIX> PBCFG,) ExampleFunction (void);

[SWS_COMPILER_00064] In the parameter list of the macro FUNC_P2VAR, no further Compiler Abstraction macros shall be nested.

」()

9.3 Macros for pointers

9.3.1 P2VAR

[SWS_COMPILER_00006]

Macro name:	P2VAR	
Syntax:	<pre>#define P2VAR(ptrtype, memclass, ptrclass)</pre>	
Parameters	ptrtype type of the referenced variable	
(in):	memclass	classification of the pointer's variable itself
	ptrclass	defines the classification of the pointer's distance
Parameters	none	
(out):		
Return value:	none	
Description:	The compiler abstraction shall define the P2VAR macro for the declaration and	



	definition of pointers in RAM, pointing to variables.	
	The pointer itself is modifiable (e.g. ExamplePtr++). The pointer's target is modifiable (e.g. *ExamplePtr = 5).	
Caveats:		
Configuration:		

」()

Example (Metrowerks, S12X):

Required usage for pointer declaration and definition:

#define SPI_APPL_DATA @far
#define SPI_VAR_FAST @near

P2VAR(uint8, SPI_VAR_FAST, SPI_APPL_DATA) Spi_FastPointerToApplData;

9.3.2 P2CONST

[SWS_COMPILER_00013]

Macro name:	P2CONST	
Syntax:	<pre>#define P2CONST(ptrtype, memclass, ptrclass)</pre>	
Parameters (in):	ptrtype type of the referenced constant	
	memclass	classification of the pointer's variable itself
	ptrclass	defines the classification of the pointer's distance
Parameters (out):	none	
Return value:	none	
Description:	The compiler abstraction shall define the P2CONST macro for the declaration and definition of pointers in RAM pointing to constants The pointer itself is modifiable (e.g. ExamplePtr++). The pointer's target is not modifiable (read only).	
Caveats:		
Configuration:		

]()



Required usage for pointer declaration and definition: #define EEP_APPL_CONST @far #define EEP_VAR @near

P2CONST(Eep ConfigType, EEP VAR, EEP APPL CONST) Eep ConfigurationPtr;

9.3.3 CONSTP2VAR

[SWS_COMPILER_00031]

Macro name:	CONSTP2VAR		
Syntax:	<pre>#define CONSTP2VAR (ptrtype, memclass, ptrclass)</pre>		
Parameters	ptrtype	type of the referenced variable	
(in):	memclass	classification of the pointer's constant itself	
	ptrclass	defines the classification of the pointer's distance	
Parameters	None		
(out):			
Return value:	None		
Description:	The compiler abstraction shall define the CONSTP2VAR macro for the declaration and definition of constant pointers accessing variables.		
	The pointer itself is not modifiable (fix address).		
	The pointer's target is modifiable (e.g. *ExamplePtr = 18).		
Caveats:			
Configuration:			

」()

```
Example (Tasking, ST10):
```

Required usage for pointer declaration and definition:

```
/* constant pointer to application data */
CONSTP2VAR (uint8, NVM_VAR, NVM_APPL_DATA)
NvM PointerToRamMirror = Appl RamMirror;
```

9.3.4 CONSTP2CONST

[SWS_COMPILER_00032]

Macro name:	CONSTP2CONST	
Syntax:	<pre>#define CONSTP2CONST(ptrtype, memclass, ptrclass)</pre>	
Parameters	ptrtype type of the referenced constant	
(in):	memclass	classification of the pointer's constant itself
	ptrclass	defines the classification of the pointer's distance
Parameters (out):	none	
Return value:	none	
Description:	The compiler abstraction shall define the CONSTP2CONST macro for the	



declaration and definition of constant pointers accessing constants.	
	The pointer itself is not modifiable (fix address). The pointer's target is not modifiable (read only).
Caveats:	
Configuration:	

]()

Example (Tasking, ST10):

Required usage for pointer declaration and definition:

#define CAN_PBCFG_CONST @gpage
#define CAN_CONST @near

```
/* constant pointer to the constant postbuild configuration
data */
CONSTP2CONST (Can_PBCfgType, CAN_CONST, CAN_PBCFG_CONST)
Can PostbuildCfgData = CanPBCfgDataSet;
```

9.3.5 P2FUNC

_	_	
Macro name:	P2FUNC	
Syntax:	#define P2FUNC(r	ettype, ptrclass, fctname)
Parameters	rettype	return type of the function
(in):	ptrclass	defines the classification of the pointer's distance
	fctname	function name respectively name of the defined type
Parameters	None	
(out):		
Return value:	None	
Description:	The compiler abstraction shall define the P2FUNC macro for the type definition of pointers to functions.	
Caveats:		
Configuration:		

[SWS_COMPILER_00039]

」()



Required usage for pointer type declaration: #define EEP_APPL_CONST @far

#define EEP_VAR @near

typedef P2FUNC (void, NVM_APPL_CODE, NvM_CbkFncPtrType)
(void);

9.3.6 CONSTP2FUNC

ISWS	COMPILER	000651
[0110]		

Macro name:	CONSTP2FUNC		
Syntax:	<pre>#define CONSTP2FUNC</pre>	<pre>#define CONSTP2FUNC(rettype, ptrclass, fctname)</pre>	
Parameters	rettype ret	urn type of the function	
(in):	ptrclass de	fines the classification of the pointer's distance	
	fctname fu	nction name respectively name of the defined type	
Parameters (out):	None		
Return value:	None		
Description:	The compiler abstraction shall define the CONSTP2FUNC macro for the type definition of constant pointers to functions.		
Caveats:			
Configuration:			

」()

```
Example (PowerPC):
```

9.4 Keywords for constants

9.4.1 CONST

[SWS_COMPILER_00023]



Macro name:	CONST	
Syntax:	<pre>#define CONST(cons</pre>	ttype, memclass)
Parameters	consttype	type of the constant
(in):	memclass	classification of the constant itself
Parameters	none ·	
(out):		
Return value:	none	-
Description:	The compiler abstraction definition of constants.	n shall define the CONST macro for the declaration and
Caveats:		
Configuration:		

」()

Example (Cosmic, S12X):
#define CONST(type, memclass) memclass const type

Required usage for declaration and definition: #define NVM CONST @gpage

CONST(uint8, NVM_CONST) NvM_ConfigurationData;

9.5 Keywords for variables

9.5.1 VAR

[SWS_COMPILER_00026]

Macro name:	VAR	
Syntax:	<pre>#define VAR(varty</pre>	vpe, memclass)
Parameters	vartype	type of the variable
(in):	memclass	classification of the variable itself
Parameters (out):	None	
Return value:	None	
Description:	The compiler abstracti definition of variables.	on shall define the VAR macro for the declaration and
Caveats:		
Configuration:		

」()

Example (Tasking, ST10):

#define VAR(type, memclass) memclass type

Required usage for declaration and definition: #define NVM_FAST_VAR _near



VAR(uint8, NVM FAST VAR) NvM VeryFrequentlyUsedState;



10 Sequence diagrams

Not applicable.



11 Configuration specification

In general, this chapter defines configuration parameters and their clustering into containers. In order to support the specification, Chapter 11.1 describes fundamentals. We intend to leave Chapter 11.1 in the specification to guarantee comprehension.

Chapter 11.2 specifies the structure (containers) and the parameters of this module.

Chapter 11.3 specifies published information of this module.

The Compiler Abstraction has no separate configuration interface by means of specifying a separate parameter definition. Instead, configuration of the Memory Mapping has been extended (see [13]) by the parameters described in this chapter.

11.1 How to read this chapter

In addition to this section, it is highly recommended to read the documents: Layered Software Architecture [3] Specification Of ECU Configuration [4]

The following is only a short summary of the topic and it will not replace the ECU Configuration Specification document.

11.2 Containers and configuration parameters

Configuration parameters define the variability the generic part(s) an implementation of a module. This means that only generic or configurable module implementation can be adapted to the environment (software/hardware) in use during system and/or ECU configuration.

The configuration of parameters can be achieved at different times during the software process: before compile time, before link time or after build time. In the following, the term "configuration class" (of a parameter) shall be used in order to refer to a specific configuration point in time.

11.2.1 Variants

Variant PC (**P**re **C**ompile): This is the only variant because all configuration parameters are pre-compile time parameters, which influence the compilation process.

Each of the different memory classes (memclass) and pointer classes (ptrclass) is represented by a define.



11.2.2 Module-Specific Memory Classes

[13] defines module-specific memory classes in the container 'MemMapAddressingModeSet'. This container has been extended by the parameter 'MemMapCompilerAddressingMode'.

[SWS_COMPILER_00066] The parameter 'MemMapCompilerAddressingMode'

shall contain the implementation behind a module-specific memory class symbol. ()

11.2.3 Global Memory Classes

Furthermore, there are global memory classes that are valid for all modules. These can be configured in the container 'MemMapGenericCompilerClass'.

[SWS_COMPILER_00067] [Global memory classes (e.g. REGSPACE) shall be

configured in the container 'MemMapGenericCompilerClass'. ()

[SWS_COMPILER_00068] The parameter

'MemMapGenericCompilerAddressingMode' shall contain the implementation behind a global memory class symbol. ()

[SWS_COMPILER_00042] [The file Compiler.h is specific for each build scenario.

Therefore there is no standardized configuration interface specified. ()

11.3 Published Information

N/A



12 Annex

12.1 List of Compiler symbols

Platform	Compiler	Compiler symbol
S12X	Code Warrior	_CODEWARRIOR_C_S12X_
S12X	Cosmic	_COSMIC_C_S12X_
TC1796/	Tasking	_TASKING_C_TRICORE_
TC1766		
ST10	Tasking	_TASKING_C_ST10_
ST30	ARM Developer Suite	_ADS_C_ST30_
V850	Greenhills	_GREENHILLS_C_V850_
MPC5554	Diab Data	_DIABDATA_C_ESYS_
TMS470	Texas Instruments	_TEXAS_INSTRUMENTS_C_TMS470_
ARM	Texas Instruments	_TEXAS_INSTRUMENTS_C_ARM_

12.2 Requirements on implementations using compiler abstraction

[SWS_COMPILER_00040] F Each AUTOSAR software module and application software component shall support the distinction of at least the following different memory classes and pointer classes.

It is allowed to add module specific memory classes and pointer classes as they are mapped and thus are configurable within the Compiler_Cfg.h file.

<PREFIX> is

- composed according <snp>[_<vi>_<ai>] for basic software modules where
 - o <snp> is the Section Name Prefix which shall be the BswModuleDescription's shortName converted in upper case letters if no SectionNamePrefix is defined for the MemorySection in the Basic Software Module Description or Software Component Description.
 - <snp> shall be the symbol of the Section NamePrefix associated to the MemorySection if a SectionNamePrefix is defined for the MemorySection.
 - <vi> is the vendorId of the BSW module
 - o <ai> is the vendorApiInfix of the BSW module

The sub part in squared brackets [_<vi>_<ai>] is omitted if no vendorApiInfix is defined for the Basic Software Module which indicates that it does not use multiple instantiation.



• the shortName of the software component type for software components (case sensitive)

<INIT_POLICY> is the initialization policy of variables. Possible values are:

- NO_INIT: Used for variables that are never cleared and never initialized.
- CLEARED: Used for variables that are cleared to zero after every reset.
- POWER_ON_CLEARED: Used for variables that are cleared to zero only after power on reset.
- INIT: Used for variables that are initialized with values after every reset.
- POWER_ON_INIT: Used for variables that are initialized with values only after power on reset.

Memory type	Syntax of memory class (memclass) and pointer class (ptrclass) macro parameter	Comments	Located in
		To be used for code. PERIOD is the typical period time value and unit of the ExecutableEntitys in this MemorySection. The name part [_ <period>] is optional. units are: US microseconds MS milli second</period>	
Code	<prefix>_CODE[_<period>]</period></prefix>	S second For example: 100US, 400US, 1MS, 5MS, 10MS, 20MS, 100MS, 1S Please note that deviations from this typical period time are possible due to integration decisions (e.g. RTEEvent To Task Mapping). Further, in special modes of the ECU the code may be scheduled with a higher or lower period.	Compiler_ Cfg.h
Code	<prefix>_<cn>_CODE</cn></prefix>	To be used for callout code. <cn> is the callback name (including module reference) written in uppercase letters.</cn>	
Code	<prefix>_Code_fast</prefix>	To be used for code that shall go into fast code memory segments. The FAST sections should be used when the execution does not happen in a well- defined period time but with the knowledge of high frequent access and /or high execution time, for example, a callback for a frequent notification.	



Memory type	Syntax of memory class (memclass) and pointer class (ptrclass) macro parameter	Comments	Located in
		To be used for code that shall go into slow code memory segments.	
Code	<prefix>_CODE_SLOW</prefix>	The SLOW sections should be used when the execution does not happen in a well-defined period time but with the knowledge of low frequent access, for example, a callback in case of seldom error.	
Constants	<prefix>_Const</prefix>	To be used for global or static constants.	
Constants	<prefix>_CALIB</prefix>	To be used for calibration constants.	
Constants	<prefix>_CONFIG_DATA</prefix>	To be used for module configuration constants.	
Constants	<prefix>_CONST_SAVED_RECOV ERY_ZONE<x></x></prefix>	To be used for ROM buffers of variables saved in non-volatile memory.	
Pointer	<prefix>_appl_data</prefix>	To be used for references on application data (expected to be in RAM or ROM) passed via API	
Pointer	<prefix>_appl_const</prefix>	To be used for references on application constants (expected to be certainly in ROM, for instance pointer of Init-function) passed via API	
Pointer	REGSPACE	To be used for pointers to registers (e.g. static volatile CONSTP2VAR(uint16, PWM_CONST, REGSPACE)).	
Pointer	<prefix>_Appl_Code</prefix>	To be used for references on application functions. (e.g. call back function pointers). This section is DEPRECATED and shall not be used in fotore development. This memory class identifier has been replaced by <prefix>_<cn>_CODE.</cn></prefix>	
Variables	<prefix>_var_<init_policy></init_policy></prefix>	To be used for all global or static variables.	
Variables	<prefix>_var_fast_<init_po LICY></init_po </prefix>	 To be used for all global or static variables that have at least one of the following properties: accessed bitwise frequently used high number of accesses in source code Some platforms allow the use of bit instructions for variables located in this specific RAM area as well as shorter addressing instructions. This saves code and runtime. 	
Variables	<prefix>_VAR_SLOW_<init_po LICY></init_po </prefix>	To be used for all infrequently accessed global or static variables.	
Variables	<prefix>_internal_var_<ini T_POLICY></ini </prefix>	To be used for global or static variables which are accessible from a calibration tool.	
Variables	<prefix>_var_saved_zone<x></x></prefix>	To be used for RAM buffers of variables saved oin non-volatile memory.	



Memory type	Syntax of memory class (memclass) and pointer class (ptrclass) macro parameter	Comments	Located in
		To be used for references on application functions. (e.g. callout function pointers)	
Variables	<prefix>_Callout_Code</prefix>	This section is DEPRECATED and shall not be used in fotore development. This memory class identifier has been replaced by <prefix>_<cn>_CODE.</cn></prefix>	
		To be used for all global or static variables that are never initialized.	
Variables	<prefix>_var_noinit</prefix>	This section is DEPRECATED and shall not be used in fotore development. This memory class identifier has been replaced by <prefix>_VAR_<init_policy>.</init_policy></prefix>	
		To be used for all global or static variables that are initialized only after power on reset	
Variables	<prefix>_var_power_on_init</prefix>	This section is DEPRECATED and shall not be used in fotore development. This memory class identifier has been replaced by <prefix>_VAR_<init_policy>.</init_policy></prefix>	
Variables	<prefix> var fast</prefix>	 To be used for all global or static variables that have at least one of the following properties: accessed bitwise frequently used high number of accesses in source code 	
		This section is DEPRECATED and shall not be used in fotore development. This memory class identifier has been replaced by <prefix>_VAR_FAST_<init_policy></init_policy></prefix>	
		To be used for global or static variables that are initialized after every reset.	
Variables	<prefix>_var</prefix>	This section is DEPRECATED and shall not be used in fotore development. This memory class identifier has been replaced by <prefix>_VAR_<init_policy>.</init_policy></prefix>	
Variables	AUTOMATIC	To be used for local non static variables	Compiler.h
Type Definitions	TYPEDEF	To be used in type definitions, where no memory qualifier can be specified.	Compiler.h

For the memory classes that have the form <PREFIX>_<NAME>, one can specify the part <NAME> in the the MemorySections of a Basic Software Module Description or Software Component Description as follows. This is especially required for generated code:



- <NAME> is the shortName (case sensitive) of the SwAddrMethod referred from the MemorySection if if the MemorySection has no memClassSymbol attribute defined.
- Only for Basic Software: <NAME> is the memClassSymbol (case sensitive) of the MemorySection if this attribute is defined.

」()

[SWS_COMPILER_00041] Find Each AUTOSAR software module and application software component shall wrap declaration and definition of code, variables, constants and pointer types using the following keyword macros: __ ()

```
For instance:
native C-API:
Std ReturnType Spi SetupBuffers
(
    Spi_ChannelType Channel,
const Spi_DataType *SrcDataBufferPtr,
    Spi DataType *DesDataBufferPtr,
    Spi NumberOfDataType Length
);
is encapsulated:
FUNC (Std ReturnType, SPI CODE) Spi SetupBuffers
(
    Spi ChannelType
                           Channel,
    P2CONST (Spi DataType, AUTOMATIC, SPI APPL DATA) SrcDataBufferPtr,
    P2VAR(Spi DataType, AUTOMATIC, SPI APPL DATA,) DesDataBufferPtr,
    Spi NumberOfDataType Length
);
```



12.3 Proposed process

To allow development and integration within a multi supplier environment a certain delivery process is indispensable. The following description can be seen as proposal:




Figure 2: Proposal of integration-process



12.4 Comprehensive example

This example shows for a single API function where which macro is defined, used and configured. Module: Eep API function: Eep_Read Platform: S12X Compiler: Cosmic

File Eep.c:

File Compiler.h:

#include "Compiler_Cfg.h"

#define AUTOMATIC
#define FUNC(rettype, memclass) rettype memclass
#define F2VAR(ptrtype, memclass, ptrclass) ptrclass ptrtype * memclass

File Compiler_Cfg.h:

#define EEP_CODE
#define EEP APPL DATA @far /* RAM blocks of NvM are in banked RAM */

What are the dependencies?

EEP_APPL_DATA is defined as 'far'. This means that the pointers to the RAM blocks managed by the NVRAM Manager have to be defined as 'far' also. The application can locate RAM mirrors in banked RAM but also in non-banked RAM. The mapping of the RAM blocks to banked RAM is done in <Mip>_MemMap.h (see [12] for more information on <Mip>).

Because the pointers are also passed via Memory Interface and EEPROM Abstraction, their pointer and memory classes must also fit to EEP APPL DATA.

What would be different on a 32-bit platform?

Despite the fact that only the S12X has an internal EEPROM, the only thing that would change in terms of compiler abstraction are the definitions in Compiler_Cfg.h. They would change to empty defines:

#define EEP_CODE
#define EEP_APPL DATA



13 Not applicable requirements

[SWS COMPILER 00999] [These requirements are not applicable to this specification. | (SRS BSW 00300, SRS BSW 00301, SRS BSW 00302, SRS BSW 00304, SRS BSW 00305, SRS BSW 00307, SRS BSW 00308, SRS_BSW_00309, SRS_BSW_00310, SRS_BSW_00312, SRS_BSW_00314, SRS BSW 00323, BSW00324, SRS BSW 00325, SRS BSW 00326. SRS BSW 00327. SRS BSW 00329. SRS BSW 00330. SRS BSW 00331. SRS BSW 00333, SRS BSW 00334, SRS BSW 00335, SRS BSW 00336, SRS BSW 00338, SRS BSW 00339, SRS BSW 00341, SRS BSW 00342, SRS BSW 00343, SRS BSW 00344, SRS BSW 00346, SRS BSW 00350, SRS BSW 00353, SRS BSW 00355, SRS BSW 00357, SRS BSW 00358, SRS BSW 00359, SRS BSW 00360, SRS BSW 00369, SRS BSW 00370, SRS BSW 00371, SRS BSW 00373, SRS BSW 00375, SRS BSW 00376, SRS BSW 00377, SRS BSW 00378, SRS BSW 00380, SRS BSW 00385, SRS BSW 00386, SRS BSW 00387, SRS BSW 00390, SRS BSW 00391, SRS_BSW_00392, SRS_BSW_00393, SRS_BSW_00394, SRS_BSW_00395, SRS BSW 00398, SRS BSW 00399, SRS BSW 00004, SRS BSW 00400. SRS BSW 00401, SRS BSW 00404, SRS BSW 00405, SRS BSW 00406, SRS BSW 00407. SRS BSW 00408. SRS BSW 00409. SRS BSW 00410. SRS BSW 00411, SRS BSW 00413, SRS BSW 00414, SRS BSW 00415,

SRS_BSW_00411, SRS_BSW_00413, SRS_BSW_00414, SRS_BSW_00413, SRS_BSW_00416, SRS_BSW_00417, SRS_BSW_00419, BSW00420, SRS_BSW_00422, SRS_BSW_00423, SRS_BSW_00424, SRS_BSW_00425, SRS_BSW_00426, SRS_BSW_00427, SRS_BSW_00428, SRS_BSW_00429, BSW00431, SRS_BSW_00432, SRS_BSW_00433, BSW00434, SRS_BSW_00429, SRS_BSW_00007, SRS_BSW_00432, SRS_BSW_00433, BSW00434, SRS_BSW_00005, SRS_BSW_000161, SRS_BSW_00009, SRS_BSW_00010, SRS_BSW_00158, SRS_BSW_00161, SRS_BSW_00162, SRS_BSW_00164, SRS_BSW_00167, SRS_BSW_00168, SRS_BSW_00170, SRS_BSW_00171, SRS_BSW_00172)

13.1 Deleted SWS Items:

SWS Item	Rationale
COMPILER_00044	Removed due to rework of configuration interface
COMPILER_00052	Deleted during the rewronk, accrding to the new SWS_BSWGeneral
COMPILER_00001	Deleted during the rewronk, accrding to the new SWS_BSWGeneral