

Document Title		Specification of Crypto Abstraction Library
Document Owner		AUTOSAR
Document Responsibility		AUTOSAR
Document Identification No		438
Document Status		Final
Part of AUTOSAR Release		4.3.1

Document Change History			
Date	Release	Changed by	Description
2017-12-08	4.3.1	AUTOSAR Release Management	<ul style="list-style-type: none">Editorial changes
2016-11-30	4.3.0	AUTOSAR Release Management	<ul style="list-style-type: none">Marked the document as obsolete
2015-07-31	4.2.2	AUTOSAR Release Management	<ul style="list-style-type: none">Editorial changes
2017-10-31	4.2.1	AUTOSAR Release Management	<ul style="list-style-type: none">Editorial changes
2017-03-31	4.1.3	AUTOSAR Release Management	<ul style="list-style-type: none">Missed configuration parameters addedParameter description of Cpl_<Primitive>_xxx APIs corrected
2013-10-31	4.1.2	AUTOSAR Release Management	<ul style="list-style-type: none">Error fixing and consistency improvementsEditorial changes
2013-03-15	4.1.1	AUTOSAR Administration	<ul style="list-style-type: none">Services for compression/decompression addedFormal adaptations
2011-12-22	4.0.3	AUTOSAR Administration	<ul style="list-style-type: none">CAL0707 and CAL0708_Conf have been removed and the key types structures (e.g. Cal_AsymPrivateKeyType) now explicitly can contain a key handle instead of key data

Document Change History			
Date	Release	Changed by	Description
2010-10-21	3.1.5	AUTOSAR Administration	<ul style="list-style-type: none">• Integration of key transport services• Key derivation output lenght specified through a parameter• Remove descriptions that reference TRNGs• Complete Configuration parameters
2009-12-04	3.1.4	AUTOSAR Administration	<ul style="list-style-type: none">• Initial release

Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

Table of Contents

1	Introduction and functional overview	7
2	Acronyms and abbreviations	8
3	Related documentation	9
3.1	Input documents	9
3.2	Related standards and norms	9
4	Constraints and assumptions	10
4.1	Limitations	10
4.2	Applicability to car domains	10
5	Dependencies to other modules.....	11
5.1	File structure.....	11
5.1.1	Code file structure.....	11
5.1.2	Header file structure.....	11
6	Requirements traceability.....	14
7	Functional specification.....	17
7.1	Basic architecture guidelines.....	17
7.2	General behavior	17
7.2.1	Configuration	17
7.2.2	Normal operation	18
7.3	Version check.....	21
7.4	Error detection	21
7.5	Error notification	22
7.6	Using Library API.....	22
7.7	Library implementation	23
8	API specification.....	25
8.1	Imported types.....	25
8.2	Type definitions	25
8.2.1	API types	25
8.3	API functions	29
8.3.1	General interfaces.....	30
8.3.2	Hash interface.....	30
8.3.3	MAC interface	33
8.3.4	Random interface.....	37
8.3.5	Symmetrical block interface	40
8.3.6	Symmetrical interface	45
8.3.7	Asymmetrical interface.....	51
8.3.8	Signature interface.....	56
8.3.9	Compression / Decompression interface	60
8.3.10	Checksum interface	65
8.3.11	Key derivation interface	67
8.3.12	Key exchange interface	69
8.3.13	Symmetrical key extract interface	73

8.3.14 Symmetrical key wrapping interface	75
8.3.15 Asymmetrical key extract interfaces.....	79
8.3.16 Asymmetrical key wrapping interface.....	83
8.4 Dependencies to cryptographic library API functions	88
8.4.1 Types for the Cryptographic Primitives	88
8.4.2 API functions of the cryptographic primitives	88
8.4.3 Configuration of the cryptographic primitives	91
9 Sequence diagrams	92
10 Configuration.....	93
10.1 How to read this chapter.....	93
10.1.1 Configuration and configuration parameters	93
10.1.2 Containers	93
10.2 Containers and configuration parameters.....	94
10.2.1 Cal	94
10.2.2 CalGeneral.....	95
10.2.3 CalHash	96
10.2.4 CalHashConfig.....	97
10.2.5 CalMacGenerate.....	98
10.2.6 CalMacGenerateConfig	99
10.2.7 CalMacVerify	100
10.2.8 CalMacVerifyConfig	101
10.2.9 CalRandomSeed	102
10.2.10 CalRandomSeedConfig.....	102
10.2.11 CalRandomGenerate	103
10.2.12 CalRandomGenerateConfig	104
10.2.13 CalSymBlockEncrypt.....	104
10.2.14 CalSymBlockEncryptConfig	105
10.2.15 CalSymBlockDecrypt.....	106
10.2.16 CalSymBlockDecryptConfig	107
10.2.17 CalSymEncrypt	108
10.2.18 CalSymEncryptConfig	109
10.2.19 CalSymDecrypt	110
10.2.20 CalSymDecryptConfig	111
10.2.21 CalAsymEncrypt.....	112
10.2.22 CalAsymEncryptConfig	113
10.2.23 CalAsymDecrypt	114
10.2.24 CalAsymDecryptConfig	115
10.2.25 CalSignatureGenerate.....	116
10.2.26 CalSignatureGenerateConfig	117
10.2.27 CalSignatureVerify	118
10.2.28 CalSignatureVerifyConfig	118
10.2.29 CalCompression.....	119
10.2.30 CalCompressionConfig	120
10.2.31 CalDecompression.....	121
10.2.32 CalDecompressionConfig.....	122
10.2.33 CalChecksum.....	123
10.2.34 CalChecksumConfig.....	123
10.2.35 CalKeyDerive	124
10.2.36 CalKeyDeriveConfig	125

10.2.37	CalKeyExchangeCalcPubVal	126
10.2.38	CalKeyExchangeCalcPubValConfig.....	127
10.2.39	CalKeyExchangeCalcSecret	128
10.2.40	CalKeyExchangeCalcSecretConfig	129
10.2.41	CalSymKeyExtract	130
10.2.42	CalSymKeyExtractConfig	131
10.2.43	CalAsymPublicKeyExtract.....	132
10.2.44	CalAsymPublicKeyExtractConfig	133
10.2.45	CalAsymPrivateKeyExtract	134
10.2.46	CalAsymPrivateKeyExtractConfig	135
10.2.47	CalSymKeyWrapAsym	136
10.2.48	CalSymKeyWrapAsymConfig.....	137
10.2.49	CalSymKeyWrapSym.....	138
10.2.50	CalSymKeyWrapSymConfig	139
10.2.51	CalAsymPrivateKeyWrapAsym	140
10.2.52	CalAsymPrivateKeyWrapAsymConfig	141
10.2.53	CalAsymPrivateKeyWrapSym.....	142
10.2.54	CalAsymPrivateKeyWrapSymConfig.....	144
10.3	Published Information.....	145
11	Not applicable requirements.....	146

1 Introduction and functional overview

This specification specifies the functionality, API and the configuration of the software library Crypto Abstraction Library (CAL) to satisfy the top-level requirements represented in the Crypto Requirements Specification (SRS) [CSM_SRS].

The CAL shall provide synchronous services to enable a unique access to basic cryptographic functionalities for all software modules and software components. The functionality required by a software module/component can be different to the functionality required by other software modules/components. For this reason there shall be the possibility to configure the services provided by the CAL individually for all software modules/components.

The construction of the CAL module follows a generic approach. Wherever a detailed specification of structures and interfaces would limit the scope of the usability of the CAL, interfaces and structures are defined in a generic way. This provides an opportunity for future extensions.

2 Acronyms and abbreviations

Acronyms and abbreviations which have a local scope and therefore are not contained in the AUTOSAR glossary [10], are listed in this chapter.

Abbreviation / Acronym:	Description:
CAL / Cal	Crypto Abstraction Library
CPL / Cpl	Cryptographic Primitive Library

3 Related documentation

3.1 Input documents

[1] List of Basic Software Modules
AUTOSAR_TR_BSWModuleList.pdf

[2] AUTOSAR Layered Software Architecture
AUTOSAR_EXP_LayeredSoftwareArchitecture.pdf

[3] General Requirements on Basic Software Modules
AUTOSAR_SRS_BSWGeneral.pdf

[4] Specification of ECU Configuration
AUTOSAR_TPS_ECUConfiguration.pdf

[5] Specification of C Implementation Rules
AUTOSAR_TR_CImplementationRules.pdf

[6] Requirement on Libraries
AUTOSAR_SRS_Libraries.pdf

[7] Specification of Standard Types
AUTOSAR_SWS_StandardTypes.pdf

[8] Requirements on Crypto Service Manager
AUTOSAR_SRS_CryptoServiceManager.pdf

[9] Specification of Crypto Service Manager
AUTOSAR_SWS_CryptoServiceManager.pdf

AUTOSAR Glossary
AUTOSAR_TR_Glossary.pdf.pdf

3.2 Related standards and norms

IEC 7498-1 The Basic Model, IEC Norm, 1994

4 Constraints and assumptions

4.1 Limitations

This specification is obsolete and will be removed from the standard in an upcoming release.

4.2 Applicability to car domains

n.a.

5 Dependencies to other modules

[SWS_Cal_00001] {OBSOLETE}

[The CAL shall be able to incorporate cryptographic library modules, which are implemented according to the cryptographic library requirement specification in chapter 8.4.] ()

[SWS_Cal_00506] {OBSOLETE}

[The CAL shall use the interfaces of the incorporated cryptographic library modules to calculate the result of a cryptographic service.

The incorporated cryptographic library modules provide the implementation of cryptographic routines, e.g. MD5, SHA-1, RSA, AES, Diffie-Hellman key-exchange, etc.] ()

5.1 File structure

5.1.1 Code file structure

[SWS_Cal_00002] {OBSOLETE}

[The code file structure shall not be defined within this specification completely.
The CAL module shall consist of the following parts:] ()

[SWS_Cal_00006] {OBSOLETE}

[The code file structure shall contain one or more source files Cal_<xxx>.c, that contain the entire parts of the CAL code.] (SRS_BSW_00007, SRS_BSW_00300)

[SWS_Cal_00534] {OBSOLETE}

[The code file structure shall contain one or more conform source files Cpl_<xxx>.c, that contain the entire code of the incorporated cryptographic library modules.] (SRS_BSW_00007, SRS_BSW_00300)

5.1.2 Header file structure

[SWS_Cal_00535] {OBSOLETE}

[The header file structure shall not be defined within this specification completely
The CAL module shall provide the following headers:] ()

[SWS_Cal_00005] {OBSOLETE}

[The header file structure shall contain an application interface header file Cal.h, that provides the function prototypes to access the CAL services.] (SRS_LIBS_00005)

[SWS_Cal_00003] {OBSOLETE}

[The header file structure shall contain a configuration header Cal_Cfg.h, that provides the configuration parameters for the CAL module.] ()

[SWS_Cal_00004] {OBSOLETE}

[The header file structure shall contain a type header Cal_Types.h, that provides the types, particularly configuration types, for the CAL module.] ()


[SWS_Cal_00536] {OBSOLETE}

[Each underlying cryptographic library module shall provide a header file Cpl_<xxx>.h.] ()

[SWS_Cal_00008] {OBSOLETE}

[The Figure in SWS_Cal_00537 (CAL File Structure) shows the include file structure, which shall be as follows:

- Cal.h shall include Cal_Types.h
- Cal_Types.h shall include Cal_Cfg.h
- Cal_Types.h shall include Std_Types.h.
- Cal_<xxx>.c shall include Cal.h and Cal_MemMap.h
- Cal_<xxx>.c shall include Cpl_<xxx>.h
- Cpl_<xxx>.c shall include Cpl_<xxx>.h] (SRS_BSW_00348)

[SWS_Cal_00537] {OBSOLETE} [

]
] (SRS_BSW_00301)

6 Requirements traceability

Requirement	Description	Satisfied by
SRS_BSW_00003	All software modules shall provide version and identification information	SWS_Cal_00780
SRS_BSW_00004	All Basic SW Modules shall perform a pre-processor check of the versions of all imported include files	SWS_Cal_00060
SRS_BSW_00007	All Basic SW Modules written in C language shall conform to the MISRA C 2012 Standard.	SWS_Cal_00006, SWS_Cal_00534
SRS_BSW_00101	The Basic Software Module shall be able to initialize variables and hardware in a separate initialization function	SWS_Cal_00781
SRS_BSW_00164	The Implementation of interrupt service routines shall be done by the Operating System, complex drivers or modules	SWS_Cal_00781
SRS_BSW_00300	All AUTOSAR Basic Software Modules shall be identified by an unambiguous name	SWS_Cal_00006, SWS_Cal_00534
SRS_BSW_00301	All AUTOSAR Basic Software Modules shall only import the necessary information	SWS_Cal_00537
SRS_BSW_00304	All AUTOSAR Basic Software Modules shall use the following data types instead of native C data types	SWS_Cal_00740
SRS_BSW_00305	Data types naming convention	SWS_Cal_00069, SWS_Cal_00073, SWS_Cal_00074, SWS_Cal_00075, SWS_Cal_00079, SWS_Cal_00080, SWS_Cal_00082, SWS_Cal_00086, SWS_Cal_00087, SWS_Cal_00742, SWS_Cal_00743
SRS_BSW_00306	AUTOSAR Basic Software Modules shall be compiler and platform independent	SWS_Cal_00741
SRS_BSW_00307	Global variables naming convention	SWS_Cal_00781
SRS_BSW_00308	AUTOSAR Basic Software Modules shall not define global data in their header files, but in the C file	SWS_Cal_00781
SRS_BSW_00309	All AUTOSAR Basic Software Modules shall indicate all global data with read-only purposes by explicitly assigning the const keyword	SWS_Cal_00781

SRS_BSW_00314	All internal driver modules shall separate the interrupt frame definition from the service routine	SWS_Cal_00781
SRS_BSW_00327	Error values naming convention	SWS_Cal_00069
SRS_BSW_00348	All AUTOSAR standard types and constants shall be placed and organized in a standard type header file	SWS_Cal_00008, SWS_Cal_00739
SRS_BSW_00358	The return type of init() functions implemented by AUTOSAR Basic Software Modules shall be void	SWS_Cal_00781
SRS_BSW_00378	AUTOSAR shall provide a boolean type	SWS_Cal_00740
SRS_BSW_00402	Each module shall provide version information	SWS_Cal_00780
SRS_BSW_00407	Each BSW module shall provide a function to read out the version information of a dedicated module implementation	SWS_Cal_00705
SRS_BSW_00411	All AUTOSAR Basic Software Modules shall apply a naming rule for enabling/disabling the existence of the API	SWS_Cal_00781
SRS_BSW_00467	The init / deinit services shall only be called by BswM or EcuM	SWS_Cal_00781
SRS_Csm_00001	-	SWS_Cal_00015
SRS_Csm_00004	-	SWS_Cal_00030
SRS_Csm_00006	-	SWS_Cal_00461
SRS_Csm_00030	-	SWS_Cal_00023
SRS_LIBS_00002	A library shall be operational before all BSW modules and application SW-Cs	SWS_Cal_00021
SRS_LIBS_00003	A library shall be operational until the shutdown	SWS_Cal_00027
SRS_LIBS_00004	Using libraries shall not pass through a port interface	SWS_Cal_00731
SRS_LIBS_00005	Each library shall provide one header file with its public interface	SWS_Cal_00005
SRS_LIBS_00007	Using a library should be documented	SWS_Cal_00733
SRS_LIBS_00009	All library functions shall be re-entrant	SWS_Cal_00016
SRS_LIBS_00013	The error cases, resulting in the check at runtime of the value of input parameters, shall be listed in SWS	SWS_Cal_00063, SWS_Cal_00067
SRS_LIBS_00015	It shall be possible to configure the microcontroller so that the library code is shared between all callers	SWS_Cal_00734

SRS_LIBS_00018	A library function may only call library functions	SWS_Cal_00736
----------------	--	---------------

7 Functional specification

7.1 Basic architecture guidelines

The AUTOSAR library CAL provides other BSW modules and application SWCs with cryptographic services.

The CAL offers C functions that can be called from source code, i.e. from BSW modules, from SWC or from Complex Drivers.

As the CAL is a library, it is not related to a special layer of the AUTOSAR Layered Software Architecture. The services of the CAL are always executed in the context of the calling function.

Many CRY/CPL¹ interfaces use the same cryptographic building blocks. Thus, cryptographic building blocks should be implemented as separate modules and be called from the CRY/CPL interfaces. This implies that the code for cryptographic building blocks should not be implemented more than once.

7.2 General behavior

[SWS_Cal_00016] {OBSOLETE}

[The CAL shall support reentrant access to all services.] (SRS_LIBS_00009)

[SWS_Cal_00022] {OBSOLETE}

[The CAL shall allow parallel access to different services.] ()

[SWS_Cal_00035] {OBSOLETE}

[The interface functions shall immediately compute the result, i.e they shall work synchronously.] ()

7.2.1 Configuration

[SWS_Cal_00025] {OBSOLETE}

[Each service configuration shall be realized as a constant structure of type Cal_<Service>ConfigType .] ()

[SWS_Cal_00026] {OBSOLETE}

[Each service configuration shall have a name which can be configured.] ()

[SWS_Cal_00028] {OBSOLETE}

[It shall be possible to create arbitrary many service configurations for each cryptographic service.] ()

[SWS_Cal_00029] {OBSOLETE}

[When creating a service configuration, it shall be possible to configure all available and allowed schemes and underlying cryptographic primitives.] ()

[SWS_Cal_00030] {OBSOLETE}

¹ CRY is defined by the Crypto Service Manager (see [8])

- [It shall be checked during configuration that only valid service configurations are chosen.] (SRS_Csm_00004)

7.2.2 Normal operation

7.2.2.1 Initialization and shutdown

[SWS_Cal_00021] {OBSOLETE}

- [The CAL shall not require initialization phase. A Library function may be called at the very first step of ECU initialization, e.g. even by the OS or EcuM, thus the library shall be ready.] (SRS_LIBS_00002)


[SWS_Cal_00027] {OBSOLETE}

- [The CAL shall not require a shutdown operation phase.] (SRS_LIBS_00003)

7.2.2.2 Streaming Approach

[SWS_Cal_00023] {OBSOLETE}

- [The implementation of those CAL services which expect arbitrary amounts of user data (i.e. the hashing or encryption service) shall be based on the streaming approach with start, update and finish functions. The diagram in SWS_Cal_00024 shows the general design of such a CAL service.] (SRS_Csm_00030)

[SWS_Cal_00024] {OBSOLETE}


] ()

[SWS_Cal_00728] {OBSOLETE}

[CAL services, which do not expect arbitrary amounts of user data, only have to provide an API Cal_<Service>() (e.g. Cal_RandomGenerate). These services shall be handled as simple function calls.] ()

[SWS_Cal_00729] {OBSOLETE}

[CAL services, which expect arbitrary amounts of user data, shall provide the APIs Cal_<Service>Start(), Cal_<Service>Update() and Cal_<Service>Finish(). The communication between applications and these CAL services shall follow a strict sequence of steps which is described below. This ensures a reliable communication between applications and the CAL module.] ()

All applications have to keep with the following rules:

7.2.2.2.1 Initialization

[SWS_Cal_00046] {OBSOLETE}

[The application calls the Cal_<Service>Start request, passing a valid service configuration to the start function. The start function shall check the validity of the configuration it receives.] ()

[SWS_Cal_00047] {OBSOLETE}

[Cal_<Service>Start shall configure the CAL immediately, set the status of the current service to active, store the status of the service and all necessary context in the context buffer, and return.] ()

7.2.2.2.2 Update

The application provides the data necessary for the computation of the intended service.

[SWS_Cal_00050] {OBSOLETE}

[The application calls the Cal_<Service>Update request, passing data which is necessary for the computation of the service to the update function. The update function shall check whether the current service is already initialized.] ()

[SWS_Cal_00051] {OBSOLETE}

[The CAL shall assume that the data provided to Cal_<Service>Update will not change until it returns.] ()

[SWS_Cal_00052] {OBSOLETE}

[If the service has been initialized before, the update function shall immediately process the given data, set the status of the current service again to active, store the status of the service and all necessary context in the context buffer, and return the status of the update.] ()

[SWS_Cal_00054] {OBSOLETE}

[The CAL shall allow the application to call the update function arbitrarily often.] ()

7.2.2.2.3 Finish

The application provides the result buffer necessary for the finishing of the computation of the intended service.

[SWS_Cal_00056] {OBSOLETE}

[The application calls the Cal_<Service>Finish request, passing the result buffer and optional data which is necessary for the finishing of the cryptographic service to the finish function. The finish function shall check whether the current service is already initialized.] ()

[SWS_Cal_00057] {OBSOLETE}

[The CAL shall assume that the data provided to Cal_<Service>Finish will not change until it returns.] ()

[SWS_Cal_00058]

[If the service has been initialized before, the finish function shall immediately process the given data, finish the computation of the current cryptographic service, set the status of the service in the context buffer to idle, store the result of the service in the result buffer, and return the status of the finishing.] ()

7.2.2.3 Context of services

As the CAL is a library, it is not allowed to store any internal states.

When calling a service of the CAL, the application has to provide a pointer to a buffer, in which the CAL can store all context and status information that is necessary to process the service. This context buffer has to be provided consistently to all calls of the Start-, Update- and Finish-APIs belonging to one service request cycle.

[SWS_Cal_00730] {OBSOLETE}

[The size of the context buffer, that has to be provided by the caller, depends on the selected service and on the selected CPL method.

The CAL part of the configuration tool shall generate a macro that contains the desired size of the context buffer for each service configuration.] ()

All context buffers shall be aligned according to the maximum alignment of all scalar types on the given platform.

7.3 Version check

[SWS_Cal_00060] {OBSOLETE}

[The CAL module shall perform Inter Module Checks to avoid integration of incompatible files.

The imported included files shall be checked by preprocessing directives.]
(SRS_BSW_00004)

The following version numbers shall be verified:

< MAB >_AR_RELEASE_MAJOR_VERSION

< MAB >_AR_RELEASE_MINOR_VERSION

where <MAB> is the module module abbreviation of the other (external) modules which provide header files included by the CAL module.

If the values are not identical to the expected values, an error shall be reported.

7.4 Error detection

[SWS_Cal_00063] {OBSOLETE}

[Functions of the CAL should check at runtime (both in production and development code) the value of input parameters, especially cases where erroneous value can bring to fatal error or unpredictable result, if they have the values allowed by the function specification. All the error cases shall be listed in SWS and the function should return a specified value (in SWS) that is not configurable. This value is dependant of the function and the error case so it is determined case by case.]
(SRS_LIBS_00013)

[SWS_Cal_00064] {OBSOLETE}

[The API parameters shall be checked in the order in which they are passed.] ()

[SWS_Cal_00488] {OBSOLETE}

[If an error is detected, the desired service shall return with CAL_E_NOT_OK.] ()

[SWS_Cal_00489] {OBSOLETE}

[The following table specifies which errors shall be evaluated for each API call:] ()

[SWS_Cal_00539] {OBSOLETE} [

API call	Error condition	API return value
All APIs that have a pointer as parameter	Pointer is Nullpointer	All APIs shall return CAL_E_NOT_OK or void resp.
Cal_<Service>Update	Service is not initialized	CAL_E_NOT_OK
Cal_<Service>Finish	Service is not initialized	CAL_E_NOT_OK
Cal_<Service>Start	Invalid cryptographic method for selected service	CAL_E_NOT_OK
Cal_<Service>	Invalid cryptographic method for selected service	CAL_E_NOT_OK
Cal_MacGenerateStart	Invalid key type for selected service	CAL_E_NOT_OK
Cal_MacVerifyStart		
Cal_SymBlockEncryptStart		
Cal_SymBlockDecryptStart		
Cal_SymEncryptStart		
Cal_SymDecryptStart		
Cal_AsymEncryptStart		
Cal_AsymDecryptStart		
Cal_KeyExchangeCalcPubVal		
Cal_KeyExchangeCalcSecretStart		
Cal_SymKeyWrapSymStart		
Cal_SymKeyWrapAsymStart		
Cal_AsymPrivateKeyWrapSymStart		
Cal_AsymPrivateKeyWrapAsymStart		
Cal_AsymPublicKeyExtractStart		
Cal_SignatureGenerateStart		
Cal_SignatureVerifyStart		

] ()

7.5 Error notification

[SWS_Cal_00067] {OBSOLETE}

[The functions of the CAL shall not call the DET in case of error.]
 (SRS_LIBS_00013)

7.6 Using Library API

[SWS_Cal_00731] {OBSOLETE}

[CAL API can be directly called from BSW modules or SWC. No port definition is required. It is a pure function call.] (SRS_LIBS_00004)

The statement `#include "Cal.h"` shall be placed by the developer or an application code generator but not by the RTE generator

[SWS_Cal_00733] {OBSOLETE}

[Using a library shall be documented. If a BSW module or a SWC uses a Library, the developer shall add an Implementation-DependencyOnLibrary in the BSW/SWC template.

minVersion and maxVersion parameters correspond to the supplier version. In case of AUTOSAR library, these parameters may be left empty because a SWC or BSW module may rely on a library behaviour, not on a supplier implementation. However, the SWC or BSW modules shall be compatible with the AUTOSAR platform where they are integrated.] (SRS_LIBS_00007)

7.7 Library implementation

[SWS_Cal_00015] {OBSOLETE}

[Due to memory restrictions the CAL Library and the underlying Crypto Library shall only provide those services and algorithms which are necessary for the applications running on the ECU. Therefore parts of the CAL Library have to be generated based on a configuration that describes which cryptographic methods are necessary for the applications.] (SRS_Csm_00001)

[SWS_Cal_00734] {OBSOLETE}

[The CAL shall be implemented in a way that the code can be shared among callers in different memory partitions.] (SRS_LIBS_00015)

[SWS_Cal_00736] {OBSOLETE}

[A library function shall not call any BSW modules functions. A library function can call other library functions. Because a library function shall be reentrant. But other BSW modules functions may not be reentrant.] (SRS_LIBS_00018)

[SWS_Cal_00738] {OBSOLETE}

[Each AUTOSAR library Module implementation <library>*.c shall include the header file MemMap.h.] ()

[SWS_Cal_00739] {OBSOLETE}

[Each AUTOSAR library Module implementation <library>*.c, that uses AUTOSAR integer data types and/or the standard return, shall include the header file Std_Types.h.] (SRS_BSW_00348)

[SWS_Cal_00740] {OBSOLETE}

[All AUTOSAR library Modules should use the AUTOSAR data types (integers, boolean) instead of native C data types, unless this library is clearly identified to be compliant only with a platform.] (SRS_BSW_00304, SRS_BSW_00378)

[SWS_Cal_00741] {OBSOLETE}

[All AUTOSAR library Modules should avoid direct use of compiler and platform specific keyword, unless this library is clearly identified to be compliant only with a platform.] (SRS_BSW_00306)

8 API specification

8.1 Imported types

[SWS_Cal_00068] {OBSOLETE}

[Only the standard AUTOSAR types provided by Std_Types.h shall be imported.]
 ()

8.2 Type definitions

8.2.1 API types

8.2.1.1 Cal_ReturnType

[SWS_Cal_00069] [

Name:	Cal_ReturnType (obsolete)		
Type:	Enumeration		
Range:	CAL_E_OK	0x00	The execution of the called function succeeded / the result of the called function is "ok". This return code shall be given as value "0".
	CAL_E_NOT_OK	0x01	The execution of the called function failed / the result of the called function is "not ok". This return code shall be given as value "1".
	CAL_E_SMALL_BUFFER	0x03	The service request failed because the provided buffer is too small to store the result of the service. This return code shall be given as value "3".
	CAL_E_ENTROPY_EXHAUSTION	0x04	The service request failed because the entropy of the random number generator is exhausted. This return code shall be given as value "4".
Description:	Enumeration of the return type of the CAL module		
Tags:	atp.Status=obsolete		

] (SRS_BSW_00305, SRS_BSW_00327)

8.2.1.2 Cal_ConfigIdType

[SWS_Cal_00073] [

Name:	Cal_ConfigIdType (obsolete)	
Type:	uint16	
Description:	Identification of a CAL service configuration via a numeric identifier that is unique within a service. The name of a CAL service configuration, i.e. the name of the container Cal_<Service>Config, shall serve as a symbolic name for this parameter.	
Range:	0..65535	
Tags:		

	atp.Status=obsolete
J (SRS_BSW_00305)	

8.2.1.3 Cal_<Service>ConfigType

[SWS_Cal_0074] [

Name:	Cal_<Service>ConfigType (obsolete)		
Type:	Structure		
Element:	Cal_ConfigIdType	ConfigId	The numeric identifier of a configuration.
	Cal_ReturnType	(*PrimitiveStartFct) (<primitive parameter list>)	This element shall only exist if the service contains the function Cal_<Service>Start. It is a pointer to the function Cpl_<Primitive>Start of the configured cryptographic primitive. For the "primitive parameter list" see the description of Cpl_<Primitive>Start.
	Cal_ReturnType	(*PrimitiveUpdateFct) (<primitive parameter list>)	This element shall only exist if the service contains the function Cal_<Service>Update. It is a pointer to the function Cpl_<Primitive>Update of the configured cryptographic primitive. For the "primitive parameter list" see the description of Cpl_<Primitive>Update.
	Cal_ReturnType	(*PrimitiveFinishFct) (<primitive parameter list>)	This element shall only exist if the service contains the function Cal_<Service>Finish. It is a pointer to the function Cpl_<Primitive>Finish of the configured cryptographic primitive. For the "primitive parameter list" see the description of Cpl_<Primitive>Finish.
	Cal_ReturnType	(*PrimitiveFct) (<primitive parameter list>)	This element shall only exist if the service contains the function Cal_<Service>. It is a pointer to the function Cpl_<Primitive> of the configured cryptographic primitive. For the "primitive parameter list" see the description of Cpl_<Primitive>.
	void	*PrimitiveConfigPtr	A pointer to the configuration of the underlying cryptographic primitive
Description:	Data structure which shall encompass all information needed to specify the cryptographic primitives needed for the <Service> cryptographic service. It shall furthermore contain information on the callback function.		
Tags:	atp.Status=obsolete		

J (SRS_BSW_00305)

8.2.1.4 Cal_AlignType

[SWS_Cal_00743] [

Name:	Cal_AlignType (obsolete)
Kind:	Array
Type:	<maxAlignScalarType>
Size:	CAL <SERVICE> CONTEXT BUFFER SIZE
Description:	<p>A scalar type which has maximum alignment restrictions on the given platform. This value is configured by "CalMaxAlignScalarType".</p> <p><maxAlignScalarType> can be e.g. uint8, uint16 or uint32.</p> <p>All context buffers shall be aligned according to the maximum alignment of all scalar types on the given platform.</p> <p>Tags: atp.Status=obsolete</p>

] (SRS_BSW_00305)

8.2.1.5 Cal_<Service>CtxBufType

[SWS_Cal_00742] [

Name:	Cal_<Service>CtxBufType (obsolete)
Type:	Cal_AlignType
Description:	<p>Type definition of the context buffer of a service.</p> <p>CAL_<SERVICE>_CONTEXT_BUFFER_SIZE shall be chosen such that "CAL_<SERVICE>_CONTEXT_BUFFER_SIZE * sizeof(Cal_AlignType)" is greater or equal "Cal<Service>MaxCtxBufferByteSize".</p> <p>Tags: atp.Status=obsolete</p>

] (SRS_BSW_00305)

8.2.1.6 Cal_VerifyResultType

[SWS_Cal_00075] [

Name:	Cal_VerifyResultType (obsolete)						
Type:	Enumeration						
Range:	<table border="1"> <tr> <td>CAL_E_VER_OK</td> <td>0x00</td> <td>The result of the verification is "true", i.e. the two compared elements are identical. This return code shall be given as value "0"</td> </tr> <tr> <td>CAL_E_VER_NOT_OK</td> <td>0x01</td> <td>The result of the verification is "false", i.e. the two compared elements are not identical. This return code shall be given as value "1".</td> </tr> </table>	CAL_E_VER_OK	0x00	The result of the verification is "true", i.e. the two compared elements are identical. This return code shall be given as value "0"	CAL_E_VER_NOT_OK	0x01	The result of the verification is "false", i.e. the two compared elements are not identical. This return code shall be given as value "1".
CAL_E_VER_OK	0x00	The result of the verification is "true", i.e. the two compared elements are identical. This return code shall be given as value "0"					
CAL_E_VER_NOT_OK	0x01	The result of the verification is "false", i.e. the two compared elements are not identical. This return code shall be given as value "1".					
Description:	Enumeration of the result type of verification operations.						
Tags:	atp.Status=obsolete						

] (SRS_BSW_00305)

8.2.1.7 Cal_AsymPublicKeyType

[SWS_Cal_00079] [

Name:	Cal_AsymPublicKeyType (obsolete)						
Type:	Structure						
Element:	<table border="1"> <tr> <td>uint32</td> <td>length</td> <td>This element contains the length of the key stored in element 'data'</td> </tr> <tr> <td>Cal_AlignType [CAL_ASYM_PUB_KEY_MAX_SIZE]</td> <td>data</td> <td>This element contains the key data or a key handle.</td> </tr> </table>	uint32	length	This element contains the length of the key stored in element 'data'	Cal_AlignType [CAL_ASYM_PUB_KEY_MAX_SIZE]	data	This element contains the key data or a key handle.
uint32	length	This element contains the length of the key stored in element 'data'					
Cal_AlignType [CAL_ASYM_PUB_KEY_MAX_SIZE]	data	This element contains the key data or a key handle.					
Description:	Structure for the public asymmetrical key. CAL_ASYM_PUB_KEY_MAX_SIZE shall be chosen such that						

	<p>"CAL_ASYM_PUB_KEY_MAX_SIZE * sizeof(Cal_AlignType)" is greater or equal to the maximum of the configured values CalAsymEncryptMaxKeySize, CalSignatureVerifyMaxKeySize, CalAsymPublicKeyExtractMaxKeySize, CalSymKeyWrapAsymMaxPubKeySize and CalAsymPrivateKeyWrapAsymMaxPubKeySize.</p> <p>Tags: atp.Status=obsolete</p>
--	--

] (SRS_BSW_00305)

8.2.1.8 Cal_AsymPrivateKeyType

[SWS_Cal_00080] [

Name:	Cal_AsymPrivateKeyType (obsolete)		
Type:	Structure		
Element:	uint32	length	This element contains the length of the key stored in element 'data'
	Cal_AlignType [CAL_ASYM_PRIV_KEY_MAX_SIZE]	data	This element contains the key data or a key handle.
Description:	<p>Structure for the private asymmetrical key.</p> <p>CAL_ASYM_PRIV_KEY_MAX_SIZE shall be chosen such that "CAL_ASYM_PRIV_KEY_MAX_SIZE * sizeof(Cal_AlignType)" is greater or equal to the maximum of the configured values CalAsymDecryptMaxKeySize, CalSignatureGenerateMaxKeySize, CalAsymPrivateKeyExtractMaxKeySize, CalAsymPrivateKeyWrapSymMaxPrivKeySize and CalAsymPrivateKeyWrapAsymMaxPrivKeySize.</p> <p>Tags: atp.Status=obsolete</p>		

] (SRS_BSW_00305)

8.2.1.9 Cal_SymKeyType

[SWS_Cal_00082] [

Name:	Cal_SymKeyType (obsolete)		
Type:	Structure		
Element:	uint32	length	This element contains the length of the key stored in element 'data'
	Cal_AlignType [CAL_SYM_KEY_MAX_SIZE]	data	This element contains the key data or a key handle.
Description:	<p>Structure for the symmetrical key.</p> <p>CAL_SYM_KEY_MAX_SIZE shall be chosen such that "CAL_SYM_KEY_MAX_SIZE * sizeof(Cal_AlignType)" is greater or equal to the maximum of the configured values CalSymBlockEncryptMaxKeySize, CalSymBlockDecryptMaxKeySize, CalSymEncryptMaxKeySize, CalSymDecryptMaxKeySize, CalKeyDeriveMaxKeySize, CalSymKeyExtractMaxKeySize, CalMacGenerateMaxKeySize, CalMacVerifyMaxKeySize, CalSymKeyWrapSymMaxSymKeySize, CalSymKeyWrapAsymMaxSymKeySize and CalAsymPrivateKeyWrapSymMaxSymKeySize.</p> <p>Tags: atp.Status=obsolete</p>		

] (SRS_BSW_00305)

8.2.1.10 Cal_KeyExchangeBaseType

[SWS_Cal_00086] [

Name:	Cal_KeyExchangeBaseType (obsolete)		
Type:	Structure		
Element:	uint32	length	This element contains the length of the key stored in element 'data'
	Cal_AlignType [CAL_KEY_EX_BASE_MAX_SIZE]	data	This element contains the key data or a key handle.
Description:	Structure with base type information of the key exchange protocol. CAL_KEY_EX_BASE_MAX_SIZE shall be chosen such that "CAL_KEY_EX_BASE_MAX_SIZE * sizeof(Cal_AlignType)" is greater or equal to the maximum of the configured values CalKeyExchangeCalcPubValMaxBaseTypeSize and CalKeyExchangeCalcSecretMaxBaseTypeSize		
Tags:	atp.Status=obsolete		

] (SRS_BSW_00305)

8.2.1.11 Cal_KeyExchangePrivateType

[SWS_Cal_00087] [

Name:	Cal_KeyExchangePrivateType (obsolete)		
Type:	Structure		
Element:	uint32	length	This element contains the length of the key stored in element 'data'
	Cal_AlignType [CAL_KEY_EX_PRIV_MAX_SIZE]	data	This element contains the key data or a key handle.
Description:	Structure with the private Information of the key exchange protocol only known to the current user. CAL_KEY_EX_PRIV_MAX_SIZE shall be chosen such that "CAL_KEY_EX_PRIV_MAX_SIZE * sizeof(Cal_AlignType)" is greater or equal to the maximum of the configured values CalKeyExchangeCalcPubValMaxPrivateTypeSize and CalKeyExchangeCalcSecretMaxPrivateTypeSize		
Tags:	atp.Status=obsolete		

] (SRS_BSW_00305)

8.3 API functions

[SWS_Cal_00478] {OBSOLETE}

[As the CAL is a library, all functions have to be reentrant.] ()

8.3.1 General interfaces

8.3.1.1 Cal_GetVersionInfo

[SWS_Cal_00705] [

Service name:	Cal_GetVersionInfo (obsolete)	
Syntax:	<pre>void Cal_GetVersionInfo(Std_VersionInfoType* versioninfo)</pre>	
Service ID[hex]:	0x3B	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	None	
Parameters (inout):	None	
Parameters (out):	versioninfo	Pointer to where to store the version information of this module.
Return value:	void	none
Description:	Returns the version information of this module. Tags: atp.Status=obsolete	

] (SRS_BSW_00407)

[SWS_Cal_00706] {OBSOLETE}

[The function Cal_GetVersionInfo shall return the version information of this module. The version information includes:

- Module Id
- Vendor Id
- Vendor specific version numbers (SRS_BSW_00407).] ()

[SWS_Cal_00762] {OBSOLETE}

[If the provided 'versioninfo' is a NULL pointer, Cal_GetVersionInfo shall return immediately without any further action and especially not write at NULL.] ()

8.3.2 Hash interface

A cryptographic hash function is a deterministic procedure that takes an arbitrary block of data and returns a fixed-size bit string, the hash value, such that an accidental or intentional change to the data will change the hash value. Main properties of hash functions are that it is infeasible to find a message that has a given hash or to find two different messages with the same hash.

8.3.2.1 Cal_HashStart

[SWS_Cal_00089] [

Service name:	Cal_HashStart (obsolete)
Syntax:	<pre>Cal_ReturnType Cal_HashStart(Cal_ConfigIdType cfgId, Cal_HashCtxBufType contextBuffer)</pre>

Service ID[hex]:	0x03	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the hash value computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the hash service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_HashStart.

8.3.2.2 Cal_HashUpdate

[SWS_Cal_00094] [

Service name:	Cal_HashUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_HashUpdate(Cal_ConfigIdType cfgId, Cal_HashCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x04	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the hash value computation.
	dataPtr	Holds a pointer to the data to be hashed
	dataLength	Contains the number of bytes to be hashed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the hash service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The hash computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_HashUpdate.

8.3.2.3 Cal_HashFinish

[SWS_Cal_00101] [

Service name:	Cal_HashFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_HashFinish (Cal_ConfigIdType cfgId, Cal_HashCtxBufType contextBuffer, uint8* resultPtr, uint32* resultLengthPtr, boolean TruncationIsAllowed)</pre>	
Service ID[hex]:	0x05	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the hash value computation.
	TruncationIsAllowed	This parameter states whether a truncation of the result is allowed or not. TRUE: Truncation is allowed. FALSE: Truncation is not allowed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	resultLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by resultPtr. On returning from this function the actual length of the computed value shall be stored.
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the hash value computation. If the result does not fit into the given buffer, and truncation is allowed, the result shall be truncated.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result, and truncation was not allowed.
Description:	<p>This function shall be used to finish the hash service of the CAL module.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer.</p> <p>The hash computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00661] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small and truncation is allowed, the result of

the computation shall be truncated to the size of the provided buffer, and `CAL_E_OK` shall be returned. If the provided buffer is too small, and truncation is not allowed, `CAL_E_SMALL_BUFFER` shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function `Cal_HashFinish`.

8.3.3 MAC interface

A message authentication code (MAC) is a short piece of information used to authenticate a message. A MAC algorithm accepts as input a secret key and an arbitrary-length message to be authenticated, and outputs a MAC. The MAC value protects both a message's data integrity as well as its authenticity, by allowing verifiers (who also possess the secret key) to detect any changes to the message content.

8.3.3.1 Cal_MacGenerateStart

[[SWS_Cal_00108](#)] [

Service name:	Cal_MacGenerateStart (obsolete)	
Syntax:	<code>Cal_ReturnType Cal_MacGenerateStart(</code> <code> Cal_ConfigIdType cfgId,</code> <code> Cal_MacGenerateCtxBufType contextBuffer,</code> <code> const Cal_SymKeyType* keyPtr</code> <code>)</code>	
Service ID[hex]:	0x06	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the MAC computation.
	keyPtr	Holds a pointer to the key necessary for the MAC generation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	<code>CAL_E_OK</code> : Request successful <code>CAL_E_NOT_OK</code> : Request failed
Description:	<p>This function shall be used to initialize the MAC generate service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function <code>Cpl_<Primitive>Start</code> of the primitive which is identified by the "cfgId" and return the value returned by that function. If <code>Cpl_<Primitive>Start</code> returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function `Cal_MacGenerateStart`.

8.3.3.2 Cal_MacGenerateUpdate

[SWS_Cal_00114] [

Service name:	Cal_MacGenerateUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_MacGenerateUpdate (Cal_ConfigIdType cfgId, Cal_MacGenerateCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x07	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the MAC computation.
	dataPtr	Holds a pointer to the data for which a MAC shall be computed.
	dataLength	Contains the number of bytes for which the MAC shall be computed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the MAC generate service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The MAC computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_MacGenerateUpdate.

8.3.3.3 Cal_MacGenerateFinish

[SWS_Cal_00121] [

Service name:	Cal_MacGenerateFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_MacGenerateFinish (Cal_ConfigIdType cfgId, Cal_MacGenerateCtxBufType contextBuffer, uint8* resultPtr, uint32* resultLengthPtr, boolean TruncationIsAllowed)</pre>	
Service ID[hex]:	0x08	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the MAC computation.
	TruncationIsAllowed	This parameter states whether a truncation of the result is allowed or not.

		TRUE: Truncation is allowed. FALSE: Truncation is not allowed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	resultLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by resultPtr. On returning from this function the actual length of the computed MAC shall be stored.
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the MAC generation. If the result does not fit into the given buffer, and truncation is allowed, the result shall be truncated.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result, and truncation was not allowed.
Description:	<p>This function shall be used to finish the MAC generation service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The MAC computation is done by the underlying primitive.</p>	
	Tags: atp.Status=obsolete	

] ()

[SWS_Cal_00662] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small and truncation is allowed, the result of the computation shall be truncated to the size of the provided buffer, and CAL_E_OK shall be returned. If the provided buffer is too small, and truncation is not allowed, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_MacGenerateFinish.

8.3.3.4 Cal_MacVerifyStart

[SWS_Cal_00128]

Service name:	Cal_MacVerifyStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_MacVerifyStart(Cal_ConfigIdType cfgId, Cal_MacVerifyCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr)</pre>	
Service ID[hex]:	0x09	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the MAC verification.
	keyPtr	Holds a pointer to the key necessary for the MAC verification.

Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the MAC verify service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_MacVerifyStart.

8.3.3.5 Cal_MacVerifyUpdate

[[SWS_Cal_00134](#)] [

Service name:	Cal_MacVerifyUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_MacVerifyUpdate(Cal_ConfigIdType cfgId, Cal_MacVerifyCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x0A	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the MAC verification.
	dataPtr	Holds a pointer to the data for which a MAC shall be verified.
	dataLength	Contains the number of bytes for which the MAC shall be verified.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the MAC verification service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The MAC computation is done by the underlying primitive. The MAC computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_MacVerifyUpdate.

8.3.3.6 Cal_MacVerifyFinish

[[SWS_Cal_00141](#)] [

Service name:	Cal_MacVerifyFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_MacVerifyFinish(Cal_ConfigIdType cfgId, Cal_MacVerifyCtxBufType contextBuffer, const uint8* MacPtr, uint32 MacLength, Cal_VerifyResultType* resultPtr)</pre>	
Service ID[hex]:	0x0B	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the MAC verification.
	MacPtr	Holds a pointer to the memory location which will hold the MAC to verify.
	MacLength	Holds the length of the MAC to be verified.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the MAC verification.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the MAC verification service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The MAC computation is done by the underlying primitive. The MAC computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_MacVerifyFinish.

8.3.4 Random interface

The random interface provides generation of random numbers. The randomness of pseudo random number generators can be increased by an appropriate selection of the seed.

8.3.4.1 Cal_RandomSeedStart

[[SWS_Cal_00149](#)] [

Service name:	Cal_RandomSeedStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_RandomSeedStart(Cal_ConfigIdType cfgId, Cal_RandomCtxBufType contextBuffer)</pre>	
Service ID[hex]:	0x0C	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the seeding of the random number generator.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the random seed service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_RandomSeedStart.

8.3.4.2 Cal_RandomSeedUpdate

[[SWS_Cal_00156](#)] [

Service name:	Cal_RandomSeedUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_RandomSeedUpdate(Cal_ConfigIdType cfgId, Cal_RandomCtxBufType contextBuffer, const uint8* seedPtr, uint32 seedLength)</pre>	
Service ID[hex]:	0x0D	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the seeding of the random number generator.
	seedPtr	Holds a pointer to the seed for the random number generator.
	seedLength	Contains the length of the seed in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed a seed to the random number generator.</p> <p>If the service state given by the context buffer is "idle", the function has to return</p>	

	<p>with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The seeding of the random number generator is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	---

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_RandomSeedUpdate.

8.3.4.3 Cal_RandomSeedFinish

[[SWS_Cal_00163](#)] [

Service name:	Cal_RandomSeedFinish (obsolete)	
Syntax:	<code>Cal_ReturnType Cal_RandomSeedFinish(</code> <code> Cal_ConfigIdType cfgId,</code> <code> Cal_RandomCtxBufType contextBuffer</code> <code>)</code>	
Service ID[hex]:	0x0E	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the seeding of the random number generator.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the random seed service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The seeding of the random number generator is done by the underlying primitive</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_RandomSeedFinish.

8.3.4.4 Cal_RandomGenerate

[[SWS_Cal_00543](#)] [

Service name:	Cal_RandomGenerate (obsolete)	
Syntax:	<code>Cal_ReturnType Cal_RandomGenerate(</code> <code> Cal_ConfigIdType cfgId,</code> <code> Cal_RandomCtxBufType contextBuffer,</code> <code> uint8* resultPtr,</code> <code> uint32 resultLength</code>	

	()	
Service ID[hex]:	0x0F	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during random number generation
	resultLength	Holds the amount of random bytes which should be generated.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored. If a seed is needed, this must be the same context buffer that has been used for the call of the RandomSeed interfaces.
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the random number generation. The memory location must have at least the size "resultLength".
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_ENTROPY_EXHAUSTION: Request failed, entropy of random number generator is exhausted.
Description:	<p>This function shall be used to start the random number generation service of the CAL module.</p> <p>The function shall call the function Cpl_<Primitive> of the primitive which is identified by the "cfgId" and return the value returned by that function.</p> <p>Tags: atp.Status=obsolete</p>	

)

The generation of a random number is based on the seed, which was previously set with the interfaces Cal_RandomSeedStart, Cal_RandomSeedUpdate, and Cal_RandomSeedFinish. These interfaces follow the streaming approach. Thus it is possible to feed the seed e.g. from different sources.

To generate a random number, no streaming approach is necessary. The interface Cal_RandomGenerate can be called arbitrarily often to generate multiple random numbers.

The APIs of the Random service are designed for usage of pseudo random number generators (PRNGs). True random number generators (TRNGs) are not supported.

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_RandomGenerate.

8.3.5 Symmetrical block interface

A block cipher is a symmetric key cipher operating on fixed-length blocks, with an unvarying transformation. A block cipher encryption algorithm might take (for example) a 128-bit block of plaintext as input, and output a corresponding 128-bit block of ciphertext. The exact transformation is controlled using a second input — the secret key. Decryption is similar: the decryption algorithm takes, in this example, a 128-bit block of ciphertext together with the secret key, and yields the original 128-bit block of plaintext.

8.3.5.1 Cal_SymBlockEncryptStart

[SWS_Cal_00168] [

Service name:	Cal_SymBlockEncryptStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymBlockEncryptStart(Cal_ConfigIdType cfgId, Cal_SymBlockEncryptCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr)</pre>	
Service ID[hex]:	0x10	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical block encryption computation.
	keyPtr	Holds a pointer to the key which has to be used during the symmetrical block encryption computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the symmetrical block encrypt service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymBlockEncryptStart.

8.3.5.2 Cal_SymBlockEncryptUpdate

[SWS_Cal_00173] [

Service name:	Cal_SymBlockEncryptUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymBlockEncryptUpdate(Cal_ConfigIdType cfgId, Cal_SymBlockEncryptCtxBufType contextBuffer, const uint8* plainTextPtr, uint32 plainTextLength, uint8* cipherTextPtr, uint32* cipherTextLengthPtr)</pre>	
Service ID[hex]:	0x11	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical block encryption computation.
	plainTextPtr	Holds a pointer to the plain text that shall be encrypted.

	plainTextLength	Contains the length of the plain text in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	cipherTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by cipherTextPtr. On returning from this function the amount of data that has been encrypted shall be stored.
Parameters (out):	cipherTextPtr	Holds a pointer to the memory location which will hold the encrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to feed the symmetrical block encryption service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The encryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00663] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymBlockEncryptUpdate.

8.3.5.3 Cal_SymBlockEncryptFinish

[SWS_Cal_00180] [

Service name:	Cal_SymBlockEncryptFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymBlockEncryptFinish(Cal_ConfigIdType cfgId, Cal_SymBlockEncryptCtxBufType contextBuffer)</pre>	
Service ID[hex]:	0x12	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical block encryption computation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	This function shall be used to finish the symmetrical block encryption service.	

	<p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The encryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	---

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymBlockEncryptFinish.

8.3.5.4 Cal_SymBlockDecryptStart

[[SWS_Cal_00187](#)] [

Service name:	Cal_SymBlockDecryptStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymBlockDecryptStart(Cal_ConfigIdType cfgId, Cal_SymBlockDecryptCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr)</pre>	
Service ID[hex]:	0x13	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the constant CAL module configuration which has to be used during the symmetrical block decryption computation.
	keyPtr	Holds a pointer to the key which has to be used during the symmetrical block decryption computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the symmetrical block decrypt service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymBlockDecryptStart.

8.3.5.5 Cal_SymBlockDecryptUpdate

[[SWS_Cal_00192](#)] [

Service name:	Cal_SymBlockDecryptUpdate (obsolete)
----------------------	--------------------------------------

Syntax:	Cal_ReturnType Cal_SymBlockDecryptUpdate(Cal_ConfigIdType cfgId, Cal_SymBlockDecryptCtxBufType contextBuffer, const uint8* cipherTextPtr, uint32 cipherTextLength, uint8* plainTextPtr, uint32* plainTextLengthPtr)	
Service ID[hex]:	0x14	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the constant CAL module configuration which has to be used during the symmetrical block decryption computation.
	cipherTextPtr	Holds a pointer to the constant cipher text that shall be decrypted.
	cipherTextLength	Contains the length of the cipher text in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	plainTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by plainTextPtr. On returning from this function the amount of data that has been decrypted shall be stored.
Parameters (out):	plainTextPtr	Holds a pointer to the memory location which will hold the decrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to feed the symmetrical block decryption service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The decryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00664] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymBlockDecryptUpdate.] ()

8.3.5.6 Cal_SymBlockDecryptFinish

[SWS_Cal_00199] [

Service name:	Cal_SymBlockDecryptFinish (obsolete)
Syntax:	Cal_ReturnType Cal_SymBlockDecryptFinish(Cal_ConfigIdType cfgId,

	Cal_SymBlockDecryptCtxBufType contextBuffer)	
Service ID[hex]:	0x15	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the constant CAL module configuration which has to be used during the symmetrical block decryption computation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the symmetrical block decryption service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The decryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymBlockDecryptFinish.

8.3.6 Symmetrical interface

Symmetric-key algorithms are algorithms that use identical cryptographic keys for both decryption and encryption. The keys, in practice, represent a shared secret between two or more parties.

8.3.6.1 Cal_SymEncryptStart

[[SWS_Cal_00206](#)] [

Service name:	Cal_SymEncryptStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymEncryptStart(Cal_ConfigIdType cfgId, Cal_SymEncryptCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr, const uint8* InitVectorPtr, uint32 InitVectorLength)</pre>	
Service ID[hex]:	0x16	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical encryption computation.
	keyPtr	Holds a pointer to the key which has to be used during the symmetrical encryption computation.
	InitVectorPtr	Holds a pointer to the initialisation vector which has to be

		used during the symmetrical encryption computation.
	InitVectorLength	Holds the length of the initialisation vector which has to be used during the symmetrical encryption computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the symmetrical encrypt service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymEncryptStart.

8.3.6.2 Cal_SymEncryptUpdate

[[SWS_Cal_00212](#)] [

Service name:	Cal_SymEncryptUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymEncryptUpdate(Cal_ConfigIdType cfgId, Cal_SymEncryptCtxBufType contextBuffer, const uint8* plainTextPtr, uint32 plainTextLength, uint8* cipherTextPtr, uint32* cipherTextLengthPtr)</pre>	
Service ID[hex]:	0x17	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical encryption computation.
	plainTextPtr	Holds a pointer to the plain text that shall be encrypted.
	plainTextLength	Contains the length of the plain text in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	cipherTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by cipherTextPtr. On returning from this function the amount of data that has been encrypted shall be stored.
Parameters (out):	cipherTextPtr	Holds a pointer to the memory location which will hold the encrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.

Description:	<p>This function shall be used to feed the symmetrical encryption service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The encryption process is done by the underlying primitive.</p>
Tags:	atp.Status=obsolete

] ()

[SWS_Cal_00665] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, `CAL_E_SMALL_BUFFER` shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function `Cal_SymEncryptUpdate`.

8.3.6.3 Cal_SymEncryptFinish

[SWS_Cal_00221] [

Service name:	Cal_SymEncryptFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymEncryptFinish(Cal_ConfigIdType cfgId, Cal_SymEncryptCtxBufType contextBuffer, uint8* cipherTextPtr, uint32* cipherTextLengthPtr)</pre>	
Service ID[hex]:	0x18	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical encryption computation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	cipherTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by <code>cipherTextPtr</code> . On returning from this function the amount of data that has been encrypted shall be stored.
Parameters (out):	cipherTextPtr	Holds a pointer to the memory location which will hold the encrypted text.
Return value:	Cal_ReturnType	<code>CAL_E_OK</code> : Request successful <code>CAL_E_NOT_OK</code> : Request failed <code>CAL_E_SMALL_BUFFER</code> : The provided buffer is too small to store the result.
Description:	<p>This function shall be used to finish the symmetrical encryption service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p>	

	<p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The encryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	--

] ()

[SWS_Cal_00666]

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, `CAL_E_SMALL_BUFFER` shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function `Cal_SymEncryptFinish`.

8.3.6.4 Cal_SymDecryptStart

[SWS_Cal_00228]

Service name:	Cal_SymDecryptStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymDecryptStart(Cal_ConfigIdType cfgId, Cal_SymDecryptCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr, const uint8* InitVectorPtr, uint32 InitVectorLength)</pre>	
Service ID[hex]:	0x19	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the constant CAL module configuration which has to be used during the symmetrical decryption computation.
	keyPtr	Holds a pointer to the key which has to be used during the symmetrical decryption computation.
	InitVectorPtr	Holds a pointer to the initialisation vector which has to be used during the symmetrical decryption computation.
	InitVectorLength	Holds the length of the initialisation vector which has to be used during the symmetrical decryption computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	<code>CAL_E_OK</code> : Request successful <code>CAL_E_NOT_OK</code> : Request failed
Description:	<p>This function shall be used to initialize the symmetrical decrypt service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymDecryptStart.

8.3.6.5 Cal_SymDecryptUpdate

[[SWS_Cal_00234](#)] [

Service name:	Cal_SymDecryptUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymDecryptUpdate(Cal_ConfigIdType cfgId, Cal_SymDecryptCtxBufType contextBuffer, const uint8* cipherTextPtr, uint32 cipherTextLength, uint8* plainTextPtr, uint32* plainTextLengthPtr)</pre>	
Service ID[hex]:	0x1A	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical decryption computation.
	cipherTextPtr	Holds a pointer to the constant cipher text that shall be decrypted.
	cipherTextLength	Contains the length of the cipher text in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	plainTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by plainTextPtr. On returning from this function the amount of data that has been decrypted shall be stored.
Parameters (out):	plainTextPtr	Holds a pointer to the memory location which will hold the decrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to feed the symmetrical decryption service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The decryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[[SWS_Cal_00667](#)] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, [CAL_E_SMALL_BUFFER](#) shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymDecryptUpdate.

8.3.6.6 Cal_SymDecryptFinish

[SWS_Cal_00243] [

Service name:	Cal_SymDecryptFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymDecryptFinish(Cal_ConfigIdType cfgId, Cal_SymDecryptCtxBufType contextBuffer, uint8* plainTextPtr, uint32* plainTextLengthPtr)</pre>	
Service ID[hex]:	0x1B	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the symmetrical decryption computation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	plainTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by plainTextPtr. On returning from this function the amount of data that has been decrypted shall be stored.
Parameters (out):	plainTextPtr	Holds a pointer to the memory location which will hold the decrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to finish the symmetrical decryption service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The decryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00668] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymDecryptFinish.

8.3.7 Asymmetrical interface

Asymmetric-key algorithms are algorithms that use pairs of cryptographic keys (public and private keys) for decryption and encryption. The private key, in practice, represent a secret while the public key can be made publically available.

8.3.7.1 Cal_AsymEncryptStart

[SWS_Cal_00250] [

Service name:	Cal_AsymEncryptStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymEncryptStart(Cal_ConfigIdType cfgId, Cal_AsymEncryptCtxBufType contextBuffer, const Cal_AsymPublicKeyType* keyPtr)</pre>	
Service ID[hex]:	0x1C	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the asymmetrical encryption computation.
	keyPtr	Holds a pointer to the key which has to be used during the asymmetrical encryption computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the asymmetrical encrypt service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymEncryptStart.

8.3.7.2 Cal_AsymEncryptUpdate

[SWS_Cal_00256] [

Service name:	Cal_AsymEncryptUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymEncryptUpdate(Cal_ConfigIdType cfgId, Cal_AsymEncryptCtxBufType contextBuffer, const uint8* plainTextPtr, uint32 plainTextLength, uint8* cipherTextPtr, uint32* cipherTextLengthPtr)</pre>	
Service ID[hex]:	0x1D	

Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the asymmetrical encryption computation.
	plainTextPtr	Holds a pointer to the memory location which will hold the encrypted text.
	plainTextLength	Contains the length of the plain text in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	cipherTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by cipherTextPtr. On returning from this function the amount of data that has been encrypted shall be stored.
Parameters (out):	cipherTextPtr	Holds a pointer to the memory location which will hold the encrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to feed the asymmetrical encryption service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The encryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00669] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymEncryptUpdate.

8.3.7.3 Cal_AsymEncryptFinish

[SWS_Cal_00265] [

Service name:	Cal_AsymEncryptFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymEncryptFinish (Cal_ConfigIdType cfgId, Cal_AsymEncryptCtxBufType contextBuffer, uint8* cipherTextPtr, uint32* cipherTextLengthPtr)</pre>	
Service ID[hex]:	0x1E	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which

		has to be used during the asymmetrical encryption computation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	cipherTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by cipherTextPtr. On returning from this function the amount of data that has been encrypted shall be stored.
Parameters (out):	cipherTextPtr	Holds a pointer to the memory location which will hold the encrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to finish the asymmetrical encryption service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The encryption process is done by the underlying primitive.</p>	
	Tags: atp.Status=obsolete	

] ()

[SWS_Cal_00670] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymEncryptFinish.

8.3.7.4 Cal_AsymDecryptStart

[SWS_Cal_00272] [

Service name:	Cal_AsymDecryptStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymDecryptStart (Cal_ConfigIdType cfgId, Cal_AsymDecryptCtxBufType contextBuffer, const Cal_AsymPrivateKeyType* keyPtr)</pre>	
Service ID[hex]:	0x1F	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the asymmetrical decryption computation.
	keyPtr	Holds a pointer to the key which has to be used during the asymmetrical encryption computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this

		service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the asymmetrical decrypt service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p>	
	Tags: atp.Status=obsolete	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymDecryptStart.

8.3.7.5 Cal_AsymDecryptUpdate

[[SWS_Cal_00278](#)] [

Service name:	Cal_AsymDecryptUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymDecryptUpdate (Cal_ConfigIdType cfgId, Cal_AsymDecryptCtxBufType contextBuffer, const uint8* cipherTextPtr, uint32 cipherTextLength, uint8* plainTextPtr, uint32* plainTextLengthPtr)</pre>	
Service ID[hex]:	0x20	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the asymmetrical decryption computation.
	cipherTextPtr	Holds a pointer to the encrypted data.
	cipherTextLength	Contains the length of the encrypted data in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	plainTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by plainTextPtr. On returning from this function the amount of data that has been decrypted shall be stored.
Parameters (out):	plainTextPtr	Holds a pointer to the memory location which will hold the decrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to feed the asymmetrical decryption service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the</p>	

	<p>primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The decryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	---

] ()

[SWS_Cal_00671] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymDecryptUpdate.

8.3.7.6 Cal_AsymDecryptFinish

[SWS_Cal_00287] [

Service name:	Cal_AsymDecryptFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymDecryptFinish(Cal_ConfigIdType cfgId, Cal_AsymDecryptCtxBufType contextBuffer, uint8* plainTextPtr, uint32* plainTextLengthPtr)</pre>	
Service ID[hex]:	0x21	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the asymmetrical computation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	plainTextLengthPtr	Holds a pointer to a memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by plainTextPtr. On returning from this function the amount of data that has been decrypted shall be stored.
Parameters (out):	plainTextPtr	Holds a pointer to the memory location which will hold the decrypted text.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to finish the asymmetrical decryption service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The decryption process is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00672] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, `CAL_E_SMALL_BUFFER` shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function `Cal_AsymDecryptFinish`.

8.3.8 Signature interface

A digital signature is a type of asymmetric cryptography. Digital signatures are equivalent to traditional handwritten signatures in many respects.

Digital signatures can be used to authenticate the source of messages as well as to prove integrity of signed messages. If a message is digitally signed, any change in the message after signature will invalidate the signature. Furthermore, there is no efficient way to modify a message and its signature to produce a new message with a valid signature.

8.3.8.1 Cal_SignatureGenerateStart

[[SWS_Cal_00294](#)] [

Service name:	Cal_SignatureGenerateStart (obsolete)	
Syntax:	<code>Cal_ReturnType Cal_SignatureGenerateStart(</code> <code> Cal_ConfigIdType cfgId,</code> <code> Cal_SignatureGenerateCtxBufType contextBuffer,</code> <code> const Cal_AsymPrivateKeyType* keyPtr</code> <code>)</code>	
Service ID[hex]:	0x22	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the signature generation.
	keyPtr	Holds a pointer to the key necessary for the signature generation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	<code>CAL_E_OK</code> : Request successful <code>CAL_E_NOT_OK</code> : Request failed
Description:	<p>This function shall be used to initialize the signature generate service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function <code>Cpl_<Primitive>Start</code> of the primitive which is identified by the "cfgId" and return the value returned by that function. If <code>Cpl_<Primitive>Start</code> returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function `Cal_SignatureGenerateStart`.

8.3.8.2 Cal_SignatureGenerateUpdate

[SWS_Cal_00300] [

Service name:	Cal_SignatureGenerateUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SignatureGenerateUpdate(Cal_ConfigIdType cfgId, Cal_SignatureGenerateCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x23	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the signature generation.
	dataPtr	Holds a pointer to the data that shall be signed.
	dataLength	Contains the length of the data to be signed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the signature generation service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The signature computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SignatureGenerateUpdate.

8.3.8.3 Cal_SignatureGenerateFinish

[SWS_Cal_00307] [

Service name:	Cal_SignatureGenerateFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SignatureGenerateFinish(Cal_ConfigIdType cfgId, Cal_SignatureGenerateCtxBufType contextBuffer, uint8* resultPtr, uint32* resultLengthPtr)</pre>	
Service ID[hex]:	0x24	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the signature generation.
	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (inout):	resultLengthPtr	Holds a pointer to the memory location in which the length

		information is stored. On calling this function this parameter shall contain the size of the buffer provided by resultPtr. On returning from this function the actual length of the computed signature shall be stored
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the signature generation.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result
Description:	<p>This function shall be used to finish the signature generation service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The signature computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00673] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SignatureGenerateFinish.

8.3.8.4 Cal_SignatureVerifyStart

[SWS_Cal_00314] [

Service name:	Cal_SignatureVerifyStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SignatureVerifyStart(Cal_ConfigIdType cfgId, Cal_SignatureVerifyCtxBufType contextBuffer, const Cal_AsymPublicKeyType* keyPtr)</pre>	
Service ID[hex]:	0x25	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the signature computation/verification.
	keyPtr	Holds a pointer to the key necessary for the signature verification.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	This function shall be used to initialize the signature verify service of the CAL module.	

	<p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>
--	---

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SignatureVerifyStart.

8.3.8.5 Cal_SignatureVerifyUpdate

[[SWS_Cal_00320](#)] [

Service name:	Cal_SignatureVerifyUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SignatureVerifyUpdate (Cal_ConfigIdType cfgId, Cal_SignatureVerifyCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x26	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the signature computation/verification.
	dataPtr	Holds a pointer to the signature which shall be verified.
	dataLength	Contains the length of the signature to verify in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the signature verification service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The signature computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SignatureVerifyUpdate.

8.3.8.6 Cal_SignatureVerifyFinish

[[SWS_Cal_00327](#)] [

Service name:	Cal_SignatureVerifyFinish (obsolete)
Syntax:	<pre>Cal_ReturnType Cal_SignatureVerifyFinish (Cal_ConfigIdType cfgId, Cal_SignatureVerifyCtxBufType contextBuffer, const uint8* signaturePtr,</pre>

	uint32 signatureLength, Cal_VerifyResultType* resultPtr)	
Service ID[hex]:	0x27	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the signature computation/verification.
	signaturePtr	Holds a pointer to the memory location which holds the signature to be verified.
	signatureLength	Holds the length of the Signature to be verified.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the signature verification.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the signature verification service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The signature computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SignatureVerifyFinish.

8.3.9 Compression / Decompression interface

Due to usage of compression/decompression algorithms it is possible to reduce of the amount of data, which must be processed by encryption/decryption. Due to appropriate selection of the compression/decompression algorithm, the aggregated load can be reduced: the compression and encryption of the reduced amount of data respectively decription and decompression consumes fewer resources than the encryption and decryption of the uncompressed data.

The following APIs can be used for compression and decompression of data.

8.3.9.1 Cal_CompressStart

[[SWS_Cal_00756](#)] [

Service name:	Cal_CompressStart (obsolete)
Syntax:	Cal_ReturnType Cal_CompressStart(Cal_ConfigIdType cfgId, Cal_CompressCtxBufType contextBuffer)
Service ID[hex]:	0x4d
Sync/Async:	Synchronous

Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the compression computation
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This function shall be used to initialize the compression service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p>	
Tags:	atp.Status=obsolete	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_CompressStart.

8.3.9.2 Cal_CompressUpdate

[[SWS_Cal_00757](#)] [

Service name:	Cal_CompressUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_CompressUpdate (Cal_ConfigIdType cfgId, Cal_CompressCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x4e	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the compression computation
	dataPtr	Holds a pointer to the data that shall be compressed.
	dataLength	Contains the number of the data in bytes to be compressed
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result
Description:	<p>This function shall be used to feed the compression service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The compression computation is done by the underlying primitive.</p>	
Tags:		

	atp.Status=obsolete
--	---------------------

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_CompressUpdate.

8.3.9.3 Cal_CompressFinish

[[SWS_Cal_00758](#)] [

Service name:	Cal_CompressFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_CompressFinish(Cal_ConfigIdType cfgId, Cal_CompressCtxBufType contextBuffer, uint8* resultPtr, uint32* resultLengthPtr)</pre>	
Service ID[hex]:	0x4f	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the compression computation
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	resultLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by resultPtr. On returning from this function, the actual length of the compression shall be stored
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the compression.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result
Description:	<p>This function shall be used to finish the compression service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The compression computation is done by the underlying primitive.</p>	
Tags:	atp.Status=obsolete	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_CompressFinish.

8.3.9.4 Cal_DecompressStart

[[SWS_Cal_00759](#)] [

Service name:	Cal_DecompressStart (obsolete)
Syntax:	Cal_ReturnType Cal_DecompressStart(Cal_ConfigIdType cfgId,

	Cal_DecompressCtxBufType contextBuffer)	
Service ID[hex]:	0x50	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the decompression computation
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This function shall be used to initialize the decompression service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_DecompressStart.

8.3.9.5 Cal_DecompressUpdate

[[SWS_Cal_00760](#)] [

Service name:	Cal_DecompressUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_DecompressUpdate(Cal_ConfigIdType cfgId, Cal_DecompressCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x51	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the decompression computation
	dataPtr	Holds a pointer to the data that shall be decompressed.
	dataLength	Contains the number of the data in bytes to be decompressed
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result
Description:	<p>This function shall be used to feed the decompression service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p>	

	<p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The decompression computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	--

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_DecompressUpdate.

8.3.9.6 Cal_DecompressFinish

[[SWS_Cal_00761](#)] [

Service name:	Cal_DecompressFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_DecompressFinish(Cal_ConfigIdType cfgId, Cal_DecompressCtxBufType contextBuffer, uint8* resultPtr, uint32* resultLengthPtr)</pre>	
Service ID[hex]:	0x52	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the decompression computation
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	resultLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by resultPtr. On returning from this function, the actual length of the decompression shall be stored
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the decompression.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result
Description:	<p>This function shall be used to finish the decompression service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The decompression computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_DecompressFinish.

8.3.10 Checksum interface

The goal of checksum algorithms is to detect accidental modification such as corruption to stored data or errors in a communication channel. They are not designed to detect intentional corruption by a malicious agent. Indeed, many checksum algorithms can be easily inverted, in the sense that one can easily modify the data so as to preserve its checksum.

8.3.10.1 Cal_ChecksumStart

[SWS_Cal_00335] [

Service name:	Cal_ChecksumStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_ChecksumStart(Cal_ConfigIdType cfgId, Cal_ChecksumCtxBufType contextBuffer)</pre>	
Service ID[hex]:	0x28	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the checksum computation.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the checksum service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_ChecksumStart.

8.3.10.2 Cal_ChecksumUpdate

[SWS_Cal_00341] [

Service name:	Cal_ChecksumUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_ChecksumUpdate(Cal_ConfigIdType cfgId, Cal_ChecksumCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x29	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the checksum computation.

	dataPtr	Holds a pointer to the data for which the checksum shall be calculated.
	dataLength	Contains the length of the input data in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the checksum service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The checksum computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_ChecksumUpdate.

8.3.10.3 Cal_ChecksumFinish

[[SWS_Cal_00348](#)] [

Service name:	Cal_ChecksumFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_ChecksumFinish(Cal_ConfigIdType cfgId, Cal_ChecksumCtxBufType contextBuffer, uint8* resultPtr, uint32* resultLengthPtr, boolean TruncationIsAllowed)</pre>	
Service ID[hex]:	0x2A	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the checksum computation.
	TruncationIsAllowed	This parameter states whether a truncation of the result is allowed or not. TRUE: Truncation is allowed. FALSE: Truncation is not allowed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	resultLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by resultPtr. On returning from this function the actual length of the computed checksum shall be stored
Parameters (out):	resultPtr	Holds a pointer to the memory location which will hold the result of the checksum calculation. If the result does not fit into the given buffer, the result shall be truncated.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small

	to store the result, and truncation was not allowed.
Description:	<p>This function shall be used to finish the checksum service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The checksum computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>

] ()

[SWS_Cal_00674] {OBSOLETE}

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small and truncation is allowed, the result of the computation shall be truncated to the size of the provided buffer, and CAL_E_OK shall be returned. If the provided buffer is too small, and truncation is not allowed, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_ChecksumFinish.

8.3.11 Key derivation interface

In cryptography, a key derivation function (or KDF) is a function which derives one or more secret keys from a secret value and/or other known information such as a passphrase or cryptographic key.

8.3.11.1 Cal_KeyDeriveStart

[SWS_Cal_00355] [

Service name:	Cal_KeyDeriveStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyDeriveStart(Cal_ConfigIdType cfgId, Cal_KeyDeriveCtxBufType contextBuffer, uint32 keyLength, uint32 iterations)</pre>	
Service ID[hex]:	0x2B	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key derivation.
	keyLength	Holds the length of the key to be derived by the underlying key derivation primitive.
	iterations	Holds the number of iterations to be performed by the underlying key derivation primitive.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed

Description:	This function shall be used to initialize the key derivation service of the CAL module. The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.
Tags:	atp.Status=obsolete

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyDeriveStart.

8.3.11.2 Cal_KeyDeriveUpdate

[[SWS_Cal_00362](#)] [

Service name:	Cal_KeyDeriveUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyDeriveUpdate(Cal_ConfigIdType cfgId, Cal_KeyDeriveCtxBufType contextBuffer, const uint8* passwordPtr, uint32 passwordLength, const uint8* saltPtr, uint32 saltLength)</pre>	
Service ID[hex]:	0x2C	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key derivation.
	passwordPtr	Holds a pointer to the password, i.e. the original key, from which to derive a new key.
	passwordLength	Holds the length of the password in bytes.
	saltPtr	Holds a pointer to the cryptographic salt, i.e. a random number, for the underlying primitive.
	saltLength	Holds the length of the salt in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the key derivation service with the input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The key derivation computation is done by the underlying primitive.</p>	
Tags:	atp.Status=obsolete	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyDeriveUpdate.

8.3.11.3 Cal_KeyDeriveFinish

[SWS_Cal_00371] [

Service name:	Cal_KeyDeriveFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyDeriveFinish(Cal_ConfigIdType cfgId, Cal_KeyDeriveCtxBufType contextBuffer, Cal_SymKeyType* keyPtr)</pre>	
Service ID[hex]:	0x2D	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key derivation.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	keyPtr	Holds a pointer to the memory location which will hold the result of the key derivation.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the key generation service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The key derivation computation is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyDeriveFinish.

8.3.12 Key exchange interface

Two users that each have a private secret can use a key exchange protocol to obtain a common secret, e.g. a key for a symmetric-key algorithm, without telling each other their private secret and without any listener being able to obtain the common secret or their private secrets.

8.3.12.1 Cal_KeyExchangeCalcPubVal

[SWS_Cal_00377] [

Service name:	Cal_KeyExchangeCalcPubVal (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyExchangeCalcPubVal(Cal_ConfigIdType cfgId, const Cal_KeyExchangeBaseType* basePtr, const Cal_KeyExchangePrivateType* privateKeyPtr, uint8* publicValuePtr, uint32* publicValueLengthPtr)</pre>	
Service ID[hex]:	0x2E	

Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the key exchange.
	basePtr	Holds a pointer to the base information known to both users of the key exchange protocol.
	privateValuePtr	Holds a pointer to the private information known only to the current user of the key exchange protocol.
Parameters (inout):	publicValueLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by publicValuePtr. On returning from this function the actual length of the calculated public value shall be stored.
Parameters (out):	publicValuePtr	Holds a pointer to the memory location which will hold the public value of the key exchange protocol.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result.
Description:	<p>This function shall be used to start the public value calculation service of the CAL module.</p> <p>The function shall call the function Cpl_<Primitive> of the primitive which is identified by the "cfgId" and return the value returned by that function.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00675]

[The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small, CAL_E_SMALL_BUFFER shall be returned.] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyExchangeCalcPubVal.

8.3.12.2 Cal_KeyExchangeCalcSecretStart

[SWS_Cal_00396] [

Service name:	Cal_KeyExchangeCalcSecretStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyExchangeCalcSecretStart(Cal_ConfigIdType cfgId, Cal_KeyExchangeCalcSecretCtxBufType contextBuffer, const Cal_KeyExchangeBaseType* basePtr, const Cal_KeyExchangePrivateType* privateValuePtr)</pre>	
Service ID[hex]:	0x2F	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the key exchange.
	basePtr	Holds a pointer to the base information known to both users of the key exchange protocol.
	privateValuePtr	Holds a pointer to the private information known only to the current user of the key exchange protocol.
Parameters (inout):	None	

Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the key exchange service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyExchangeCalcSecretStart.

8.3.12.3 Cal_KeyExchangeCalcSecretUpdate

[[SWS_Cal_00404](#)] [

Service name:	Cal_KeyExchangeCalcSecretUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyExchangeCalcSecretUpdate (Cal_ConfigIdType cfgId, Cal_KeyExchangeCalcSecretCtxBufType contextBuffer, const uint8* partnerPublicValuePtr, uint32 partnerPublicValueLength)</pre>	
Service ID[hex]:	0x30	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the key exchange.
	partnerPublicValuePtr	Holds a pointer to the data representing the public value of the key exchange partner.
	partnerPublicValueLength	Contains the length of the part of the partner value in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the key exchange service with the public value coming from the partner of the key exchange protocol.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The calculation of the shared secret is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyExchangeCalcSecretUpdate.

8.3.12.4 Cal_KeyExchangeCalcSecretFinish

[SWS_Cal_00411] [

Service name:	Cal_KeyExchangeCalcSecretFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_KeyExchangeCalcSecretFinish(Cal_ConfigIdType cfgId, Cal_KeyExchangeCalcSecretCtxBufType contextBuffer, uint8* sharedSecretPtr, uint32* sharedSecretLengthPtr, boolean TruncationIsAllowed)</pre>	
Service ID[hex]:	0x31	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration that has to be used during the key exchange.
	TruncationIsAllowed	This parameter states whether a truncation of the result is allowed or not. TRUE: Truncation is allowed. FALSE: Truncation is not allowed.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	sharedSecretLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by sharedSecretPtr. On returning from this function the actual length of the computed value shall be stored.
Parameters (out):	sharedSecretPtr	Holds a pointer to the memory location which will hold the result of the key exchange. If the result does not fit into the given buffer, and truncation is allowed, the result shall be truncated.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed CAL_E_SMALL_BUFFER: The provided buffer is too small to store the result, and truncation was not allowed.
Description:	<p>This function shall be used to finish the key exchange service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the shared secret is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

[SWS_Cal_00676]

The CAL shall check if the provided buffer is large enough to hold the result of the computation. If the provided buffer is too small and truncation is allowed, the result of the computation shall be truncated to the size of the provided buffer, and CAL_E_OK

shall be returned. If the provided buffer is too small, and truncation is not allowed, CAL_E_SMALL_BUFFER shall be returned.] ()
 Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_KeyExchangeCalcSecretFinish.

8.3.13 Symmetrical key extract interface

Symmetrical key extract interface is used to extract a symmetrical key structure from certain data sources.

Note that this interface may be used for key transport purposes. In this case, any necessary auxiliary information (e.g., wrapping key, shared information, randomness) will have to be encoded unambiguously into the dataPtr buffer.

8.3.13.1 Cal_SymKeyExtractStart

[[SWS_Cal_00418](#)] [

Service name:	Cal_SymKeyExtractStart (obsolete)	
Syntax:	Cal_ReturnType Cal_SymKeyExtractStart(Cal_ConfigIdType cfgId, Cal_SymKeyExtractCtxBufType contextBuffer)	
Service ID[hex]:	0x32	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the symmetrical key extraction service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymKeyExtractStart.

8.3.13.2 Cal_SymKeyExtractUpdate

[[SWS_Cal_00425](#)] [

Service name:	Cal_SymKeyExtractUpdate (obsolete)	
Syntax:	Cal_ReturnType Cal_SymKeyExtractUpdate(Cal_ConfigIdType cfgId, Cal_SymKeyExtractCtxBufType contextBuffer, const uint8* dataPtr,	

	uint32 dataLength)	
Service ID[hex]:	0x33	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
	dataPtr	Holds a pointer to the data which contains the key in a format which cannot be used directly by the CAL. From this data the key will be extracted in a CAL-conforming format.
	dataLength	Holds the length of the data in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the symmetrical key extraction service with input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The calculation of the extraction algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymKeyExtractUpdate.

8.3.13.3 Cal_SymKeyExtractFinish

[[SWS_Cal_00432](#)] [

Service name:	Cal_SymKeyExtractFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymKeyExtractFinish(Cal_ConfigIdType cfgId, Cal_SymKeyExtractCtxBufType contextBuffer, Cal_SymKeyType* keyPtr)</pre>	
Service ID[hex]:	0x34	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	keyPtr	Holds a pointer to a structure where the result (i.e. the symmetrical key) is stored in.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the symmetrical key extraction service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p>	

	<p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the extraction algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	---

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_SymKeyExtractFinish.

8.3.14 Symmetrical key wrapping interface

Symmetrical key wrapping interface is used to export a symmetrical key structure, e.g. to be used on a different device. To be able to use symmetric and asymmetric wrapping keys, two different interfaces are standardised.

8.3.14.1 Cal_SymKeyWrapSymStart

[[SWS_Cal_00744](#)] [

Service name:	Cal_SymKeyWrapSymStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymKeyWrapSymStart(Cal_ConfigIdType cfgId, Cal_SymKeyWrapSymCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr, const Cal_SymKeyType* wrappingKeyPtr)</pre>	
Service ID[hex]:	0x3c	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId keyPtr wrappingKeyPtr	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
		Holds a pointer to the symmetric key to be wrapped.
		Holds a pointer to the key used for wrapping.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to initialize the symmetrical key wrapping service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.14.2 Cal_SymKeyWrapSymUpdate

[[SWS_Cal_00745](#)] [

Service name:	Cal_SymKeyWrapSymUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymKeyWrapSymUpdate(Cal_ConfigIdType cfgId, Cal_SymKeyWrapSymCtxBufType contextBuffer, uint8* dataPtr, uint32* dataLengthPtr)</pre>	
Service ID[hex]:	0x3d	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	dataLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by dataPtr. When the request has finished, the actual length of the computed value shall be stored.
Parameters (out):	dataPtr	Holds a pointer to the memory location which will hold the first chunk of the result of the key wrapping. If the result does not fit into the given buffer, the caller shall call the service again, until *dataLengthPtr is equal to zero, indicating that the complete result has been retrieved.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to retrieve the result of the key wrapping operation from the symmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.14.3 Cal_SymKeyWrapSymFinish

[[SWS_Cal_00746](#)] [

Service name:	Cal_SymKeyWrapSymFinish (obsolete)
Syntax:	<pre>Cal_ReturnType Cal_SymKeyWrapSymFinish(Cal_ConfigIdType cfgId, Cal_SymKeyWrapSymCtxBufType contextBuffer</pre>

	()	
Service ID[hex]:	0x3e	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to finish the symmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.14.4 Cal_SymKeyWrapAsymStart

[[SWS_Cal_00747](#)] [

Service name:	Cal_SymKeyWrapAsymStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymKeyWrapAsymStart(Cal_ConfigIdType cfgId, Cal_SymKeyWrapAsymCtxBufType contextBuffer, const Cal_SymKeyType* keyPtr, const Cal_AsymPublicKeyType* wrappingKeyPtr)</pre>	
Service ID[hex]:	0x3f	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CSM module configuration which has to be used during the key wrapping.
	keyPtr	Holds a pointer to the symmetric key to be wrapped.
	wrappingKeyPtr	Holds a pointer to the public key used for wrapping.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to initialize the symmetrical key wrapping service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned</p>	

	<p>successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>
--	--

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.14.5 Cal_SymKeyWrapAsymUpdate

[[SWS_Cal_00748](#)] [

Service name:	Cal_SymKeyWrapAsymUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_SymKeyWrapAsymUpdate (Cal_ConfigIdType cfgId, Cal_SymKeyWrapAsymCtxBufType contextBuffer, uint8* dataPtr, uint32* dataLengthPtr)</pre>	
Service ID[hex]:	0x40	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	dataLengthPtr	Holds a pointer to the memory location in which the length information is stored.
Parameters (out):	dataPtr	Holds a pointer to the memory location which will hold the first chunk of the result of the key wrapping. If the result does not fit into the given buffer, the caller shall call the service again, until *dataLengthPtr is equal to zero, indicating that the complete result has been retrieved.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to retrieve the result of the key wrapping operation from the symmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.14.6 Cal_SymKeyWrapAsymFinish

[[SWS_Cal_00749](#)] [

Service name:	Cal_SymKeyWrapAsymFinish (obsolete)
Syntax:	Cal_ReturnType Cal_SymKeyWrapAsymFinish (

	Cal_ConfigIdType cfgId, Cal_SymKeyWrapAsymCtxBufType contextBuffer)	
Service ID[hex]:	0x41	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to finish the symmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the wrapping algorithm is done by the underlying primitive.</p>	
Tags:	atp.Status=obsolete	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.15 Asymmetrical key extract interfaces

Asymmetrical key extract interface is used to extract an asymmetrical key structure (e.g. public and private key pair) from certain data sources.

Note that this interface may be used for key transport purposes. In this case, any necessary auxiliary information (e.g., wrapping key, shared information, randomness) will have to be encoded unambiguously into the data provided in the dataPtr buffer.

8.3.15.1 Cal_AsymPublicKeyExtractStart

[[SWS_Cal_00436](#)] [

Service name:	Cal_AsymPublicKeyExtractStart (obsolete)	
Syntax:	Cal_ReturnType Cal_AsymPublicKeyExtractStart(Cal_ConfigIdType cfgId, Cal_AsymPublicKeyExtractCtxBufType contextBuffer)	
Service ID[hex]:	0x35	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.

Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to initialize the asymmetrical public key extraction service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p>	

Tags:
atp.Status=obsolete

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymPublicKeyExtractStart.

8.3.15.2 Cal_AsymPublicKeyExtractUpdate

[[SWS_Cal_00443](#)] [

Service name:	Cal_AsymPublicKeyExtractUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPublicKeyExtractUpdate(Cal_ConfigIdType cfgId, Cal_AsymPublicKeyExtractCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x36	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
	dataPtr	Holds a pointer to the data which contains the key in a format which cannot be used directly by the CAL. From this data the key will be extracted in a CAL-conforming format.
	dataLength	Holds the length of the data in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the asymmetrical public key extraction service with input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The calculation of the extraction algorithm is done by the underlying primitive.</p>	

Tags:
atp.Status=obsolete

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymPublicKeyExtractUpdate.

8.3.15.3 Cal_AsymPublicKeyExtractFinish

[SWS_Cal_00450] [

Service name:	Cal_AsymPublicKeyExtractFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPublicKeyExtractFinish(Cal_ConfigIdType cfgId, Cal_AsymPublicKeyExtractCtxBufType contextBuffer, Cal_AsymPublicKeyType* keyPtr)</pre>	
Service ID[hex]:	0x37	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	keyPtr	Holds a pointer to a structure where the result (i.e. the symmetrical key) is stored in.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the asymmetrical public key extraction service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the extraction algorithm is done by the underlying primitive.</p>	
Tags:	atp.Status=obsolete	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymPublicKeyExtractFinish.

8.3.15.4 Cal_AsymPrivateKeyExtractStart

[SWS_Cal_00680] [

Service name:	Cal_AsymPrivateKeyExtractStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyExtractStart(Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyExtractCtxBufType contextBuffer)</pre>	
Service ID[hex]:	0x38	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	This function shall be used to initialize the asymmetrical private key extraction	

	<p>service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>
--	---

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymPrivateKeyExtractStart.

8.3.15.5 Cal_AsymPrivateKeyExtractUpdate

[[SWS_Cal_00682](#)] [

Service name:	Cal_AsymPrivateKeyExtractUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyExtractUpdate (Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyExtractCtxBufType contextBuffer, const uint8* dataPtr, uint32 dataLength)</pre>	
Service ID[hex]:	0x39	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
	dataPtr	Holds a pointer to the data which contains the key in a format which cannot be used directly by the CAL. From this data the key will be extracted in a CAL-conforming format.
	dataLength	Holds the length of the data in bytes.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to feed the asymmetrical private key extraction service with input data.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function.</p> <p>The calculation of the extraction algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymPrivateKeyExtractUpdate.

8.3.15.6 Cal_AsymPrivateKeyExtractFinish

[SWS_Cal_00684] [

Service name:	Cal_AsymPrivateKeyExtractFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyExtractFinish(Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyExtractCtxBufType contextBuffer, Cal_AsymPrivateKeyType* keyPtr)</pre>	
Service ID[hex]:	0x3A	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key extraction.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	keyPtr	Holds a pointer to a structure where the result (i.e. the symmetrical key) is stored in.
Return value:	Cal_ReturnType	CAL_E_OK: Request successful CAL_E_NOT_OK: Request failed
Description:	<p>This function shall be used to finish the asymmetrical private key extraction service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the extraction algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable to the function Cal_AsymPrivateKeyExtractFinish.

8.3.16 Asymmetrical key wrapping interface

Asymmetrical key wrapping interface is used to export a (asymmetric) private key structure, e.g. to be used on a different device. To be able to use symmetric and asymmetric wrapping keys, two different interfaces are standardised.

8.3.16.1 Cal_AsymPrivateKeyWrapSymStart

[SWS_Cal_00750] [

Service name:	Cal_AsymPrivateKeyWrapSymStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyWrapSymStart(Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyWrapSymCtxBufType contextBuffer, const Cal_AsymPrivateKeyType* keyPtr, const Cal_SymKeyType* wrappingKeyPtr)</pre>	
Service ID[hex]:	0x42	

Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
	keyPtr	Holds a pointer to the private key to be wrapped.
	wrappingKeyPtr	Holds a pointer to the key used for wrapping.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to initialize the asymmetrical key wrapping service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.16.2 Cal_AsymPrivateKeyWrapSymUpdate

[[SWS_Cal_00751](#)] [

Service name:	Cal_AsymPrivateKeyWrapSymUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyWrapSymUpdate (Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyWrapSymCtxBufType contextBuffer, uint8* dataPtr, uint32* dataLengthPtr)</pre>	
Service ID[hex]:	0x43	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	dataLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by dataPtr.
Parameters (out):	dataPtr	Holds a pointer to the memory location which will hold the first chunk of the result of the key wrapping. If the result does not fit into the given buffer, the caller shall call the service again, until *dataLengthPtr is equal to zero, indicating that the complete result has been retrieved.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	This interface shall be used to retrieve the result of the key wrapping operation from the asymmetrical key wrapping service.	

	<p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>
--	--

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.16.3 Cal_AsymPrivateKeyWrapSymFinish

[[SWS_Cal_00752](#)] [

Service name:	Cal_AsymPrivateKeyWrapSymFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyWrapSymFinish(Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyWrapSymCtxBufType contextBuffer)</pre>	
Service ID[hex]:	0x44	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to finish the asymmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.16.4 Cal_AsymPrivateKeyWrapAsymStart

[[SWS_Cal_00753](#)] [

Service name:	Cal_AsymPrivateKeyWrapAsymStart (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyWrapAsymStart(Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyWrapAsymCtxBufType contextBuffer,</pre>	

	const Cal_AsymPrivateKeyType* keyPtr, const Cal_AsymPublicKeyType* wrappingKeyPtr)	
Service ID[hex]:	0x45	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CSM module configuration which has to be used during the key wrapping.
	keyPtr	Holds a pointer to the private key to be wrapped.
	wrappingKeyPtr	Holds a pointer to the public key used for wrapping.
Parameters (inout):	None	
Parameters (out):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to initialize the asymmetrical key wrapping service of the CAL module.</p> <p>The function shall initialize the context buffer given by "contextBuffer", call the function Cpl_<Primitive>Start of the primitive which is identified by the "cfgId" and return the value returned by that function. If Cpl_<Primitive>Start returned successfully, the function shall set the state of this service to "active", and store this state in the context buffer.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.16.5 Cal_AsymPrivateKeyWrapAsymUpdate

[[SWS_Cal_00754](#)] [

Service name:	Cal_AsymPrivateKeyWrapAsymUpdate (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyWrapAsymUpdate (Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyWrapAsymCtxBufType contextBuffer, uint8* dataPtr, uint32* dataLengthPtr)</pre>	
Service ID[hex]:	0x46	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
	dataLengthPtr	Holds a pointer to the memory location in which the length information is stored. On calling this function this parameter shall contain the size of the buffer provided by dataPtr. When the request has finished, the actual length of the computed value shall be stored.
Parameters (out):	dataPtr	Holds a pointer to the memory location which will hold the first chunk of the result of the key wrapping. If the result does not fit into the given buffer, the caller shall call the service again, until

		*dataLengthPtr is equal to zero, indicating that the complete result has been retrieved.
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to retrieve the result of the key wrapping operation from the asymmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Update of the primitive which is identified by the "cfgId", and return the value returned by that function. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements [SWS_Cal_00064](#), [SWS_Cal_00488](#) and [SWS_Cal_00489](#) are applicable.

8.3.16.6 Cal_AsymPrivateKeyWrapAsymFinish

[[SWS_Cal_00755](#)] [

Service name:	Cal_AsymPrivateKeyWrapAsymFinish (obsolete)	
Syntax:	<pre>Cal_ReturnType Cal_AsymPrivateKeyWrapAsymFinish(Cal_ConfigIdType cfgId, Cal_AsymPrivateKeyWrapAsymCtxBufType contextBuffer)</pre>	
Service ID[hex]:	0x47	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	cfgId	Holds the identifier of the CAL module configuration which has to be used during the key wrapping.
Parameters (inout):	contextBuffer	Holds the pointer to the buffer in which the context of this service can be stored.
Parameters (out):	None	
Return value:	Cal_ReturnType	CAL_E_OK: request successful CAL_E_NOT_OK: request failed
Description:	<p>This interface shall be used to finish the asymmetrical key wrapping service.</p> <p>If the service state given by the context buffer is "idle", the function has to return with "CAL_E_NOT_OK".</p> <p>Otherwise, this function shall call the function Cpl_<Primitive>Finish of the primitive which is identified by the "cfgId", and return the value returned by that function. If Cpl_<Primitive>Finish returned successfully, the function shall set the state of this service to "idle", and store this state in the context buffer. The calculation of the wrapping algorithm is done by the underlying primitive.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

Regarding error detection, the requirements SWS_Cal_00064, SWS_Cal_00488 and SWS_Cal_00489 are applicable.

8.4 Dependencies to cryptographic library API functions

8.4.1 Types for the Cryptographic Primitives

8.4.1.1 Cpl_<Primitive>ConfigType

[SWS_Cal_00544] [

Name:	Cpl_<Primitive>_ConfigType (obsolete)
Type:	Structure
Range:	Implementation specific.
Description:	Data structure which shall encompass all information needed to specify the information needed for the <Primitive> cryptographic primitive.
Tags:	atp.Status=obsolete

] ()

8.4.2 API functions of the cryptographic primitives

[SWS_Cal_00461] {OBSOLETE}

[For every API function of a cryptographic service, the corresponding cryptographic primitive shall contain a corresponding function.] (SRS_Csm_00006)

[SWS_Cal_00505] {OBSOLETE}

[The implementation of the basic cryptographic routines shall be synchronous and reentrant.] ()

8.4.2.1 Cpl_<Primitive>Start

[SWS_Cal_00701] [

Service name:	Cpl_<Primitive>Start (obsolete)	
Syntax:	<code>Cal_ReturnType Cpl_<Primitive>Start (</code> <code> <type> <xxx>,</code> <code> <type> <yyy>,</code> <code> <type> <zzz></code> <code>)</code>	
Service ID[hex]:	--	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	<xxx>	The arguments <xxx> shall be identical to the arguments of the corresponding function Cal_<Service>Start(), with the exception of the argument cfgId. This argument is of type "Cal_ConfigIdType" in Cal_<Service>Start(). In Cpl_<Primitive>Start the argument cfgId shall be replaced by an argument cfgPtr of type "const void *".
Parameters (inout):	<yyy>	The arguments <yyy> shall be identical to the arguments of the corresponding function Cal_<Service>Start().
Parameters (out):	<zzz>	The arguments <zzz> shall be identical to the arguments of the corresponding function Cal_<Service>Start().
Return value:	Cal_ReturnType	The return values shall be identical to those of the corresponding function Cal_<Service>Start().
Description:	This function shall initialize the computation of the cryptographic primitive, so that the primitive is able to process input data.	

	<p>Intermediate results, that are required for further processing of the service, shall be stored in the context buffer, which is given as an argument of this function.</p> <p>Tags: atp.Status=obsolete</p>
--	--

] ()

The API "Cpl_<Primitive>Start" has a parameter "cfgPtr" of type "const void *". When calling this API, the parameter "cfgPtr" shall point to a constant variable of type "Cpl_<Primitive>ConfigType", but shall be cast to "const void *". Reason for this is to have a common definition of the parameter list of this API for all primitives of one service, because in the structure Cal_<Service>ConfigType one element is a function pointer to this API.

8.4.2.2 Cpl_<Primitive>Update

[SWS_Cal_00702] [

Service name:	Cpl_<Primitive>Update (obsolete)	
Syntax:	<code>Cal_ReturnType Cpl_<Primitive>Update (</code> <code> <type> <xxx>,</code> <code> <type> <yyy>,</code> <code> <type> <zzz></code> <code>)</code>	
Service ID[hex]:	--	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	<xxx>	The arguments <xxx> shall be identical to the arguments of the corresponding function Cal_<Service>Update(), with the exception of the argument cfgId. This argument is of type "Cal_ConfigIdType" in Cal_<Service>Update(). In Cpl_<Primitive>Update the argument cfgId shall be replaced by an argument cfgPtr of type "const void *".
Parameters (inout):	<yyy>	The arguments <yyy> shall be identical to the arguments of the corresponding function Cal_<Service>Update().
Parameters (out):	<zzz>	The arguments <zzz> shall be identical to the arguments of the corresponding function Cal_<Service>Update().
Return value:	Cal_ReturnType	The return values shall be identical to those of the corresponding function Cal_<Service>Update().
Description:	<p>This function shall process a chunk of the given input data with the algorithm of the cryptographic primitive.</p> <p>Intermediate results, that are derived from previous processing steps of this service, have to be taken from the context buffer, which is given as an argument of this function.</p> <p>Intermediate results, that are required for further processing of the service, shall be stored in the context buffer, which is given as an argument of this function.</p> <p>Tags: atp.Status=obsolete</p>	

] ()

The API "Cpl_<Primitive>Update" has a parameter "cfgPtr" of type "const void *". When calling this API, the parameter "cfgPtr" shall point to a constant variable of type "Cpl_<Primitive>ConfigType", but shall be cast to "const void *". Reason for this is to have a common definition of the parameter list of this API for all primitives of one service, because in the structure Cal_<Service>ConfigType one element is a function pointer to this API.

8.4.2.3 Cpl_<Primitive>Finish

[SWS_Cal_00703] [

Service name:	Cpl_<Primitive>Finish (obsolete)	
Syntax:	Cal_ReturnType Cpl_<Primitive>Finish (<type> <xxx>, <type> <yyy>, <type> <zzz>)	
Service ID[hex]:	--	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	<xxx>	The arguments <xxx> shall be identical to the arguments of the corresponding function Cal_<Service>Finish(), with the exception of the argument cfgId. This argument is of type "Cal_ConfigIdType" in Cal_<Service>Finish(). In Cpl_<Primitive>Finish the argument cfgId shall be replaced by an argument cfgPtr of type "const void *".
Parameters (inout):	<yyy>	The arguments <yyy> shall be identical to the arguments of the corresponding function Cal_<Service>Finish().
Parameters (out):	<zzz>	The arguments <zzz> shall be identical to the arguments of the corresponding function Cal_<Service>Finish().
Return value:	Cal_ReturnType	The return values shall be identical to those of the corresponding function Cal_<Service>Finish().
Description:	This function shall finish the computation of the cryptographic primitive and store the result into the memory location given. Intermediate results, that are derived from previous processing steps of this service, have to be taken from the context buffer, which is given as an argument of this function.	
	Tags: atp.Status=obsolete	

] ()

The API "Cpl_<Primitive>Finish" has a parameter "cfgPtr" of type "const void *". When calling this API, the parameter "cfgPtr" shall point to a constant variable of type "Cpl_<Primitive>ConfigType", but shall be cast to "const void *". Reason for this is to have a common definition of the parameter list of this API for all primitives of one service, because in the structure Cal_<Service>ConfigType one element is a function pointer to this API.

8.4.2.4 Cpl_<Primitive>

[SWS_Cal_00704] [

Service name:	Cpl_<Primitive> (obsolete)	
Syntax:	Cal_ReturnType Cpl_<Primitive> (<type> <xxx>)	
Service ID[hex]:	--	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	<xxx>	The arguments <xxx> shall be identical to the arguments of the corresponding function Cal_<Service>(), with the exception of the argument cfgId. This argument is of type "Cal_ConfigIdType" in Cal_<Service>(). In Cpl_<Primitive> the argument cfgId shall be replaced by an argument cfgPtr of type "const void *".
Parameters	None	

(inout):	
Parameters (out):	None
Return value:	Cal_ReturnType The return values shall be identical to those of the corresponding function Cal_<Service>().
Description:	This function shall process the cryptographic primitive with the given input data and store the result in the memory location given. Tags: atp.Status=obsolete

] ()

The API "Cpl_<Primitive>" has a parameter "cfgPtr" of type "const void *".

When calling this API, the parameter "cfgPtr" shall point to a constant variable of type "Cpl_<Primitive>ConfigType", but shall be cast to "const void *".

Reason for this is to have a common definition of the parameter list of this API for all primitives of one service, because in the structure Cal_<Service>ConfigType one element is a function pointer to this API.

8.4.3 Configuration of the cryptographic primitives

For each cryptographic primitive, a cryptographic library module has to provide a configuration structure. This configuration structure shall be of type

Cpl_<Primitive>ConfigType. For each configuration of a primitive, the cryptographic library module has to provide a constant variable of that type.

To link a primitive configuration to a specific service configuration, the corresponding parameter Cal<Service>InitConfiguration of the service configuration has to be set to the C-language symbol of the primitive configuration.

Variants of CPL modules with different optimization objectives may exist. These Variants should be handled by separate modules. Those optimizations may include execution speed, platform specific optimizations, RAM size and/or code segment size etc. The most suitable variant for a given deployment should be used.

9 Sequence diagrams

Not applicable.

10 Configuration

In general, this chapter defines configuration parameters and their clustering into containers. In order to support the specification Chapter 10.1 describes fundamentals. It also specifies a template (table) you shall use for the parameter specification.

Chapter 10.2 specifies the structure (containers) and the parameters of the module CAL.

Chapter 10.3 specifies published information of the module CAL.

The CAL library shall not have any configuration options that may affect the functional behaviour of the routines. I.e. for a given set of input parameters, the outputs shall be always the same. For example, the returned value in case of error shall not be configurable.

However, a library vendor is allowed to add specific configuration options concerning library implementation, e.g. for resources consumption optimization.

Note: When changing the configuration of a cryptographical service, the result of a routine may change even without changing the input parameters. This is no contradiction to SRS_LIBS_00001, because in this case a different configuration can be considered as using a different input parameter.

10.1 How to read this chapter

In addition to this section, it is highly recommended to read the documents:

- AUTOSAR Layered Software Architecture [2]
- AUTOSAR ECU Configuration Specification [4]
This document describes the AUTOSAR configuration methodology and the AUTOSAR configuration metamodel in detail.

The following is only a short survey of the topic and it will not replace the ECU Configuration Specification document.

10.1.1 Configuration and configuration parameters

Configuration parameters define the variability of the generic part(s) of an implementation of a module. This means that only generic or configurable module implementation can be adapted to the environment (software/hardware) in use during system and/or ECU configuration.

10.1.2 Containers

Containers structure the set of configuration parameters. This means:

- *all* configuration parameters are kept in containers.

- (sub-) containers can reference (sub-) containers. It is possible to assign a multiplicity to these references. The multiplicity then defines the possible number of instances of the contained parameters.

10.2 Containers and configuration parameters

The following chapters summarize all configuration parameters. The detailed meanings of the parameters describe Chapters 7 and Chapter 8.

10.2.1 Cal

SWS Item	ECUC_Cal_00804 :	
Module Name	Cal	
Module Description	Configuration of the Cal (CryptoAbstractionLibrary) module.	
Post-Build Variant Support	false	
Supported Config Variants	VARIANT-PRE-COMPIL	

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalAsymDecrypt	0..1	Container for incorporation of AsymDecrypt primitives. Tags: atp.Status=obsolete
CalAsymEncrypt	0..1	Container for incorporation of AsymEncrypt primitives. Tags: atp.Status=obsolete
CalAsymPrivateKeyExtract	0..1	Container for incorporation of AsymPrivateKeyExtract primitives. Tags: atp.Status=obsolete
CalAsymPrivateKeyWrapAsym	0..1	Container for incorporation of AsymPrivateKeyWrapAsym primitives. Tags: atp.Status=obsolete
CalAsymPrivateKeyWrapSym	0..1	Container for incorporation of AsymPrivateKeyWrapSym primitives. Tags: atp.Status=obsolete
CalAsymPublicKeyExtract	0..1	Container for incorporation of AsymPublicKeyExtract primitives. Tags: atp.Status=obsolete
CalChecksum	0..1	Container for incorporation of Checksum primitives. Tags: atp.Status=obsolete
CalCompression	0..1	Container for incorporation of Compression primitives. Tags: atp.Status=obsolete
CalDecompression	0..1	Container for incorporation of Decompression primitives. Tags: atp.Status=obsolete
CalGeneral	1	Container for common configuration options. Tags: atp.Status=obsolete
CalHash	0..1	Container for incorporation of Hash primitives. Tags:

		atp.Status=obsolete
CalKeyDerive	0..1	Container for incorporation of KeyDerive primitives. Tags: atp.Status=obsolete
CalKeyExchangeCalcPubVal	0..1	Container for incorporation of KeyExchangeCalcPubVal primitives. Tags: atp.Status=obsolete
CalKeyExchangeCalcSecret	0..1	Container for incorporation of KeyExchangeCalcSecret primitives. Tags: atp.Status=obsolete
CalMacGenerate	0..1	Container for incorporation of MacGenerate primitives. Tags: atp.Status=obsolete
CalMacVerify	0..1	Container for incorporation of MacVerify primitives. Tags: atp.Status=obsolete
CalRandomGenerate	0..1	Container for incorporation of RandomGenerate primitives. Tags: atp.Status=obsolete
CalRandomSeed	0..1	Container for incorporation of RandomSeed primitives. Tags: atp.Status=obsolete
CalSignatureGenerate	0..1	Container for incorporation of SignatureGenerate primitives Tags: atp.Status=obsolete
CalSignatureVerify	0..1	Container for incorporation of SignatureVerify primitives. Tags: atp.Status=obsolete
CalSymBlockDecrypt	0..1	Container for incorporation of SymBlockDecrypt primitives. Tags: atp.Status=obsolete
CalSymBlockEncrypt	0..1	Container for incorporation of SymBlockEncrypt primitives. Tags: atp.Status=obsolete
CalSymDecrypt	0..1	Container for incorporation of SymDecrypt primitives Tags: atp.Status=obsolete
CalSymEncrypt	0..1	Container for incorporation of SymEncrypt primitives. Tags: atp.Status=obsolete
CalSymKeyExtract	0..1	Container for incorporation of SymKeyExtract primitives. Tags: atp.Status=obsolete
CalSymKeyWrapAsym	0..1	Container for incorporation of SymKeyWrapAsym primitives. Tags: atp.Status=obsolete
CalSymKeyWrapSym	0..1	Container for incorporation of SymKeyWrapSym primitives. Tags: atp.Status=obsolete

10.2.2 CalGeneral

SWS Item	ECUC_Cal_00554 : (Obsolete)
----------	-----------------------------

Container Name	CalGeneral	
Description	Container for common configuration options. Tags: atp.Status=obsolete	
Configuration Parameters		

SWS Item	ECUC_Cal_00744 : (Obsolete)		
Name	CalMaxAlignScalarType		
Parent Container	CalGeneral		
Description	The scalar type which has the maximum alignment restrictions on the given platform. This type can be e.g. uint8, uint16 or uint32.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00799 : (Obsolete)		
Name	CalVersionInfoApi		
Parent Container	CalGeneral		
Description	Pre-processor switch to enable and disable availability of the API Cal_GetVersionInfo(). True: API Cal_GetVersionInfo() is available. False: API Cal_GetVersionInfo() is not available.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	false		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.3 CalHash

SWS Item	ECUC_Cal_00559 : (Obsolete)		
Container Name	CalHash		
Description	Container for incorporation of Hash primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00745 : (Obsolete)		
Name	CalHashMaxCtxBufByteSize		
Parent Container	CalHash		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a hash computation. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalHashConfig	0..32	Configurations for the Hash service. Tags: atp.Status=obsolete

10.2.4 CalHashConfig

SWS Item	ECUC_Cal_00560 : (Obsolete)		
Container Name	CalHashConfig		
Description	Configurations for the Hash service. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00563 : (Obsolete)		
Name	CalHashInitConfiguration		
Parent Container	CalHashConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00562 : (Obsolete)		
Name	CalHashPrimitiveName		
Parent Container	CalHashConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.5 CalMacGenerate

SWS Item	ECUC_Cal_00635 : (Obsolete)		
Container Name	CalMacGenerate		
Description	Container for incorporation of MacGenerate primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00746 : (Obsolete)		
Name	CalMacGenerateMaxCtxBufByteSize		
Parent Container	CalMacGenerate		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a MAC generation. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00709 : (Obsolete)		
Name	CalMacGenerateMaxKeySize		
Parent Container	CalMacGenerate		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a MAC generation. Tags: atp.Status=obsolete		

Multiplicity	1									
Type	EcuclIntegerParamDef									
Range	1 .. 4294967295									
Default value	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalMacGenerateConfig	0..32	Configurations for the MacGenerate service. Tags: atp.Status=obsolete

10.2.6 CalMacGenerateConfig

SWS Item	ECUC_Cal_00564 : (Obsolete)	
Container Name	CalMacGenerateConfig	
Description	Configurations for the MacGenerate service. The container name serves as a symbolic name for the identifier of a service configuration.	
Tags:	atp.Status=obsolete	
Configuration Parameters		

SWS Item	ECUC_Cal_00567 : (Obsolete)									
Name	CalMacGenerateInitConfiguration									
Parent Container	CalMacGenerateConfig									
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.									
Tags:	atp.Status=obsolete									
Multiplicity	1									
Type	EcuclStringParamDef									
Default value	--									
maxLength	--									
minLength	--									
regularExpression	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

SWS Item	ECUC_Cal_00566 : (Obsolete)	
Name	CalMacGeneratePrimitiveName	
Parent Container	CalMacGenerateConfig	
Description	Name of the cryptographic primitive to use.	
Tags:	atp.Status=obsolete	
Multiplicity	1	
Type	EcuclStringParamDef	

Default value	--									
maxLength	--									
minLength	--									
regularExpression	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

No Included Containers

10.2.7 CalMacVerify

SWS Item	ECUC_Cal_00636 : (Obsolete)		
Container Name	CalMacVerify		
Description	Container for incorporation of MacVerify primitives.		
Tags:	atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00747 : (Obsolete)											
Name	CalMacVerifyMaxCtxBufByteSize											
Parent Container	CalMacVerify											
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a MAC verification.											
Tags:	atp.Status=obsolete											
Multiplicity	1											
Type	EcucIntegerParamDef											
Range	1 .. 4294967295											
Default value	--											
Post-Build Variant Value	false											
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--			
Pre-compile time	X	All Variants										
Link time	--											
Post-build time	--											
Scope / Dependency	scope: local											

SWS Item	ECUC_Cal_00710 : (Obsolete)											
Name	CalMacVerifyMaxKeySize											
Parent Container	CalMacVerify											
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a MAC verification.											
Tags:	atp.Status=obsolete											
Multiplicity	1											
Type	EcucIntegerParamDef											
Range	1 .. 4294967295											
Default value	--											
Post-Build Variant Value	false											
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--			
Pre-compile time	X	All Variants										
Link time	--											
Post-build time	--											

Scope / Dependency	scope: local	
Included Containers		
Container Name	Multiplicity	Scope / Dependency

10.2.8 CalMacVerifyConfig

SWS Item	ECUC_Cal_00568 : (Obsolete)	
Container Name	CalMacVerifyConfig	
Description	Container for configuration of service MacVerify. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete	
Configuration Parameters		

SWS Item	ECUC_Cal_00571 : (Obsolete)	
Name	CalMacVerifyInitConfiguration	
Parent Container	CalMacVerifyConfig	
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete	
Multiplicity	1	
Type	EcucStringParamDef	
Default value	--	
maxLength	--	
minLength	--	
regularExpression	--	
Post-Build Variant Value	false	
Value Configuration Class	Pre-compile time	X All Variants
	Link time	--
	Post-build time	--
Scope / Dependency	scope: local	

SWS Item	ECUC_Cal_00570 : (Obsolete)	
Name	CalMacVerifyPrimitiveName	
Parent Container	CalMacVerifyConfig	
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete	
Multiplicity	1	
Type	EcucStringParamDef	
Default value	--	
maxLength	--	
minLength	--	
regularExpression	--	
Post-Build Variant Value	false	
Value Configuration Class	Pre-compile time	X All Variants
	Link time	--
	Post-build time	--

Scope / Dependency	scope: local
---------------------------	--------------

No Included Containers

10.2.9 CalRandomSeed

SWS Item	ECUC_Cal_00641 : (Obsolete)
Container Name	CalRandomSeed
Description	Container for incorporation of RandomSeed primitives. Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00748 : (Obsolete)									
Name	CalRandomMaxCtxBufByteSize									
Parent Container	CalRandomSeed									
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement seeding or generating a random number. Tags: atp.Status=obsolete									
Multiplicity	1									
Type	EcucIntegerParamDef									
Range	1 .. 4294967295									
Default value	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

Included Containers

Container Name	Multiplicity	Scope / Dependency
CalRandomSeedConfig	0..32	Configurations for the RandomSeed service. Tags: atp.Status=obsolete

10.2.10 CalRandomSeedConfig

SWS Item	ECUC_Cal_00642 : (Obsolete)
Container Name	CalRandomSeedConfig
Description	Container for configuration of service RandomSeed. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00645 : (Obsolete)
Name	CalRandomSeedInitConfiguration
Parent Container	CalRandomSeedConfig
Description	Name of a C symbol which contains the configuration of the underlying

	cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00644 : (Obsolete)		
Name	CalRandomSeedPrimitiveName		
Parent Container	CalRandomSeedConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.11 CalRandomGenerate

SWS Item	ECUC_Cal_00620 : (Obsolete)		
Container Name	CalRandomGenerate		
Description	Container for incorporation of RandomGenerate primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalRandomGenerateConfig	0..32	Configurations for the RandomGenerate service. Tags: atp.Status=obsolete

10.2.12 CalRandomGenerateConfig

SWS Item	ECUC_Cal_00637 : (Obsolete)
Container Name	CalRandomGenerateConfig
Description	Container for configuration of service RandomGenerate. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00640 : (Obsolete)									
Name	CalRandomGenerateInitConfiguration									
Parent Container	CalRandomGenerateConfig									
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete									
Multiplicity	1									
Type	EcucStringParamDef									
Default value	--									
maxLength	--									
minLength	--									
regularExpression	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

SWS Item	ECUC_Cal_00639 : (Obsolete)									
Name	CalRandomGeneratePrimitiveName									
Parent Container	CalRandomGenerateConfig									
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete									
Multiplicity	1									
Type	EcucStringParamDef									
Default value	--									
maxLength	--									
minLength	--									
regularExpression	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

No Included Containers

10.2.13 CalSymBlockEncrypt

SWS Item	ECUC_Cal_00621 : (Obsolete)
-----------------	-----------------------------

Container Name	CalSymBlockEncrypt
Description	Container for incorporation of SymBlockEncrypt primitives. Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00749 : (Obsolete)		
Name	CalSymBlockEncryptMaxCtxBufByteSize		
Parent Container	CalSymBlockEncrypt		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a symmetrical block encryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00711 : (Obsolete)		
Name	CalSymBlockEncryptMaxKeySize		
Parent Container	CalSymBlockEncrypt		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical block encryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalSymBlockEncryptConfig	0..32	Configurations for the SymBlockEncrypt service. Tags: atp.Status=obsolete

10.2.14 CalSymBlockEncryptConfig

SWS Item	ECUC_Cal_00572 : (Obsolete)		
Container Name	CalSymBlockEncryptConfig		
Description	Container for configuration of service SymBlockEncrypt. The container name serves as a symbolic name for the identifier of a service configuration.		

	Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00575 : (Obsolete)		
Name	CalSymBlockEncryptInitConfiguration		
Parent Container	CalSymBlockEncryptConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
	Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00574 : (Obsolete)		
Name	CalSymBlockEncryptPrimitiveName		
Parent Container	CalSymBlockEncryptConfig		
Description	Name of the cryptographic primitive to use.		
	Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.15 CalSymBlockDecrypt

SWS Item	ECUC_Cal_00622 : (Obsolete)		
Container Name	CalSymBlockDecrypt		
Description	Container for incorporation of SymBlockDecrypt primitives.		
	Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00750 : (Obsolete)		
-----------------	------------------------------------	--	--

Name	CalSymBlockDecryptMaxCtxBufByteSize		
Parent Container	CalSymBlockDecrypt		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a symmetrical block decryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00712 : (Obsolete)		
Name	CalSymBlockDecryptMaxKeySize		
Parent Container	CalSymBlockDecrypt		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical block decryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalSymBlockDecryptConfig	0..32	Configurations for the SymBlockDecrypt service. Tags: atp.Status=obsolete

10.2.16 CalSymBlockDecryptConfig

SWS Item	ECUC_Cal_00576 : (Obsolete)		
Container Name	CalSymBlockDecryptConfig		
Description	Container for configuration of service SymBlockDecrypt. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00579 : (Obsolete)		
Name	CalSymBlockDecryptInitConfiguration		
Parent Container	CalSymBlockDecryptConfig		

Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00578 : (Obsolete)		
Name	CalSymBlockDecryptPrimitiveName		
Parent Container	CalSymBlockDecryptConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.17 CalSymEncrypt

SWS Item	ECUC_Cal_00623 : (Obsolete)		
Container Name	CalSymEncrypt		
Description	Container for incorporation of SymEncrypt primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00751 : (Obsolete)		
Name	CalSymEncryptMaxCtxBufByteSize		
Parent Container	CalSymEncrypt		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a symmetrical encryption. Tags: atp.Status=obsolete		
Multiplicity	1		

Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00713 : (Obsolete)		
Name	CalSymEncryptMaxKeySize		
Parent Container	CalSymEncrypt		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical encryption.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalSymEncryptConfig	0..32	Configurations for the SymEncrypt service. Tags: atp.Status=obsolete

10.2.18 CalSymEncryptConfig

SWS Item	ECUC_Cal_00580 : (Obsolete)		
Container Name	CalSymEncryptConfig		
Description	Container for configuration of service SymEncrypt. The container name serves as a symbolic name for the identifier of a service configuration.		
Tags: atp.Status=obsolete			

Configuration Parameters			
SWS Item	ECUC_Cal_00583 : (Obsolete)		
Name	CalSymEncryptInitConfiguration		
Parent Container	CalSymEncryptConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		

<i>minLength</i>	--									
<i>regularExpression</i>	--									
<i>Post-Build Variant Value</i>	false									
<i>Value Configuration Class</i>	<table border="1"> <tr> <td><i>Pre-compile time</i></td> <td>X</td> <td>All Variants</td> </tr> <tr> <td><i>Link time</i></td> <td>--</td> <td></td> </tr> <tr> <td><i>Post-build time</i></td> <td>--</td> <td></td> </tr> </table>	<i>Pre-compile time</i>	X	All Variants	<i>Link time</i>	--		<i>Post-build time</i>	--	
<i>Pre-compile time</i>	X	All Variants								
<i>Link time</i>	--									
<i>Post-build time</i>	--									
<i>Scope / Dependency</i>	scope: local									

<i>SWS Item</i>	ECUC_Cal_00582 : (Obsolete)										
<i>Name</i>	CalSymEncryptPrimitiveName										
<i>Parent Container</i>	CalSymEncryptConfig										
<i>Description</i>	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete										
<i>Multiplicity</i>	1										
<i>Type</i>	EcucStringParamDef										
<i>Default value</i>	--										
<i>maxLength</i>	--										
<i>minLength</i>	--										
<i>regularExpression</i>	--										
<i>Post-Build Variant Value</i>	false										
<i>Value Configuration Class</i>	<table border="1"> <tr> <td><i>Pre-compile time</i></td> <td>X</td> <td>All Variants</td> </tr> <tr> <td><i>Link time</i></td> <td>--</td> <td></td> </tr> <tr> <td><i>Post-build time</i></td> <td>--</td> <td></td> </tr> </table>	<i>Pre-compile time</i>	X	All Variants	<i>Link time</i>	--		<i>Post-build time</i>	--		
<i>Pre-compile time</i>	X	All Variants									
<i>Link time</i>	--										
<i>Post-build time</i>	--										
<i>Scope / Dependency</i>	scope: local										

No Included Containers

10.2.19 CalSymDecrypt

<i>SWS Item</i>	ECUC_Cal_00624 : (Obsolete)		
<i>Container Name</i>	CalSymDecrypt		
<i>Description</i>	Container for incorporation of SymDecrypt primitives Tags: atp.Status=obsolete		
Configuration Parameters			

<i>SWS Item</i>	ECUC_Cal_00752 : (Obsolete)										
<i>Name</i>	CalSymDecryptMaxCtxBufByteSize										
<i>Parent Container</i>	CalSymDecrypt										
<i>Description</i>	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a symmetrical decryption. Tags: atp.Status=obsolete										
<i>Multiplicity</i>	1										
<i>Type</i>	EcucIntegerParamDef										
<i>Range</i>	1 .. 4294967295										
<i>Default value</i>	--										
<i>Post-Build Variant Value</i>	false										
<i>Value Configuration Class</i>	<table border="1"> <tr> <td><i>Pre-compile time</i></td> <td>X</td> <td>All Variants</td> </tr> <tr> <td><i>Link time</i></td> <td>--</td> <td></td> </tr> <tr> <td><i>Post-build time</i></td> <td>--</td> <td></td> </tr> </table>	<i>Pre-compile time</i>	X	All Variants	<i>Link time</i>	--		<i>Post-build time</i>	--		
<i>Pre-compile time</i>	X	All Variants									
<i>Link time</i>	--										
<i>Post-build time</i>	--										
<i>Scope / Dependency</i>	scope: local										

SWS Item	ECUC_Cal_00714 : (Obsolete)		
Name	CalSymDecryptMaxKeySize		
Parent Container	CalSymDecrypt		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical decryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalSymDecryptConfig	0..32	Configurations for the SymDecrypt service. Tags: atp.Status=obsolete

10.2.20 CalSymDecryptConfig

SWS Item	ECUC_Cal_00584 : (Obsolete)		
Container Name	CalSymDecryptConfig		
Description	Container for configuration of service SymDecrypt. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00587 : (Obsolete)		
Name	CalSymDecryptInitConfiguration		
Parent Container	CalSymDecryptConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00586 : (Obsolete)		
Name	CalSymDecryptPrimitiveName		
Parent Container	CalSymDecryptConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.21 CalAsymEncrypt

SWS Item	ECUC_Cal_00625 : (Obsolete)		
Container Name	CalAsymEncrypt		
Description	Container for incorporation of AsymEncrypt primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00753 : (Obsolete)		
Name	CalAsymEncryptMaxCtxBufByteSize		
Parent Container	CalAsymEncrypt		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement an asymmetrical encryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00715 : (Obsolete)		
Name	CalAsymEncryptMaxKeySize		
Parent Container	CalAsymEncrypt		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement an asymmetrical encryption. Tags:		

	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalAsymEncryptConfig	0..32	Configurations for the AsymEncrypt service. Tags: atp.Status=obsolete

10.2.22 CalAsymEncryptConfig

SWS Item	ECUC_Cal_00588 : (Obsolete)		
Container Name	CalAsymEncryptConfig		
Description	Container for configuration of service AsymEncrypt. The container name serves as a symbolic name for the identifier of a service configuration.		
Tags:	atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00591 : (Obsolete)		
Name	CalAsymEncryptInitConfiguration		
Parent Container	CalAsymEncryptConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00590 : (Obsolete)		
Name	CalAsymEncryptPrimitiveName		
Parent Container	CalAsymEncryptConfig		
Description	Name of the cryptographic primitive to use.		
Tags:	atp.Status=obsolete		
Multiplicity	1		

Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.23 CalAsymDecrypt

SWS Item	ECUC_Cal_00626 : (Obsolete)		
Container Name	CalAsymDecrypt		
Description	Container for incorporation of AsymDecrypt primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00754 : (Obsolete)		
Name	CalAsymDecryptMaxCtxBufByteSize		
Parent Container	CalAsymDecrypt		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement an asymmetrical decryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00716 : (Obsolete)		
Name	CalAsymDecryptMaxKeySize		
Parent Container	CalAsymDecrypt		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement an asymmetrical decryption. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	

	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalAsymDecryptConfig	0..32	Configurations for the AsymDecrypt service. Tags: atp.Status=obsolete	

10.2.24 CalAsymDecryptConfig

SWS Item	ECUC_Cal_00592 : (Obsolete)		
Container Name	CalAsymDecryptConfig		
Description	Container for configuration of service AsymDecrypt. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00595 : (Obsolete)		
Name	CalAsymDecryptInitConfiguration		
Parent Container	CalAsymDecryptConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00594 : (Obsolete)		
Name	CalAsymDecryptPrimitiveName		
Parent Container	CalAsymDecryptConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	

	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.25 CalSignatureGenerate

SWS Item	ECUC_Cal_00627 : (Obsolete)		
Container Name	CalSignatureGenerate		
Description	Container for incorporation of SignatureGenerate primitives		
Tags:	atp.Status=obsolete		

Configuration Parameters

SWS Item	ECUC_Cal_00755 : (Obsolete)		
Name	CalSignatureGenerateMaxCtxBufByteSize		
Parent Container	CalSignatureGenerate		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a signature generation.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00717 : (Obsolete)		
Name	CalSignatureGenerateMaxKeySize		
Parent Container	CalSignatureGenerate		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a signature generation.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers

Container Name	Multiplicity	Scope / Dependency
CalSignatureGenerateConfig	0..32	Configurations for the SignatureGenerate service. Tags: atp.Status=obsolete

10.2.26 CalSignatureGenerateConfig

SWS Item	ECUC_Cal_00596 : (Obsolete)	
Container Name	CalSignatureGenerateConfig	
Description	Container for configuration of service SignatureGenerate. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete	
Configuration Parameters		

SWS Item	ECUC_Cal_00599 : (Obsolete)	
Name	CalSignatureGenerateInitConfiguration	
Parent Container	CalSignatureGenerateConfig	
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete	
Multiplicity	1	
Type	EcucStringParamDef	
Default value	--	
maxLength	--	
minLength	--	
regularExpression	--	
Post-Build Variant Value	false	
Value Configuration Class	Pre-compile time	X All Variants
	Link time	--
	Post-build time	--
Scope / Dependency	scope: local	

SWS Item	ECUC_Cal_00598 : (Obsolete)	
Name	CalSignatureGeneratePrimitiveName	
Parent Container	CalSignatureGenerateConfig	
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete	
Multiplicity	1	
Type	EcucStringParamDef	
Default value	--	
maxLength	--	
minLength	--	
regularExpression	--	
Post-Build Variant Value	false	
Value Configuration Class	Pre-compile time	X All Variants
	Link time	--
	Post-build time	--
Scope / Dependency	scope: local	

No Included Containers

10.2.27 CalSignatureVerify

SWS Item	ECUC_Cal_00628 : (Obsolete)
Container Name	CalSignatureVerify
Description	Container for incorporation of SignatureVerify primitives. Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00756 : (Obsolete)									
Name	CalSignatureVerifyMaxCtxBufByteSize									
Parent Container	CalSignatureVerify									
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a signature verification. Tags: atp.Status=obsolete									
Multiplicity	1									
Type	EcclIntegerParamDef									
Range	1 .. 4294967295									
Default value	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

SWS Item	ECUC_Cal_00718 : (Obsolete)									
Name	CalSignatureVerifyMaxKeySize									
Parent Container	CalSignatureVerify									
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a signature verification. Tags: atp.Status=obsolete									
Multiplicity	1									
Type	EcclIntegerParamDef									
Range	1 .. 4294967295									
Default value	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalSignatureVerifyConfig	0..32	Configurations for the SignatureVerify service. Tags: atp.Status=obsolete

10.2.28 CalSignatureVerifyConfig

SWS Item	ECUC_Cal_00600 : (Obsolete)
Container Name	CalSignatureVerifyConfig

Description	Container for configuration of service SignatureVerify. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			
SWS Item	ECUC_Cal_00603 : (Obsolete)		
Name	CalSignatureVerifyInitConfiguration		
Parent Container	CalSignatureVerifyConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00602 : (Obsolete)		
Name	CalSignatureVerifyPrimitiveName		
Parent Container	CalSignatureVerifyConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.29 CalCompression

SWS Item	ECUC_Cal_00789 : (Obsolete)		
Container Name	CalCompression		
Description	Container for incorporation of Compression primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00790 : (Obsolete)		
Name	CalCompressMaxCtxBufByteSize		
Parent Container	CalCompression		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a compression computation.		
	Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalCompressionConfig	0..32	Container for configuration of service Compression. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete	

10.2.30 CalCompressionConfig

SWS Item	ECUC_Cal_00791 : (Obsolete)		
Container Name	CalCompressionConfig		
Description	Container for configuration of service Compression. The container name serves as a symbolic name for the identifier of a service configuration.		
	Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00792 : (Obsolete)		
Name	CalCompressInitConfiguration		
Parent Container	CalCompressionConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
	Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00793 : (Obsolete)		
Name	CalCompressPrimitiveName		
Parent Container	CalCompressionConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.31 CalDecompression

SWS Item	ECUC_Cal_00794 : (Obsolete)		
Container Name	CalDecompression		
Description	Container for incorporation of Decompression primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00795 : (Obsolete)		
Name	CalDecompressMaxCtxBufByteSize		
Parent Container	CalDecompression		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a decompression computation. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers

Container Name	Multiplicity	Scope / Dependency
CalDecompressionConfig	0..32	Container for configuration of service Decompression. The container name serves as a symbolic name for the identifier of a service configuration. Tags:

	atp.Status=obsolete
--	---------------------

10.2.32 CalDecompressionConfig

SWS Item	ECUC_Cal_00796 : (Obsolete)
Container Name	CalDecompressionConfig
Description	Container for configuration of service Decompression. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00797 : (Obsolete)		
Name	CalDecompressInitConfiguration		
Parent Container	CalDecompressionConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00798 : (Obsolete)		
Name	CalDecompressPrimitiveName		
Parent Container	CalDecompressionConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.33 CalChecksum

SWS Item	ECUC_Cal_00629 : (Obsolete)		
Container Name	CalChecksum		
Description	Container for incorporation of Checksum primitives. Tags: atp.Status=obsolete		
Configuration Parameters			
SWS Item	ECUC_Cal_00757 : (Obsolete)		
Name	CalChecksumMaxCtxBufByteSize		
Parent Container	CalChecksum		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a checksum computation. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		
Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalChecksumConfig	0..32	Configurations for the Checksum service. Tags: atp.Status=obsolete	

10.2.34 CalChecksumConfig

SWS Item	ECUC_Cal_00604 : (Obsolete)		
Container Name	CalChecksumConfig		
Description	Container for configuration of service Checksum. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			
SWS Item	ECUC_Cal_00607 : (Obsolete)		
Name	CalChecksumInitConfiguration		
Parent Container	CalChecksumConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		

<i>minLength</i>	--		
<i>regularExpression</i>	--		
<i>Post-Build Variant Value</i>	false		
<i>Value Configuration Class</i>	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
<i>Scope / Dependency</i>	scope: local		

<i>SWS Item</i>	ECUC_Cal_00606 : (Obsolete)		
<i>Name</i>	CalChecksumPrimitiveName		
<i>Parent Container</i>	CalChecksumConfig		
<i>Description</i>	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
<i>Multiplicity</i>	1		
<i>Type</i>	EcucStringParamDef		
<i>Default value</i>	--		
<i>maxLength</i>	--		
<i>minLength</i>	--		
<i>regularExpression</i>	--		
<i>Post-Build Variant Value</i>	false		
<i>Value Configuration Class</i>	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
<i>Scope / Dependency</i>	scope: local		

No Included Containers

10.2.35 CalKeyDerive

<i>SWS Item</i>	ECUC_Cal_00630 : (Obsolete)		
<i>Container Name</i>	CalKeyDerive		
<i>Description</i>	Container for incorporation of KeyDerive primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

<i>SWS Item</i>	ECUC_Cal_00758 : (Obsolete)		
<i>Name</i>	CalKeyDeriveMaxCtxBufByteSize		
<i>Parent Container</i>	CalKeyDerive		
<i>Description</i>	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a key derivation. Tags: atp.Status=obsolete		
<i>Multiplicity</i>	1		
<i>Type</i>	EcucIntegerParamDef		
<i>Range</i>	1 .. 4294967295		
<i>Default value</i>	--		
<i>Post-Build Variant Value</i>	false		
<i>Value Configuration Class</i>	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
<i>Scope / Dependency</i>	scope: local		

SWS Item	ECUC_Cal_00719 : (Obsolete)		
Name	CalKeyDeriveMaxKeySize		
Parent Container	CalKeyDerive		
Description	The maximum, in bytes, of all key lengths used in all CRL primitives which implement a key derivation. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalKeyDeriveConfig	0..32	Configurations for the KeyDerive service. Tags: atp.Status=obsolete

10.2.36 CalKeyDeriveConfig

SWS Item	ECUC_Cal_00608 : (Obsolete)		
Container Name	CalKeyDeriveConfig		
Description	Container for configuration of service KeyDerive. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00611 : (Obsolete)		
Name	CalKeyDeriveInitConfiguration		
Parent Container	CalKeyDeriveConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00610 : (Obsolete)		
Name	CalKeyDerivePrimitiveName		
Parent Container	CalKeyDeriveConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.37 CalKeyExchangeCalcPubVal

SWS Item	ECUC_Cal_00631 : (Obsolete)		
Container Name	CalKeyExchangeCalcPubVal		
Description	Container for incorporation of KeyExchangeCalcPubVal primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00720 : (Obsolete)		
Name	CalKeyExchangeCalcPubValMaxBaseTypeSize		
Parent Container	CalKeyExchangeCalcPubVal		
Description	The maximum length, in bytes, of all base types used in all CPL primitives which implement a public value calculation. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00759 : (Obsolete)		
Name	CalKeyExchangeCalcPubValMaxCtxBufByteSize		
Parent Container	CalKeyExchangeCalcPubVal		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a public value calculation. Tags: atp.Status=obsolete		
Scope / Dependency			

Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00721 : (Obsolete)		
Name	CalKeyExchangeCalcPubValMaxPrivateTypeSize		
Parent Container	CalKeyExchangeCalcPubVal		
Description	The maximum length, in bytes, of all private information types used in all CPL primitives which implement a public value calculation.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalKeyExchangeCalcPubValConfig	0..32	Configurations for the KeyExchangeCalcPubVal Tags: atp.Status=obsolete

10.2.38 CalKeyExchangeCalcPubValConfig

SWS Item	ECUC_Cal_00612 : (Obsolete)		
Container Name	CalKeyExchangeCalcPubValConfig		
Description	Container for configuration of service KeyExchangeCalcPubVal. The container name serves as a symbolic name for the identifier of a service configuration.		
Tags:	atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00615 : (Obsolete)		
Name	CalKeyExchangeCalcPubValInitConfiguration		
Parent Container	CalKeyExchangeCalcPubValConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		

Default value	--									
maxLength	--									
minLength	--									
regularExpression	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

SWS Item	ECUC_Cal_00614 : (Obsolete)										
Name	CalKeyExchangeCalcPubValPrimitiveName										
Parent Container	CalKeyExchangeCalcPubValConfig										
Description	Name of the cryptographic primitive to use.										
Tags:	atp.Status=obsolete										
Multiplicity	1										
Type	EcucStringParamDef										
Default value	--										
maxLength	--										
minLength	--										
regularExpression	--										
Post-Build Variant Value	false										
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--		
Pre-compile time	X	All Variants									
Link time	--										
Post-build time	--										
Scope / Dependency	scope: local										

No Included Containers

10.2.39 CalKeyExchangeCalcSecret

SWS Item	ECUC_Cal_00632 : (Obsolete)		
Container Name	CalKeyExchangeCalcSecret		
Description	Container for incorporation of KeyExchangeCalcSecret primitives.		
Tags: atp.Status=obsolete			

Configuration Parameters

SWS Item	ECUC_Cal_00722 : (Obsolete)							
Name	CalKeyExchangeCalcSecretMaxBaseTypeSize							
Parent Container	CalKeyExchangeCalcSecret							
Description	The maximum length, in bytes, of all base types used in all CPL primitives which implement a shared secret calculation.							
Tags:	atp.Status=obsolete							
Multiplicity	1							
Type	EcucIntegerParamDef							
Range	1 .. 4294967295							
Default value	--							
Post-Build Variant Value	false							
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		
Pre-compile time	X	All Variants						
Link time	--							

	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00760 : (Obsolete)		
Name	CalKeyExchangeCalcSecretMaxCtxBufByteSize		
Parent Container	CalKeyExchangeCalcSecret		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a shared secret calculation.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00723 : (Obsolete)		
Name	CalKeyExchangeCalcSecretMaxPrivateTypeSize		
Parent Container	CalKeyExchangeCalcSecret		
Description	The maximum length, in bytes, of all private information types used in all CPL primitives which implement a shared secret calculation.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalKeyExchangeCalcSecretConfig	0..32	Configurations for the KeyExchangeCalcSecret service. Tags: atp.Status=obsolete	

10.2.40 CalKeyExchangeCalcSecretConfig

SWS Item	ECUC_Cal_00616 : (Obsolete)		
Container Name	CalKeyExchangeCalcSecretConfig		
Description	Container for configuration of service KeyExchangeCalcSecret. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00545 : (Obsolete)		
Name	CalKeyExchangeCalcSecretInitConfiguration		
Parent Container	CalKeyExchangeCalcSecretConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00618 : (Obsolete)		
Name	CalKeyExchangeCalcSecretPrimitiveName		
Parent Container	CalKeyExchangeCalcSecretConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.41 CalSymKeyExtract

SWS Item	ECUC_Cal_00633 : (Obsolete)		
Container Name	CalSymKeyExtract		
Description	Container for incorporation of SymKeyExtract primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00761 : (Obsolete)		
Name	CalSymKeyExtractMaxCtxBufByteSize		
Parent Container	CalSymKeyExtract		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives		

	which implement a symmetrical key extraction. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00724 : (Obsolete)		
Name	CalSymKeyExtractMaxKeySize		
Parent Container	CalSymKeyExtract		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical key extraction. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalSymKeyExtractConfig	0..32	Configurations for the SymKeyExtract service. Tags: atp.Status=obsolete

10.2.42 CalSymKeyExtractConfig

SWS Item	ECUC_Cal_00546 : (Obsolete)		
Container Name	CalSymKeyExtractConfig		
Description	Container for configuration of service SymKeyExtract. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			
SWS Item	ECUC_Cal_00549 : (Obsolete)		

Name	CalSymKeyExtractInitConfiguration		
Parent Container	CalSymKeyExtractConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Configuration Parameters			
SWS Item	ECUC_Cal_00549 : (Obsolete)		

Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00548 : (Obsolete)		
Name	CalSymKeyExtractPrimitiveName		
Parent Container	CalSymKeyExtractConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.43 CalAsymPublicKeyExtract

SWS Item	ECUC_Cal_00634 : (Obsolete)		
Container Name	CalAsymPublicKeyExtract		
Description	Container for incorporation of AsymPublicKeyExtract primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00762 : (Obsolete)		
Name	CalAsymPublicKeyExtractMaxCtxBufByteSize		
Parent Container	CalAsymPublicKeyExtract		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement an asymmetrical public key extraction. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		

Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00725 : (Obsolete)		
Name	CalAsymPublicKeyExtractMaxKeySize		
Parent Container	CalAsymPublicKeyExtract		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement an asymmetrical public key extraction.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalAsymPublicKeyExtractConfig	0..32	Configurations for the AsymPublicKeyExtract service. Tags: atp.Status=obsolete	

10.2.44 CalAsymPublicKeyExtractConfig

SWS Item	ECUC_Cal_00550 : (Obsolete)		
Container Name	CalAsymPublicKeyExtractConfig		
Description	Container for configuration of service AsymPublicKeyExtract. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00553 : (Obsolete)		
Name	CalAsymPublicKeyExtractInitConfiguration		
Parent Container	CalAsymPublicKeyExtractConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		

Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00552 : (Obsolete)		
Name	CalAsymPublicKeyExtractPrimitiveName		
Parent Container	CalAsymPublicKeyExtractConfig		
Description	Name of the cryptographic primitive to use.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.45 CalAsymPrivateKeyExtract

SWS Item	ECUC_Cal_00686 : (Obsolete)		
Container Name	CalAsymPrivateKeyExtract		
Description	Container for incorporation of AsymPrivateKeyExtract primitives.		
Tags:	atp.Status=obsolete		

Configuration Parameters

SWS Item	ECUC_Cal_00763 : (Obsolete)		
Name	CalAsymPrivateKeyExtractMaxCtxBufByteSize		
Parent Container	CalAsymPrivateKeyExtract		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement an asymmetrical private key extraction.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00726 : (Obsolete)		
Name	CalAsymPrivateKeyExtractMaxKeySize		

Parent Container	CalAsymPrivateKeyExtract		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement an asymmetrical private key extraction. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
CalAsymPrivateKeyExtractConfig	0..32	Configurations for the AsymPrivateKeyExtract. Tags: atp.Status=obsolete

10.2.46 CalAsymPrivateKeyExtractConfig

SWS Item	ECUC_Cal_00687 : (Obsolete)		
Container Name	CalAsymPrivateKeyExtractConfig		
Description	Container for configuration of service AsymPrivateKeyExtract. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00690 : (Obsolete)		
Name	CalAsymPrivateKeyExtractInitConfiguration		
Parent Container	CalAsymPrivateKeyExtractConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00689 : (Obsolete)		
Name	CalAsymPrivateKeyExtractPrimitiveName		

Parent Container	CalAsymPrivateKeyExtractConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.47 CalSymKeyWrapAsym

SWS Item	ECUC_Cal_00765 : (Obsolete)		
Container Name	CalSymKeyWrapAsym		
Description	Container for incorporation of SymKeyWrapAsym primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00800 : (Obsolete)		
Name	CalSymKeyWrapAsymMaxCtxBufByteSize		
Parent Container	CalSymKeyWrapAsym		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a asymmetrical wrapping of a symmetric key. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00785 : (Obsolete)		
Name	CalSymKeyWrapAsymMaxPubKeySize		
Parent Container	CalSymKeyWrapAsym		
Description	The maximum length, in bytes, of all public key types used in all CPL primitives which implement a symmetrical key wrapping. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		

Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00786 : (Obsolete)		
Name	CalSymKeyWrapAsymMaxSymKeySize		
Parent Container	CalSymKeyWrapAsym		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical key wrapping.		
	Tags:		atp.Status=obsolete
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalSymKeyWrapAsymConfig	0..32	Container for configuration of service SymKeyWrapAsym. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete	

10.2.48 CalSymKeyWrapAsymConfig

SWS Item	ECUC_Cal_00782 : (Obsolete)		
Container Name	CalSymKeyWrapAsymConfig		
Description	Container for configuration of service SymKeyWrapAsym. The container name serves as a symbolic name for the identifier of a service configuration.		
	Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00784 : (Obsolete)		
Name	CalSymKeyWrapAsymInitConfiguration		
Parent Container	CalSymKeyWrapAsymConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
	Tags:		atp.Status=obsolete
Multiplicity	1		
Type	EcucStringParamDef		

Default value	--									
maxLength	--									
minLength	--									
regularExpression	--									
Post-Build Variant Value	false									
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--	
Pre-compile time	X	All Variants								
Link time	--									
Post-build time	--									
Scope / Dependency	scope: local									

SWS Item	ECUC_Cal_00783 : (Obsolete)										
Name	CalSymKeyWrapAsymPrimitiveName										
Parent Container	CalSymKeyWrapAsymConfig										
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete										
Multiplicity	1										
Type	EcucStringParamDef										
Default value	--										
maxLength	--										
minLength	--										
regularExpression	--										
Post-Build Variant Value	false										
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> <tr> <td>Post-build time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		Post-build time	--		
Pre-compile time	X	All Variants									
Link time	--										
Post-build time	--										
Scope / Dependency	scope: local										

No Included Containers

10.2.49 CalSymKeyWrapSym

SWS Item	ECUC_Cal_00764 : (Obsolete)		
Container Name	CalSymKeyWrapSym		
Description	Container for incorporation of SymKeyWrapSym primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00801 : (Obsolete)							
Name	CalSymKeyWrapSymMaxCtxBufByteSize							
Parent Container	CalSymKeyWrapSym							
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a symmetrical wrapping of a symmetric key. Tags: atp.Status=obsolete							
Multiplicity	1							
Type	EcucIntegerParamDef							
Range	1 .. 4294967295							
Default value	--							
Post-Build Variant Value	false							
Value Configuration Class	<table border="1"> <tr> <td>Pre-compile time</td> <td>X</td> <td>All Variants</td> </tr> <tr> <td>Link time</td> <td>--</td> <td></td> </tr> </table>	Pre-compile time	X	All Variants	Link time	--		
Pre-compile time	X	All Variants						
Link time	--							

	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00781 : (Obsolete)		
Name	CalSymKeyWrapSymMaxSymKeySize		
Parent Container	CalSymKeyWrapSym		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement a symmetrical key wrapping.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalSymKeyWrapSymConfig	0..32	Container for configuration of service SymKeyWrapSym. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete	

10.2.50 CalSymKeyWrapSymConfig

SWS Item	ECUC_Cal_00777 : (Obsolete)		
Container Name	CalSymKeyWrapSymConfig		
Description	Container for configuration of service SymKeyWrapSym. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00779 : (Obsolete)		
Name	CalSymKeyWrapSymInitConfiguration		
Parent Container	CalSymKeyWrapSymConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		

Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00778 : (Obsolete)		
Name	CalSymKeyWrapSymPrimitiveName		
Parent Container	CalSymKeyWrapSymConfig		
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.51 CalAsymPrivateKeyWrapAsym

SWS Item	ECUC_Cal_00767 : (Obsolete)		
Container Name	CalAsymPrivateKeyWrapAsym		
Description	Container for incorporation of AsymPrivateKeyWrapAsym primitives. Tags: atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00802 : (Obsolete)		
Name	CalAsymPrivateKeyWrapAsymMaxCtxBufByteSize		
Parent Container	CalAsymPrivateKeyWrapAsym		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a asymmetrical wrapping of the private part of an asymmetric key. Tags: atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00771 : (Obsolete)		
-----------------	------------------------------------	--	--

Name	CalAsymPrivateKeyWrapAsymMaxPrivKeySize		
Parent Container	CalAsymPrivateKeyWrapAsym		
Description	The maximum length, in bytes, of all private information types used in all CPL primitives which implement an asymmetrical key wrapping.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00787 : (Obsolete)		
Name	CalAsymPrivateKeyWrapAsymMaxPubKeySize		
Parent Container	CalAsymPrivateKeyWrapAsym		
Description	The maximum length, in bytes, of all public key types used in all CPL primitives which implement an asymmetrical key wrapping.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalAsymPrivateKeyWrapAsymConfig	0..32	Container for configuration of service AsymPrivateKeyWrapAsym. The container name serves as a symbolic name for the identifier of a service configuration.	Tags: atp.Status=obsolete

10.2.52 CalAsymPrivateKeyWrapAsymConfig

SWS Item	ECUC_Cal_00768 : (Obsolete)		
Container Name	CalAsymPrivateKeyWrapAsymConfig		
Description	Container for configuration of service AsymPrivateKeyWrapAsym. The container name serves as a symbolic name for the identifier of a service configuration.		

	atp.Status=obsolete
Configuration Parameters	

SWS Item	ECUC_Cal_00770 : (Obsolete)		
Name	CalAsymPrivateKeyWrapAsymInitConfiguration		
Parent Container	CalAsymPrivateKeyWrapAsymConfig		
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00769 : (Obsolete)		
Name	CalAsymPrivateKeyWrapAsymPrimitiveName		
Parent Container	CalAsymPrivateKeyWrapAsymConfig		
Description	Name of the cryptographic primitive to use.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucStringParamDef		
Default value	--		
maxLength	--		
minLength	--		
regularExpression	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.53 CalAsymPrivateKeyWrapSym

SWS Item	ECUC_Cal_00766 : (Obsolete)		
Container Name	CalAsymPrivateKeyWrapSym		
Description	Container for incorporation of AsymPrivateKeyWrapSym primitives.		
Tags:	atp.Status=obsolete		
Configuration Parameters			

SWS Item	ECUC_Cal_00803 : (Obsolete)		
-----------------	-----------------------------	--	--

Name	CalAsymPrivateKeyWrapSymMaxCtxBufByteSize		
Parent Container	CalAsymPrivateKeyWrapSym		
Description	The maximum, in bytes, of all context buffers used in all CPL primitives which implement a symmetrical wrapping of the private part of an asymmetric key.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00775 : (Obsolete)		
Name	CalAsymPrivateKeyWrapSymMaxPrivKeySize		
Parent Container	CalAsymPrivateKeyWrapSym		
Description	The maximum length, in bytes, of all private information types used in all CPL primitives which implement an asymmetrical key wrapping.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_Cal_00776 : (Obsolete)		
Name	CalAsymPrivateKeyWrapSymMaxSymKeySize		
Parent Container	CalAsymPrivateKeyWrapSym		
Description	The maximum, in bytes, of all key lengths used in all CPL primitives which implement an asymmetrical key wrapping.		
Tags:	atp.Status=obsolete		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 4294967295		
Default value	--		
Post-Build Variant Value	false		
Value Configuration Class	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
CalAsymPrivateKeyWrapSymConfig	0..32	Container for configuration of service AsymPrivateKeyWrapSym. The container name serves as a symbolic name for the	

		identifier of a service configuration. Tags: atp.Status=obsolete
--	--	---

10.2.54 CalAsymPrivateKeyWrapSymConfig

SWS Item	ECUC_Cal_00772 : (Obsolete)	
Container Name	CalAsymPrivateKeyWrapSymConfig	
Description	Container for configuration of service AsymPrivateKeyWrapSym. The container name serves as a symbolic name for the identifier of a service configuration. Tags: atp.Status=obsolete	
Configuration Parameters		

SWS Item	ECUC_Cal_00774 : (Obsolete)	
Name	CalAsymPrivateKeyWrapSymInitConfiguration	
Parent Container	CalAsymPrivateKeyWrapSymConfig	
Description	Name of a C symbol which contains the configuration of the underlying cryptographic primitive. Tags: atp.Status=obsolete	
Multiplicity	1	
Type	EcucStringParamDef	
Default value	--	
maxLength	--	
minLength	--	
regularExpression	--	
Post-Build Variant Value	false	
Value Configuration Class	Pre-compile time	X All Variants
	Link time	--
	Post-build time	--
Scope / Dependency	scope: local	

SWS Item	ECUC_Cal_00773 : (Obsolete)	
Name	CalAsymPrivateKeyWrapSymPrimitiveName	
Parent Container	CalAsymPrivateKeyWrapSymConfig	
Description	Name of the cryptographic primitive to use. Tags: atp.Status=obsolete	
Multiplicity	1	
Type	EcucStringParamDef	
Default value	--	
maxLength	--	
minLength	--	
regularExpression	--	
Post-Build Variant Value	false	
Value Configuration Class	Pre-compile time	X All Variants
	Link time	--
	Post-build time	--
Scope / Dependency	scope: local	

No Included Containers

10.3 Published Information

[SWS_Cal_00780][The standardized common published parameters as required by SRS_BSW_00402 in the General Requirements on Basic Software Modules [3] shall be published within the header file of this module and need to be provided in the BSW Module Description. The according module abbreviation can be found in the List of Basic Software Modules [1].]
(SRS_BSW_00402, SRS_BSW_00003)

Additional module-specific published parameters are listed below if applicable.

11 Not applicable requirements

[SWS_Cal_00781]f These input requirements are not applicable to this specification. |(SRS_BSW_00411, SRS_BSW_00101, SRS_BSW_00164, SRS_BSW_00307, SRS_BSW_00308, SRS_BSW_00309, SRS_BSW_00314, SRS_BSW_00358, SRS_BSW_00467)